

Hyeong-Dong Yuk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5207657/publications.pdf>

Version: 2024-02-01

35
papers

246
citations

1040056

9
h-index

1058476

14
g-index

37
all docs

37
docs citations

37
times ranked

471
citing authors

#	ARTICLE	IF	CITATIONS
1	Geriatric assessment using the G8 to predict postoperative complications in patients undergoing major uro-oncologic surgery: Comparison with the Charlson Comorbidity Index. <i>Journal of Geriatric Oncology</i> , 2022, 13, 426-431.	1.0	4
2	De Ritis Ratio (Aspartate Transaminase/Alanine Transaminase) as a Significant Prognostic Factor With Upper Urinary Tract Carcinoma Who Underwent Radical Nephroureterectomy and Adjuvant Chemotherapy. <i>The Korean Journal of Urological Oncology</i> , 2022, 20, 34-42.	0.1	0
3	The tumor volume after radical prostatectomy and its clinical impact on the prognosis of patients with localized prostate cancer. <i>Scientific Reports</i> , 2022, 12, 6003.	3.3	4
4	Safety and feasibility of synchronous unilateral nephrectomy and contralateral heminephrectomy for extremely severe autosomal dominant polycystic kidney disease: Techniques and outcome. <i>Investigative and Clinical Urology</i> , 2022, 63, .	2.0	0
5	NBCA-Lipiodol Mixture Embolization of Persistent Urine Leakage After Orthotopic Neobladder Formation: Techniques and Outcomes. <i>Frontiers in Surgery</i> , 2022, 9, 844588.	1.4	0
6	Surgical Parameters Related to Excessive Intrarenal Pressure during Minimally Invasive Percutaneous Nephrolithotomy in the Supine Position: A Prospective Observational Clinical Study. <i>BioMed Research International</i> , 2022, 2022, 1-8.	1.9	1
7	The clinical impact of strict criteria for active surveillance of prostate cancer in Korean population: Results from a prospective cohort. <i>Investigative and Clinical Urology</i> , 2021, 62, 430-437.	2.0	3
8	PDLIM2 Suppression Inhibit Proliferation and Metastasis in Kidney Cancer. <i>Cancers</i> , 2021, 13, 2991.	3.7	4
9	Pyuria as a Predictive Marker of Bacillus Calmette-Guérin Unresponsiveness in Non-Muscle Invasive Bladder Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 3764.	2.4	5
10	Estimated Glomerular Filtration Rate as a Prognostic Factor in Urothelial Carcinoma of the Upper Urinary Tract: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 4155.	2.4	2
11	Prognostic Impact of Preoperative Renal Insufficiency on Metastasis-Free Survival after Radical Cystectomy. <i>Journal of Cancer</i> , 2021, 12, 7320-7325.	2.5	1
12	Acidic Urine Is Associated With Poor Prognosis of Upper Tract Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 817781.	2.8	1
13	Korean version of the G-8 geriatric screening tool: Translation and linguistic validation. <i>Journal of Geriatric Oncology</i> , 2020, 11, 470-474.	1.0	3
14	Efficacy of neoadjuvant atezolizumab treatment in patients with advanced urothelial bladder cancer according to the BASQ classification: a study protocol for an open-label, two-cohort, phase II trial. <i>BMJ Open</i> , 2020, 10, e035530.	1.9	3
15	Role of Systemic Inflammatory Response Markers in Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 1473.	2.8	16
16	The effect of preoperative ureteral stenting in retrograde Intrarenal surgery: a multicenter, propensity score-matched study. <i>BMC Urology</i> , 2020, 20, 147.	1.4	32
17	Perioperative Safety and Efficacy of Holmium Laser Enucleation of the Prostate in Patients Receiving Antithrombotic Therapy: A Prospective Cohort Study. <i>Scientific Reports</i> , 2020, 10, 5308.	3.3	5
18	Korean version of the convalescence and recovery evaluation: translation and linguistic validation. <i>Prostate International</i> , 2020, 8, 158-166.	2.3	1

#	ARTICLE	IF	CITATIONS
19	Survival Benefits Based on the Number of Lymph Nodes Removed during Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020, 9, 1933.	2.4	7
20	The number of metabolic features as a significant prognostic factor in patients with metastatic renal cell carcinoma. <i>Scientific Reports</i> , 2020, 10, 6967.	3.3	3
21	Day Temperature Difference and Aggravation of Low Urinary Tract Symptom in Benign Prostate Hypertrophy Patients in Korea: A National Health Insurance Service-National Cohort-based Study. <i>Urology</i> , 2020, 142, 106-111.	1.0	0
22	The platelet-to-lymphocyte ratio as a significant prognostic factor to predict survival outcomes in patients with synchronous metastatic renal cell carcinoma. <i>Investigative and Clinical Urology</i> , 2020, 61, 475.	2.0	7
23	Survival benefit of neoadjuvant chemotherapy in pathologic T2N0 or lower urothelial carcinoma patients: evidence to support the use of neoadjuvant chemotherapy. <i>Translational Andrology and Urology</i> , 2020, 9, 1270-1277.	1.4	1
24	Enhanced recovery after surgery of patients undergoing radical cystectomy for bladder cancer. <i>Translational Andrology and Urology</i> , 2020, 9, 2986-2996.	1.4	10
25	Role of Cytoreductive Radical Prostatectomy in the Treatment of Metastatic Prostate Cancer. <i>The Korean Journal of Urological Oncology</i> , 2020, 18, 161-169.	0.1	0
26	Current status of the focused series “Urothelial Carcinoma”. <i>Translational Cancer Research</i> , 2020, 9, 6534-6536.	1.0	1
27	Clinical outcomes of muscle invasive bladder Cancer according to the BASQ classification. <i>BMC Cancer</i> , 2019, 19, 897.	2.6	14
28	De Ritis Ratio (Aspartate Transaminase/Alanine Transaminase) as a Significant Prognostic Factor in Patients Undergoing Radical Cystectomy with Bladder Urothelial Carcinoma: A Propensity Score-Matched Study. <i>Disease Markers</i> , 2019, 2019, 1-8.	1.3	18
29	Establishment of the Seoul National University Prospectively Enrolled Registry for Genitourinary Cancer (SUPER-GUC): A prospective, multidisciplinary, bio-bank linked cohort and research platform. <i>Investigative and Clinical Urology</i> , 2019, 60, 235.	2.0	25
30	Epigenetic regulation of mammalian Hedgehog signaling to the stroma determines the molecular subtype of bladder cancer. <i>ELife</i> , 2019, 8, .	6.0	19
31	Should intravesical Bacillus Calmette-Guerin (BCG) treatment be administered to patients with T0 after repeat transurethral resection of bladder tumor in patients with high-risk non-muscle invasive bladder cancer?. <i>PLoS ONE</i> , 2018, 13, e0208267.	2.5	7
32	Differences in Pathologic Results of Repeat Transurethral Resection of Bladder Tumor (TURBT) according to Institution Performing the Initial TURBT: Comparative Analyses between Referred and Nonreferred Group. <i>BioMed Research International</i> , 2018, 2018, 1-7.	1.9	6
33	Lymphovascular invasion have a similar prognostic value as lymph node involvement in patients undergoing radical cystectomy with urothelial carcinoma. <i>Scientific Reports</i> , 2018, 8, 15928.	3.3	9
34	Design and simulation of novel laparoscopic renal denervation system: a feasibility study. <i>International Journal of Hyperthermia</i> , 2018, 35, 9-18.	2.5	11
35	Elevated Neutrophil to Lymphocyte Ratio Predicts Poor Prognosis in Non-muscle Invasive Bladder Cancer Patients: Initial Intravesical Bacillus Calmette-Guerin Treatment After Transurethral Resection of Bladder Tumor Setting. <i>Frontiers in Oncology</i> , 2018, 8, 642.	2.8	21