

Izildinha Im Maesta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5208067/publications.pdf>

Version: 2024-02-01

50
papers

718
citations

516215

16
h-index

610482

24
g-index

53
all docs

53
docs citations

53
times ranked

691
citing authors

#	ARTICLE	IF	CITATIONS
1	Changing presentation of complete hydatidiform mole at the New England Trophoblastic Disease Center over the past three decades: Does early diagnosis alter risk for gestational trophoblastic neoplasia?. <i>Gynecologic Oncology</i> , 2015, 138, 46-49.	0.6	64
2	Multiple pregnancies with complete mole and coexisting normal fetus in North and South America: A retrospective multicenter cohort and literature review. <i>Gynecologic Oncology</i> , 2017, 145, 88-95.	0.6	59
3	Effectiveness and toxicity of first-line methotrexate chemotherapy in low-risk postmolar gestational trophoblastic neoplasia: The New England Trophoblastic Disease Center experience. <i>Gynecologic Oncology</i> , 2018, 148, 161-167.	0.6	53
4	Gestational trophoblastic neoplasia lethality among Brazilian women: A retrospective national cohort study. <i>Gynecologic Oncology</i> , 2020, 158, 452-459.	0.6	42
5	Genomic profile in gestational and non-gestational choriocarcinomas. <i>Placenta</i> , 2017, 50, 8-15.	0.7	36
6	Clinical and radiological correlations in patients with gestational trophoblastic disease. <i>Radiologia Brasileira</i> , 2016, 49, 241-250.	0.3	29
7	Changing Trends in the Clinical Presentation and Management of Complete Hydatidiform Mole Among Brazilian Women. <i>International Journal of Gynecological Cancer</i> , 2016, 26, 984-990.	1.2	27
8	Epidemiological report on the treatment of patients with gestational trophoblastic disease in 10 Brazilian referral centers: results after 12 years since International FIGO 2000 Consensus. <i>Journal of reproductive medicine, The</i> , 2014, 59, 241-7.	0.2	24
9	Prognostic factors associated with time to hCG remission in patients with low-risk postmolar gestational trophoblastic neoplasia. <i>Gynecologic Oncology</i> , 2013, 130, 312-316.	0.6	22
10	Does hormonal contraception during molar pregnancy follow-up influence the risk and clinical aggressiveness of gestational trophoblastic neoplasia after controlling for risk factors?. <i>Gynecologic Oncology</i> , 2017, 147, 364-370.	0.6	22
11	Maternal and perinatal outcomes of first pregnancy after chemotherapy for gestational trophoblastic neoplasia in Brazilian women. <i>Gynecologic Oncology</i> , 2009, 112, 568-571.	0.6	21
12	Hormonal contraceptive use before <sc>hCG</sc> remission does not increase the risk of gestational trophoblastic neoplasia following complete hydatidiform mole: a historical database review. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1330-1335.	1.1	21
13	Manual Compared With Electric Vacuum Aspiration for Treatment of Molar Pregnancy. <i>Obstetrics and Gynecology</i> , 2018, 131, 652-659.	1.2	21
14	Relationship between race and clinical characteristics, extent of disease, and response to chemotherapy in patients with low-risk gestational trophoblastic neoplasia. <i>Gynecologic Oncology</i> , 2015, 138, 50-54.	0.6	20
15	Primary non-gestational choriocarcinoma of the uterine cervix: A case report. <i>Gynecologic Oncology</i> , 2005, 98, 146-150.	0.6	19
16	Distinct microRNA profiles for complete hydatidiform moles at risk of malignant progression. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 224, 372.e1-372.e30.	0.7	16
17	Gestational trophoblastic neoplasia after spontaneous human chorionic gonadotropin normalization following molar pregnancy evacuation. <i>Gynecologic Oncology</i> , 2015, 139, 283-287.	0.6	15
18	Is chemotherapy necessary for patients with molar pregnancy and human chorionic gonadotropin serum levels raised but falling at 6 months after uterine evacuation?. <i>Gynecologic Oncology</i> , 2016, 143, 558-564.	0.6	15

#	ARTICLE	IF	CITATIONS
19	Effectiveness and toxicity of second-line actinomycin D in patients with methotrexate-resistant postmolar low-risk gestational trophoblastic neoplasia. <i>Gynecologic Oncology</i> , 2020, 157, 372-378.	0.6	15
20	Design and validity of a questionnaire to assess sexuality in pregnant women. <i>Reproductive Health</i> , 2009, 6, 12.	1.2	14
21	Apoptotic index for prediction of postmolar gestational trophoblastic neoplasia. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 336.e1-336.e12.	0.7	14
22	Is chemotherapy always necessary for patients with nonmetastatic gestational trophoblastic neoplasia with histopathological diagnosis of choriocarcinoma?. <i>Gynecologic Oncology</i> , 2018, 148, 239-246.	0.6	14
23	Uterine artery Doppler flow velocimetry parameters for predicting gestational trophoblastic neoplasia after complete hydatidiform mole, a prospective cohort study. <i>Clinics</i> , 2017, 72, 284-288.	0.6	13
24	Risk factors for perinatal death in two different levels of care: a case-control study. <i>Reproductive Health</i> , 2014, 11, 11.	1.2	11
25	Assessment of quality of life and psychologic aspects in patients with gestational trophoblastic disease. <i>Journal of reproductive medicine, The</i> , 2009, 54, 239-44.	0.2	10
26	Outcomes in the management of high-risk gestational trophoblastic neoplasia in trophoblastic disease centers in South America. <i>International Journal of Gynecological Cancer</i> , 2020, 30, 1366-1371.	1.2	9
27	The safe motherhood referral system to reduce cesarean sections and perinatal mortality - a cross-sectional study [1995-2006]. <i>Reproductive Health</i> , 2011, 8, 34.	1.2	8
28	Complete molar pregnancy in adolescents from North and South America: Clinical presentation and risk of gestational trophoblastic neoplasia. <i>Gynecologic Oncology</i> , 2016, 142, 496-500.	0.6	8
29	Primary pulmonary choriocarcinoma after human chorionic gonadotropin normalization following hydatidiform mole: a report of two cases. <i>Journal of reproductive medicine, The</i> , 2010, 55, 311-6.	0.2	8
30	Molar pregnancy in adolescents. <i>Journal of reproductive medicine, The</i> , 2012, 57, 225-30.	0.2	8
31	Influence of hydatidiform mole follow-up setting on postmolar gestational trophoblastic neoplasia outcomes: a cohort study. <i>Journal of reproductive medicine, The</i> , 2012, 57, 305-9.	0.2	8
32	Response to Chemotherapy in Overweight/Obese Patients With Low-Risk Gestational Trophoblastic Neoplasia. <i>International Journal of Gynecological Cancer</i> , 2015, 25, 734-740.	1.2	7
33	Centralized Coordination of Decentralized Assistance for Patients with Gestational Trophoblastic Disease in Brazil: A Viable Strategy for Developing Countries. <i>Journal of reproductive medicine, The</i> , 2016, 61, 224-9.	0.2	6
34	Gestational Trophoblastic Disease in Brazil. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2019, 41, 211-212.	0.3	5
35	Geographical distribution and demographic characteristics of gestational trophoblastic disease. <i>Journal of reproductive medicine, The</i> , 2010, 55, 305-10.	0.2	5
36	Loss of Selenoprotein Iodothyronine Deiodinase 3 Expression Correlates with Progression of Complete Hydatidiform Mole to Gestational Trophoblastic Neoplasia. <i>Reproductive Sciences</i> , 2021, 28, 3200-3211.	1.1	3

#	ARTICLE	IF	CITATIONS
37	Cardiotocografia Anteparto e Prognóstico Perinatal em Gestações Complicadas pelo Diabete: Influência do Controle Metabólico Materno. Revista Brasileira De Ginecologia E Obstetricia, 2002, 24, 593-599.	0.3	2
38	Comparison of 2 Human Chorionic Gonadotropin Immunoassays Commercially Available for Monitoring Patients With Gestational Trophoblastic Disease. International Journal of Gynecological Cancer, 2017, 27, 1494-1500.	1.2	2
39	Características das Curvas de Regressão da Gonadotrofina Coriônica P ³ s-mola Hidatiforme Completa. Revista Brasileira De Ginecologia E Obstetricia, 2000, 22, 373-380.	0.3	2
40	Treatment of patients with gestational trophoblastic neoplasia (GTN) in 12 South America referral centers: Results after 10 years since international FIGO consensus.. Journal of Clinical Oncology, 2014, 32, e16508-e16508.	0.8	2
41	A curva de regressão da gonadotrofina coriônica humana é útil no diagnóstico precoce da neoplasia trofoblástica gestacional p ³ s-molar?. Revista Brasileira De Ginecologia E Obstetricia, 2007, 29, .	0.3	1
42	Insulinoterapia na prenhez de ratas diabéticas: repercussões fetais e placentárias. Revista Brasileira De Ginecologia E Obstetricia, 1998, 20, 19-24.	0.3	1
43	Síndrome HELLP recorrente: relato de dois casos. Revista Brasileira De Ginecologia E Obstetricia, 1998, 20, .	0.3	1
44	Mola Completa em Gravidez Gemelar: relato de Caso. Revista Brasileira De Ginecologia E Obstetricia, 1998, 20, .	0.3	1
45	Clinical characteristics and thyroid function in complete hydatidiform mole complicated by hyperthyroidism. Gynecologic Oncology, 2022, 165, 137-142.	0.6	1
46	Clinical Presentation, Treatment Outcomes, and Resistance-related Factors in South American Women with Low-risk Postmolar Gestational Trophoblastic Neoplasia. Revista Brasileira De Ginecologia E Obstetricia, 2022, 44, 746-754.	0.3	1
47	In Reply. Obstetrics and Gynecology, 2018, 132, 218-218.	1.2	0
48	Preditores Clínicos, Histopatológicos e Curva de Regressão do beta-hcg para Tumor Trofoblástico Gestacional em Portadoras de Mola Hidatiforme Completa. Revista Brasileira De Ginecologia E Obstetricia, 2000, 22, 119-119.	0.3	0
49	Preditores Clínicos e Histopatológicos de Tumor Trofoblástico Gestacional p ³ s-Mola Hidatiforme Completa. Revista Brasileira De Ginecologia E Obstetricia, 2000, 22, 167-173.	0.3	0
50	Mola hidatiforme completa e eclâmpsia: relato de caso. Revista Brasileira De Ginecologia E Obstetricia, 2003, 25, .	0.3	0