

Chao Ding

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5208471/publications.pdf>

Version: 2024-02-01

28
papers

1,110
citations

471509

17
h-index

501196

28
g-index

29
all docs

29
docs citations

29
times ranked

1983
citing authors

#	ARTICLE	IF	CITATIONS
1	Inverse Association Between the Skin and Oral Microbiota in Atopic Dermatitis. <i>Journal of Investigative Dermatology</i> , 2019, 139, 1779-1787.e12.	0.7	31
2	Fluoroscopy-guided trans-anal decompression tube placement in the treatment of acute colonic pseudo-obstruction: a single center experience. <i>Abdominal Radiology</i> , 2018, 43, 2643-2650.	2.1	2
3	Ulcerative Colitis Endoscopic Index of Severity (UCEIS) versus Mayo Endoscopic Score (MES) in guiding the need for colectomy in patients with acute severe colitis. <i>Gastroenterology Report</i> , 2018, 6, 38-44.	1.3	78
4	Validation and optimization of the Systemic Inflammation-Based modified Glasgow Prognostic Score in predicting postoperative outcome of inflammatory bowel disease: preliminary data. <i>Scientific Reports</i> , 2018, 8, 747.	3.3	11
5	Long-term follow-up of the effects of fecal microbiota transplantation in combination with soluble dietary fiber as a therapeutic regimen in slow transit constipation. <i>Science China Life Sciences</i> , 2018, 61, 779-786.	4.9	45
6	Limited role of kininogen in the host response during gram-negative pneumonia-derived sepsis. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2018, 314, L397-L405.	2.9	12
7	Fecal calprotectin as an alternative to ulcerative colitis endoscopic index of severity to predict the response to corticosteroids of acute severe ulcerative colitis: A prospective observational study. <i>Digestive and Liver Disease</i> , 2017, 49, 984-990.	0.9	20
8	Diagnostic accuracy of the postoperative ratio of C-reactive protein to albumin for complications after colorectal surgery. <i>World Journal of Surgical Oncology</i> , 2017, 15, 15.	1.9	44
9	Potential role of fecal microbiota from patients with slow transit constipation in the regulation of gastrointestinal motility. <i>Scientific Reports</i> , 2017, 7, 441.	3.3	161
10	Antibiotics-induced depletion of mice microbiota induces changes in host serotonin biosynthesis and intestinal motility. <i>Journal of Translational Medicine</i> , 2017, 15, 13.	4.4	169
11	Skeletal muscle depletion correlates with disease activity in ulcerative colitis and is reversed after colectomy. <i>Clinical Nutrition</i> , 2017, 36, 1586-1592.	5.0	65
12	Soluble Dietary Fiber Ameliorates Radiation-Induced Intestinal Epithelial-to-Mesenchymal Transition and Fibrosis. <i>Journal of Parenteral and Enteral Nutrition</i> , 2017, 41, 1399-1410.	2.6	28
13	Serial Frozen Fecal Microbiota Transplantation in the Treatment of Chronic Intestinal Pseudo-obstruction: A Preliminary Study. <i>Journal of Neurogastroenterology and Motility</i> , 2017, 23, 289-297.	2.4	42
14	Fecal microbiota transplantation in patients with slow-transit constipation: A randomized, clinical trial. <i>PLoS ONE</i> , 2017, 12, e0171308.	2.5	95
15	Efficacy of Synbiotics in Patients with Slow Transit Constipation: A Prospective Randomized Trial. <i>Nutrients</i> , 2016, 8, 605.	4.1	34
16	Sodium Butyrate Reduces Colitogenic Immunoglobulin A-Coated Bacteria and Modifies the Composition of Microbiota in IL-10 Deficient Mice. <i>Nutrients</i> , 2016, 8, 728.	4.1	30
17	Fecal Microbiota Transplantation in Combination with Soluble Dietary Fiber for Treatment of Slow Transit Constipation: A Pilot Study. <i>Archives of Medical Research</i> , 2016, 47, 236-242.	3.3	35
18	Outcome of Surgery for Coloduodenal Fistula in Crohn's Disease. <i>Journal of Gastrointestinal Surgery</i> , 2016, 20, 976-984.	1.7	16

#	ARTICLE	IF	CITATIONS
19	Procalcitonin in Crohn's disease with fever episodes, a variable to differentiate intra-abdominal abscess from disease flares. <i>International Journal of Surgery</i> , 2016, 36, 34-39.	2.7	9
20	Pectin enhances the effect of fecal microbiota transplantation in ulcerative colitis by delaying the loss of diversity of gut flora. <i>BMC Microbiology</i> , 2016, 16, 255.	3.3	64
21	An appraisal of clinical practice guidelines for constipation: a right attitude towards to guidelines. <i>BMC Gastroenterology</i> , 2016, 16, 52.	2.0	5
22	Clinical features, outcome and risk factors in cervical cancer patients after surgery for chronic radiation enteropathy. <i>Radiation Oncology</i> , 2015, 10, 128.	2.7	5
23	Laser speckle contrast imaging for measurement of hepatic microcirculation during the sepsis: A novel tool for early detection of microcirculation dysfunction. <i>Microvascular Research</i> , 2015, 97, 137-146.	2.5	17
24	Fistuloclysis Improves Liver Function and Nutritional Status in Patients with High-Output Upper Enteric Fistula. <i>Gastroenterology Research and Practice</i> , 2014, 2014, 1-10.	1.5	34
25	Protection of colonic anastomosis with platelet-rich plasma gel in the open abdomen. <i>Injury</i> , 2014, 45, 864-868.	1.7	30
26	Laser speckle contrast imaging for assessment of abdominal visceral microcirculation in acute peritonitis: does sequential impairments exist?. <i>Microvascular Research</i> , 2014, 95, 26-30.	2.5	8
27	Direct bilirubin as a prognostic biomarker in enteric fistula patients complicated with sepsis: a case-control study. <i>International Journal of Clinical and Experimental Medicine</i> , 2014, 7, 5134-45.	1.3	3
28	Rapidly <i>In Situ</i> Forming Platelet-Rich Plasma Gel Enhances Angiogenic Responses and Augments Early Wound Healing after Open Abdomen. <i>Gastroenterology Research and Practice</i> , 2013, 2013, 1-8.	1.5	17