

# Jian-Yong Li

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5209561/jian-yong-li-publications-by-citations.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101  
papers

2,190  
citations

24  
h-index

42  
g-index

117  
ext. papers

2,570  
ext. citations

3.2  
avg, IF

4.26  
L-index

#	Paper	IF	Citations
101	Mutational profile and prognostic significance of TP53 in diffuse large B-cell lymphoma patients treated with R-CHOP: report from an International DLBCL Rituximab-CHOP Consortium Program Study. <i>Blood</i> , <b>2012</b> , 120, 3986-96	2.2	223
100	Detection of translocation t(11;14)(q13;q32) in mantle cell lymphoma by fluorescence in situ hybridization. <i>American Journal of Pathology</i> , <b>1999</b> , 154, 1449-52	5.8	161
99	A distinct glucose metabolism signature of acute myeloid leukemia with prognostic value. <i>Blood</i> , <b>2014</b> , 124, 1645-54	2.2	153
98	miR-181a/b significantly enhances drug sensitivity in chronic lymphocytic leukemia cells via targeting multiple anti-apoptosis genes. <i>Carcinogenesis</i> , <b>2012</b> , 33, 1294-301	4.6	145
97	Epstein-Barr virus positive diffuse large B-cell lymphoma predict poor outcome, regardless of the age. <i>Scientific Reports</i> , <b>2015</b> , 5, 12168	4.9	65
96	The synergy of Vitamin C with decitabine activates TET2 in leukemic cells and significantly improves overall survival in elderly patients with acute myeloid leukemia. <i>Leukemia Research</i> , <b>2018</b> , 66, 1-7	2.7	57
95	BAG3 gene silencing sensitizes leukemic cells to Bortezomib-induced apoptosis. <i>FEBS Letters</i> , <b>2009</b> , 583, 401-6	3.8	50
94	Prognostic significance of ATM and TP53 deletions in Chinese patients with chronic lymphocytic leukemia. <i>Leukemia Research</i> , <b>2008</b> , 32, 1071-7	2.7	44
93	Downregulated Dicer expression predicts poor prognosis in chronic lymphocytic leukemia. <i>Cancer Science</i> , <b>2012</b> , 103, 875-81	6.9	43
92	Distinctive IgVH gene segments usage and mutation status in Chinese patients with chronic lymphocytic leukemia. <i>Leukemia Research</i> , <b>2008</b> , 32, 1491-8	2.7	43
91	Frequencies of SF3B1, NOTCH1, MYD88, BIRC3 and IGHV mutations and TP53 disruptions in Chinese with chronic lymphocytic leukemia: disparities with Europeans. <i>Oncotarget</i> , <b>2015</b> , 6, 5426-34	3.3	40
90	The mystery of chronic lymphocytic leukemia (CLL): Why is it absent in Asians and what does this tell us about etiology, pathogenesis and biology?. <i>Blood Reviews</i> , <b>2015</b> , 29, 205-13	11.1	39
89	Characterization of LEF1 High Expression and Novel Mutations in Adult Acute Lymphoblastic Leukemia. <i>PLoS ONE</i> , <b>2015</b> , 10, e0125429	3.7	37
88	Efficacy and safety of decitabine in combination with G-CSF, low-dose cytarabine and aclarubicin in newly diagnosed elderly patients with acute myeloid leukemia. <i>Oncotarget</i> , <b>2015</b> , 6, 6448-58	3.3	37
87	Cytogenetic characterisation in Chinese patients with chronic lymphocytic leukemia: a prospective, multicenter study on 143 cases analysed with interphase fluorescence in situ hybridisation. <i>Leukemia and Lymphoma</i> , <b>2008</b> , 49, 1887-92	1.9	31
86	Enhancing the action of rituximab by adding fresh frozen plasma for the treatment of fludarabine refractory chronic lymphocytic leukemia. <i>International Journal of Cancer</i> , <b>2011</b> , 128, 2192-201	7.5	29
85	Effect of low-dose cytarabine and aclarubicin in combination with granulocyte colony-stimulating factor priming (CAG regimen) on the outcome of elderly patients with acute myeloid leukemia. <i>Leukemia Research</i> , <b>2007</b> , 31, 1383-8	2.7	29

84	TP53 dysfunction in diffuse large B-cell lymphoma. <i>Critical Reviews in Oncology/Hematology</i> , <b>2016</b> , 97, 47-55	7	28
83	The prognostic significance of TP53 mutations in Chinese patients with chronic lymphocytic leukemia is independent of del(17p13). <i>Annals of Hematology</i> , <b>2011</b> , 90, 709-17	3	28
82	SOX11 expression in mantle cell lymphoma. <i>Leukemia and Lymphoma</i> , <b>2010</b> , 51, 1962-7	1.9	28
81	High CRLF2 expression associates with IKZF1 dysfunction in adult acute lymphoblastic leukemia without CRLF2 rearrangement. <i>Oncotarget</i> , <b>2016</b> , 7, 49722-49732	3.3	28
80	Interphase fluorescence in situ hybridization detection of cytogenetic abnormalities in B-cell chronic lymphocytic leukemia. <i>International Journal of Hematology</i> , <b>2007</b> , 85, 430-6	2.3	26
79	The impacts of zanubrutinib on immune cells in patients with chronic lymphocytic leukemia/small lymphocytic lymphoma. <i>Hematological Oncology</i> , <b>2019</b> , 37, 392-400	1.3	25
78	CD38 as a prognostic factor in Chinese patients with chronic lymphocytic leukaemia. <i>Leukemia Research</i> , <b>2009</b> , 33, 237-43	2.7	25
77	Aberrant microRNA expression in Chinese patients with chronic lymphocytic leukemia. <i>Leukemia Research</i> , <b>2011</b> , 35, 730-4	2.7	24
76	Immunoglobulin gene rearrangements in Chinese and Italian patients with chronic lymphocytic leukemia. <i>Oncotarget</i> , <b>2016</b> , 7, 20520-31	3.3	24
75	BAG3: a new therapeutic target of human cancers?. <i>Histology and Histopathology</i> , <b>2012</b> , 27, 257-61	1.4	24
74	Expression patterns of CD200 and CD148 in leukemic B-cell chronic lymphoproliferative disorders and their potential value in differential diagnosis. <i>Leukemia and Lymphoma</i> , <b>2015</b> , 56, 3329-35	1.9	23
73	Overexpressed BAG3 is a potential therapeutic target in chronic lymphocytic leukemia. <i>Annals of Hematology</i> , <b>2014</b> , 93, 425-35	3	22
72	MDM2 promoter SNP309 is associated with an increased susceptibility to chronic lymphocytic leukemia and correlates with MDM2 mRNA expression in Chinese patients with CLL. <i>International Journal of Cancer</i> , <b>2012</b> , 130, 2054-61	7.5	21
71	Clinical significance of down-regulated cylindromatosis gene in chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , <b>2014</b> , 55, 588-94	1.9	21
70	Prognostic significance of serum immunoglobulin paraprotein in patients with chronic lymphocytic leukemia. <i>Leukemia Research</i> , <b>2011</b> , 35, 1060-5	2.7	21
69	Chronic myeloid leukemia patients sensitive and resistant to imatinib treatment show different metabolic responses. <i>PLoS ONE</i> , <b>2010</b> , 5, e13186	3.7	21
68	Ibrutinib versus rituximab in relapsed or refractory chronic lymphocytic leukemia or small lymphocytic lymphoma: a randomized, open-label phase 3 study. <i>Cancer Medicine</i> , <b>2018</b> , 7, 1043-1055	4.8	20
67	Abnormal immunophenotype provides a key diagnostic marker: a report of 29 cases of de novo aggressive natural killer cell leukemia. <i>Translational Research</i> , <b>2014</b> , 163, 565-77	11	20

66	Elevated absolute NK cell counts in peripheral blood predict good prognosis in chronic lymphocytic leukemia. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2018</b> , 144, 449-457	4.9	19
65	Clinical importance of different calreticulin gene mutation types in wild-type JAK2 essential thrombocythemia and myelofibrosis patients. <i>Haematologica</i> , <b>2014</b> , 99, e182-4	6.6	19
64	Richter transformation in 16 of 149 Chinese patients with chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , <b>2012</b> , 53, 1749-56	1.9	19
63	The role of SOX11 in mantle cell lymphoma. <i>Leukemia Research</i> , <b>2013</b> , 37, 1412-9	2.7	18
62	S-MDM4 mRNA overexpression indicates a poor prognosis and marks a potential therapeutic target in chronic lymphocytic leukemia. <i>Cancer Science</i> , <b>2012</b> , 103, 2056-63	6.9	18
61	Low expression of CD200 predicts shorter time-to-treatment in chronic lymphocytic leukemia. <i>Oncotarget</i> , <b>2016</b> , 7, 13551-62	3.3	18
60	Intermediate prognosis of 6q deletion in chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , <b>2011</b> , 52, 230-7	1.9	16
59	Decitabine before Low-Dose Cytarabine-Based Chemotherapy Combined with Human Leukocyte Antigen-Mismatched Stem Cell Microtransplantation Improved Outcomes in Elderly Patients with Newly Diagnosed Acute Myeloid Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , <b>2017</b> , 23, 830-835	4.7	15
58	Serum thymidine kinase 1 concentration in Chinese patients with chronic lymphocytic leukemia and its correlation with other prognostic factors. <i>International Journal of Hematology</i> , <b>2009</b> , 90, 205-211	2.3	15
57	Expression levels of Lyn, Syk, PLC $\beta$ and ERK in patients with chronic lymphocytic leukemia, and higher levels of Lyn are associated with a shorter treatment-free survival. <i>Leukemia and Lymphoma</i> , <b>2013</b> , 54, 1165-70	1.9	14
56	The negative prognostic significance of positive direct antiglobulin test in Chinese patients with chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , <b>2009</b> , 50, 1482-7	1.9	14
55	Investigating Factors Associated with Thymic Regeneration after Chemotherapy in Patients with Lymphoma. <i>Frontiers in Immunology</i> , <b>2016</b> , 7, 654	8.4	14
54	Low T3 syndrome as a predictor of poor prognosis in chronic lymphocytic leukemia. <i>International Journal of Cancer</i> , <b>2018</b> , 143, 466-477	7.5	13
53	Efficacy of prophylactic lamivudine to prevent hepatitis B virus reactivation in B-cell lymphoma treated with rituximab-containing chemotherapy. <i>Supportive Care in Cancer</i> , <b>2013</b> , 21, 1265-71	3.9	12
52	The prognostic evaluation of CLLU1 expression levels in 50 Chinese patients with chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , <b>2007</b> , 48, 1785-92	1.9	12
51	Prognostic impact of Epstein-Barr virus (EBV)-DNA copy number at diagnosis in chronic lymphocytic leukemia. <i>Oncotarget</i> , <b>2016</b> , 7, 2135-42	3.3	12
50	TP53-induced glycolysis and apoptosis regulator protects from spontaneous apoptosis and predicts poor prognosis in chronic lymphocytic leukemia. <i>Leukemia Research</i> , <b>2016</b> , 50, 72-77	2.7	12
49	High levels of CD20 expression predict good prognosis in chronic lymphocytic leukemia. <i>Cancer Science</i> , <b>2013</b> , 104, 996-1001	6.9	11

48	Low expression level of phosphatase and tensin homolog deleted on chromosome ten predicts poor prognosis in chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , <b>2013</b> , 54, 1159-64	1.9	11
47	MYD88 mutations predict unfavorable prognosis in Chronic Lymphocytic Leukemia patients with mutated IGHV gene. <i>Blood Cancer Journal</i> , <b>2017</b> , 7, 651	7	11
46	TP53 mutation is not an independent prognostic factor in patients with mantle cell lymphoma at advanced stage. <i>Medical Oncology</i> , <b>2012</b> , 29, 2166-73	3.7	11
45	Expression of dominant-negative Ikaros isoforms and associated genetic alterations in Chinese adult patients with leukemia. <i>Annals of Hematology</i> , <b>2012</b> , 91, 1039-49	3	11
44	Polymorphisms and haplotypes in multidrug resistance 1 gene are not associated with chronic lymphocytic leukemia susceptibility and prognostic parameters of chronic lymphocytic leukemia in Chinese population. <i>Leukemia and Lymphoma</i> , <b>2011</b> , 52, 1003-9	1.9	11
43	Decitabine in combination with G-CSF, low-dose cytarabine and aclarubicin is as effective as standard dose chemotherapy in the induction treatment for patients aged from 55 to 69 years old with newly diagnosed acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , <b>2018</b> , 59, 2570-2579	1.9	10
42	Spectrum and immunophenotyping of 653 patients with B-cell chronic lymphoproliferative disorders in China: A single-centre analysis. <i>Hematological Oncology</i> , <b>2018</b> , 36, 121-127	1.3	10
41	Acute myeloid leukemia in four patients with t(8;21) treated with all-trans retinoic acid as a single agent. <i>Leukemia and Lymphoma</i> , <b>2008</b> , 49, 998-1001	1.9	10
40	An Integrated Regulatory Network Based on Comprehensive Analysis of mRNA Expression, Gene Methylation and Expression of Long Non-coding RNAs (lncRNAs) in Myelodysplastic Syndromes. <i>Frontiers in Oncology</i> , <b>2019</b> , 9, 200	5.3	9
39	Expression of autophagy related genes in chronic lymphocytic leukemia is associated with disease course. <i>Leukemia Research</i> , <b>2018</b> , 66, 8-14	2.7	9
38	Quantification of ZAP-70 mRNA by real-time PCR is a prognostic factor in chronic lymphocytic leukemia. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2012</b> , 138, 1011-7	4.9	9
37	MPL W515L mutation in Chinese patients with myeloproliferative diseases. <i>Leukemia and Lymphoma</i> , <b>2008</b> , 49, 955-8	1.9	9
36	The BH3-only protein Puma plays an essential role in p53-mediated apoptosis of chronic lymphocytic leukemia cells. <i>Leukemia and Lymphoma</i> , <b>2013</b> , 54, 2712-9	1.9	8
35	TP53 Pro72 allele potentially increases the poor prognostic significance of TP53 mutation in chronic lymphocytic leukemia. <i>Medical Oncology</i> , <b>2014</b> , 31, 908	3.7	7
34	The single nucleotide polymorphism and haplotype analysis of MDR1 in Chinese diffuse large B cell lymphoma patients. <i>Biomedicine and Pharmacotherapy</i> , <b>2015</b> , 73, 24-8	7.5	7
33	Expression level of DEK in chronic lymphocytic leukemia is regulated by fludarabine and Nutlin-3 depending on p53 status. <i>Cancer Biology and Therapy</i> , <b>2012</b> , 13, 1522-8	4.6	7
32	t(14;18)(q32;q21) in chronic lymphocytic leukemia patients: Report of two cases and a literature review. <i>Oncology Letters</i> , <b>2016</b> , 12, 4351-4356	2.6	6
31	Prognostic significance of peripheral blood absolute monocyte count and lymphocyte to monocyte ratio in anaplastic large cell lymphoma. <i>Cancer Biomarkers</i> , <b>2018</b> , 22, 807-813	3.8	6

30	A higher percentage of cells with 13q deletion predicts worse outcome in Chinese patients with chronic lymphocytic leukemia carrying isolated 13q deletion. <i>Annals of Hematology</i> , <b>2018</b> , 97, 1663-1669 <sup>3</sup>		6
29	Using the geometric mean fluorescence intensity index method to measure ZAP-70 expression in patients with chronic lymphocytic leukemia. <i>OncoTargets and Therapy</i> , <b>2016</b> , 9, 797-805	4.4	6
28	NOTCH1 mutation and its prognostic significance in Chinese chronic lymphocytic leukemia: a retrospective study of 317 cases. <i>Cancer Medicine</i> , <b>2018</b> , 7, 1689-1696	4.8	5
27	Response to cyclosporine A and corticosteroids in adult patients with acquired pure red cell aplasia: serial experience at a single center. <i>International Journal of Hematology</i> , <b>2018</b> , 108, 123-129	2.3	5
26	High expression of cyclic nucleotide phosphodiesterase 7B mRNA predicts poor prognosis in mantle cell lymphoma. <i>Leukemia Research</i> , <b>2013</b> , 37, 536-40	2.7	5
25	Association between polymorphism of GLI1 gene SNP rs2228226 and chronic lymphocytic leukemia in Chinese population. <i>Medical Oncology</i> , <b>2014</b> , 31, 294	3.7	5
24	An analysis of complex chromosomal aberrations in seven cases of myelodysplastic syndromes by M-FISH and whole chromosome painting. <i>International Journal of Hematology</i> , <b>2008</b> , 88, 369-373	2.3	5
23	Elevated absolute monocyte count predicts unfavorable outcomes in patients with angioimmunoblastic T-cell lymphoma. <i>Leukemia Research</i> , <b>2016</b> , 42, 88-92	2.7	5
22	The percentage of cells with 17p deletion and the size of 17p deletion subclones show prognostic significance in chronic lymphocytic leukemia. <i>Genes Chromosomes and Cancer</i> , <b>2019</b> , 58, 43-51	5	5
21	High-dose idarubicin plus busulfan as conditioning regimen to autologous stem cell transplantation: promising post-remission therapy for acute myeloid leukemia in first complete remission?. <i>Medical Oncology</i> , <b>2014</b> , 31, 980	3.7	4
20	Clinical features and outcome of Chinese patients with monoclonal B-cell lymphocytosis. <i>Leukemia Research</i> , <b>2009</b> , 33, 1619-22	2.7	4
19	Clinical Manifestation of Calreticulin Gene Mutations in Essential Thrombocythemia without Janus Kinase 2 and MPL Mutations: A Chinese Cohort Clinical Study. <i>Chinese Medical Journal</i> , <b>2016</b> , 129, 1778-83 <sup>9</sup>		3
18	MDR1 polymorphisms affect the outcome of Chinese multiple myeloma patients. <i>Biomedicine and Pharmacotherapy</i> , <b>2017</b> , 95, 743-748	7.5	3
17	Comprehensive assessment of prognostic factors predicting outcome in Chinese patients with chronic lymphocytic leukemia treated with fludarabine and cyclophosphamide. <i>Medical Oncology</i> , <b>2012</b> , 29, 2102-10	3.7	3
16	Trisomy 8 in two newly diagnosed Chinese patients with chronic lymphocytic leukemia. <i>Cancer Genetics and Cytogenetics</i> , <b>2009</b> , 192, 79-81		3
15	The prognostic role of HBV infection in chronic lymphocytic leukemia. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2018</b> , 144, 1309-1315	4.9	3
14	The decrease of JAK2 V617F allele burden in leukemia transformation of an elderly patient with myelofibrosis. <i>Leukemia Research</i> , <b>2009</b> , 33, e116-8	2.7	2
13	Rituximab Combining with Fresh Frozen Plasma for the Treatment of Patients with Refractory Advanced CLL.. <i>Blood</i> , <b>2009</b> , 114, 3450-3450	2.2	2

12	98% IGHV gene identity is the optimal cutoff to dichotomize the prognosis of Chinese patients with chronic lymphocytic leukemia. <i>Cancer Medicine</i> , <b>2020</b> , 9, 999-1007	4.8	2
11	Association of marital status with stage and survival in patients with mycosis fungoides: A population-based study. <i>Cancer Medicine</i> , <b>2021</b> , 10, 7320-7329	4.8	2
10	Definition of disease-progression risk stratification in untreated chronic lymphocytic leukemia using combined clinical, molecular and virological variables. <i>Hematological Oncology</i> , <b>2018</b> , 36, 656-662	1.3	1
9	Serum carbohydrate antigen 125 is not an independent prognostic factor in patients with chronic lymphocytic leukemia. <i>Cancer Biomarkers</i> , <b>2012</b> , 12, 169-76	3.8	1
8	Detection of t(12;14)(p13;q32) in a patient with IGH-CCND1 negative mantle cell lymphoma resembling ultra-high risk chronic lymphocytic leukemia. <i>International Journal of Clinical and Experimental Pathology</i> , <b>2015</b> , 8, 7494-8	1.4	1
7	Association between polymorphism of CD20 gene and chronic lymphocytic leukemia in Chinese population. <i>International Journal of Clinical and Experimental Medicine</i> , <b>2015</b> , 8, 11235-43		1
6	Targeting MDM4 as a Novel Therapeutic Approach for Hematologic Malignancies. <i>Current Cancer Drug Targets</i> , <b>2015</b> , 15, 769-80	2.8	1
5	Diabetes Mellitus Is Associated with Inferior Prognosis in Patients with Chronic Lymphocytic Leukemia: A Propensity Score-Matched Analysis. <i>Cancer Research and Treatment</i> , <b>2020</b> , 52, 189-206	5.2	1
4	Presence of serum antinuclear antibodies correlating unfavorable overall survival in patients with chronic lymphocytic leukemia. <i>Chinese Medical Journal</i> , <b>2019</b> , 132, 525-533	2.9	1
3	Low prevalence and independent prognostic role of del(11q) in Chinese patients with chronic lymphocytic leukemia. <i>Translational Oncology</i> , <b>2021</b> , 14, 101176	4.9	1
2	Flow cytometric assay of phosphotyrosine levels in Bcr-Abl-positive chronic myelogenous leukemias: a potential prognostic marker. <i>Annals of Hematology</i> , <b>2009</b> , 88, 29-36	3	0
1	Tislelizumab Plus GemOx in Patients with Relapsed/Refractory Classic Hodgkin Lymphoma: A Single-Arm, Multi-Center Phase II Trial. <i>Blood</i> , <b>2021</b> , 138, 1385-1385	2.2	