

Benjamin Deniau

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5209894/publications.pdf>

Version: 2024-02-01

28
papers

494
citations

687363

13
h-index

677142

22
g-index

29
all docs

29
docs citations

29
times ranked

787
citing authors

#	ARTICLE	IF	CITATIONS
1	Bacterial Pneumonia in COVID-19 Critically Ill Patients: A Case Series. <i>Clinical Infectious Diseases</i> , 2021, 72, 905-906.	5.8	78
2	Circulating dipeptidyl peptidase 3 is a myocardial depressant factor: dipeptidyl peptidase 3 inhibition rapidly and sustainably improves haemodynamics. <i>European Journal of Heart Failure</i> , 2020, 22, 290-299.	7.1	55
3	Circulating dipeptidyl peptidase 3 and alteration in haemodynamics in cardiogenic shock: results from the OptimaCC trial. <i>European Journal of Heart Failure</i> , 2020, 22, 279-286.	7.1	53
4	Activation of the renin-angiotensin-aldosterone system is associated with Acute Kidney Injury in COVID-19. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2020, 39, 453-455.	1.4	32
5	Performance of a multiplex polymerase chain reaction panel for identifying bacterial pathogens causing pneumonia in critically ill patients with COVID-19. <i>Diagnostic Microbiology and Infectious Disease</i> , 2021, 99, 115183.	1.8	31
6	Low cardiac index and stroke volume on admission are associated with poor outcome in critically ill burn patients: a retrospective cohort study. <i>Annals of Intensive Care</i> , 2016, 6, 87.	4.6	28
7	Inhibition of circulating dipeptidyl-peptidase 3 restores cardiac function in a sepsis-induced model in rats: A proof of concept study. <i>PLoS ONE</i> , 2020, 15, e0238039.	2.5	26
8	Adrecizumab, a non-neutralizing anti-adrenomedullin antibody, improves haemodynamics and attenuates myocardial oxidative stress in septic rats. <i>Intensive Care Medicine Experimental</i> , 2019, 7, 25.	1.9	25
9	Monitoring circulating dipeptidyl peptidase 3 (DPP3) predicts improvement of organ failure and survival in sepsis: a prospective observational multinational study. <i>Critical Care</i> , 2021, 25, 61.	5.8	25
10	Impact of renin-angiotensin system inhibitors continuation versus discontinuation on outcome after major surgery: protocol of a multicenter randomized, controlled trial (STOP-or-NOT trial). <i>Trials</i> , 2019, 20, 160.	1.6	22
11	Circulating dipeptidyl peptidase-3 at admission is associated with circulatory failure, acute kidney injury and death in severely ill burn patients. <i>Critical Care</i> , 2020, 24, 168.	5.8	22
12	Evaluation of a continuous improvement programme of enhanced recovery after caesarean delivery under neuraxial anaesthesia. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2016, 35, 395-399.	1.4	20
13	Acute generalized exanthematous pustulosis induced by hydroxychloroquine prescribed for COVID-19. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 2777-2779.e1.	3.8	20
14	Bioactive Adrenomedullin, Organ Support Therapies, and Survival in the Critically Ill. <i>Critical Care Medicine</i> , 2020, 48, 49-55.	0.9	13
15	Alteration of the Renin-Angiotensin-Aldosterone System in Shock: Role of the Dipeptidyl Peptidase 3. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021, 203, 526-527.	5.6	11
16	High plasma dipeptidyl peptidase 3 levels are associated with mortality and organ failure in shock: results from the international, prospective and observational FROG-ICU cohort. <i>British Journal of Anaesthesia</i> , 2022, 128, e54-e57.	3.4	10
17	Adrecizumab: an investigational agent for the biomarker-guided treatment of sepsis. <i>Expert Opinion on Investigational Drugs</i> , 2021, 30, 95-102.	4.1	8
18	Inotropes and vasopressors are associated with increased short-term mortality but not long-term survival in critically ill patients. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2022, 41, 101012.	1.4	7

#	ARTICLE	IF	CITATIONS
19	The <scp>CLIP</scp>-based mortality score in cardiogenic shock: suitable only for cardiogenic shock?. European Journal of Heart Failure, 2021, 23, 1240-1242.	7.1	2
20	Elevated Plasma Bioactive Adrenomedullin and Mortality in Cardiogenic Shock: Results from the OptimaCC Trial. Journal of Clinical Medicine, 2021, 10, 4512.	2.4	2
21	Analysis of blood culture in a rat model of cecal ligation and puncture induced sepsis. Intensive Care Medicine Experimental, 2020, 8, 18.	1.9	2
22	Usefulness of lactate albumin ratio at admission to predict 28-day mortality in critically ill severely burned patients: A retrospective cohort study. Burns, 2022, 48, 1836-1844.	1.9	2
23	Intrathoracic small bowel obstruction with cardiac compression. Anaesthesia, Critical Care & Pain Medicine, 2016, 35, 425-426.	1.4	0
24	Title is missing!. , 2020, 15, e0238039.		0
25	Title is missing!. , 2020, 15, e0238039.		0
26	Title is missing!. , 2020, 15, e0238039.		0
27	Title is missing!. , 2020, 15, e0238039.		0
28	Clonal haematopoiesis mutations in cardiogenic shock: a beginning of a new era?. European Journal of Heart Failure, 2022, 24, 1583-1585.	7.1	0