

Yong-Moon Park

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5209920/yong-moon-park-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

3,435
citations

31
h-index

50
g-index

173
ext. papers

4,353
ext. citations

5.2
avg, IF

5.52
L-index

#	Paper	IF	Citations
150	The Gut Microbiome Profile in Obesity: A Systematic Review. <i>International Journal of Endocrinology</i> , 2018 , 2018, 4095789	2.7	254
149	Metabolic syndrome as a predictor of type2 diabetes, and its clinical interpretations and usefulness. <i>Journal of Diabetes Investigation</i> , 2013 , 4, 334-43	3.9	167
148	Predicting the development of diabetes using the product of triglycerides and glucose: the Chungju Metabolic Disease Cohort (CMC) study. <i>PLoS ONE</i> , 2014 , 9, e90430	3.7	118
147	Cholesterol variability and the risk of mortality, myocardial infarction, and stroke: a nationwide population-based study. <i>European Heart Journal</i> , 2017 , 38, 3560-3566	9.5	113
146	Associations of Variability in Blood Pressure, Glucose and Cholesterol Concentrations, and Body Mass Index With Mortality and Cardiovascular Outcomes in the General Population. <i>Circulation</i> , 2018 , 138, 2627-2637	16.7	99
145	Association of Dietary and Plasma Carotenoids with Urinary F2-isoprostanes (FS15-02-19). <i>Current Developments in Nutrition</i> , 2019 , 3,	0.4	78
144	Sarcopenia as a determinant of blood pressure in older Koreans: findings from the Korea National Health and Nutrition Examination Surveys (KNHANES) 2008-2010. <i>PLoS ONE</i> , 2014 , 9, e86902	3.7	73
143	Low serum 25-hydroxyvitamin D is associated with myopia in Korean adolescents 2014 , 55, 2041-7		66
142	Normal weight obesity in Korean adults. <i>Clinical Endocrinology</i> , 2014 , 80, 214-20	3.4	63
141	Identifying metabolically obese but normal-weight (MONW) individuals in a nondiabetic Korean population: the Chungju Metabolic disease Cohort (CMC) study. <i>Clinical Endocrinology</i> , 2011 , 75, 475-81	3.4	59
140	Obesity, metabolic health, and mortality in adults: a nationwide population-based study in Korea. <i>Scientific Reports</i> , 2016 , 6, 30329	4.9	59
139	Identifying subgroups of obesity using the product of triglycerides and glucose: the Korea National Health and Nutrition Examination Survey, 2008-2010. <i>Clinical Endocrinology</i> , 2015 , 82, 213-20	3.4	58
138	Effects of cardiorespiratory fitness on blood pressure trajectory with aging in a cohort of healthy men. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 1245-1253	15.1	56
137	The effect of cardiorespiratory fitness on age-related lipids and lipoproteins. <i>Journal of the American College of Cardiology</i> , 2015 , 65, 2091-100	15.1	53
136	Association of vitamin B12 deficiency and metformin use in patients with type 2 diabetes. <i>Journal of Korean Medical Science</i> , 2014 , 29, 965-72	4.7	53
135	The association between metabolic health, obesity phenotype and the risk of breast cancer. <i>International Journal of Cancer</i> , 2017 , 140, 2657-2666	7.5	52
134	Severe Hypoglycemia and Cardiovascular or All-Cause Mortality in Patients with Type 2 Diabetes. <i>Diabetes and Metabolism Journal</i> , 2016 , 40, 202-10	5	52

133	Mediterranean diet, Dietary Approaches to Stop Hypertension (DASH) style diet, and metabolic health in U.S. adults. <i>Clinical Nutrition</i> , 2017 , 36, 1301-1309	5.9	50
132	Association of Exposure to Artificial Light at Night While Sleeping With Risk of Obesity in Women. <i>JAMA Internal Medicine</i> , 2019 , 179, 1061-1071	11.5	42
131	A comparison of effects of DPP-4 inhibitor and SGLT2 inhibitor on lipid profile in patients with type 2 diabetes. <i>Lipids in Health and Disease</i> , 2017 , 16, 58	4.4	42
130	Presence of macroalbuminuria predicts severe hypoglycemia in patients with type 2 diabetes: a 10-year follow-up study. <i>Diabetes Care</i> , 2013 , 36, 1283-9	14.6	38
129	Obesity Mediates the Association between Mediterranean Diet Consumption and Insulin Resistance and Inflammation in US Adults. <i>Journal of Nutrition</i> , 2017 , 147, 563-571	4.1	37
128	Changes in Metabolic Health Status Over Time and Risk of Developing Type 2 Diabetes: A Prospective Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e1705	1.8	36
127	Clinical Course and Risk Factors of Diabetic Retinopathy in Patients with Type 2 Diabetes Mellitus in Korea. <i>Diabetes and Metabolism Journal</i> , 2016 , 40, 482-493	5	36
126	Variability in Total Cholesterol Is Associated With the Risk of End-Stage Renal Disease: A Nationwide Population-Based Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 1963-1970	9.4	35
125	Association of serum bone morphogenetic protein 4 levels with obesity and metabolic syndrome in non-diabetic individuals. <i>Endocrine Journal</i> , 2011 , 58, 39-46	2.9	34
124	Low skeletal muscle mass is associated with non-alcoholic fatty liver disease in Korean adults: the Fifth Korea National Health and Nutrition Examination Survey. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2016 , 15, 39-47	2.1	33
123	Characteristics of metabolically obese, normal-weight women differ by menopause status: the Fourth Korea National Health and Nutrition Examination Survey. <i>Menopause</i> , 2013 , 20, 85-93	2.5	33
122	Variability in metabolic parameters and risk of dementia: a nationwide population-based study. <i>Alzheimer's Research and Therapy</i> , 2018 , 10, 110	9	33
121	Association between insulin resistance and periodontitis in Korean adults. <i>Journal of Clinical Periodontology</i> , 2014 , 41, 121-30	7.7	31
120	Diet Quality and Mortality Risk in Metabolically Obese Normal-Weight Adults. <i>Mayo Clinic Proceedings</i> , 2016 , 91, 1372-1383	6.4	29
119	Influence of the duration of diabetes on the outcome of a diabetes self-management education program. <i>Diabetes and Metabolism Journal</i> , 2012 , 36, 222-9	5	27
118	Prevalence, awareness, treatment, and control of hypertension among people over 40 years old in a rural area of South Korea: The Chungju Metabolic Disease Cohort (CMC) Study. <i>Clinical and Experimental Hypertension</i> , 2010 , 32, 166-78	2.2	27
117	Dietary inflammatory potential and risk of mortality in metabolically healthy and unhealthy phenotypes among overweight and obese adults. <i>Clinical Nutrition</i> , 2019 , 38, 682-688	5.9	27
116	Severe hypoglycemia is a risk factor for atrial fibrillation in type 2 diabetes mellitus: Nationwide population-based cohort study. <i>Journal of Diabetes and Its Complications</i> , 2018 , 32, 157-163	3.2	26

115	Preoperative anxiety about spinal surgery under general anesthesia. <i>European Spine Journal</i> , 2016 , 25, 698-707	2.7	26
114	Higher prevalence and awareness, but lower control rate of hypertension in patients with diabetes than general population: the fifth Korean national health and nutrition examination survey in 2011. <i>Diabetes and Metabolism Journal</i> , 2014 , 38, 51-7	5	26
113	Cardiovascular autonomic dysfunction predicts severe hypoglycemia in patients with type 2 diabetes: a 10-year follow-up study. <i>Diabetes Care</i> , 2014 , 37, 235-41	14.6	26
112	Insulin Resistance Distribution and Cut-Off Value in Koreans from the 2008-2010 Korean National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2016 , 11, e0154593	3.7	25
111	Diabetic Cardiovascular Autonomic Neuropathy Predicts Recurrent Cardiovascular Diseases in Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2016 , 11, e0164807	3.7	25
110	Prevalence and associated factors of diabetic retinopathy in rural Korea: the Chungju metabolic disease cohort study. <i>Journal of Korean Medical Science</i> , 2011 , 26, 1068-73	4.7	24
109	Progression of cardiovascular autonomic dysfunction in patients with type 2 diabetes: a 7-year follow-up study. <i>Diabetes Care</i> , 2008 , 31, 1832-6	14.6	24
108	Severe Periodontitis Is Associated with Insulin Resistance in Non-abdominal Obese Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 4251-4259	5.6	24
107	Association between meat consumption and risk of breast cancer: Findings from the Sister Study. <i>International Journal of Cancer</i> , 2020 , 146, 2156-2165	7.5	24
106	Risk factors for incident major depressive disorder in children and adolescents with attention-deficit/hyperactivity disorder. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 65-73	5.5	23
105	Progression of cardiovascular autonomic neuropathy and cardiovascular disease in type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2018 , 17, 109	8.7	23
104	Factors associated with the occurrence and treatment of supraventricular tachycardia in a pediatric congenital heart disease cohort. <i>Pediatric Cardiology</i> , 2014 , 35, 368-73	2.1	23
103	Optimal waist circumference cutoff value reflecting insulin resistance as a diagnostic criterion of metabolic syndrome in a nondiabetic Korean population aged 40 years and over: the Chungju Metabolic Disease Cohort (CMC) study. <i>Yonsei Medical Journal</i> , 2010 , 51, 511-8	3	23
102	Severe hypoglycemia and the risk of cardiovascular disease and mortality in type 2 diabetes: a nationwide population-based cohort study. <i>Cardiovascular Diabetology</i> , 2019 , 18, 103	8.7	22
101	Gender difference in the association of metabolic syndrome and its components with age-related cataract: the Korea National Health and Nutrition Examination Survey 2008-2010. <i>PLoS ONE</i> , 2014 , 9, e85068	3.7	22
100	Low muscle mass is associated with metabolic syndrome only in nonobese young adults: the Korea National Health and Nutrition Examination Survey 2008-2010. <i>Nutrition Research</i> , 2015 , 35, 1070-8	4	21
99	Sleep characteristics, light at night and breast cancer risk in a prospective cohort. <i>International Journal of Cancer</i> , 2017 , 141, 2204-2214	7.5	21
98	Age- and sex-specific relationships between household income, education, and diabetes mellitus in Korean adults: the Korea National Health and Nutrition Examination Survey, 2008-2010. <i>PLoS ONE</i> , 2015 , 10, e0117034	3.7	21

97	Age-related association of refractive error with intraocular pressure in the Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2014 , 9, e111879	3.7	21
96	The association between chronic kidney disease and diabetic retinopathy: the Korea National Health and Nutrition Examination Survey 2008-2010. <i>PLoS ONE</i> , 2015 , 10, e0125338	3.7	20
95	Diabetic retinopathy and endothelial dysfunction in patients with type 2 diabetes mellitus. <i>Diabetes and Metabolism Journal</i> , 2013 , 37, 262-9	5	20
94	Lower serum zinc levels are associated with unhealthy metabolic status in normal-weight adults: The 2010 Korea National Health and Nutrition Examination Survey. <i>Diabetes and Metabolism</i> , 2015 , 41, 282-290	5.4	19
93	The association between abnormal heart rate variability and new onset of chronic kidney disease in patients with type 2 diabetes: a ten-year follow-up study. <i>Diabetes Research and Clinical Practice</i> , 2015 , 108, 31-7	7.4	19
92	Glycaemic and haemoglobin A1c thresholds for detecting diabetic retinopathy: the fifth Korea National Health and Nutrition Examination Survey (2011). <i>Diabetes Research and Clinical Practice</i> , 2014 , 104, 435-42	7.4	19
91	High serum ferritin levels are associated with metabolic risk factors in non-obese Korean young adults: Korean National Health and Nutrition Examination Survey (KNHANES) IV. <i>Clinical Endocrinology</i> , 2012 , 77, 233-40	3.4	19
90	Gender differences in the association of insulin resistance with metabolic risk factors among Korean adolescents: Korea National Health and Nutrition Examination Survey 2008-2010. <i>Diabetes Research and Clinical Practice</i> , 2013 , 99, 54-62	7.4	19
89	Intensive individualized reinforcement education is important for the prevention of hypoglycemia in patients with type 2 diabetes. <i>Diabetes and Metabolism Journal</i> , 2015 , 39, 154-63	5	19
88	Correlates of incident bipolar disorder in children and adolescents diagnosed with attention-deficit/hyperactivity disorder. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e1278-83	4.6	19
87	Multiple poor sleep characteristics and metabolic abnormalities consistent with metabolic syndrome among white, black, and Hispanic/Latina women: modification by menopausal status. <i>Diabetology and Metabolic Syndrome</i> , 2019 , 11, 17	5.6	18
86	Cardiovascular Disease Predicts Severe Hypoglycemia in Patients with Type 2 Diabetes. <i>Diabetes and Metabolism Journal</i> , 2015 , 39, 498-506	5	18
85	Statin Discontinuation after Achieving a Target Low Density Lipoprotein Cholesterol Level in Type 2 Diabetic Patients without Cardiovascular Disease: A Randomized Controlled Study. <i>Diabetes and Metabolism Journal</i> , 2014 , 38, 64-73	5	17
84	The Association between Economic Status and Depressive Symptoms: An Individual and Community Level Approach. <i>Psychiatry Investigation</i> , 2011 , 8, 194-200	3.1	17
83	Cardiovascular Autonomic Dysfunction Predicts Diabetic Foot Ulcers in Patients With Type 2 Diabetes Without Diabetic Polyneuropathy. <i>Medicine (United States)</i> , 2016 , 95, e3128	1.8	17
82	Gestational diabetes mellitus may be associated with increased risk of breast cancer. <i>British Journal of Cancer</i> , 2017 , 116, 960-963	8.7	16
81	Impact of weight changes on the incidence of diabetes mellitus: a Korean nationwide cohort study. <i>Scientific Reports</i> , 2018 , 8, 3735	4.9	16
80	HDL-Cholesterol, Its Variability, and the Risk of Diabetes: A Nationwide Population-Based Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 5633-5641	5.6	16

79	Higher prevalence of metformin-induced vitamin B12 deficiency in sulfonylurea combination compared with insulin combination in patients with type 2 diabetes: a cross-sectional study. <i>PLoS ONE</i> , 2014 , 9, e109878	3.7	16
78	Day-to-day regularity in breakfast consumption is associated with weight status in a prospective cohort of women. <i>International Journal of Obesity</i> , 2020 , 44, 186-194	5.5	16
77	Dietary index scores and invasive breast cancer risk among women with a family history of breast cancer. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 1393-1401	7	15
76	Longitudinal trends in the association of metabolic syndrome with 550 k single-nucleotide polymorphisms in the Framingham Heart Study. <i>BMC Proceedings</i> , 2009 , 3 Suppl 7, S116	2.3	15
75	Impact of metabolic status on the incidence of psoriasis: a Korean nationwide cohort study. <i>Scientific Reports</i> , 2017 , 7, 1989	4.9	14
74	Obesity as a Potential Risk Factor for Blepharoptosis: The Korea National Health and Nutrition Examination Survey 2008-2010. <i>PLoS ONE</i> , 2015 , 10, e0131427	3.7	14
73	Differential Association of Metabolic Risk Factors with Open Angle Glaucoma according to Obesity in a Korean Population. <i>Scientific Reports</i> , 2016 , 6, 38283	4.9	14
72	Higher diet-dependent acid load is associated with risk of breast cancer: Findings from the sister study. <i>International Journal of Cancer</i> , 2019 , 144, 1834-1843	7.5	14
71	Long-term changes of the prevalence and control rate of hypertension among Korean adults with diagnosed diabetes: 1998-2008 Korean National Health and Nutrition Examination Survey. <i>Diabetes Research and Clinical Practice</i> , 2012 , 97, 151-7	7.4	13
70	Development and validation of a risk prediction model for severe hypoglycemia in adult patients with type 2 diabetes: a nationwide population-based cohort study. <i>Clinical Epidemiology</i> , 2018 , 10, 1545-1559	5.9	13
69	Effects of Variability in Blood Pressure, Glucose, and Cholesterol Concentrations, and Body Mass Index on End-Stage Renal Disease in the General Population of Korea. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	12
68	The association between nonalcoholic fatty liver disease and esophageal, stomach, or colorectal cancer: National population-based cohort study. <i>PLoS ONE</i> , 2020 , 15, e0226351	3.7	12
67	Time- and frequency-domain measures of heart rate variability predict cardiovascular outcome in patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018 , 143, 159-169	7.4	12
66	A prospective study of type 2 diabetes, metformin use, and risk of breast cancer. <i>Annals of Oncology</i> , 2021 , 32, 351-359	10.3	12
65	Elevated lipoprotein(a) levels predict cardiovascular disease in type 2 diabetes mellitus: a 10-year prospective cohort study. <i>Korean Journal of Internal Medicine</i> , 2016 , 31, 1110-1119	2.5	12
64	Prevalence and management of patent ductus arteriosus in a pediatric medicaid cohort. <i>Clinical Cardiology</i> , 2013 , 36, 502-6	3.3	11
63	Association between BMI and risk of severe hypoglycaemia in type 2 diabetes. <i>Diabetes and Metabolism</i> , 2019 , 45, 19-25	5.4	11
62	Insulin resistance is associated with intraocular pressure elevation in a non-obese Korean population. <i>PLoS ONE</i> , 2015 , 10, e112929	3.7	10

61	Periodontal Antibodies and All-Cause and Cardiovascular Disease Mortality. <i>Journal of Dental Research</i> , 2020 , 99, 51-59	8.1	10
60	A Prospective Analysis of Red and Processed Meat Consumption and Risk of Colorectal Cancer in Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 141-150	4	10
59	Obesity and breast cancer risk for pre- and postmenopausal women among over 6 million Korean women. <i>Breast Cancer Research and Treatment</i> , 2021 , 185, 495-506	4.4	10
58	Metabolic risk factors in Korean adolescents with severe obesity: Results from the Korea National Health and Nutrition Examination Surveys (K-NHANES) 2007-2014. <i>Diabetes Research and Clinical Practice</i> , 2018 , 138, 169-176	7.4	9
57	Evaluation of an association between long sleep duration and periodontal disease among men and women using nationally representative data. <i>Gaceta Sanitaria</i> , 2018 , 32, 143-150	2.2	9
56	Factors associated with control of blood pressure among elderly people diagnosed with hypertension in a rural area of South Korea: the Chungju Metabolic Disease Cohort Study (CMC study). <i>Blood Pressure</i> , 2010 , 19, 31-9	1.7	9
55	Quercetin-induced upregulation of human GCLC gene is mediated by cis-regulatory element for early growth response protein-1 (EGR1) in INS-1 beta-cells. <i>Journal of Cellular Biochemistry</i> , 2009 , 108, 1346-55	4.7	9
54	Lipoprotein(a) predicts the development of diabetic retinopathy in people with type 2 diabetes mellitus. <i>Journal of Clinical Lipidology</i> , 2016 , 10, 426-33	4.9	9
53	Dietary factors and serum antimüllerian hormone concentrations in late premenopausal women. <i>Fertility and Sterility</i> , 2018 , 110, 1145-1153	4.8	9
52	Can "healthy" normal alanine aminotransferase levels identify the metabolically obese phenotype? Findings from the Korea national health and nutrition examination survey 2008-2010. <i>Digestive Diseases and Sciences</i> , 2014 , 59, 1330-7	4	8
51	The Gender-Dependent Association between Obesity and Age-Related Cataracts in Middle-Aged Korean Adults. <i>PLoS ONE</i> , 2015 , 10, e0124262	3.7	8
50	Gender differences in the association between food insecurity and insulin resistance among U.S. adults: National Health and Nutrition Examination Survey, 2005-2010. <i>Annals of Epidemiology</i> , 2015 , 25, 643-8	6.4	8
49	Cardiovascular Autonomic Neuropathy Predicts Higher HbA1c Variability in Subjects with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2018 , 42, 496-512	5	8
48	Association between Fatty Liver Index and Periodontitis: the Korea National Health and Nutrition Examination Survey. <i>Scientific Reports</i> , 2020 , 10, 3805	4.9	7
47	Baseline-Corrected QT (QTc) Interval Is Associated with Prolongation of QTc during Severe Hypoglycemia in Patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2016 , 40, 463-472	5.472	7
46	Cardiovascular disease risk factors and oxidative stress among premenopausal women. <i>Free Radical Biology and Medicine</i> , 2018 , 115, 246-251	7.8	7
45	Serum Betatrophin Concentrations and the Risk of Incident Diabetes: A Nested Case-Control Study from Chungju Metabolic Disease Cohort. <i>Diabetes and Metabolism Journal</i> , 2018 , 42, 53-62	5	7
44	Cross-Sectional Analysis of Alcohol Intake and Serum Antibodies to Oral Microorganisms. <i>JDR Clinical and Translational Research</i> , 2017 , 2, 168-178	2.2	6

43	Cigarette Smoking Is Associated with Increased Risk of Malignant Gliomas: A Nationwide Population-Based Cohort Study. <i>Cancers</i> , 2020 , 12,	6.6	6
42	Cardiovascular Autonomic Neuropathy in Patients with Type 2 Diabetes Mellitus. <i>The Journal of Korean Diabetes Association</i> , 2006 , 30, 226		6
41	Endoscopic and histopathologic predictors of recurrence of colorectal adenoma on lowering the miss rate. <i>Korean Journal of Internal Medicine</i> , 2009 , 24, 196-202	2.5	6
40	Factors Associated with Insulin Resistance in a Middle-Aged Non-Obese Rural Population: The Chungju Metabolic Disease Cohort (CMC) Study. <i>Epidemiology and Health</i> , 2011 , 33, e2011009	5.6	6
39	Fasting plasma glucose level and the risk of open angle glaucoma: Nationwide population-based cohort study in Korea. <i>PLoS ONE</i> , 2020 , 15, e0239529	3.7	6
38	Exposure-weighted scoring for metabolic syndrome and the risk of myocardial infarction and stroke: a nationwide population-based study. <i>Cardiovascular Diabetology</i> , 2020 , 19, 153	8.7	6
37	The Association of Metabolic Syndrome with Diabetic Retinopathy: The Korean National Health and Nutrition Examination Survey 2008-2012. <i>PLoS ONE</i> , 2016 , 11, e0157006	3.7	6
36	Multiple sleep dimensions and type 2 diabetes risk among women in the Sister Study: differences by race/ethnicity. <i>BMJ Open Diabetes Research and Care</i> , 2019 , 7, e000652	4.5	6
35	Dietary Glycemic Index and Glycemic Load Are Positively Associated with Oxidative Stress among Premenopausal Women. <i>Journal of Nutrition</i> , 2018 , 148, 125-130	4.1	5
34	Prevalence of treatment, risk factors, and management of atrial septal defects in a pediatric Medicaid cohort. <i>Pediatric Cardiology</i> , 2013 , 34, 1723-8	2.1	5
33	Influence of visceral adiposity on cardiovascular autonomic neuropathy in patients with type 2 diabetes mellitus. <i>Diabetes and Metabolism Journal</i> , 2012 , 36, 285-92	5	5
32	Dietary inflammatory potential, oxidative balance score, and risk of breast cancer: Findings from the Sister Study. <i>International Journal of Cancer</i> , 2021 , 149, 615-626	7.5	5
31	Obesity-related hypertension: Findings from The Korea National Health and Nutrition Examination Survey 2008-2010. <i>PLoS ONE</i> , 2020 , 15, e0230616	3.7	5
30	Changes in cardiovascular disease risk and risk factors among women with and without breast cancer. <i>Cancer</i> , 2018 , 124, 4512-4519	6.4	5
29	Cross-sectional association of physical activity and periodontal antibodies. <i>Journal of Periodontology</i> , 2018 , 89, 1400-1406	4.6	4
28	Sex-specific association between asthma and hypertension in nationally representative young Korean adults. <i>Scientific Reports</i> , 2017 , 7, 15667	4.9	4
27	Prevalence and Characteristics of Metabolically Obese but Normal Weight and Metabolically Healthy but Obese in Middle-aged Koreans: the Chungju Metabolic Disease Cohort (CMC) Study. <i>Endocrinology and Metabolism</i> , 2011 , 26, 133	3.5	4
26	Clustering Characteristics of Risk Variables of Metabolic Syndrome in Korean Rural Populations. <i>The Journal of Korean Diabetes Association</i> , 2006 , 30, 177		4

25	Individual risk factors and complexity associated with congenital heart disease in a pediatric medicaid cohort. <i>Southern Medical Journal</i> , 2013 , 106, 385-90	0.6	3
24	Long-Term Neurodevelopmental Outcomes in Children and Adolescents With Congenital Heart Disease. <i>primary care companion for CNS disorders, The</i> , 2015 , 17,	1.2	3
23	Relationship between diet quality scores and the risk of frailty and mortality in adults across a wide age spectrum. <i>BMC Medicine</i> , 2021 , 19, 64	11.4	3
22	Associations between Breastfeeding and Type 2 Diabetes Mellitus and Glycemic Control in Parous Women: A Nationwide, Population-Based Study. <i>Diabetes and Metabolism Journal</i> , 2019 , 43, 236-241	5	2
21	Disease coding errors by health care organizations: effects of a government quality intervention. <i>International Journal of Health Planning and Management</i> , 2003 , 18, 151-9	2.2	2
20	Changes in Metabolic Syndrome Status and Breast Cancer Risk: A Nationwide Cohort Study. <i>Cancers</i> , 2021 , 13,	6.6	2
19	Association between toothbrushing and non-alcoholic fatty liver disease. <i>PLoS ONE</i> , 2021 , 16, e0243686	3.7	2
18	Fasting glucose level and all-cause or cause-specific mortality in Korean adults: a nationwide cohort study. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 647-658	2.5	2
17	Predictive Value of Glucose Parameters Obtained From Oral Glucose Tolerance Tests in Identifying Individuals at High Risk for the Development of Diabetes in Korean Population. <i>Medicine (United States)</i> , 2016 , 95, e3053	1.8	2
16	Serum IgG Antibodies against Periodontal Microbes and Cancer Mortality. <i>JDR Clinical and Translational Research</i> , 2020 , 5, 166-175	2.2	2
15	Importance of Awareness and Treatment for Diabetes in Influenza Vaccination Coverage of Diabetic Patients under 65 Years: A Population-Based Study. <i>Diabetes and Metabolism Journal</i> , 2021 , 45, 55-66	5	2
14	Cumulative Exposure to Metabolic Syndrome Components and the Risk of Dementia: A Nationwide Population-Based Study. <i>Endocrinology and Metabolism</i> , 2021 , 36, 424-435	3.5	1
13	Making sense of associations between type 2 diabetes, metformin, and breast cancer risk. <i>British Journal of Cancer</i> , 2021 , 125, 909-910	8.7	1
12	Associations of General and Abdominal Obesity with the Risk of Glioma Development. <i>Cancers</i> , 2021 , 13,	6.6	1
11	Associations of general obesity and central obesity with the risk of hepatocellular carcinoma in a Korean population: A national population-based cohort study. <i>International Journal of Cancer</i> , 2021 , 148, 1144-1154	7.5	1
10	Association Between Organic Food Consumption and Risk of Obesity in Women. <i>Current Developments in Nutrition</i> , 2020 , 4, 1667-1667	0.4	0
9	Severe hypoglycemia and the risk of end stage renal disease in type 2 diabetes. <i>Scientific Reports</i> , 2021 , 11, 4305	4.9	0
8	A prospective study of multiple sleep dimensions and hypertension risk among white, black and Hispanic/Latina women: findings from the Sister Study. <i>Journal of Hypertension</i> , 2021 , 39, 2210-2219	1.9	0

7	Synergistic association between underweight and type 2 diabetes on the development of laryngeal cancer: a national population-based retrospective cohort study.. <i>BMC Cancer</i> , 2022 , 22, 345	4.8	○
6	Association of weight change following smoking cessation with the risk of tuberculosis development: A nationwide population-based cohort study.. <i>PLoS ONE</i> , 2022 , 17, e0266262	3.7	○
5	Reply-Letter to the Editor - Metabolic healthy overweight/obese individuals: Not just a restricted group. <i>Clinical Nutrition</i> , 2019 , 38, 483	5.9	
4	Reply-Letter to the Editor-Different dietary approaches and coronary plaque morphology. <i>Clinical Nutrition</i> , 2018 , 37, 755	5.9	
3	Obesity in East Asia 2016 , 87-100		
2	Obesity in East Asia 2015 , 1-16		
1	Association of dietary and plasma carotenoids with urinary F-isoprostanes.. <i>European Journal of Nutrition</i> , 2022 , 1	5.2	