S Radhakrishnan

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5213184/s-radhakrishnan-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28 58 150 3,993 g-index h-index citations papers 4,226 5.46 155 3.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
150	Effect of casting solvent on the structure development, electrical, thermal behavior of polyvinylidene fluoride (PVDF)@arbon nanofiber (CNF) conducting binary and hybrid nanocomposites. <i>Polymer Bulletin</i> , 2021 , 78, 1735-1751	2.4	2
149	Studies on effective utilization of Citrus Maxima fibers based PVC composites. <i>Materials Today: Proceedings</i> , 2021 , 42, 578-583	1.4	1
148	Understanding A and B-site engineered lead-free Ba(1 \blacksquare)CaxZryTi(1 \blacksquare)O3 piezoceramics: a perspective from DFT. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 4248-4259	7.1	2
147	Screening of polymer-plasticizer systems for propellant binder applications: an experimental and simulation approach. <i>Journal of Energetic Materials</i> , 2019 , 37, 365-377	1.6	15
146	Evaluation studies on partial replacement of RDX by spherical NTO in HTPB-based insensitive sheet explosive formulation. <i>Journal of Energetic Materials</i> , 2019 , 37, 320-330	1.6	7
145	Structure, mechanical and thermal properties of polypropylene based hybrid composites with banana fiber and fly ash. <i>Materials Research Express</i> , 2019 , 6, 075318	1.7	16
144	PBAT/PLA/HNT filled blends for active food packaging. <i>Materials Research Express</i> , 2019 , 6, 125378	1.7	2
143	Multifunctional Compatibilizer for Polypropylene Blends with PMMA and EVA. <i>Materials Horizons</i> , 2018 , 111-121	0.6	
142	Stabilization Studies of Epoxidized Soybean Oil Plasticized PVC Films in the Presence of Beta-Diketone Additives. <i>Materials Horizons</i> , 2018 , 97-110	0.6	
141	Polypropylene-based conducting nanocomposites: Effect of aspect ratio of second conducting filler on the electrical percolation. <i>Journal of Thermoplastic Composite Materials</i> , 2017 , 30, 840-854	1.9	4
140	Polyphenylene sulfide- expanded graphite nanocomposites: Processing route dependent electrical percolation. <i>Journal of Thermoplastic Composite Materials</i> , 2017 , 30, 1603-1614	1.9	6
139	Analysis of electrical and thermal conductivities of polyethersulfone-graphite based hybrid nanocomposites. <i>Macromolecular Research</i> , 2017 , 25, 311-316	1.9	3
138	Electrical Properties of Conducting Polymer-MWCNT Binary and Hybrid Nanocomposites 2017 , 127-143	3	1
137	Melt rheological studies of polypropylene filled with coconut water treated and untreated fly ash. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	1
136	Solution-blended polyethersulfone graphite hybrid composites: Formation of nanographite and electrical characterization. <i>Journal of Thermoplastic Composite Materials</i> , 2015 , 28, 835-848	1.9	7
135	Quantum-chemical design of tetrazolo[1,5-b][1,2,4,5]tetrazine based nitrogen-rich energetic materials. <i>Computational and Theoretical Chemistry</i> , 2015 , 1054, 55-62	2	11
134	Spherical 3-nitro-1,2,4-triazol-5-one (NTO) based melt-cast compositions: heralding a new era of shock insensitive energetic materials. <i>RSC Advances</i> , 2015 , 5, 101647-101655	3.7	9

(2009-2013)

133	Quantum Chemical Studies on Energetic Azo-Bridged Azoles. <i>Journal of Energetic Materials</i> , 2013 , 31, 35-48	1.6	12
132	Effect of the surface roughness of conducting polypyrrole thin-film electrodes on the electrocatalytic reduction of nitrobenzene. <i>Journal of Applied Polymer Science</i> , 2012 , 125, 1875-1881	2.9	8
131	Computational study on energetic properties of nitro derivatives of furan substituted azoles. <i>Structural Chemistry</i> , 2012 , 23, 749-754	1.8	6
130	Polyaniline modified electrodes for detection of dyes. <i>Synthetic Metals</i> , 2011 , 161, 659-664	3.6	9
129	Computational studies on tetrazole derivatives as potential high energy materials. <i>Structural Chemistry</i> , 2011 , 22, 775-782	1.8	20
128	Structure-property relationships of electroluminescent polythiophenes: role of nitrogen-based heterocycles as side chains. <i>Bulletin of Materials Science</i> , 2011 , 34, 713-726	1.7	8
127	Dopant induced effect on electrocatalytic reduction of nitrobenzene using conducting polypyrrole thin film electrodes. <i>Journal of Applied Polymer Science</i> , 2011 , 120, 719-724	2.9	9
126	Molecular dynamics simulations on polythiophenes for chemical sensing applications. <i>Molecular Simulation</i> , 2010 , 36, 63-68	2	
125	Quantum-chemical studies on hexaazaisowurtzitanes. <i>Journal of Physical Chemistry A</i> , 2010 , 114, 498-5	03 .8	110
124	Quantum-Chemical Studies on TATB Processes. <i>Journal of Energetic Materials</i> , 2010 , 28, 98-113	1.6	5
123	Polyphenylene sulfide-graphite hybrid composites: Charge transport and impedance characteristics. <i>International Journal of Plastics Technology</i> , 2010 , 14, 37-44	2.7	10
122	Polyethersulfone-expanded graphite nanocomposites: Charge transport and impedance characteristics. <i>Composites Science and Technology</i> , 2010 , 70, 2111-2116	8.6	20
121	Epoxy powder coatings containing polyaniline for enhanced corrosion protection. <i>Progress in Organic Coatings</i> , 2009 , 64, 383-386	4.8	100
120	Conducting polyanilineBano-TiO2 composites for smart corrosion resistant coatings. <i>Electrochimica Acta</i> , 2009 , 54, 1249-1254	6.7	259
119	Thermal Degradation Studies of Polythiophenes Containing Hetero Aromatic Side Chains. <i>International Journal of Thermophysics</i> , 2009 , 30, 1074-1087	2.1	5
118	Polypyrrole functionalized with ferrocenyl derivative as a rapid carbon monoxide sensor. <i>Synthetic Metals</i> , 2009 , 159, 415-418	3.6	29
117	CO sensor based on polypyrrole functionalized with iron porphyrin. Synthetic Metals, 2009, 159, 1019-1	03.36	63
116	Influence of dopant ions on properties of conducting polypyrrole and its electrocatalytic activity towards methanol oxidation. <i>Synthetic Metals</i> , 2009 , 159, 1682-1688	3.6	26

115	Adsorption and desorption kinetics of anionic dyes on doped polyaniline. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 2293-9	3.4	159
114	Adsorption of sulfonated dyes by polyaniline emeraldine salt and its kinetics. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 10153-7	3.4	219
113	Comparative Study on the Role of DPT on the Formation of HMX in Semi-Batch and Continuous Process. <i>Journal of Energetic Materials</i> , 2008 , 26, 102-114	1.6	7
112	StructureBroperty studies and orientation effects of polythiophenes containing mesogenic side chains. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2008 , 46, 1463-1477	2.6	8
111	Development of nanofibrous morphology in LDPE/LLDPE/PP blends and its effect on mechanical properties of blend films. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 4005-4012	2.9	2
110	Synthesis, characterization and thermolysis studies on 3,7-dinitro-1,3,5,7-tetraazabicyclo[3,3,1]nonane (DPT): A key precursor in the synthesis of most powerful benchmark energetic materials (RDX/HMX) of today. <i>Journal of Hazardous Materials</i> , 2008	12.8	17
109	Novel polyaniline/PVDF/BaTiO3 hybrid composites with high piezo-sensitivity. <i>Sensors and Actuators A: Physical</i> , 2007 , 138, 361-365	3.9	28
108	Conducting polypyrrole modified with ferrocene for applications in carbon monoxide sensors. <i>Sensors and Actuators B: Chemical</i> , 2007 , 125, 60-65	8.5	63
107	Role of ionic diffusion in polymer gel mediated growth (PMG) technique for the synthesis of nanoparticulate fillers. <i>Materials Chemistry and Physics</i> , 2007 , 105, 348-353	4.4	8
106	High-temperature, polymergraphite hybrid composites for bipolar plates: Effect of processing conditions on electrical properties. <i>Journal of Power Sources</i> , 2007 , 163, 702-707	8.9	62
105	Response characteristics of conducting polypyrrole bi-layer actuators: Role of backing layer polymer. <i>Sensors and Actuators B: Chemical</i> , 2006 , 119, 94-98	8.5	9
104	Conducting polymer based hybrid nano-composites for enhanced corrosion protective coatings. <i>Progress in Organic Coatings</i> , 2006 , 57, 332-336	4.8	95
103	Poly(thiophenes) functionalised with thiazole heterocycles as electroluminescent polymers. <i>Journal of Materials Chemistry</i> , 2006 , 16, 2990		13
102	Molecular orbital calculations on polythiophenes containing heterocyclic substituents: effect of structure on electronic transitions. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 14078-86	3.4	
101	Structure and properties of polythiophene containing hetero aromatic side chains. <i>Computational Materials Science</i> , 2006 , 37, 318-322	3.2	23
100	Role of dopant ions in electrocatalytic oxidation of methanol using conducting polypyrrole electrodes. <i>Journal of Power Sources</i> , 2006 , 155, 157-160	8.9	14
99	OPTICAL PROPERTIES OF FUNCTIONALIZED POLYTHIOPHENES. <i>International Journal of Modern Physics B</i> , 2005 , 19, 4645-4676	1.1	24
98	Role of non-linear processes in conducting polymer blends for piezo-sensors: Part 2: Studies on polyaniline/SBS blends. <i>Sensors and Actuators A: Physical</i> , 2005 , 120, 474-481	3.9	22

(2001-2005)

97	Novel polymer-inorganic solid-state reaction for the synthesis of CdS nanocrystallites. <i>Materials Letters</i> , 2005 , 59, 554-559	3.3	13
96	Quantum chemical studies on polythiophenes containing heterocyclic substituents: effect of structure on the band gap. <i>Journal of Chemical Physics</i> , 2005 , 123, 164905	3.9	31
95	Preparation, Characterization, and Performance of Conductive Fabrics: Cotton + PANi. <i>Textile Reseach Journal</i> , 2004 , 74, 155-166	1.7	72
94	Effect of solid polymer electrolyte on the sensitization of photocurrents in solid-state electrochemical cells using conducting polypyrrole. <i>Journal of Materials Science: Materials in Electronics</i> , 2004 , 15, 75-79	2.1	
93	Effect of thermal conductivity and heat transfer on crystallization, structure, and morphology of polypropylene containing different fillers. <i>Journal of Applied Polymer Science</i> , 2004 , 93, 615-623	2.9	27
92	StructureBptical, thermal properties studies on thiophene containing benzothiazole groups. <i>Organic Electronics</i> , 2004 , 5, 227-235	3.5	11
91	Solid state electrochemical reaction in photocells made using conducting polyaniline and sensitized with methylene blue. <i>Journal of Solid State Electrochemistry</i> , 2003 , 7, 166-170	2.6	8
90	Electrochromic materials and devices: present and future. <i>Materials Chemistry and Physics</i> , 2003 , 77, 17	17 <u>-4</u> 1. 3 3	632
89	Role of heat transfer and thermal conductivity in the crystallization behavior of polypropylene-containing additives: A phenomenological model. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 2994-2999	2.9	19
88	Sensitization effect in doped and undoped state of polypyrrole by methylene blue in solid state electrochemical cells. <i>Chemical Physics Letters</i> , 2003 , 379, 401-405	2.5	16
87	Thermal degradation properties of solid polymer electrolyte (poly(vinyl alcohol)+phosphoric acid)/methylene blue composites. <i>Polymer Degradation and Stability</i> , 2003 , 79, 77-83	4.7	69
86	Synthesis, Structure and Band Gapof Novel Thiophene Based Conductive Polymers. <i>Molecular Crystals and Liquid Crystals</i> , 2003 , 390, 113-120	0.5	9
85	Conducting Polymers Functionalized with Phthalocyanine as Nitrogen Dioxide Sensors. <i>Sensors</i> , 2002 , 2, 185-194	3.8	53
84	Charge transport processes in conducting polypyrrole/Prussian Blue bilayers. <i>Materials Chemistry and Physics</i> , 2002 , 76, 15-19	4.4	21
83	Crystallization Behavior in Poly(propylene) Containing Wollastonite Microfibrils. <i>Macromolecular Materials and Engineering</i> , 2002 , 287, 272	3.9	8
82	Sensitization effect in conducting polyaniline by rhodamine 6G. <i>Journal of Materials Science: Materials in Electronics</i> , 2002 , 13, 735-741	2.1	8
81	Effect of dopant ions on piezo-response of polyaniline-poly(vinylidine flouride) blends 2002,		5
80	Polymer-mediated synthesis of Fe2O3 nano-particles. <i>Polyhedron</i> , 2001 , 20, 1489-1494	2.7	12

79	Structure development and properties of PET fibre filled PP composites. <i>Polymer</i> , 2001 , 42, 4537-4548	3.9	64
78	Structure development and crystallization behaviour of PP/nanoparticulate composite. <i>Polymer</i> , 2001 , 42, 6723-6731	3.9	180
77	Effect of dopant ions on thermal stability of conducting poly(o-phenitidine). <i>Polymer Degradation and Stability</i> , 2001 , 73, 7-13	4.7	2
76	Charge transfer complex-forming dyes incorporated in solid polymer electrolyte for optical humidity sensing. <i>Sensors and Actuators B: Chemical</i> , 2001 , 80, 141-148	8.5	48
75	Structure and properties of PP/SBS/glass fiber hybrid composites. Part I: Crystallization behavior and morphology. <i>Polymer Composites</i> , 2001 , 22, 221-231	3	7
74	Structure and properties of PP/SBS/glass fiber hybrid composites. Past II: Property measurement. <i>Polymer Composites</i> , 2001 , 22, 232-241	3	7
73	Polymer mediated growth and morphology in MNA/PMMA guest/host microdispersed composites. Journal of Applied Polymer Science, 2001 , 80, 1547-1557	2.9	1
7 ²	Development of a Transcrystalline Phase in Poly(propylene) at the PET Interface. <i>Macromolecular Materials and Engineering</i> , 2001 , 286, 1-4	3.9	8
71	Electrocatalytic properties of the ion beam irradiated conducting polypyrrole. <i>Chemical Physics Letters</i> , 2001 , 341, 518-522	2.5	15
70	Novel dye+solid polymer electrolyte material for optical humidity sensing. <i>Organic Electronics</i> , 2001 , 2, 83-88	3.5	35
69	Control of nanoparticle size of fillers by polymer blend technique. <i>Polymer</i> , 2001 , 42, 2255-2258	3.9	16
68	Effect of dye aggregation on the photosensitization effect of conducting polypyrrole sensitized with Prussian Blue. <i>Materials Chemistry and Physics</i> , 2001 , 70, 150-155	4.4	15
67	Piezoresistivity of conducting polyaniline/BaTiO3 composites. <i>Journal of Materials Research</i> , 2001 , 16, 1982-1988	2.5	39
66	Electrical properties of conducting polypyrrole films functionalized with phthalocyanine. <i>Materials Letters</i> , 2001 , 48, 144-150	3.3	20
65	Study and development of conducting polymer-based electrochromic display devices. <i>Acta Materialia</i> , 2000 , 48, 2859-2871	8.4	95
64	Structure and properties of PP/CaSO4 composite Part III: Effect of the filler grade on properties. Journal of Materials Science, 2000 , 35, 2319-2323	4.3	16
63	Effect of moisture (in solid polymer electrolyte) on the photosensitivity of conducting polypyrrole sensitized by prussian blue in solid-state photocells. <i>Synthetic Metals</i> , 2000 , 110, 181-187	3.6	24
62	Effect of substrate preconditioning on charge transport at the phthalocyaninellonducting polymer film interface. <i>Thin Solid Films</i> , 1999 , 347, 229-232	2.2	6

61	Current-voltage characteristics of conducting polypyrrole in solid polyethylene oxide electrolytes. Journal of Applied Polymer Science, 1999 , 71, 2059-2067	2.9	20	
60	Structure, growth, and morphology in para nitroaniline dispersed polymethyl methacrylate guest-host NLO composites. <i>Journal of Applied Polymer Science</i> , 1999 , 74, 3522-3534	2.9	2	
59	Electrochromic response in polypyrrole sensitized by Prussian blue. <i>Chemical Physics Letters</i> , 1998 , 292, 218-222	2.5	33	
58	Structure development in PP/CaSO4 composites: Part I Preparation of the filler by an in situ technique. <i>Journal of Materials Science</i> , 1998 , 33, 1063-1068	4.3	18	
57	Structure development in PP/CaSO2 composites: Part II Effect of filler on crystallization and morphology. <i>Journal of Materials Science</i> , 1998 , 33, 1069-1074	4.3	20	
56	Sensitization of photocurrents in solid-state electrochemical cells using conducting polypyrrole. <i>Materials Letters</i> , 1998 , 37, 192-196	3.3	21	
55	Application of dip-coating process for depositing conducting polypyrrole films. <i>Thin Solid Films</i> , 1997 , 303, 167-172	2.2	28	
54	Long-term aging and stability of conductivity in vapour phase deposited polypyrrole films. <i>Polymer Degradation and Stability</i> , 1997 , 57, 51-58	4.7	9	
53	Effect of Ephase nucleating additives on structure and properties of blow extruded polypropylene. <i>Journal of Applied Polymer Science</i> , 1997 , 64, 1247-1253	2.9	17	
52	Crystallization behavior of polyethylene oxide/para-nitroaniline microdispersed composites. <i>Journal of Applied Polymer Science</i> , 1997 , 65, 1127-1137	2.9	12	
51	Matrix mediated control of morphology in para-nitroaniline dispersed polymeric composites. <i>Materials Letters</i> , 1996 , 28, 341-346	3.3	2	
50	Charge transport processes in polypyrrole nanoscale composites. <i>Synthetic Metals</i> , 1996 , 79, 219-224	3.6	27	
49	Effect of casting solvent on the crystallization in PEO/PMMA blends. <i>Polymer</i> , 1996 , 37, 3749-3752	3.9	34	
48	Conducting polymer-based chemical sensor: Characteristics and evaluation of polyaniline composite films. <i>Advanced Materials for Optics and Electronics</i> , 1996 , 6, 151-157		33	
47	Effect of CaCO3 on the crystallization behaviour of polypropylene. <i>Journal of Materials Science</i> , 1996 , 31, 5691-5695	4.3	45	
46	Investigation of cure in epoxy acrylate resins using rheological and dielectric measurements. <i>Polymer Engineering and Science</i> , 1995 , 35, 184-189	2.3	5	
45	Polypyrrole in poly(ethylene oxide) gels with copper(ii) chloride: a hybrid conducting polymer. <i>Polymer</i> , 1995 , 36, 707-712	3.9	11	
44	Structure development in processing of polypropylene films with additives. <i>Journal of Applied Polymer Science</i> , 1995 , 58, 571-577	2.9	2	

43	Anisotropy of conductivity in polypyrrole deposited on crystalline poly(ethylene oxide)-copper(II) chloride complex and its blend. <i>Thin Solid Films</i> , 1995 , 263, 243-247	2.2	10
42	Structure and electrical properties of polypyrrolethermoplastic elastomer blends. <i>Polymer International</i> , 1994 , 34, 111-117	3.3	27
41	Continuous UV cure monitoring and dielectric properties of photocross-linked epoxylcrylate resins. <i>Journal of Applied Polymer Science</i> , 1994 , 51, 863-871	2.9	13
40	Structure and dielectric properties of poly(vinyl chloride) thermoplastic elastomer blends. <i>Journal of Applied Polymer Science</i> , 1994 , 52, 1577-1586	2.9	19
39	Polymer induced crystallization III. PEO-CdCl2 and in situ formation of PEO-CdS composite. <i>Journal of Crystal Growth</i> , 1994 , 141, 437-442	1.6	15
38	Structure and morphology of polycarbonate synthesized by solid state polycondensation. <i>Polymer</i> , 1994 , 35, 3789-3791	3.9	14
37	High piezoresistivity in conducting polymer composites. <i>Materials Letters</i> , 1994 , 18, 358-362	3.3	25
36	Polypyrrole growth on crystalline PEO complexes: characterization by WAXD and XPS. <i>Synthetic Metals</i> , 1994 , 62, 217-221	3.6	19
35	Structure development and electrical properties of polypyrrole deposited on poly(ethylene oxide) complexes. <i>Synthetic Metals</i> , 1993 , 58, 243-255	3.6	26
34	Structure development in polyvinylidene fluoride containing oxide fillers and additives. <i>Ferroelectrics</i> , 1993 , 142, 189-202	0.6	7
33	Polymer-induced crystallization of inorganic salts II. PEO-CaCl2, PEO-K2CO3 and PEO-CaCO3. Journal of Crystal Growth, 1993 , 129, 191-201	1.6	19
32	Dielectric monitoring of the curing process in cyanoacrylate resin. <i>Polymer Engineering and Science</i> , 1993 , 33, 125-131	2.3	5
31	Molecular ordering in electrochemically synthesized conducting copolymer of pyrrole with N-phenyl maleimide. <i>Solid State Communications</i> , 1992 , 84, 911-915	1.6	5
30	Polymer-induced crystallization of inorganic salts: PEO-CuCl2. <i>Journal of Crystal Growth</i> , 1992 , 116, 378	8-386	28
29	Effect of Morphology on the dielectric properties of a segmented copolyester. <i>European Polymer Journal</i> , 1991 , 27, 291-297	5.2	10
28	Electrical properties of polyester elastomer composites containing metallic fillers. <i>Journal of Materials Science</i> , 1991 , 26, 5950-5956	4.3	34
27	Structure, growth and morphology of polyphenylene sulphide. <i>Journal of Materials Science</i> , 1990 , 25, 337-342	4.3	1
26	Origin of the photocathodic effect at CdS + CuCl electrodes. <i>Journal of Electroanalytical Chemistry</i> and Interfacial Electrochemistry, 1989 , 260, 433-440		4

25	Stabilization of high conductivity in iodine doped polyphenylene sulfide. <i>Journal of Polymer Science, Part C: Polymer Letters</i> , 1989 , 27, 127-131		12
24	The photoelectrochemical studies on CdS: Cu: Cl electrodes: Importance of photoconductivity effects. <i>Solar Energy Materials and Solar Cells</i> , 1988 , 18, 37-51		3
23	Effects of localised transverse magnetic field on the characteristics of a glow discharge. <i>Physica B: Physics of Condensed Matter & C: Atomic, Molecular and Plasma Physics, Optics,</i> 1988, 151, 527-538		
22	Semiconducting behavior of polyphenylene sulfide doped with ferric chloride. <i>Journal of Macromolecular Science - Physics</i> , 1988 , 27, 291-303	1.4	7
21	Crystalline Structure and Phase Transformation in Powder Processing of Polyvinylidene Fluoride with Fillers. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 1987 , 11, 281-294	3	2
20	Crystallization behaviour of poly(phenylene sulphide)/polystyrene blend. <i>European Polymer Journal</i> , 1987 , 23, 819-824	5.2	14
19	Curing behaviour of conducting polymer composite. <i>Journal of Materials Science Letters</i> , 1987 , 6, 145-14	48	6
18	Structural investigations of powder processed poly(phenylene sulfide) blends. <i>Polymer Engineering and Science</i> , 1987 , 27, 547-552	2.3	8
17	Crystallization behaviour of aromatic copolyester modified with alicyclic diol. <i>European Polymer Journal</i> , 1986 , 22, 67-70	5.2	5
16	Effect of moulding pressure on crystallinity in powder processing of semicrystalline polymers. <i>Angewandte Makromolekulare Chemie</i> , 1986 , 141, 49-56		5
15	Effect of curing on the internal structure of polyphenylene sulphide coatings. <i>Thin Solid Films</i> , 1986 , 142, 213-226	2.2	6
14	Structure, growth and morphology polyphenylene sulphide. <i>Journal of Materials Science</i> , 1986 , 21, 597-	6 0 3	7
13	Modification of Crystallinity and Structure in Powder Processing of Polytetra Fluoroethylene. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 1986 , 11, 79-94	3	7
12	Effect of a third component on the electrical properties of conducting polymer composites. <i>Journal of Materials Science Letters</i> , 1985 , 4, 1445-1448		20
11	Role of chloride ions in the anodic oxidation of aluminium. <i>Journal Physics D: Applied Physics</i> , 1984 , 17, 209-217	3	7
10	Modification of surface structure and crystallinity in compression-molded poly(phenylene sulfide). <i>Polymer Engineering and Science</i> , 1984 , 24, 1383-1389	2.3	21
9	Sensitization of photoconductivity in tetragonal lead monoxide. <i>Journal of Materials Science</i> , 1983 , 18, 1912-1916	4.3	31
8	Switching and negative capacitance in Al-Ge15Te81Sb2S2-Al devices. <i>Journal Physics D: Applied Physics</i> , 1983 , 16, 897-908	3	9

7	Effect of iodine on electrical conduction in polyvinyl fluoride films. <i>Journal Physics D: Applied Physics</i> , 1982 , 15, 2499-2503	3	12	
6	Photopolarization process in orthorhombic lead monoxide. <i>Materials Letters</i> , 1982 , 1, 11-13	3.3	1	
5	Effect of crosslinking on the charge storage characteristics of poly(vinyl alcohol). <i>Polymer</i> , 1982 , 23, 10	69 3. 3 69	99	
4	Effect of injection contacts on depolarization behaviour of solution grown polyvinylfluoride films. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 1981 , 86, 383-385	2.3	5	
3	Surface charge decay characteristics in polyvinyl acetate films. <i>Physica Status Solidi A</i> , 1981 , 68, 117-12	21	3	
2	Electronic conduction in dye-sensitized selenium films. <i>Physica Status Solidi A</i> , 1979 , 55, 635-638		2	

Space-charge limited conduction in indanthrone films. *Physica Status Solidi A*, **1976**, 38, K151-K153