

# M Justin Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5213393/publications.pdf>

Version: 2024-02-01

41  
papers

3,395  
citations

304602

22  
h-index

315616

38  
g-index

48  
all docs

48  
docs citations

48  
times ranked

5492  
citing authors

#	ARTICLE	IF	CITATIONS
1	The structural and functional connectivity of the amygdala: From normal emotion to pathological anxiety. <i>Behavioural Brain Research</i> , 2011, 223, 403-410.	1.2	741
2	The Structural Integrity of an Amygdala-Prefrontal Pathway Predicts Trait Anxiety. <i>Journal of Neuroscience</i> , 2009, 29, 11614-11618.	1.7	390
3	Anxiety Dissociates Dorsal and Ventral Medial Prefrontal Cortex Functional Connectivity with the Amygdala at Rest. <i>Cerebral Cortex</i> , 2011, 21, 1667-1673.	1.6	340
4	Frontal lobe gray matter density decreases in bipolar I disorder. <i>Biological Psychiatry</i> , 2004, 55, 648-651.	0.7	243
5	General functional connectivity: Shared features of resting-state and task fMRI drive reliable and heritable individual differences in functional brain networks. <i>NeuroImage</i> , 2019, 189, 516-532.	2.1	223
6	Computational meta-analysis of statistical parametric maps in major depression. <i>Human Brain Mapping</i> , 2016, 37, 1393-1404.	1.9	158
7	Cerebellar Gray Matter Volume Correlates with Duration of Cocaine Use in Cocaine-Dependent Subjects. <i>Neuropsychopharmacology</i> , 2007, 32, 2229-2237.	2.8	156
8	Reduced caudate gray matter volume in women with major depressive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2008, 164, 114-122.	0.9	153
9	Reduced cortical gray matter density in human MDMA (Ecstasy) users: a voxel-based morphometry study. <i>Drug and Alcohol Dependence</i> , 2003, 72, 225-235.	1.6	98
10	Putaminal gray matter volume decrease in panic disorder: an optimized voxel-based morphometry study. <i>European Journal of Neuroscience</i> , 2005, 22, 2089-2094.	1.2	96
11	Asymmetrically Altered Integrity of Cingulum Bundle in Posttraumatic Stress Disorder. <i>Neuropsychobiology</i> , 2006, 54, 120-125.	0.9	94
12	Diminished rostral anterior cingulate activity in response to threat-related events in posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2008, 42, 268-277.	1.5	81
13	White matter hyperintensities in subjects with bipolar disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2004, 58, 516-521.	1.0	67
14	Disrupted white matter tract integrity of anterior cingulate in trauma survivors. <i>NeuroReport</i> , 2005, 16, 1049-1053.	0.6	64
15	Behind the mask: the influence of mask-type on amygdala response to fearful faces. <i>Social Cognitive and Affective Neuroscience</i> , 2010, 5, 363-368.	1.5	61
16	In vivo proton magnetic resonance spectroscopy of the temporal lobe in Alzheimer's disease. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2004, 28, 1313-1322.	2.5	47
17	Botulinum toxin-induced facial muscle paralysis affects amygdala responses to the perception of emotional expressions: preliminary findings from an A-B-A design. <i>Biology of Mood &amp; Anxiety Disorders</i> , 2014, 4, 11.	4.7	42
18	The occurrence of cavum septi pellucidi enlargement is increased in bipolar disorder patients. <i>Bipolar Disorders</i> , 2007, 9, 274-280.	1.1	39

#	ARTICLE	IF	CITATIONS
19	Interpreting ambiguous social cues in unpredictable contexts. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 775-782.	1.5	37
20	Decreased blood flow of temporal regions of the brain in subjects with panic disorder. <i>Journal of Psychiatric Research</i> , 2006, 40, 528-534.	1.5	31
21	Microstructural integrity of a pathway connecting the prefrontal cortex and amygdala moderates the association between cognitive reappraisal and negative emotions.. <i>Emotion</i> , 2018, 18, 912-915.	1.5	30
22	The Inverse Relationship between the Microstructural Variability of Amygdala-Prefrontal Pathways and Trait Anxiety Is Moderated by Sex. <i>Frontiers in Systems Neuroscience</i> , 2016, 10, 93.	1.2	25
23	Intolerance of uncertainty predicts increased striatal volume.. <i>Emotion</i> , 2017, 17, 895-899.	1.5	24
24	All in the first glance: first fixation predicts individual differences in valence bias. <i>Cognition and Emotion</i> , 2017, 31, 772-780.	1.2	17
25	Human Amygdala Tracks a Feature-Based Valence Signal Embedded within the Facial Expression of Surprise. <i>Journal of Neuroscience</i> , 2017, 37, 9510-9518.	1.7	17
26	Microstructural integrity of white matter moderates an association between childhood adversity and adult trait anger. <i>Aggressive Behavior</i> , 2019, 45, 310-318.	1.5	13
27	Maternal overprotection in childhood is associated with amygdala reactivity and structural connectivity in adulthood. <i>Developmental Cognitive Neuroscience</i> , 2019, 40, 100711.	1.9	12
28	Neurogenetic plasticity and sex influence the link between corticolimbic structural connectivity and trait anxiety. <i>Scientific Reports</i> , 2017, 7, 10959.	1.6	11
29	A Link Between Childhood Adversity and Trait Anger Reflects Relative Activity of the Amygdala and Dorsolateral Prefrontal Cortex. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 644-649.	1.1	11
30	Paradoxical associations between familial affective responsiveness, stress, and amygdala reactivity.. <i>Emotion</i> , 2019, 19, 645-654.	1.5	11
31	Corticolimbic circuit structure moderates an association between early life stress and later trait anxiety. <i>NeuroImage: Clinical</i> , 2019, 24, 102050.	1.4	10
32	Identifying the Representational Structure of Affect Using fMRI. <i>Affective Science</i> , 2020, 1, 42-56.	1.5	10
33	A Connectome-Wide Functional Signature of Trait Anger. <i>Clinical Psychological Science</i> , 2022, 10, 584-592.	2.4	9
34	A face versus non-face context influences amygdala responses to masked fearful eye whites. <i>Social Cognitive and Affective Neuroscience</i> , 2016, 11, 1933-1941.	1.5	8
35	Altered Task-Evoked Corticolimbic Responsivity in Generalized Anxiety Disorder. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3630.	1.8	8
36	Amygdalostriatal coupling underpins positive but not negative coloring of ambiguous affect. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2020, 20, 949-960.	1.0	6

#	ARTICLE	IF	CITATIONS
37	Meta-analytic activation maps can help identify affective processes captured by contrast-based task fMRI: the case of threat-related facial expressions. <i>Social Cognitive and Affective Neuroscience</i> , 2022, 17, 777-787.	1.5	4
38	Structural connectome-based prediction of trait anxiety. <i>Brain Imaging and Behavior</i> , 2022, 16, 2467-2476.	1.1	3
39	Preliminary report on the association between pulvinar volume and the ability to detect backward-masked facial features. <i>Neuropsychologia</i> , 2019, 128, 73-77.	0.7	1
40	Neural and Behavioral Responses to Ambiguous Facial Expressions of Emotion. , 2017, , .		0
41	Human dorsomedial prefrontal cortex delineates the self and other against the tendency to form interdependent social representations. <i>Neuron</i> , 2021, 109, 2209-2211.	3.8	0