

Mohammad Arif

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5213558/mohammad-arif-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43 papers	455 citations	13 h-index	19 g-index
59 ext. papers	638 ext. citations	3.5 avg, IF	4.03 L-index

#	Paper	IF	Citations
43	A Comparative Analysis of ISSR and RAPD Markers for Study of Genetic Diversity in Shisham (<i>Dalbergia sissoo</i>). <i>Plant Molecular Biology Reporter</i> , 2009 , 27, 488-495	1.7	33
42	Comparative assessment of 5' A/T-rich overhang sequences with optimal and sub-optimal primers to increase PCR yields and sensitivity. <i>Molecular Biotechnology</i> , 2013 , 55, 17-26	3	31
41	Enhanced reliability and accuracy for field deployable bioforensic detection and discrimination of <i>Xylella fastidiosa</i> subsp. <i>pauca</i> , causal agent of citrus variegated chlorosis using razor ex technology and TaqMan quantitative PCR. <i>PLoS ONE</i> , 2013 , 8, e81647	3.7	29
40	Development of a genome-informed loop-mediated isothermal amplification assay for rapid and specific detection of <i>Xanthomonas euvesicatoria</i> . <i>Scientific Reports</i> , 2018 , 8, 14298	4.9	29
39	Primer modification improves rapid and sensitive in vitro and field-deployable assays for detection of high plains virus variants. <i>Applied and Environmental Microbiology</i> , 2014 , 80, 320-7	4.8	27
38	Development of a rapid, sensitive, and field-deployable razor ex BioDetection system and quantitative PCR assay for detection of <i>Phymatotrichopsis omnivora</i> using multiple gene targets. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 2312-20	4.8	26
37	Genome-informed diagnostics for specific and rapid detection of <i>Pectobacterium</i> species using recombinase polymerase amplification coupled with a lateral flow device. <i>Scientific Reports</i> , 2018 , 8, 15972	4.9	24
36	A simplified strategy for sensitive detection of Rose rosette virus compatible with three RT-PCR chemistries. <i>Journal of Virological Methods</i> , 2016 , 232, 47-56	2.6	22
35	Development of a robust, field-deployable loop-mediated isothermal amplification (LAMP) assay for specific detection of potato pathogen <i>Dickeya dianthicola</i> targeting a unique genomic region. <i>PLoS ONE</i> , 2019 , 14, e0218868	3.7	22
34	PCR and isothermal-based molecular identification of the stored-product psocid pest <i>Lepinotus reticulatus</i> (Psocoptera: Trogidae). <i>Journal of Stored Products Research</i> , 2012 , 49, 184-188	2.5	16
33	Array of Synthetic Oligonucleotides to Generate Unique Multi-Target Artificial Positive Controls and Molecular Probe-Based Discrimination of <i>Liposcelis</i> Species. <i>PLoS ONE</i> , 2015 , 10, e0129810	3.7	14
32	Emergence of a New Population of <i>Rathayibacter toxicus</i> : An Ecologically Complex, Geographically Isolated Bacterium. <i>PLoS ONE</i> , 2016 , 11, e0156182	3.7	13
31	Taxonomy and Phylogenetic Research on <i>Ralstonia solanacearum</i> Species Complex: A Complex Pathogen with Extraordinary Economic Consequences. <i>Pathogens</i> , 2020 , 9,	4.5	13
30	Development of a loop-mediated isothermal amplification assay for specific detection of all known subspecies of <i>Clavibacter michiganensis</i> . <i>Journal of Applied Microbiology</i> , 2019 , 126, 388-401	4.7	12
29	Development of a Loop-Mediated Isothermal Amplification Assay for the Detection of <i>Dickeya</i> spp. <i>Phytopathology</i> , 2017 , 107, 1339-1345	3.8	11
28	PCR-Based Identification and Characterization of <i>Fusarium</i> sp. Associated with Mango Malformation. <i>Biotechnology Research International</i> , 2011 , 2011, 141649		11
27	Antibacterial Effect of Potassium Tetraborate Tetrahydrate against Soft Rot Disease Agent in Tomato. <i>Frontiers in Microbiology</i> , 2017 , 8, 1728	5.7	10

26	First Report of <i>Dickeya dianthicola</i> as a Causal Agent of Bacterial Soft Rot of Potato in Hawaii. <i>Plant Disease</i> , 2019 , 103, 2943-2943	1.5	9
25	Morphological and comparative genomic analyses of pathogenic and non-pathogenic <i>Fusarium solani</i> isolated from <i>Dalbergia sissoo</i> . <i>Molecular Biology Reports</i> , 2015 , 42, 1107-22	2.8	9
24	Genome-Wide Analyses Revealed Remarkable Heterogeneity in Pathogenicity Determinants, Antimicrobial Compounds, and CRISPR-Cas Systems of Complex Phytopathogenic Genus. <i>Pathogens</i> , 2019 , 8,	4.5	9
23	Single-Target and Multiplex Discrimination of Whiteflies (Hemiptera: Aleyrodidae) <i>Bemisia tabaci</i> and <i>Trialeurodes vaporariorum</i> With Modified Priming Oligonucleotide Thermodynamics. <i>Journal of Economic Entomology</i> , 2017 , 110, 1821-1830	2.2	7
22	Highly Sensitive End-Point PCR and SYBR Green qPCR Detection of <i>Phymatotrichopsis omnivora</i> , Causal Fungus of Cotton Root Rot. <i>Plant Disease</i> , 2014 , 98, 1205-1212	1.5	7
21	Sensitive detection and discrimination method for studying multiple infections of five major plant viruses infecting ornamental plants in nursery environments. <i>Annals of Applied Biology</i> , 2015 , 166, 286-296	2.6	7
20	Development of specific primers for genus <i>Fusarium</i> and <i>F. solani</i> using rDNA sub-unit and transcription elongation factor (TEF-1) gene. <i>African Journal of Biotechnology</i> , 2011 , 11,	0.6	7
19	First Report of Bacterial Soft Rot and Blackleg on Potato Caused by <i>Pectobacterium parmentieri</i> in Hawaii. <i>Plant Disease</i> , 2020 , 104, 970	1.5	7
18	Comparative genomics reveals signature regions used to develop a robust and sensitive multiplex TaqMan real-time qPCR assay to detect the genus <i>Dickeya</i> and <i>Dickeya dianthicola</i> . <i>Journal of Applied Microbiology</i> , 2020 , 128, 1703-1719	4.7	6
17	A multi-target, non-infectious and clonable artificial positive control for routine PCR-based assays. <i>Journal of Microbiological Methods</i> , 2013 , 95, 229-34	2.8	6
16	New plant hosts for group 16SrII, <i>Candidatus Phytoplasma aurantifolia</i> in India. <i>Plant Pathology</i> , 2009 , 58, 391-391	2.8	5
15	Genome-Informed Recombinase Polymerase Amplification Assay Coupled with a Lateral Flow Device for In-Field Detection of Species. <i>Plant Disease</i> , 2020 , 104, 2217-2224	1.5	4
14	Synergetic effect of non-complementary 5' AT-rich sequences on the development of a multiplex TaqMan real-time PCR for specific and robust detection of <i>Clavibacter michiganensis</i> and <i>C. michiganensis</i> subsp. <i>nebraskensis</i> . <i>PLoS ONE</i> , 2019 , 14, e0218530	3.7	4
13	Phylogenetic Analyses of <i>Xanthomonads</i> Causing Bacterial Leaf Spot of Tomato and Pepper: Revealed Homologous Populations Despite Distant Geographical Distribution. <i>Microorganisms</i> , 2019 , 7,	4.9	4
12	Molecular phylogeny and pathotyping of <i>Fusarium solani</i> : a causal agent of <i>Dalbergia sissoo</i> decline. <i>Forest Pathology</i> , 2013 , 43, 478-487	1.2	4
11	Multiplex recombinase polymerase amplification assay developed using unique genomic regions for rapid on-site detection of genus <i>Clavibacter</i> and <i>C. nebraskensis</i> . <i>Scientific Reports</i> , 2021 , 11, 12017	4.9	4
10	First Report of <i>Pectobacterium brasiliense</i> Causing Soft Rot on Brassica oleracea var. sabellica in Hawaii, United States. <i>Plant Disease</i> , 2020 , 104, 2721	1.5	2
9	Genomic divergence between <i>Dickeya zeae</i> strain EC2 isolated from rice and previously identified strains, suggests a different rice foot rot strain. <i>PLoS ONE</i> , 2020 , 15, e0240908	3.7	2

8	Genomic and Phenotypic Biology of Novel Strains of Isolated From Pineapple and Taro in Hawaii: Insights Into Genome Plasticity, Pathogenicity, and Virulence Determinants. <i>Frontiers in Plant Science</i> , 2021 , 12, 663851	6.2	2
7	First Report of <i>Pectobacterium brasiliense</i> Causing Bacterial Soft Rot and Blackleg Diseases of Potato in Hawaii. <i>Plant Disease</i> , 2020 , 104, 2515-2515	1.5	1
6	Genome-informed loop-mediated isothermal amplification assay for specific detection of <i>Pectobacterium parmentieri</i> in infected potato tissues and soil. <i>Scientific Reports</i> , 2021 , 11, 21948	4.9	1
5	Comparative genomics reveals signature regions used to develop a robust and sensitive multiplex TaqMan real-time qPCR assay to detect the genus <i>Dickeya</i> and <i>Dickeya dianthicola</i>		1
4	Exploring the Use of High-Resolution Melting Analysis and Helicase-Dependent Amplification for Discrimination of <i>Bemisia tabaci</i> (Hemiptera: Aleyrodidae) Cryptic Species and <i>Trialeurodes vaporariorum</i> . <i>Journal of Economic Entomology</i> , 2020 , 113, 2511-2520	2.2	1
3	Multiple internal controls enhance reliability for PCR and real time PCR detection of <i>Rathayibacter toxicus</i> . <i>Scientific Reports</i> , 2021 , 11, 8365	4.9	1
2	Improved multiplex TaqMan qPCR assay with universal internal control offers reliable and accurate detection of <i>Clavibacter michiganensis</i> . <i>Journal of Applied Microbiology</i> , 2021 , 131, 1405-1416	4.7	1
1	Genomic Comparisons and Phenotypic Diversity of Strains Causing Bacterial Soft Rot of Banana in China.. <i>Frontiers in Plant Science</i> , 2022 , 13, 822829	6.2	0