

Neeraj Dhar

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5213857/neeraj-dhar-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

3,679

citations

31

h-index

60

g-index

87

ext. papers

4,422

ext. citations

7.8

avg, IF

5.15

L-index

#	Paper	IF	Citations
63	Benzothiazinones kill <i>Mycobacterium tuberculosis</i> by blocking arabinan synthesis. <i>Science</i> , 2009 , 324, 801-4	33.3	524
62	Dynamic persistence of antibiotic-stressed mycobacteria. <i>Science</i> , 2013 , 339, 91-5	33.3	388
61	Microbial phenotypic heterogeneity and antibiotic tolerance. <i>Current Opinion in Microbiology</i> , 2007 , 10, 30-8	7.9	236
60	Stress and host immunity amplify <i>Mycobacterium tuberculosis</i> phenotypic heterogeneity and induce nongrowing metabolically active forms. <i>Cell Host and Microbe</i> , 2015 , 17, 32-46	23.4	186
59	Delayed bactericidal response of <i>Mycobacterium tuberculosis</i> to bedaquiline involves remodelling of bacterial metabolism. <i>Nature Communications</i> , 2014 , 5, 3369	17.4	158
58	Disruption of <i>mptpB</i> impairs the ability of <i>Mycobacterium tuberculosis</i> to survive in guinea pigs. <i>Molecular Microbiology</i> , 2003 , 50, 751-62	4.1	145
57	Structural basis for benzothiazinone-mediated killing of <i>Mycobacterium tuberculosis</i> . <i>Science Translational Medicine</i> , 2012 , 4, 150ra121	17.5	123
56	Single-cell dynamics of the chromosome replication and cell division cycles in mycobacteria. <i>Nature Communications</i> , 2013 , 4, 2470	17.4	109
55	Simple model for testing drugs against nonreplicating <i>Mycobacterium tuberculosis</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 4150-8	5.9	104
54	2-Carboxyquinoxalines kill mycobacterium tuberculosis through noncovalent inhibition of DprE1. <i>ACS Chemical Biology</i> , 2015 , 10, 705-14	4.9	95
53	Nanoparticle conjugation and pulmonary delivery enhance the protective efficacy of Ag85B and CpG against tuberculosis. <i>Vaccine</i> , 2011 , 29, 6959-66	4.1	90
52	<i>Mycobacterium tuberculosis</i> persistence mutants identified by screening in isoniazid-treated mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 12275-80	11.5	87
51	4-aminoquinolone piperidine amides: noncovalent inhibitors of DprE1 with long residence time and potent antimycobacterial activity. <i>Journal of Medicinal Chemistry</i> , 2014 , 57, 5419-34	8.3	78
50	Rapid cytolysis of <i>Mycobacterium tuberculosis</i> by faropenem, an orally bioavailable β -lactam antibiotic. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 1308-19	5.9	75
49	Streptomycin-starved <i>Mycobacterium tuberculosis</i> 18b, a drug discovery tool for latent tuberculosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 5782-9	5.9	71
48	Stressed mycobacteria use the chaperone ClpB to sequester irreversibly oxidized proteins asymmetrically within and between cells. <i>Cell Host and Microbe</i> , 2015 , 17, 178-90	23.4	66
47	Development of a repressible mycobacterial promoter system based on two transcriptional repressors. <i>Nucleic Acids Research</i> , 2010 , 38, e134	20.1	65

46	The Inosine Monophosphate Dehydrogenase, GuaB2, Is a Vulnerable New Bactericidal Drug Target for Tuberculosis. <i>ACS Infectious Diseases</i> , 2017 , 3, 5-17	5.5	62
45	Assessing the essentiality of the decaprenyl-phospho-d-arabinofuranose pathway in <i>Mycobacterium tuberculosis</i> using conditional mutants. <i>Molecular Microbiology</i> , 2014 , 92, 194-211	4.1	61
44	EspD is critical for the virulence-mediating ESX-1 secretion system in <i>Mycobacterium tuberculosis</i> . <i>Journal of Bacteriology</i> , 2012 , 194, 884-93	3.5	56
43	<i>Mycobacterium tuberculosis</i> EspB binds phospholipids and mediates EsxA-independent virulence. <i>Molecular Microbiology</i> , 2013 , 89, 1154-66	4.1	51
42	Dielectrophoresis-based purification of antibiotic-treated bacterial subpopulations. <i>Lab on A Chip</i> , 2014 , 14, 1850-7	7.2	50
41	Enhanced and enduring protection against tuberculosis by recombinant BCG-Ag85C and its association with modulation of cytokine profile in lung. <i>PLoS ONE</i> , 2008 , 3, e3869	3.7	49
40	In vitro and in vivo activities of three oxazolidinones against nonreplicating <i>Mycobacterium tuberculosis</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 3217-23	5.9	41
39	Antitubercular drugs for an old target: GSK693 as a promising InhA direct inhibitor. <i>EBioMedicine</i> , 2016 , 8, 291-301	8.8	41
38	Division site selection linked to inherited cell surface wave troughs in mycobacteria. <i>Nature Microbiology</i> , 2017 , 2, 17094	26.6	40
37	Phenotypic profiling of <i>Mycobacterium tuberculosis</i> EspA point mutants reveals that blockage of ESAT-6 and CFP-10 secretion in vitro does not always correlate with attenuation of virulence. <i>Journal of Bacteriology</i> , 2013 , 195, 5421-30	3.5	37
36	Whole Cell Target Engagement Identifies Novel Inhibitors of <i>Mycobacterium tuberculosis</i> Decaprenylphosphoryl- β -D-ribose Oxidase. <i>ACS Infectious Diseases</i> , 2015 , 1, 615-26	5.5	36
35	Elicitation of efficient, protective immune responses by using DNA vaccines against tuberculosis. <i>Vaccine</i> , 2005 , 23, 5655-65	4.1	35
34	Phenotypic Heterogeneity in <i>Mycobacterium tuberculosis</i> . <i>Microbiology Spectrum</i> , 2016 , 4,	8.9	34
33	A lung-on-chip model of early infection reveals an essential role for alveolar epithelial cells in controlling bacterial growth. <i>ELife</i> , 2020 , 9,	8.9	33
32	Combinations of β -Lactam Antibiotics Currently in Clinical Trials Are Efficacious in a DHP-I-Deficient Mouse Model of Tuberculosis Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 4997-9	5.9	31
31	The phosphatidyl-myo-inositol mannosyltransferase PimA is essential for <i>Mycobacterium tuberculosis</i> growth in vitro and in vivo. <i>Journal of Bacteriology</i> , 2014 , 196, 3441-51	3.5	30
30	Skewing of the Th1/Th2 responses in mice due to variation in the level of expression of an antigen in a recombinant BCG system. <i>Immunology Letters</i> , 2003 , 88, 175-84	4.1	30
29	Modulation of host immune responses by overexpression of immunodominant antigens of <i>Mycobacterium tuberculosis</i> in bacille Calmette-Gu \acute{e} rin. <i>Scandinavian Journal of Immunology</i> , 2003 , 58, 449-61	3.4	30

28	Bioluminescence for assessing drug potency against nonreplicating Mycobacterium tuberculosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 4012-9	5.9	27
27	Recombinant BCG approach for development of vaccines: cloning and expression of immunodominant antigens of M. tuberculosis. <i>FEMS Microbiology Letters</i> , 2000 , 190, 309-16	2.9	27
26	Rapid endotheliitis and vascular damage characterize SARS-CoV-2 infection in a human lung-on-chip model. <i>EMBO Reports</i> , 2021 , 22, e52744	6.5	24
25	Immunogenicity of recombinant BCG vaccine strains overexpressing components of the antigen 85 complex of Mycobacterium tuberculosis. <i>Medical Microbiology and Immunology</i> , 2004 , 193, 19-25	4	23
24	Simple and rapid method to determine antimycobacterial potency of compounds by using autoluminescent Mycobacterium tuberculosis. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 5801-8	5.9	22
23	An Amidase_3 domain-containing N-acetylmuramyl-L-alanine amidase is required for mycobacterial cell division. <i>Scientific Reports</i> , 2017 , 7, 1140	4.9	21
22	Boosting with a DNA vaccine expressing ESAT-6 (DNAE6) obliterates the protection imparted by recombinant BCG (rBCGE6) against aerosol Mycobacterium tuberculosis infection in guinea pigs. <i>Vaccine</i> , 2009 , 28, 63-70	4.1	21
21	Increased expression of Mycobacterium tuberculosis 19 kDa lipoprotein obliterates the protective efficacy of BCG by polarizing host immune responses to the Th2 subtype. <i>Scandinavian Journal of Immunology</i> , 2005 , 61, 410-7	3.4	21
20	Elucidating the role of (p)ppGpp in mycobacterial persistence against antibiotics. <i>IUBMB Life</i> , 2018 , 70, 836-844	4.7	19
19	Espl regulates the ESX-1 secretion system in response to ATP levels in Mycobacterium tuberculosis. <i>Molecular Microbiology</i> , 2014 , 93, 1057-1065	4.1	19
18	Identification of aminopyrimidine-sulfonamides as potent modulators of Wag31-mediated cell elongation in mycobacteria. <i>Molecular Microbiology</i> , 2017 , 103, 13-25	4.1	17
17	Dielectrophoresis as a single cell characterization method for bacteria. <i>Biomedical Physics and Engineering Express</i> , 2017 , 3, 015005	1.5	15
16	Preexisting variation in DNA damage response predicts the fate of single mycobacteria under stress. <i>EMBO Journal</i> , 2019 , 38, e101876	13	14
15	Single-cell analysis of mycobacteria using microfluidics and time-lapse microscopy. <i>Methods in Molecular Biology</i> , 2015 , 1285, 241-56	1.4	14
14	Dynamic persistence of UPEC intracellular bacterial communities in a human bladder-chip model of urinary tract infection. <i>ELife</i> , 2021 , 10,	8.9	8
13	Malachite green interferes with postantibiotic recovery of mycobacteria. <i>Antimicrobial Agents and Chemotherapy</i> , 2012 , 56, 3610-4	5.9	7
12	Rapid endothelial infection, endothelialitis and vascular damage characterise SARS-CoV-2 infection in a human lung-on-chip model		7
11	Fluorescent Benzothiazinone Analogues Efficiently and Selectively Label Dpre1 in Mycobacteria and Actinobacteria. <i>ACS Chemical Biology</i> , 2018 , 13, 3184-3192	4.9	7

10	Computational Analysis of the Mutual Constraints between Single-Cell Growth and Division Control Models. <i>Advanced Biology</i> , 2020 , 4, e1900103	3.5	4
9	A lung-on-chip model reveals an essential role for alveolar epithelial cells in controlling bacterial growth during early tuberculosis		3
8	Recent advances in tuberculosis research in India. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2003 , 84, 211-73	1.7	2
7	Dynamic persistence of intracellular bacterial communities of uropathogenic <i>Escherichia coli</i> in a human bladder-chip model of urinary tract infections		2
6	Phenotypic Heterogeneity in <i>Mycobacterium tuberculosis</i> 2017 , 671-697		1
5	Revealing Antibiotic Tolerance of the Xanthine/Uracil Permease Mutant Using Microfluidics and Single-Cell Analysis. <i>Antibiotics</i> , 2021 , 10,	4.9	1
4	Early invasion of the bladder wall by solitary bacteria protects UPEC from antibiotics and neutrophil swarms in an organoid model. <i>Cell Reports</i> , 2021 , 36, 109351	10.6	1
3	Erratum for Boldrin et al., The Phosphatidyl- myo -Inositol Mannosyltransferase PimA Is Essential for <i>Mycobacterium tuberculosis</i> Growth In Vitro and In Vivo. <i>Journal of Bacteriology</i> , 2014 , 196, 4197-4197 ³⁵		0
2	Single-Cell Analysis of <i>Mycobacteria</i> Using Microfluidics and Time-Lapse Microscopy. <i>Methods in Molecular Biology</i> , 2021 , 2314, 205-229	1.4	0
1	<i>Mycobacterium tuberculosis</i> EspK Has Active but Distinct Roles in the Secretion of EsxA and EspB.. <i>Journal of Bacteriology</i> , 2022 , e0006022	3.5	0