

Ying Sun

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5214092/ying-sun-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

337
papers

11,175
citations

48
h-index

92
g-index

362
ext. papers

14,836
ext. citations

6.5
avg, IF

6.3
L-index

#	Paper	IF	Citations
337	Nasopharyngeal carcinoma. <i>Lancet, The</i> , 2019 , 394, 64-80	40	747
336	CRISPR/Cas9-mediated gene editing in human triprounuclear zygotes. <i>Protein and Cell</i> , 2015 , 6, 363-372	7.2	713
335	How does intensity-modulated radiotherapy versus conventional two-dimensional radiotherapy influence the treatment results in nasopharyngeal carcinoma patients?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 80, 661-8	4	489
334	Induction chemotherapy plus concurrent chemoradiotherapy versus concurrent chemoradiotherapy alone in locoregionally advanced nasopharyngeal carcinoma: a phase 3, multicentre, randomised controlled trial. <i>Lancet Oncology, The</i> , 2016 , 17, 1509-1520	21.7	477
333	Concurrent chemoradiotherapy plus adjuvant chemotherapy versus concurrent chemoradiotherapy alone in patients with locoregionally advanced nasopharyngeal carcinoma: a phase 3 multicentre randomised controlled trial. <i>Lancet Oncology, The</i> , 2012 , 13, 163-71	21.7	379
332	Gemcitabine and Cisplatin Induction Chemotherapy in Nasopharyngeal Carcinoma. <i>New England Journal of Medicine</i> , 2019 , 381, 1124-1135	59.2	297
331	Prognostic value of a microRNA signature in nasopharyngeal carcinoma: a microRNA expression analysis. <i>Lancet Oncology, The</i> , 2012 , 13, 633-41	21.7	241
330	Comparative safety of immune checkpoint inhibitors in cancer: systematic review and network meta-analysis. <i>BMJ, The</i> , 2018 , 363, k4226	5.9	191
329	Re-evaluation of 6th edition of AJCC staging system for nasopharyngeal carcinoma and proposed improvement based on magnetic resonance imaging. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 73, 1326-34	4	189
328	Intensity-modulated radiotherapy prolongs the survival of patients with nasopharyngeal carcinoma compared with conventional two-dimensional radiotherapy: A 10-year experience with a large cohort and long follow-up. <i>European Journal of Cancer</i> , 2015 , 51, 2587-95	7.5	173
327	Long Noncoding RNA FAM225A Promotes Nasopharyngeal Carcinoma Tumorigenesis and Metastasis by Acting as ceRNA to Sponge miR-590-3p/miR-1275 and Upregulate ITGB3. <i>Cancer Research</i> , 2019 , 79, 4612-4626	10.1	157
326	Development and validation of a gene expression-based signature to predict distant metastasis in locoregionally advanced nasopharyngeal carcinoma: a retrospective, multicentre, cohort study. <i>Lancet Oncology, The</i> , 2018 , 19, 382-393	21.7	147
325	Genomic Analysis of Tumor Microenvironment Immune Types across 14 Solid Cancer Types: Immunotherapeutic Implications. <i>Theranostics</i> , 2017 , 7, 3585-3594	12.1	127
324	Progress report of a randomized trial comparing long-term survival and late toxicity of concurrent chemoradiotherapy with adjuvant chemotherapy versus radiotherapy alone in patients with stage III to IVB nasopharyngeal carcinoma from endemic regions of China. <i>Cancer</i> , 2013 , 119, 2230-8	6.4	124
323	How does magnetic resonance imaging influence staging according to AJCC staging system for nasopharyngeal carcinoma compared with computed tomography?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008 , 72, 1368-77	4	119
322	Prognostic Value of Deep Learning PET/CT-Based Radiomics: Potential Role for Future Individual Induction Chemotherapy in Advanced Nasopharyngeal Carcinoma. <i>Clinical Cancer Research</i> , 2019 , 25, 4271-4279	12.9	115
321	Deep Learning for Automated Contouring of Primary Tumor Volumes by MRI for Nasopharyngeal Carcinoma. <i>Radiology</i> , 2019 , 291, 677-686	20.5	113

320	Practice Recommendations for Risk-Adapted Head and Neck Cancer Radiation Therapy During the COVID-19 Pandemic: An ASTRO-ESTRO Consensus Statement. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 107, 618-627	4	107
319	Is primary tumor volume still a prognostic factor in intensity modulated radiation therapy for nasopharyngeal carcinoma?. <i>Radiotherapy and Oncology</i> , 2012 , 104, 294-9	5.3	105
318	The N staging system in nasopharyngeal carcinoma with radiation therapy oncology group guidelines for lymph node levels based on magnetic resonance imaging. <i>Clinical Cancer Research</i> , 2008 , 14, 7497-503	12.9	105
317	Gram-negative periodontal bacteria induce the activation of Toll-like receptors 2 and 4, and cytokine production in human periodontal ligament cells. <i>Journal of Periodontology</i> , 2010 , 81, 1488-96	4.6	103
316	Concurrent chemoradiotherapy with/without induction chemotherapy in locoregionally advanced nasopharyngeal carcinoma: Long-term results of phase 3 randomized controlled trial. <i>International Journal of Cancer</i> , 2019 , 145, 295-305	7.5	96
315	The seventh edition of the UICC/AJCC staging system for nasopharyngeal carcinoma is prognostically useful for patients treated with intensity-modulated radiotherapy from an endemic area in China. <i>Radiotherapy and Oncology</i> , 2012 , 104, 331-7	5.3	95
314	Retropharyngeal lymph node metastasis in nasopharyngeal carcinoma detected by magnetic resonance imaging : prognostic value and staging categories. <i>Cancer</i> , 2008 , 113, 347-54	6.4	95
313	Baseline serum lactate dehydrogenase levels for patients treated with intensity-modulated radiotherapy for nasopharyngeal carcinoma: a predictor of poor prognosis and subsequent liver metastasis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 82, e359-65	4	88
312	The volume to be irradiated during selective neck irradiation in nasopharyngeal carcinoma: analysis of the spread patterns in lymph nodes by magnetic resonance imaging. <i>Cancer</i> , 2009 , 115, 680-8	6.4	88
311	Validation of the 8th Edition of the UICC/AJCC Staging System for Nasopharyngeal Carcinoma From Endemic Areas in the Intensity-Modulated Radiotherapy Era. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2017 , 15, 913-919	7.3	85
310	Proposed modifications and incorporation of plasma Epstein-Barr virus DNA improve the TNM staging system for Epstein-Barr virus-related nasopharyngeal carcinoma. <i>Cancer</i> , 2019 , 125, 79-89	6.4	85
309	Recommendation for a contouring method and atlas of organs at risk in nasopharyngeal carcinoma patients receiving intensity-modulated radiotherapy. <i>Radiotherapy and Oncology</i> , 2014 , 110, 390-7	5.3	83
308	The Prognostic Value of Plasma Epstein-Barr Viral DNA and Tumor Response to Neoadjuvant Chemotherapy in Advanced-Stage Nasopharyngeal Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 93, 862-9	4	79
307	Induction Chemotherapy plus Concurrent Chemoradiotherapy in Endemic Nasopharyngeal Carcinoma: Individual Patient Data Pooled Analysis of Four Randomized Trials. <i>Clinical Cancer Research</i> , 2018 , 24, 1824-1833	12.9	78
306	Adjuvant chemotherapy in patients with locoregionally advanced nasopharyngeal carcinoma: Long-term results of a phase 3 multicentre randomised controlled trial. <i>European Journal of Cancer</i> , 2017 , 75, 150-158	7.5	77
305	Single-cell transcriptomics reveals regulators underlying immune cell diversity and immune subtypes associated with prognosis in nasopharyngeal carcinoma. <i>Cell Research</i> , 2020 , 30, 1024-1042	24.7	75
304	The pretreatment albumin to globulin ratio has predictive value for long-term mortality in nasopharyngeal carcinoma. <i>PLoS ONE</i> , 2014 , 9, e94473	3.7	74
303	Prognostic factors and failure patterns in non-metastatic nasopharyngeal carcinoma after intensity-modulated radiotherapy. <i>Chinese Journal of Cancer</i> , 2016 , 35, 103		69

302	Extension of local disease in nasopharyngeal carcinoma detected by magnetic resonance imaging: improvement of clinical target volume delineation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 75, 742-50	4	68
301	Oncolytic Adenovirus Complexes Coated with Lipids and Calcium Phosphate for Cancer Gene Therapy. <i>ACS Nano</i> , 2016 , 10, 11548-11560	16.7	65
300	Locoregional extension patterns of nasopharyngeal carcinoma and suggestions for clinical target volume delineation. <i>Chinese Journal of Cancer</i> , 2012 , 31, 579-87		61
299	Efficacy of the Additional Neoadjuvant Chemotherapy to Concurrent Chemoradiotherapy for Patients with Locoregionally Advanced Nasopharyngeal Carcinoma: a Bayesian Network Meta-analysis of Randomized Controlled Trials. <i>Journal of Cancer</i> , 2015 , 6, 883-92	4.5	60
298	Liquid biopsy tracking during sequential chemo-radiotherapy identifies distinct prognostic phenotypes in nasopharyngeal carcinoma. <i>Nature Communications</i> , 2019 , 10, 3941	17.4	55
297	Chemoradiotherapy Versus Radiotherapy Alone in Stage II Nasopharyngeal Carcinoma: A Systemic Review and Meta-analysis of 2138 Patients. <i>Journal of Cancer</i> , 2017 , 8, 287-297	4.5	53
296	Multi-subject atlas-based auto-segmentation reduces interobserver variation and improves dosimetric parameter consistency for organs at risk in nasopharyngeal carcinoma: A multi-institution clinical study. <i>Radiotherapy and Oncology</i> , 2015 , 115, 407-11	5.3	52
295	Genome-Wide Identification of a Methylation Gene Panel as a Prognostic Biomarker in Nasopharyngeal Carcinoma. <i>Molecular Cancer Therapeutics</i> , 2015 , 14, 2864-73	6.1	52
294	Proposed lymph node staging system using the International Consensus Guidelines for lymph node levels is predictive for nasopharyngeal carcinoma patients from endemic areas treated with intensity modulated radiation therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 86, 249-56	4	52
293	Prognostic Impact of Plasma Epstein-Barr Virus DNA in Patients with Nasopharyngeal Carcinoma Treated using Intensity-Modulated Radiation Therapy. <i>Scientific Reports</i> , 2016 , 6, 22000	4.9	51
292	MicroRNA-93 promotes cell growth and invasion in nasopharyngeal carcinoma by targeting disabled homolog-2. <i>Cancer Letters</i> , 2015 , 363, 146-55	9.9	49
291	Value of the prognostic nutritional index and weight loss in predicting metastasis and long-term mortality in nasopharyngeal carcinoma. <i>Journal of Translational Medicine</i> , 2015 , 13, 364	8.5	48
290	Toxicity and therapy of cisplatin-loaded EGF modified mPEG-PLGA-PLL nanoparticles for SKOV3 cancer in mice. <i>Biomaterials</i> , 2013 , 34, 4068-4077	15.6	48
289	Comprehensive characterization of the alternative splicing landscape in head and neck squamous cell carcinoma reveals novel events associated with tumorigenesis and the immune microenvironment. <i>Theranostics</i> , 2019 , 9, 7648-7665	12.1	47
288	Prognostic value and staging categories of anatomic masticator space involvement in nasopharyngeal carcinoma: a study of 924 cases with MR imaging. <i>Radiology</i> , 2010 , 257, 151-7	20.5	46
287	Thermoresponsive nanocomposite gel for local drug delivery to suppress the growth of glioma by inducing autophagy. <i>Autophagy</i> , 2017 , 13, 1176-1190	10.2	43
286	Prognostic significance of tumor-infiltrating lymphocytes in nondisseminated nasopharyngeal carcinoma: A large-scale cohort study. <i>International Journal of Cancer</i> , 2018 , 142, 2558-2566	7.5	43
285	Radiation-induced temporal lobe injury after intensity modulated radiotherapy in nasopharyngeal carcinoma patients: a dose-volume-outcome analysis. <i>BMC Cancer</i> , 2013 , 13, 397	4.8	43

284	Prognostic value of the primary lesion apparent diffusion coefficient (ADC) in nasopharyngeal carcinoma: a retrospective study of 541 cases. <i>Scientific Reports</i> , 2015 , 5, 12242	4.9	43
283	Multifunctional Shell-Core Nanoparticles for Treatment of Multidrug Resistance Hepatocellular Carcinoma. <i>Advanced Functional Materials</i> , 2018 , 28, 1706124	15.6	42
282	Chemotherapy in Combination With Radiotherapy for Definitive-Intent Treatment of Stage II-IVA Nasopharyngeal Carcinoma: CSCO and ASCO Guideline. <i>Journal of Clinical Oncology</i> , 2021 , 39, 840-859	2.2	42
281	Concurrent Chemoradiotherapy with or without Anti-EGFR-Targeted Treatment for Stage II-IVb Nasopharyngeal Carcinoma: Retrospective Analysis with a Large Cohort and Long Follow-up. <i>Theranostics</i> , 2017 , 7, 2314-2324	12.1	41
280	Prognostic value of plasma Epstein-Barr virus DNA level during posttreatment follow-up in the patients with nasopharyngeal carcinoma having undergone intensity-modulated radiotherapy. <i>Chinese Journal of Cancer</i> , 2017 , 36, 87		41
279	Development and validation of a novel MR imaging predictor of response to induction chemotherapy in locoregionally advanced nasopharyngeal cancer: a randomized controlled trial substudy (NCT01245959). <i>BMC Medicine</i> , 2019 , 17, 190	11.4	41
278	Development of targeted therapies in treatment of glioblastoma. <i>Cancer Biology and Medicine</i> , 2015 , 12, 223-37	5.2	41
277	An Immune-Related Gene Prognostic Index for Head and Neck Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2021 , 27, 330-341	12.9	38
276	Plasma Epstein-Barr Virus DNA Load After Induction Chemotherapy Predicts Outcome in Locoregionally Advanced Nasopharyngeal Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 104, 355-361	4	37
275	Prognostic value of subclassification using MRI in the t4 classification nasopharyngeal carcinoma intensity-modulated radiotherapy treatment. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 84, 196-202	4	37
274	Exploration and Validation of C-Reactive Protein/Albumin Ratio as a Novel Inflammation-Based Prognostic Marker in Nasopharyngeal Carcinoma. <i>Journal of Cancer</i> , 2016 , 7, 1406-12	4.5	37
273	GSH-sensitive Pt(IV) prodrug-loaded phase-transitional nanoparticles with a hybrid lipid-polymer shell for precise theranostics against ovarian cancer. <i>Theranostics</i> , 2019 , 9, 1047-1065	12.1	36
272	Survival analysis of patients with advanced-stage nasopharyngeal carcinoma according to the Epstein-Barr virus status. <i>Oncotarget</i> , 2016 , 7, 24208-16	3.3	35
271	The Tumour Response to Induction Chemotherapy has Prognostic Value for Long-Term Survival Outcomes after Intensity-Modulated Radiation Therapy in Nasopharyngeal Carcinoma. <i>Scientific Reports</i> , 2016 , 6, 24835	4.9	34
270	Temperature-Sensitive Gold Nanoparticle-Coated Pluronic-PLL Nanoparticles for Drug Delivery and Chemo-Photothermal Therapy. <i>Theranostics</i> , 2017 , 7, 4424-4444	12.1	33
269	YPEL3 suppresses epithelial-mesenchymal transition and metastasis of nasopharyngeal carcinoma cells through the Wnt/ β -catenin signaling pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016 , 35, 109	12.8	32
268	The synergic antitumor effects of paclitaxel and temozolomide co-loaded in mPEG-PLGA nanoparticles on glioblastoma cells. <i>Oncotarget</i> , 2016 , 7, 20890-901	3.3	32
267	Promising treatment outcomes of intensity-modulated radiation therapy for nasopharyngeal carcinoma patients with N0 disease according to the seventh edition of the AJCC staging system. <i>BMC Cancer</i> , 2012 , 12, 68	4.8	31

266	Toll-like receptor 4 signaling plays a role in triggering periodontal infection. <i>FEMS Immunology and Medical Microbiology</i> , 2008 , 52, 362-9		31
265	The Prognostic Value of Treatment-Related Lymphopenia in Nasopharyngeal Carcinoma Patients. <i>Cancer Research and Treatment</i> , 2018 , 50, 19-29	5.2	31
264	Prognostic Value of the Cumulative Cisplatin Dose During Concurrent Chemoradiotherapy in Locoregionally Advanced Nasopharyngeal Carcinoma: A Secondary Analysis of a Prospective Phase III Clinical Trial. <i>Oncologist</i> , 2016 , 21, 1369-1376	5.7	31
263	Hepatitis B virus screening and reactivation and management of patients with nasopharyngeal carcinoma: A large-scale, big-data intelligence platform-based analysis from an endemic area. <i>Cancer</i> , 2017 , 123, 3540-3549	6.4	30
262	Tumor response to neoadjuvant chemotherapy predicts long-term survival outcomes in patients with locoregionally advanced nasopharyngeal carcinoma: A secondary analysis of a randomized phase 3 clinical trial. <i>Cancer</i> , 2017 , 123, 1643-1652	6.4	30
261	Gold-caged copolymer nanoparticles as multimodal synergistic photodynamic/photothermal/chemotherapy platform against lethality androgen-resistant prostate cancer. <i>Biomaterials</i> , 2019 , 212, 73-86	15.6	30
260	10-Year Results of Therapeutic Ratio by Intensity-Modulated Radiotherapy Versus Two-Dimensional Radiotherapy in Patients with Nasopharyngeal Carcinoma. <i>Oncologist</i> , 2019 , 24, e38-e45	5.7	30
259	The evolution of nasopharyngeal carcinoma staging. <i>British Journal of Radiology</i> , 2019 , 92, 20190244	3.4	30
258	Effect of latent membrane protein 1 expression on overall survival in Epstein-Barr virus-associated cancers: a literature-based meta-analysis. <i>Oncotarget</i> , 2015 , 6, 29311-23	3.3	30
257	EZH2-DNMT1-mediated epigenetic silencing of miR-142-3p promotes metastasis through targeting ZEB2 in nasopharyngeal carcinoma. <i>Cell Death and Differentiation</i> , 2019 , 26, 1089-1106	12.7	30
256	Establishing and applying nomograms based on the 8th edition of the UICC/AJCC staging system to select patients with nasopharyngeal carcinoma who benefit from induction chemotherapy plus concurrent chemoradiotherapy. <i>Oral Oncology</i> , 2017 , 69, 99-107	4.4	29
255	Pretreatment MRI radiomics analysis allows for reliable prediction of local recurrence in non-metastatic T4 nasopharyngeal carcinoma. <i>EBioMedicine</i> , 2019 , 42, 270-280	8.8	29
254	Prognostic value and staging classification of retropharyngeal lymph node metastasis in nasopharyngeal carcinoma patients treated with intensity-modulated radiotherapy. <i>PLoS ONE</i> , 2014 , 9, e108375	3.7	29
253	Enhanced therapeutic effect of Adriamycin on multidrug resistant breast cancer by the ABCG2-siRNA loaded polymeric nanoparticles assisted with ultrasound. <i>Oncotarget</i> , 2015 , 6, 43779-90	3.3	29
252	Plasma Epstein-Barr viral DNA complements TNM classification of nasopharyngeal carcinoma in the era of intensity-modulated radiotherapy. <i>Oncotarget</i> , 2016 , 7, 6221-30	3.3	29
251	Radiomics on multi-modalities MR sequences can subtype patients with non-metastatic nasopharyngeal carcinoma (NPC) into distinct survival subgroups. <i>European Radiology</i> , 2019 , 29, 5590-5599	8	28
250	Low SFRP1 Expression Correlates with Poor Prognosis and Promotes Cell Invasion by Activating the Wnt/ECatenin Signaling Pathway in NPC. <i>Cancer Prevention Research</i> , 2015 , 8, 968-77	3.2	28
249	Development and validation of an immune checkpoint-based signature to predict prognosis in nasopharyngeal carcinoma using computational pathology analysis 2019 , 7, 298		28

248	Competing risk nomograms for nasopharyngeal carcinoma in the intensity-modulated radiotherapy era: A big-data, intelligence platform-based analysis. <i>Radiotherapy and Oncology</i> , 2018 , 129, 389-395	5.3	28
247	Identification of miR-143 as a tumour suppressor in nasopharyngeal carcinoma based on microRNA expression profiling. <i>International Journal of Biochemistry and Cell Biology</i> , 2015 , 61, 120-8	5.6	27
246	Preparation of a Thermosensitive Gel Composed of a mPEG-PLGA-PLL-cRGD Nanodrug Delivery System for Pancreatic Tumor Therapy. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 20530-7	9.5	27
245	Comparison of long-term survival and toxicity of cisplatin delivered weekly versus every three weeks concurrently with intensity-modulated radiotherapy in nasopharyngeal carcinoma. <i>PLoS ONE</i> , 2014 , 9, e110765	3.7	27
244	Cetuximab or nimotuzumab plus intensity-modulated radiotherapy versus cisplatin plus intensity-modulated radiotherapy for stage II-IVb nasopharyngeal carcinoma. <i>International Journal of Cancer</i> , 2017 , 141, 1265-1276	7.5	26
243	Neoadjuvant chemotherapy in locally advanced nasopharyngeal carcinoma: Defining high-risk patients who may benefit before concurrent chemotherapy combined with intensity-modulated radiotherapy. <i>Scientific Reports</i> , 2015 , 5, 16664	4.9	26
242	Prognostic value of chronic hepatitis B virus infection in patients with nasopharyngeal carcinoma: analysis of 1301 patients from an endemic area in China. <i>Cancer</i> , 2014 , 120, 68-76	6.4	26
241	5-Azacytidine enhances the radiosensitivity of CNE2 and SUNE1 cells in vitro and in vivo possibly by altering DNA methylation. <i>PLoS ONE</i> , 2014 , 9, e93273	3.7	26
240	Characteristics of Radiotherapy Trials Compared With Other Oncological Clinical Trials in the Past 10 Years. <i>JAMA Oncology</i> , 2018 , 4, 1073-1079	13.4	26
239	MicroRNA-125a-Loaded Polymeric Nanoparticles Alleviate Systemic Lupus Erythematosus by Restoring Effector/Regulatory T Cells Balance. <i>ACS Nano</i> , 2020 , 14, 4414-4429	16.7	25
238	Grading of MRI-detected skull-base invasion in nasopharyngeal carcinoma and its prognostic value. <i>Head and Neck</i> , 2011 , 33, 1309-14	4.2	25
237	Long-term outcome and late toxicities of simultaneous integrated boost-intensity modulated radiotherapy in pediatric and adolescent nasopharyngeal carcinoma. <i>Chinese Journal of Cancer</i> , 2013 , 32, 525-32		25
236	Radiotherapy with neoadjuvant chemotherapy versus concurrent chemoradiotherapy for ascending-type nasopharyngeal carcinoma: a retrospective comparison of toxicity and prognosis. <i>Chinese Journal of Cancer</i> , 2017 , 36, 26		24
235	Socioeconomic factors and survival in patients with non-metastatic head and neck squamous cell carcinoma. <i>Cancer Science</i> , 2017 , 108, 1253-1262	6.9	24
234	Prognostic values of the integrated model incorporating the volume of metastatic regional cervical lymph node and pretreatment serum Epstein-Barr virus DNA copy number in predicting distant metastasis in patients with N1 nasopharyngeal carcinoma. <i>Chinese Journal of Cancer</i> , 2017 , 36, 98		24
233	The coexistence of Sjögren's syndrome and primary biliary cirrhosis: a comprehensive review. <i>Clinical Reviews in Allergy and Immunology</i> , 2015 , 48, 301-15	12.3	24
232	Comparison of radiomics tools for image analyses and clinical prediction in nasopharyngeal carcinoma. <i>British Journal of Radiology</i> , 2019 , 92, 20190271	3.4	23
231	Optimal cumulative cisplatin dose in nasopharyngeal carcinoma patients receiving additional induction chemotherapy. <i>Cancer Science</i> , 2018 , 109, 751-763	6.9	23

230	Induction Chemotherapy Improved Long-term Outcomes of Patients with Locoregionally Advanced Nasopharyngeal Carcinoma: A Propensity Matched Analysis of 5-year Survival Outcomes in the Era of Intensity-modulated Radiotherapy. <i>Journal of Cancer</i> , 2017 , 8, 371-377	4.5	23
229	A new PAMPA model proposed on the basis of a synthetic phospholipid membrane. <i>PLoS ONE</i> , 2015 , 10, e0116502	3.7	23
228	Prognostic scoring system for locoregional control among the patients with nasopharyngeal carcinoma treated by intensity-modulated radiotherapy. <i>Chinese Journal of Cancer</i> , 2013 , 32, 494-501		23
227	Long Noncoding RNA TINCR-Mediated Regulation of Acetyl-CoA Metabolism Promotes Nasopharyngeal Carcinoma Progression and Chemoresistance. <i>Cancer Research</i> , 2020 , 80, 5174-5188	10.1	23
226	A National Study of Survival Trends and Conditional Survival in Nasopharyngeal Carcinoma: Analysis of the National Population-Based Surveillance Epidemiology and End Results Registry. <i>Cancer Research and Treatment</i> , 2018 , 50, 324-334	5.2	23
225	Surrogate endpoints for overall survival in combined chemotherapy and radiotherapy trials in nasopharyngeal carcinoma: Meta-analysis of randomised controlled trials. <i>Radiotherapy and Oncology</i> , 2015 , 116, 157-66	5.3	22
224	Is pretreatment Epstein-Barr virus DNA still associated with 6-year survival outcomes in locoregionally advanced nasopharyngeal carcinoma?. <i>Journal of Cancer</i> , 2017 , 8, 976-982	4.5	22
223	Is replacement of the supraclavicular fossa with the lower level classification based on magnetic resonance imaging beneficial in nasopharyngeal carcinoma?. <i>Radiotherapy and Oncology</i> , 2014 , 113, 108-114	5.3	22
222	Hypermethylation of Promotes Nasopharyngeal Carcinoma Metastasis by Reducing SGSM1 Stability. <i>Cancer Research</i> , 2019 , 79, 747-759	10.1	22
221	Targeted polymeric therapeutic nanoparticles: Design and interactions with hepatocellular carcinoma. <i>Biomaterials</i> , 2015 , 56, 229-40	15.6	21
220	Changes in Disease Failure Risk of Nasopharyngeal Carcinoma over Time: Analysis of 749 Patients with Long-Term Follow-Up. <i>Journal of Cancer</i> , 2017 , 8, 455-459	4.5	21
219	Nuclear overexpression of metastasis-associated protein 1 correlates significantly with poor survival in nasopharyngeal carcinoma. <i>Journal of Translational Medicine</i> , 2012 , 10, 78	8.5	21
218	The detrimental effects of radiotherapy interruption on local control after concurrent chemoradiotherapy for advanced T-stage nasopharyngeal carcinoma: an observational, prospective analysis. <i>BMC Cancer</i> , 2018 , 18, 740	4.8	20
217	Hypermethylation Regulates Metastasis and Resistance to Docetaxel-Based Induction Chemotherapy in Nasopharyngeal Carcinoma. <i>Clinical Cancer Research</i> , 2018 , 24, 6495-6508	12.9	20
216	Prognostic value of parapharyngeal extension in nasopharyngeal carcinoma treated with intensity modulated radiotherapy. <i>Radiotherapy and Oncology</i> , 2014 , 110, 404-8	5.3	20
215	Preparation of bufalin-loaded pluronic polyetherimide nanoparticles, cellular uptake, distribution, and effect on colorectal cancer. <i>International Journal of Nanomedicine</i> , 2014 , 9, 4035-41	7.3	20
214	Circulating EBV DNA, Globulin and Nodal Size Predict Distant Metastasis after Intensity-Modulated Radiotherapy in Stage II Nasopharyngeal Carcinoma. <i>Journal of Cancer</i> , 2016 , 7, 664-70	4.5	20
213	Genome-Wide Association Study of Susceptibility Loci for Radiation-Induced Brain Injury. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 620-628	9.7	20

212	Development and validation of an endoscopic images-based deep learning model for detection with nasopharyngeal malignancies. <i>Cancer Communications</i> , 2018 , 38, 59	9.4	20
211	Optimize the cycle of neoadjuvant chemotherapy for locoregionally advanced nasopharyngeal carcinoma treated with intensity-modulated radiotherapy: A propensity score matching analysis. <i>Oral Oncology</i> , 2016 , 62, 78-84	4.4	19
210	Investigation of the feasibility of elective irradiation to neck level Ib using intensity-modulated radiotherapy for patients with nasopharyngeal carcinoma: a retrospective analysis. <i>BMC Cancer</i> , 2015 , 15, 709	4.8	19
209	High expression of Talin-1 is associated with poor prognosis in patients with nasopharyngeal carcinoma. <i>BMC Cancer</i> , 2015 , 15, 332	4.8	19
208	ARNTL hypermethylation promotes tumorigenesis and inhibits cisplatin sensitivity by activating CDK5 transcription in nasopharyngeal carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 11	12.8	19
207	Metronomic capecitabine as adjuvant therapy in locoregionally advanced nasopharyngeal carcinoma: a multicentre, open-label, parallel-group, randomised, controlled, phase 3 trial. <i>Lancet, The</i> , 2021 , 398, 303-313	40	19
206	Significant value of F-FDG-PET/CT in diagnosing small cervical lymph node metastases in patients with nasopharyngeal carcinoma treated with intensity-modulated radiotherapy. <i>Chinese Journal of Cancer</i> , 2017 , 36, 95		18
205	Optimizing the induction chemotherapy regimen for patients with locoregionally advanced nasopharyngeal Carcinoma: A big-data intelligence platform-based analysis. <i>Oral Oncology</i> , 2018 , 79, 40-46	4.4	18
204	Prognostic value of serum Epstein-Barr virus antibodies in patients with nasopharyngeal carcinoma and undetectable pretreatment Epstein-Barr virus DNA. <i>Cancer Science</i> , 2017 , 108, 1640-1647	6.9	18
203	Prognostic value of MET protein overexpression and gene amplification in locoregionally advanced nasopharyngeal carcinoma. <i>Oncotarget</i> , 2015 , 6, 13309-19	3.3	18
202	Degradation behavior and biosafety studies of the mPEG-PLGA-PLL copolymer. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 11986-99	3.6	18
201	Pan-cancer genomic analyses reveal prognostic and immunogenic features of the tumor melatonergic microenvironment across 14 solid cancer types. <i>Journal of Pineal Research</i> , 2019 , 66, e12557 ^{19.4}	19.4	18
200	Impact of marital status at diagnosis on survival and its change over time between 1973 and 2012 in patients with nasopharyngeal carcinoma: a propensity score-matched analysis. <i>Cancer Medicine</i> , 2017 , 6, 3040-3051	4.8	17
199	Prognostic potential of liquid biopsy tracking in the posttreatment surveillance of patients with nonmetastatic nasopharyngeal carcinoma. <i>Cancer</i> , 2020 , 126, 2163-2173	6.4	17
198	Epigenetic mediated zinc finger protein 671 downregulation promotes cell proliferation and tumorigenicity in nasopharyngeal carcinoma by inhibiting cell cycle arrest. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017 , 36, 147	12.8	17
197	Concurrent chemoradiotherapy with or without cetuximab for stage II to IVb nasopharyngeal carcinoma: a case-control study. <i>BMC Cancer</i> , 2017 , 17, 567	4.8	17
196	Prognostic implications of dynamic serum lactate dehydrogenase assessments in nasopharyngeal carcinoma patients treated with intensity-modulated radiotherapy. <i>Scientific Reports</i> , 2016 , 6, 22326	4.9	17
195	The Cumulative Cisplatin Dose Affects the Long-Term Survival Outcomes of Patients with Nasopharyngeal Carcinoma Receiving Concurrent Chemoradiotherapy. <i>Scientific Reports</i> , 2016 , 6, 24332 ^{4.9}	4.9	17

194	Clinical Outcomes of Volume-Modulated Arc Therapy in 205 Patients with Nasopharyngeal Carcinoma: An Analysis of Survival and Treatment Toxicities. <i>PLoS ONE</i> , 2015 , 10, e0129679	3.7	17
193	Low BRMS1 expression promotes nasopharyngeal carcinoma metastasis in vitro and in vivo and is associated with poor patient survival. <i>BMC Cancer</i> , 2012 , 12, 376	4.8	17
192	Biodegradable double-targeted PTX-mPEG-PLGA nanoparticles for ultrasound contrast enhanced imaging and antitumor therapy in vitro. <i>Oncotarget</i> , 2016 , 7, 80008-80018	3.3	17
191	Clonal Mutations Activate the NF- κ B Pathway to Promote Recurrence of Nasopharyngeal Carcinoma. <i>Cancer Research</i> , 2019 , 79, 5930-5943	10.1	16
190	The prolonged interval between induction chemotherapy and radiotherapy is associated with poor prognosis in patients with nasopharyngeal carcinoma. <i>Radiation Oncology</i> , 2019 , 14, 9	4.2	16
189	Ten-year outcomes of survival and toxicity for a phase III randomised trial of concurrent chemoradiotherapy versus radiotherapy alone in stage II nasopharyngeal carcinoma. <i>European Journal of Cancer</i> , 2019 , 110, 24-31	7.5	16
188	Overexpression of CIP2A is an independent prognostic indicator in nasopharyngeal carcinoma and its depletion suppresses cell proliferation and tumor growth. <i>Molecular Cancer</i> , 2014 , 13, 111	42.1	16
187	A network meta-analysis in comparing prophylactic treatments of radiotherapy-induced oral mucositis for patients with head and neck cancers receiving radiotherapy. <i>Oral Oncology</i> , 2017 , 75, 89-94	4.4	16
186	Efficacy of Concurrent Chemotherapy for Intermediate Risk NPC in the Intensity-Modulated Radiotherapy Era: a Propensity-Matched Analysis. <i>Scientific Reports</i> , 2015 , 5, 17378	4.9	16
185	Propensity-matched analysis of three different chemotherapy sequences in patients with locoregionally advanced nasopharyngeal carcinoma treated using intensity-modulated radiotherapy. <i>BMC Cancer</i> , 2015 , 15, 810	4.8	16
184	The impact of the cumulative dose of cisplatin during concurrent chemoradiotherapy on the clinical outcomes of patients with advanced-stage nasopharyngeal carcinoma in an era of intensity-modulated radiotherapy. <i>BMC Cancer</i> , 2015 , 15, 977	4.8	16
183	Publication status of contemporary oncology randomised controlled trials worldwide. <i>European Journal of Cancer</i> , 2016 , 66, 17-25	7.5	16
182	Handgrip Strength Index Predicts Nutritional Status as a Complement to Body Mass Index in Crohn's Disease. <i>Journal of Crohns and Colitis</i> , 2016 , 10, 1395-1400	1.5	16
181	A deep survival analysis method based on ranking. <i>Artificial Intelligence in Medicine</i> , 2019 , 98, 1-9	7.4	15
180	Anti-EGFR targeted therapy delivered before versus during radiotherapy in locoregionally advanced nasopharyngeal carcinoma: a big-data, intelligence platform-based analysis. <i>BMC Cancer</i> , 2018 , 18, 323	4.8	15
179	Altered Cell Cycle Arrest by Multifunctional Drug-Loaded Enzymatically-Triggered Nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 1360-70	9.5	15
178	Treatment outcomes and feasibility of partial neck irradiation for patients with nasopharyngeal carcinoma with only retropharyngeal lymph node metastasis after intensity-modulated radiotherapy. <i>Head and Neck</i> , 2014 , 36, 468-73	4.2	15
177	Prognostic value of neutrophil-to-lymphocyte ratio in advanced nasopharyngeal carcinoma: a large institution-based cohort study from an endemic area. <i>BMC Cancer</i> , 2019 , 19, 37	4.8	15

176	Beneficial effects of anti-EGFR agents, Cetuximab or Nimotuzumab, in combination with concurrent chemoradiotherapy in advanced nasopharyngeal carcinoma. <i>Oral Oncology</i> , 2018 , 80, 1-8	4.4	14
175	Induction chemotherapy for locoregionally advanced nasopharyngeal carcinoma. <i>Chinese Journal of Cancer</i> , 2016 , 35, 94		14
174	Influence of Cervical Node Necrosis of Different Grades on the Prognosis of Nasopharyngeal Carcinoma Patients Treated with Intensity-Modulated Radiotherapy. <i>Journal of Cancer</i> , 2017 , 8, 959-966	4.5	14
173	Magnetic Resonance Imaging-Detected Tumor Residue after Intensity-Modulated Radiation Therapy and its Association with Post-Radiation Plasma Epstein-Barr Virus Deoxyribonucleic Acid in Nasopharyngeal Carcinoma. <i>Journal of Cancer</i> , 2017 , 8, 861-869	4.5	14
172	Pretreatment Nomograms for Local and Regional Recurrence after Radical Radiation Therapy for Primary Nasopharyngeal Carcinoma. <i>Journal of Cancer</i> , 2017 , 8, 2595-2603	4.5	14
171	Risk stratification based on change in plasma Epstein-Barr virus DNA load after treatment in nasopharyngeal carcinoma. <i>Oncotarget</i> , 2016 , 7, 9576-85	3.3	14
170	Establishment of an integrated model incorporating standardised uptake value and N-classification for predicting metastasis in nasopharyngeal carcinoma. <i>Oncotarget</i> , 2016 , 7, 13612-20	3.3	14
169	Practice recommendations for risk-adapted head and neck cancer radiotherapy during the COVID-19 pandemic: An ASTRO-ESTRO consensus statement. <i>Radiotherapy and Oncology</i> , 2020 , 151, 314-321	5.3	14
168	The Pattern of Time to Onset and Resolution of Immune-Related Adverse Events Caused by Immune Checkpoint Inhibitors in Cancer: A Pooled Analysis of 23 Clinical Trials and 8,436 Patients. <i>Cancer Research and Treatment</i> , 2021 , 53, 339-354	5.2	14
167	Induction chemotherapy followed by concurrent chemoradiotherapy versus concurrent chemoradiotherapy alone in stage III-IVb nasopharyngeal carcinoma patients with Epstein-Barr virus DNA ≥ 1000 copies/ml: a matched study. <i>Oncotarget</i> , 2016 , 7, 29739-48	3.3	14
166	Prognostic Value of Neoadjuvant Chemotherapy in Locoregionally Advanced Nasopharyngeal Carcinoma with Low Pre-treatment Epstein-Barr Virus DNA: a Propensity-matched Analysis. <i>Journal of Cancer</i> , 2016 , 7, 1465-71	4.5	14
165	Survival impact of radiotherapy interruption in nasopharyngeal carcinoma in the intensity-modulated radiotherapy era: A big-data intelligence platform-based analysis. <i>Radiotherapy and Oncology</i> , 2019 , 132, 178-187	5.3	14
164	Multifunctional tumor-targeted PLGA nanoparticles delivering Pt(IV)/siBIRC5 for US/MRI imaging and overcoming ovarian cancer resistance. <i>Biomaterials</i> , 2021 , 269, 120478	15.6	14
163	A Prognostic Predictive System Based on Deep Learning for Locoregionally Advanced Nasopharyngeal Carcinoma. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 606-615	9.7	14
162	Relationship between pretreatment concentration of plasma Epstein-Barr virus DNA and tumor burden in nasopharyngeal carcinoma: An updated interpretation. <i>Cancer Medicine</i> , 2018 , 7, 5988-5998	4.8	14
161	Combined prognostic value of pretreatment anemia and cervical node necrosis in patients with nasopharyngeal carcinoma receiving intensity-modulated radiotherapy: A large-scale retrospective study. <i>Cancer Medicine</i> , 2017 , 6, 2822-2831	4.8	13
160	Clinical features and survival outcomes between ascending and descending types of nasopharyngeal carcinoma in the intensity-modulated radiotherapy era: A big-data intelligence platform-based analysis. <i>Radiotherapy and Oncology</i> , 2019 , 137, 137-144	5.3	13
159	Role of sequential chemoradiotherapy in stage II and low-risk stage III-IV nasopharyngeal carcinoma in the era of intensity-modulated radiotherapy: A propensity score-matched analysis. <i>Oral Oncology</i> , 2018 , 78, 37-45	4.4	13

158	The current status of clinical trials focusing on nasopharyngeal carcinoma: A comprehensive analysis of ClinicalTrials.gov database. <i>PLoS ONE</i> , 2018 , 13, e0196730	3.7	13
157	Ketosis onset type 2 diabetes had better islet β cell function and more serious insulin resistance. <i>Journal of Diabetes Research</i> , 2014 , 2014, 510643	3.9	13
156	Prognostic value of wait time in nasopharyngeal carcinoma treated with intensity modulated radiotherapy: a propensity matched analysis. <i>Oncotarget</i> , 2016 , 7, 14973-82	3.3	13
155	Prognostic value of nutritional risk screening 2002 scale in nasopharyngeal carcinoma: A large-scale cohort study. <i>Cancer Science</i> , 2018 , 109, 1909-1919	6.9	13
154	Comparing treatment outcomes of concurrent chemoradiotherapy with or without nimotuzumab in patients with locoregionally advanced nasopharyngeal carcinoma. <i>Cancer Biology and Therapy</i> , 2018 , 19, 1102-1107	4.6	12
153	An integrated model of the gross tumor volume of cervical lymph nodes and pretreatment plasma Epstein-Barr virus DNA predicts survival of nasopharyngeal carcinoma in the intensity-modulated radiotherapy era: a big-data intelligence platform-based analysis. <i>Therapeutic Advances in Medical Oncology</i> , 2019 , 11, 1758835919877728	5.4	12
152	Hotspot mutations in common oncogenes are infrequent in nasopharyngeal carcinoma. <i>Oncology Reports</i> , 2014 , 32, 1661-9	3.5	12
151	Effects of sevoflurane on NF- κ B and TNF- α expression in renal ischemia-reperfusion diabetic rats. <i>Inflammation Research</i> , 2017 , 66, 901-910	7.2	12
150	Dosimetric benefit to organs at risk following margin reductions in nasopharyngeal carcinoma treated with intensity-modulated radiation therapy. <i>Chinese Journal of Cancer</i> , 2015 , 34, 189-97		12
149	Enhanced delivery of PEAL nanoparticles with ultrasound targeted microbubble destruction mediated siRNA transfection in human MCF-7/S and MCF-7/ADR cells in vitro. <i>International Journal of Nanomedicine</i> , 2015 , 10, 5447-57	7.3	12
148	Nodal grouping in nasopharyngeal carcinoma: prognostic significance, N classification, and a marker for the identification of candidates for induction chemotherapy. <i>European Radiology</i> , 2020 , 30, 2115-2124	8	12
147	An optimal posttreatment surveillance strategy for cancer survivors based on an individualized risk-based approach. <i>Nature Communications</i> , 2020 , 11, 3872	17.4	12
146	Should All Nasopharyngeal Carcinoma with Paranasal Sinus Invasion Be Staged as T3 in the Intensity-Modulated Radiotherapy Era? A Study of 1811 Cases. <i>Journal of Cancer</i> , 2016 , 7, 1353-9	4.5	12
145	The value of detailed MR imaging report of primary tumor and lymph nodes on prognostic nomograms for nasopharyngeal carcinoma after intensity-modulated radiotherapy. <i>Radiotherapy and Oncology</i> , 2019 , 131, 35-44	5.3	12
144	Unraveling tumour microenvironment heterogeneity in nasopharyngeal carcinoma identifies biologically distinct immune subtypes predicting prognosis and immunotherapy responses. <i>Molecular Cancer</i> , 2021 , 20, 14	42.1	12
143	The immune molecular landscape of the B7 and TNFR immunoregulatory ligand-receptor families in head and neck cancer: A comprehensive overview and the immunotherapeutic implications. <i>Onc Immunology</i> , 2017 , 6, e1288329	7.2	11
142	Critical Evaluation of the Quality and Recommendations of Clinical Practice Guidelines for Nasopharyngeal Carcinoma. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2017 , 15, 336-344	7.3	11
141	Prognostic value of retropharyngeal lymph node metastasis laterality in nasopharyngeal carcinoma and a proposed modification to the UICC/AJCC N staging system. <i>Radiotherapy and Oncology</i> , 2019 , 140, 90-97	5.3	11

140	Optimal Modality for Detecting Distant Metastasis in Primary Nasopharyngeal Carcinoma during Initial Staging: A Systemic Review and Meta-analysis of 1774 Patients. <i>Journal of Cancer</i> , 2017 , 8, 1238-1248	4.5	11
139	With or without reirradiation in advanced local recurrent nasopharyngeal carcinoma: a case-control study. <i>BMC Cancer</i> , 2016 , 16, 774	4.8	11
138	Pretreatment quality of life as a predictor of survival for patients with nasopharyngeal carcinoma treated with IMRT. <i>BMC Cancer</i> , 2018 , 18, 114	4.8	11
137	The Role of Post-Neoadjuvant Chemotherapy Tumor Volume for Prognostication and Treatment Guidance in Loco-Regionally Advanced Nasopharyngeal Carcinoma. <i>Cancers</i> , 2019 , 11,	6.6	11
136	The Chinese Society of Clinical Oncology (CSCO) clinical guidelines for the diagnosis and treatment of nasopharyngeal carcinoma. <i>Cancer Communications</i> , 2021 , 41, 1195-1227	9.4	11
135	Nasopharyngeal carcinoma treated with intensity-modulated radiotherapy: clinical outcomes and patterns of failure among subsets of 8th AJCC stage IVa. <i>European Radiology</i> , 2020 , 30, 816-822	8	11
134	Proposal of a Pretreatment Nomogram for Predicting Local Recurrence after Intensity-Modulated Radiation Therapy in T4 Nasopharyngeal Carcinoma: A Retrospective Review of 415 Chinese Patients. <i>Cancer Research and Treatment</i> , 2018 , 50, 1084-1095	5.2	11
133	Comparison of the treatment outcomes of intensity-modulated radiotherapy and two-dimensional conventional radiotherapy in nasopharyngeal carcinoma patients with parapharyngeal space extension. <i>Radiotherapy and Oncology</i> , 2015 , 116, 167-73	5.3	10
132	Genome-wide association study identifies genetic susceptibility loci and pathways of radiation-induced acute oral mucositis. <i>Journal of Translational Medicine</i> , 2020 , 18, 224	8.5	10
131	Delineation of Neck Clinical Target Volume Specific to Nasopharyngeal Carcinoma Based on Lymph Node Distribution and the International Consensus Guidelines. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 100, 891-902	4	10
130	Reduced expression of Dicer11 is associated with poor prognosis in patients with nasopharyngeal carcinoma. <i>Medical Oncology</i> , 2013 , 30, 360	3.7	10
129	Incidence and dosimetric parameters for brainstem necrosis following intensity modulated radiation therapy in nasopharyngeal carcinoma. <i>Oral Oncology</i> , 2017 , 73, 97-104	4.4	10
128	Dose-volume factors associated with ear disorders following intensity modulated radiotherapy in nasopharyngeal carcinoma. <i>Scientific Reports</i> , 2015 , 5, 13525	4.9	10
127	CXCL12 genetic variants as prognostic markers in nasopharyngeal carcinoma. <i>OncoTargets and Therapy</i> , 2015 , 8, 2835-42	4.4	10
126	Which T category of nasopharyngeal carcinoma may benefit most from volumetric modulated arc therapy compared with step and shoot intensity modulated radiation therapy. <i>PLoS ONE</i> , 2013 , 8, e75304	3.7	10
125	The efficacy and toxicity of individualized intensity-modulated radiotherapy based on the tumor extension patterns of nasopharyngeal carcinoma. <i>Oncotarget</i> , 2016 , 7, 20680-90	3.3	10
124	Role of Postoperative Radiotherapy in Nonmetastatic Head and Neck Adenoid Cystic Carcinoma. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020 , 18, 1476-1484	7.3	10
123	A prospective study on radiation doses to organs at risk (OARs) during intensity-modulated radiotherapy for nasopharyngeal carcinoma patients. <i>Oncotarget</i> , 2016 , 7, 21742-52	3.3	10

122	The feasibility of contralateral lower neck sparing intensity modulation radiated therapy for nasopharyngeal carcinoma patients with unilateral cervical lymph node involvement. <i>Oral Oncology</i> , 2017 , 69, 68-73	4.4	9
121	Patterns of EBV-positive cervical lymph node involvement in head and neck cancer and implications for the management of nasopharyngeal carcinoma T0 classification. <i>Oral Oncology</i> , 2019 , 91, 7-12	4.4	9
120	Effect of prior cancer on trial eligibility and treatment outcomes in nasopharyngeal carcinoma: Implications for clinical trial accrual. <i>Oral Oncology</i> , 2019 , 90, 23-29	4.4	9
119	Anti-epidermal growth factor receptor therapy concurrently with induction chemotherapy in locoregionally advanced nasopharyngeal carcinoma. <i>Cancer Science</i> , 2018 , 109, 1609-1616	6.9	9
118	Thyroid dose-volume thresholds for the risk of radiation-related hypothyroidism in nasopharyngeal carcinoma treated with intensity-modulated radiotherapy-A single-institution study. <i>Cancer Medicine</i> , 2019 , 8, 6887-6893	4.8	9
117	Advanced-Stage Nasopharyngeal Carcinoma: Restaging System after Neoadjuvant Chemotherapy on the Basis of MR Imaging Determines Survival. <i>Radiology</i> , 2017 , 282, 171-181	20.5	9
116	Magnetite loaded Polypeptide-PLGA multifunctional microbubbles for dual-mode US/MR imaging. <i>Contrast Media and Molecular Imaging</i> , 2016 , 11, 146-53	3.2	9
115	Optimizing the cumulative cisplatin dose during radiotherapy in nasopharyngeal carcinoma: Dose-effect analysis for a large cohort. <i>Oral Oncology</i> , 2019 , 89, 102-106	4.4	9
114	NFAT1 Hypermethylation Promotes Epithelial-Mesenchymal Transition and Metastasis in Nasopharyngeal Carcinoma by Activating ITGA6 Transcription. <i>Neoplasia</i> , 2019 , 21, 311-321	6.4	8
113	Individualized cumulative cisplatin dose for locoregionally-advanced nasopharyngeal carcinoma patients receiving induction chemotherapy and concurrent chemoradiotherapy. <i>Oral Oncology</i> , 2020 , 107, 104675	4.4	8
112	Nomogram to predict the benefit of additional induction chemotherapy to concurrent chemoradiotherapy in locoregionally advanced nasopharyngeal carcinoma: Analysis of a multicenter, phase III randomized trial. <i>Radiotherapy and Oncology</i> , 2018 , 129, 18-22	5.3	8
111	Cigarette smoking complements the prognostic value of baseline plasma Epstein-Barr virus deoxyribonucleic acid in patients with nasopharyngeal carcinoma undergoing intensity-modulated radiation therapy: a large-scale retrospective cohort study. <i>Oncotarget</i> , 2016 , 7, 16806-17	3.3	8
110	Unambiguous advanced radiologic extranodal extension determined by MRI predicts worse outcomes in nasopharyngeal carcinoma: Potential improvement for future editions of N category systems. <i>Radiotherapy and Oncology</i> , 2021 , 157, 114-121	5.3	8
109	Immune/Hypoxic Tumor Microenvironment Regulation-Enhanced Photodynamic Treatment Realized by pH-Responsive Phase Transition-Targeting Nanobubbles. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 32763-32779	9.5	8
108	The Efficacy and Safety of Anti-epidermal Growth Factor Receptor Monoclonal Antibodies in Nasopharyngeal Carcinoma: Literature-based Meta-analyses. <i>Journal of Cancer</i> , 2018 , 9, 4510-4520	4.5	8
107	Asynchronous blockade of PD-L1 and CD155 by polymeric nanoparticles inhibits triple-negative breast cancer progression and metastasis. <i>Biomaterials</i> , 2021 , 275, 120988	15.6	8
106	Do all patients with advanced N-stage nasopharyngeal carcinoma benefit from the addition of induction chemotherapy to concurrent chemoradiotherapy?. <i>Therapeutic Advances in Medical Oncology</i> , 2019 , 11, 1758835919833863	5.4	7
105	Subclassification of skull-base invasion for nasopharyngeal carcinoma using cluster, network and survival analyses: A double-center retrospective investigation. <i>Radiotherapy and Oncology</i> , 2019 , 134, 37-43	5.3	7

104	Establishing M1 stage subdivisions by incorporating radiological features and Epstein-Barr virus DNA for metastatic nasopharyngeal carcinoma. <i>Annals of Translational Medicine</i> , 2020 , 8, 83	3.2	7
103	Prognostic value of cervical nodal tumor volume in nasopharyngeal carcinoma: Analysis of 1230 patients with positive cervical nodal metastasis. <i>PLoS ONE</i> , 2017 , 12, e0176995	3.7	7
102	Development and implementation of a dynamically updated big data intelligence platform from electronic health records for nasopharyngeal carcinoma research. <i>British Journal of Radiology</i> , 2019 , 92, 20190255	3.4	7
101	Evolution and Dosimetric Analysis of Magnetic Resonance Imaging-Detected Brain Stem Injury After Intensity Modulated Radiation Therapy in Nasopharyngeal Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 105, 124-131	4	7
100	The Evolution of and Risk Factors for Neck Muscle Atrophy and Weakness in Nasopharyngeal Carcinoma Treated With Intensity-Modulated Radiotherapy: A Retrospective Study in an Endemic Area. <i>Medicine (United States)</i> , 2015 , 94, e1294	1.8	7
99	Treatment results and prognostic analysis of 1093 primary nasopharyngeal carcinoma: the experience of a single institution of Guangzhou in the beginning of the 21st century. <i>Chinese-German Journal of Clinical Oncology</i> , 2008 , 7, 187-195		7
98	Prognostic Correlations between ABO Blood Group and Pre-Treatment Plasma Epstein-Barr Virus DNA in Patients with Nasopharyngeal Carcinoma Receiving Intensity-Modulated Radiotherapy. <i>PLoS ONE</i> , 2016 , 11, e0166194	3.7	7
97	Risk Assessment of Secondary Primary Malignancies in Nasopharyngeal Carcinoma: A Big-Data Intelligence Platform-Based Analysis of 6,377 Long-term Survivors from an Endemic Area Treated with Intensity-Modulated Radiation Therapy during 2003-2013. <i>Cancer Research and Treatment</i> , 2019 , 51, 982-991	5.2	7
96	Artificial intelligence for assisting cancer diagnosis and treatment in the era of precision medicine. <i>Cancer Communications</i> , 2021 , 41, 1100-1115	9.4	7
95	Deep learning for risk prediction in patients with nasopharyngeal carcinoma using multi-parametric MRIs. <i>Computer Methods and Programs in Biomedicine</i> , 2020 , 197, 105684	6.9	7
94	An immune-related seven-lncRNA signature for head and neck squamous cell carcinoma. <i>Cancer Medicine</i> , 2021 , 10, 2268-2285	4.8	7
93	Elective upper-neck versus whole-neck irradiation of the uninvolved neck in patients with nasopharyngeal carcinoma: an open-label, non-inferiority, multicentre, randomised phase 3 trial. <i>Lancet Oncology</i> , 2022 ,	21.7	7
92	Use of pretreatment serum uric acid level to predict metastasis in locally advanced nasopharyngeal carcinoma. <i>Head and Neck</i> , 2017 , 39, 492-497	4.2	6
91	The development and external validation of simplified T category classification for nasopharyngeal carcinoma to improve the prognostic value in the intensity-modulated radiotherapy era. <i>Cancer Medicine</i> , 2019 , 8, 2213-2222	4.8	6
90	The Landscape of Clinical Trials Evaluating the Theranostic Role of PET Imaging in Oncology: Insights from an Analysis of ClinicalTrials.gov Database. <i>Theranostics</i> , 2017 , 7, 390-399	12.1	6
89	Prevention of Oxidized Low Density Lipoprotein-Induced Endothelial Cell Injury by DA-PLGA-PEG-cRGD Nanoparticles Combined with Ultrasound. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	6
88	Cost-Effectiveness Analysis of Routine Magnetic Resonance Imaging in the Follow-Up of Patients With Nasopharyngeal Carcinoma After Intensity Modulated Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 102, 1382-1391	4	6
87	Delayed clinical complete response to intensity-modulated radiotherapy in nasopharyngeal carcinoma. <i>Oral Oncology</i> , 2017 , 75, 120-126	4.4	6

86	Refining the Role of Lymph Node Biopsy in Survival for Patients with Nasopharyngeal Carcinoma: Population-Based Study from the Surveillance Epidemiology and End-Results Registry. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2580-2587	3.1	6
85	Clinical treatment considerations in the intensity-modulated radiotherapy era for patients with N0-category nasopharyngeal carcinoma and enlarged neck lymph nodes. <i>Chinese Journal of Cancer</i> , 2017 , 36, 32		6
84	Decreased Overall and Cancer-Specific Mortality with Neoadjuvant Chemotherapy in Locoregionally Advanced Nasopharyngeal Carcinoma Treated by Intensity-modulated Radiotherapy: Multivariate Competing Risk Analysis. <i>Journal of Cancer</i> , 2017 , 8, 2587-2594	4.5	6
83	Neoadjuvant and Concurrent Chemotherapy Have Varied Impacts on the Prognosis of Patients with the Ascending and Descending Types of Nasopharyngeal Carcinoma Treated with Intensity-Modulated Radiotherapy. <i>PLoS ONE</i> , 2016 , 11, e0161878	3.7	6
82	Nano Composite Thermo-Sensitive Gel for Paclitaxel and Temozolomide Co-Delivery to Glioblastoma Cells. <i>Journal of Nanoscience and Nanotechnology</i> , 2016 , 16, 12288-12298	1.3	6
81	Evidence Underlying Recommendations and Payments from Industry to Authors of the National Comprehensive Cancer Network Guidelines. <i>Oncologist</i> , 2019 , 24, 498-504	5.7	6
80	A Gene-Expression Predictor for Efficacy of Induction Chemotherapy in Locoregionally Advanced Nasopharyngeal Carcinoma. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 471-480	9.7	6
79	Differential genome-wide profiling of alternative polyadenylation sites in nasopharyngeal carcinoma by high-throughput sequencing. <i>Journal of Biomedical Science</i> , 2018 , 25, 74	13.3	6
78	Reduction of clinical target volume in patients with lateralized cancer of the nasopharynx and without contralateral lymph node metastasis receiving intensity-modulated radiotherapy. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E468-72	4.2	5
77	Feasibility of ipsilateral lower neck sparing irradiation for unilateral or bilateral neck node-negative nasopharyngeal carcinoma: systemic review and meta-analysis of 2, 521 patients. <i>Radiation Oncology</i> , 2018 , 13, 141	4.2	5
76	Importance of maintaining body weight for prevention of distant metastasis of nasopharyngeal carcinoma: An alternative workflow for cancer-risk assessment. <i>Journal of Cancer</i> , 2017 , 8, 2269-2276	4.5	5
75	Identification of surrogate endpoints in patients with locoregionally advanced nasopharyngeal carcinoma receiving neoadjuvant chemotherapy plus concurrent chemoradiotherapy versus concurrent chemoradiotherapy alone. <i>BMC Cancer</i> , 2015 , 15, 930	4.8	5
74	WTAP-mediated mA modification of lncRNA DIAPH1-AS1 enhances its stability to facilitate nasopharyngeal carcinoma growth and metastasis.. <i>Cell Death and Differentiation</i> , 2022 ,	12.7	5
73	Neutropenia during the First Cycle of Induction Chemotherapy Is Prognostic for Poor Survival in Locoregionally Advanced Nasopharyngeal Carcinoma: A Real-World Study in an Endemic Area. <i>Cancer Research and Treatment</i> , 2018 , 50, 777-790	5.2	5
72	A Low-Producing Haplotype of Interleukin-6 Disrupting CTCF Binding Is Protective against Severe COVID-19. <i>MBio</i> , 2021 , 12, e0137221	7.8	5
71	Evaluation of Oncology Trial Results Reporting Over a 10-Year Period. <i>JAMA Network Open</i> , 2021 , 4, e2110438	10.4	5
70	The targetable nanoparticle BAF312@cRGD-CaP-NP represses tumor growth and angiogenesis by downregulating the S1PR1/P-STAT3/VEGFA axis in triple-negative breast cancer. <i>Journal of Nanobiotechnology</i> , 2021 , 19, 165	9.4	5
69	Assessment of Modifiable Factors for the Association of Marital Status With Cancer-Specific Survival. <i>JAMA Network Open</i> , 2021 , 4, e2111813	10.4	5

68	The Impact of Clinical Stage on Radiation Doses to Organs at Risk Following Intensity-modulated Radiotherapy in Nasopharyngeal Carcinoma: A Prospective Analysis. <i>Journal of Cancer</i> , 2016 , 7, 2157-2164	4.5	5
67	Dose-volume relationships for moderate or severe neck muscle atrophy after intensity-modulated radiotherapy in patients with nasopharyngeal carcinoma. <i>Scientific Reports</i> , 2015 , 5, 18415	4.9	5
66	Induction versus adjuvant chemotherapy combined with concurrent chemoradiotherapy in locoregionally advanced nasopharyngeal carcinoma: A propensity score-matched analysis. <i>Oral Oncology</i> , 2020 , 105, 104686	4.4	5
65	Individualized induction chemotherapy by pre-treatment plasma Epstein-Barr viral DNA in advanced nasopharyngeal carcinoma. <i>BMC Cancer</i> , 2018 , 18, 1276	4.8	5
64	A novel scoring model to predict benefit of additional induction chemotherapy to concurrent chemoradiotherapy in stage II-IVA nasopharyngeal carcinoma. <i>Oral Oncology</i> , 2018 , 86, 258-265	4.4	5
63	Reporting Quality of Randomized, Controlled Trials Evaluating Combined Chemoradiotherapy in Nasopharyngeal Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 98, 170-176	4	4
62	The Effect of Adding Neoadjuvant Chemotherapy to Concurrent Chemoradiotherapy in Patients with Locoregionally Advanced Nasopharyngeal Carcinoma and Undetectable Pretreatment Epstein-Barr Virus DNA. <i>Translational Oncology</i> , 2017 , 10, 527-534	4.9	4
61	Prognostic Value of Circulating Lipoprotein in Patients with Locoregionally Advanced Nasopharyngeal Carcinoma. <i>Cellular Physiology and Biochemistry</i> , 2018 , 48, 285-292	3.9	4
60	Prognostic value of serum bilirubin in southern Chinese patients with advanced nasopharyngeal carcinoma. <i>Clinica Chimica Acta</i> , 2018 , 484, 314-319	6.2	4
59	Induction Chemotherapy Has No Prognostic Value in Patients with Locoregionally Advanced Nasopharyngeal Carcinoma and Chronic Hepatitis B Infection in the IMRT Era. <i>Translational Oncology</i> , 2017 , 10, 800-805	4.9	4
58	Primary tumor inflammation in gross tumor volume as a prognostic factor for nasopharyngeal carcinoma patients. <i>Oncotarget</i> , 2016 , 7, 14963-72	3.3	4
57	Prognostic effect of pregnancy on young female patients with nasopharyngeal carcinoma: results from a matched cohort analysis. <i>Oncotarget</i> , 2016 , 7, 21913-21	3.3	4
56	Development and validation of a web-based calculator to predict individualized conditional risk of site-specific recurrence in nasopharyngeal carcinoma: Analysis of 10,058 endemic cases. <i>Cancer Communications</i> , 2021 , 41, 37-50	9.4	4
55	Potential surrogate endpoints for overall survival in locoregionally advanced nasopharyngeal carcinoma: an analysis of a phase III randomized trial. <i>Scientific Reports</i> , 2015 , 5, 12502	4.9	3
54	Evaluation of the National Comprehensive Cancer Network and European Society for Medical Oncology Nasopharyngeal Carcinoma Surveillance Guidelines. <i>Frontiers in Oncology</i> , 2020 , 10, 119	5.3	3
53	Effect of recorded maternal voice on emergence agitation in children undergoing bilateral ophthalmic surgery: A randomised controlled trial. <i>Journal of Paediatrics and Child Health</i> , 2020 , 56, 1402-1407	1.3	3
52	The prediction probabilities for emergence from sevoflurane anesthesia in children: A comparison of the perfusion index and the bispectral index. <i>Paediatric Anaesthesia</i> , 2018 , 28, 281-286	1.8	3
51	Prognostic value of Diabetes in Patients with Nasopharyngeal Carcinoma Treated with Intensity-Modulated Radiation Therapy. <i>Scientific Reports</i> , 2016 , 6, 22200	4.9	3

50	Expression of prostaglandin E2 and EP receptors in human papillary thyroid carcinoma. <i>Tumor Biology</i> , 2016 , 37, 4689-97	2.9	3
49	Study of siRNA-loaded PS-mPEG/CaP nanospheres on lung cancer. <i>Journal of Nanoparticle Research</i> , 2014 , 16, 1	2.3	3
48	Prognostic value of primary gross tumor volume and standardized uptake value of F-FDG in PET/CT for distant metastasis in locoregionally advanced nasopharyngeal carcinoma. <i>Tumor Biology</i> , 2017 , 39, 1010428317717843	2.9	3
47	Clinical Characteristics and Prognostic Factors of Early and Late Recurrence After Definitive Radiotherapy for Nasopharyngeal Carcinoma. <i>Frontiers in Oncology</i> , 2020 , 10, 1469	5.3	3
46	Normal tissue complication probability (NTCP) models for predicting temporal lobe injury after intensity-modulated radiotherapy in nasopharyngeal carcinoma: A large registry-based retrospective study from China. <i>Radiotherapy and Oncology</i> , 2021 , 157, 99-105	5.3	3
45	Brain-Specific Relative Biological Effectiveness of Protons Based on Long-term Outcome of Patients With Nasopharyngeal Carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 110, 984-992	4	3
44	Dual-mode US/MRI nanoparticles delivering siRNA and Pt(IV) for ovarian cancer treatment.. <i>RSC Advances</i> , 2019 , 9, 33302-33309	3.7	3
43	Development and Validation of Web-Based Nomograms to Precisely Predict Survival Outcomes of Non-metastatic Nasopharyngeal Carcinoma in an Endemic Area. <i>Cancer Research and Treatment</i> , 2021 , 53, 657-670	5.2	3
42	Quality of Abstracts Reporting Randomized Clinical Trials Presented at a Major Oncology Conference. <i>JAMA Oncology</i> , 2017 , 3, 414-416	13.4	2
41	The agreement between oscillometric and intra-arterial technique for blood pressure monitoring in the lower extremities for infants and toddlers undergoing aortic coarctation repair. <i>Paediatric Anaesthesia</i> , 2016 , 26, 1091-1096	1.8	2
40	The recovery of bladder epithelial hyperplasia caused by a melamine diet-induced bladder calculus in mice. <i>Food and Chemical Toxicology</i> , 2014 , 64, 378-82	4.7	2
39	Incidence of and Risk Factors for Mastoiditis after Intensity Modulated Radiotherapy in Nasopharyngeal Carcinoma. <i>PLoS ONE</i> , 2015 , 10, e0131284	3.7	2
38	Magnetic polymeric nanobubbles with optimized core size for MRI/ultrasound bimodal molecular imaging of prostate cancer. <i>Nanomedicine</i> , 2020 , 15, 2901-2916	5.6	2
37	Prognostic value of MRI-determined cervical lymph node size in nasopharyngeal carcinoma. <i>Cancer Medicine</i> , 2020 , 9, 7100-7106	4.8	2
36	Variations of Clinical Target Volume Delineation for Primary Site of Nasopharyngeal Cancer Among Five Centers in China. <i>Frontiers in Oncology</i> , 2020 , 10, 1572	5.3	2
35	Robust imaging and gene delivery to study human lymphoblastoid cell lines. <i>Journal of Human Genetics</i> , 2018 , 63, 945-955	4.3	2
34	A lncRNA signature associated with tumor immune heterogeneity predicts distant metastasis in locoregionally advanced nasopharyngeal carcinoma. <i>Nature Communications</i> , 2022 , 13,	17.4	2
33	Liquid biopsy posttreatment surveillance in endemic nasopharyngeal carcinoma: a cost-effective strategy to integrate circulating cell-free Epstein-Barr virus DNA. <i>BMC Medicine</i> , 2021 , 19, 193	11.4	1

32	Development of a Nomogram Model for Treatment of Elderly Patients with Locoregionally Advanced Nasopharyngeal Carcinoma. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	1
31	Preemptive analgesic effectiveness of single dose intravenous ibuprofen in infants undergoing cleft palate repair: a randomized controlled trial. <i>BMC Pediatrics</i> , 2021 , 21, 466	2.6	1
30	In-Air Electron Streaming Effect for Esophageal Cancer Radiotherapy With a 1.5 T Perpendicular Magnetic Field: A Treatment Planning Study. <i>Frontiers in Oncology</i> , 2020 , 10, 607061	5.3	1
29	Association between outcome disparities and pragmatic features related to clinical trial and real-world settings in nasopharyngeal carcinoma: A population-based retrospective cohort study, 2006-2016. <i>Radiotherapy and Oncology</i> , 2020 , 151, 306-313	5.3	1
28	Nanoparticle BAF312@CaP-NP Overcomes Sphingosine-1-Phosphate Receptor-1-Mediated Chemoresistance Through Inhibiting S1PR1/P-STAT3 Axis in Ovarian Carcinoma. <i>International Journal of Nanomedicine</i> , 2020 , 15, 5561-5571	7.3	1
27	Retropharyngeal Lymph Node Metastasis Diagnosed by Magnetic Resonance Imaging in Hypopharyngeal Carcinoma: A Retrospective Analysis From Chinese Multi-Center Data. <i>Frontiers in Oncology</i> , 2021 , 11, 649540	5.3	1
26	Predictors of Mastoiditis after Intensity-Modulated Radiotherapy in Nasopharyngeal Carcinoma: A Dose-Volume Analysis. <i>Journal of Cancer</i> , 2016 , 7, 276-82	4.5	1
25	Combining tumor response and personalized risk assessment: Potential for adaptation of concurrent chemotherapy in locoregionally advanced nasopharyngeal carcinoma in the intensity-modulated radiotherapy era. <i>Radiotherapy and Oncology</i> , 2021 , 155, 56-64	5.3	1
24	Effectiveness of postural lung recruitment on postoperative atelectasis assessed by lung ultrasound in children undergoing lateral thoracotomy cardiac surgery with cardiopulmonary bypass. <i>Pediatric Pulmonology</i> , 2021 , 56, 1724-1732	3.5	1
23	Evolving landscape and academic attitudes toward the controversies of global immuno-oncology trials. <i>International Journal of Cancer</i> , 2021 , 149, 108-118	7.5	1
22	Precision Embolism: Biocompatible Temperature-Sensitive Hydrogels as Novel Embolic Materials for Both Mainstream and Peripheral Vessels. <i>Advanced Functional Materials</i> , 2021 , 31, 2011170	15.6	1
21	Individualized elective irradiation of the clinically node-negative neck in definitive radiotherapy for head and neck squamous cell carcinoma. <i>Cancer Communications</i> , 2021 , 41, 303-315	9.4	1
20	Radiation Oncologists' Perceptions of Adopting an Artificial Intelligence-Assisted Contouring Technology: Model Development and Questionnaire Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e27122	7.6	1
19	Radiotherapy interruption due to holidays adversely affects the survival of patients with nasopharyngeal carcinoma: a joint analysis based on large-scale retrospective data and clinical trials.. <i>Radiation Oncology</i> , 2022 , 17, 36	4.2	1
18	The contrast-enhanced MRI can be substituted by unenhanced MRI in identifying and automatically segmenting primary nasopharyngeal carcinoma with the aid of deep learning models: An exploratory study in large-scale population of endemic area.. <i>Computer Methods and Programs in Biomedicine</i> , 2022 , 217, 106702	6.9	1
17	Prognostic Value of Oral Epstein-Barr Virus DNA Load in Locoregionally Advanced Nasopharyngeal Carcinoma.. <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 757644	5.6	0
16	Differential benefit of induction chemotherapy according to body mass index in nasopharyngeal carcinoma - Pooled analysis of two randomized trials.. <i>Oral Oncology</i> , 2022 , 125, 105718	4.4	0
15	Liquid biopsy posttreatment surveillance in endemic nasopharyngeal carcinoma: a cost-effective strategy to integrate circulating cell-free Epstein-Barr virus DNA. <i>BMC Medicine</i> , 2021 , 19, 193	11.4	0

14	Development of a risk classification system combining TN-categories and circulating EBV DNA for non-metastatic NPC in 10,149 endemic cases. <i>Therapeutic Advances in Medical Oncology</i> , 2021 , 13, 17588359211052417	5.4	0
13	The evolution of the nasopharyngeal carcinoma staging system over a 10-year period: implications for future revisions. <i>Chinese Medical Journal</i> , 2020 , 133, 2044-2053	2.9	0
12	Validity and reliability of the simplified Chinese patient-reported outcomes version of the common terminology criteria for adverse events. <i>BMC Cancer</i> , 2021 , 21, 860	4.8	0
11	Prognostic value of radiation interruption in different periods for nasopharyngeal carcinoma patients in the intensity-modulated radiation therapy era. <i>Cancer Medicine</i> , 2021 , 10, 143-155	4.8	0
10	Comparison of the ED50 propofol requirements during the insertion of laryngeal mask airway Ambu AuraFlex with Ambu AuraOnce in children undergoing strabismus surgery. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021 , 46, 1629-1635	2.2	0
9	Different Primary Sites of Hypopharyngeal Cancer Have Different Lymph Node Metastasis Patterns: A Retrospective Analysis From Multi-Center Data. <i>Frontiers in Oncology</i> , 2021 , 11, 727991	5.3	0
8	Effects of advance exposure to an animated surgery-related picture book on preoperative anxiety and anesthesia induction in preschool children: a randomized controlled trial.. <i>BMC Pediatrics</i> , 2022 , 22, 92	2.6	0
7	Relationship between dioxins and steroid hormone in 6-year-olds: A follow-up study in an e-waste region of China.. <i>Chemosphere</i> , 2022 , 296, 134018	8.4	0
6	A polygenic risk score for nasopharyngeal carcinoma shows potential for risk stratification and personalized screening.. <i>Nature Communications</i> , 2022 , 13, 1966	17.4	0
5	Reply to Withington, Davinia, regarding their comment Comment on: Z-Z Peng "The agreement between ocellometric and intra-arterial technique for blood pressure monitoring in the lower extremities of infants undergoing aortic coarctation repair". <i>Paediatric Anaesthesia</i> , 2017 , 27, 553-554	1.8	
4	Patient- and treatment-related risk factors associated with neck muscle spasm in nasopharyngeal carcinoma patients after intensity-modulated radiotherapy. <i>BMC Cancer</i> , 2017 , 17, 788	4.8	
3	The role of artificial intelligence in nasopharyngeal carcinoma radiotherapy. <i>Annals of Nasopharynx Cancer</i> , 2020 , 4, 2-2	0.3	
2	Serial Z-plasty for Correction of Cicatricial Conjunctival Constriction Rings. <i>Journal of Craniofacial Surgery</i> , 2019 , 30, 1594-1596	1.2	
1	Transcriptome-wide association analysis identified candidate susceptibility genes for nasopharyngeal carcinoma. <i>Cancer Communications</i> ,	9.4	