

# Wim Vandenberg

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5214404/wim-vandenberg-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

25  
papers

337  
citations

10  
h-index

18  
g-index

32  
ext. papers

439  
ext. citations

6.4  
avg, IF

3.69  
L-index

#	Paper	IF	Citations
25	Expression-Enhanced Fluorescent Proteins Based on Enhanced Green Fluorescent Protein for Super-resolution Microscopy. <i>ACS Nano</i> , <b>2015</b> , 9, 9528-41	16.7	64
24	Complementarity of PALM and SOFI for super-resolution live-cell imaging of focal adhesions. <i>Nature Communications</i> , <b>2016</b> , 7, 13693	17.4	54
23	Diffraction-unlimited imaging: from pretty pictures to hard numbers. <i>Cell and Tissue Research</i> , <b>2015</b> , 360, 151-78	4.2	38
22	Model-free uncertainty estimation in stochastic optical fluctuation imaging (SOFI) leads to a doubled temporal resolution. <i>Biomedical Optics Express</i> , <b>2016</b> , 7, 467-80	3.5	24
21	Correcting for photodestruction in super-resolution optical fluctuation imaging. <i>Scientific Reports</i> , <b>2017</b> , 7, 10470	4.9	22
20	SOFI Simulation Tool: A Software Package for Simulating and Testing Super-Resolution Optical Fluctuation Imaging. <i>PLoS ONE</i> , <b>2016</b> , 11, e0161602	3.7	21
19	Live-cell monochromatic dual-label sub-diffraction microscopy by mt-pcSOFI. <i>Chemical Communications</i> , <b>2017</b> , 53, 7242-7245	5.8	18
18	Effect of probe diffusion on the SOFI imaging accuracy. <i>Scientific Reports</i> , <b>2017</b> , 7, 44665	4.9	14
17	Quantitative comparison of camera technologies for cost-effective super-resolution optical fluctuation imaging (SOFI). <i>JPhys Photonics</i> , <b>2019</b> , 1, 044001	2.5	14
16	Reduced Fluorescent Protein Switching Fatigue by Binding-Induced Emissive State Stabilization. <i>International Journal of Molecular Sciences</i> , <b>2017</b> , 18,	6.3	13
15	SOFIevaluator: a strategy for the quantitative quality assessment of SOFI data. <i>Biomedical Optics Express</i> , <b>2020</b> , 11, 636-648	3.5	10
14	An extended quantitative model for super-resolution optical fluctuation imaging (SOFI). <i>Optics Express</i> , <b>2019</b> , 27, 25749-25766	3.3	9
13	Simultaneous readout of multiple FRET pairs using photochromism. <i>Nature Communications</i> , <b>2021</b> , 12, 2005	17.4	7
12	Spatio-temporal correlation super-resolution optical fluctuation imaging. <i>Europhysics Letters</i> , <b>2019</b> , 125, 20005	1.6	5
11	Structure-Function Dataset Reveals Environment Effects within a Fluorescent Protein Model System*. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 10073-10081	16.4	4
10	Fluorophore unmixing based on bleaching and recovery kinetics using MCR-ALS. <i>Talanta</i> , <b>2021</b> , 226, 122617	1.7	4
9	Design of experiments for the optimization of SOFI super-resolution microscopy imaging. <i>Biomedical Optics Express</i> , <b>2021</b> , 12, 2617-2630	3.5	3

8	Model-free pixelation correction in SOFI imaging. <i>OSA Continuum</i> , <b>2021</b> , 4, 77	1.4	2
7	Smoothness correction for better SOFI imaging. <i>Scientific Reports</i> , <b>2021</b> , 11, 7569	4.9	2
6	Self-contained and modular structured illumination microscope. <i>Biomedical Optics Express</i> , <b>2021</b> , 12, 4414-4422	3.5	2
5	Separation of spectrally overlapping fluorophores using intra-exposure excitation modulation. <i>Biophysical Reports</i> , <b>2021</b> , 100026		2
4	Quantitative comparison of camera technologies for cost-effective Super-resolution Optical Fluctuation Imaging (SOFI)		1
3	StructureFunction Dataset Reveals Environment Effects within a Fluorescent Protein Model System**. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 10161-10169	3.6	1
2	Photochromic Fluorophores Enable Imaging of Lowly Expressed Proteins in the Autofluorescent Fungus <i>Candida albicans</i> . <i>MSphere</i> , <b>2021</b> , 6,	5	1
1	Absolute measurement of cellular activities using photochromic single-fluorophore biosensors and intermittent quantification.. <i>Nature Communications</i> , <b>2022</b> , 13, 1850	17.4	1