

Sara grioni

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5215793/sara-grioni-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

175
papers

10,861
citations

56
h-index

98
g-index

183
ext. papers

12,845
ext. citations

6.8
avg, IF

4.83
L-index

#	Paper	IF	Citations
175	HIGH-RISK SUBTYPES OF CHRONIC LYMPHOCYTIC LEUKEMIA ARE DETECTABLE AS EARLY AS 16 YEARS PRIOR TO DIAGNOSIS. <i>Blood</i> , 2021 ,	2.2	1
174	Faecal miRNA profiles associated with age, sex, BMI, and lifestyle habits in healthy individuals. <i>Scientific Reports</i> , 2021 , 11, 20645	4.9	3
173	Weight change in middle adulthood and risk of cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2021 , 148, 1637-1651	7.5	7
172	Blood Metal Levels and Amyotrophic Lateral Sclerosis Risk: A Prospective Cohort. <i>Annals of Neurology</i> , 2021 , 89, 125-133	9.4	6
171	Dietary inflammatory index score, glucose control and cardiovascular risk factors profile in people with type 2 diabetes. <i>International Journal of Food Sciences and Nutrition</i> , 2021 , 72, 529-536	3.7	2
170	Development and validation of a lifestyle-based model for colorectal cancer risk prediction: the LiFeCRC score. <i>BMC Medicine</i> , 2021 , 19, 1	11.4	48
169	Mediterranean diet and all-cause mortality: A cohort of Italian men. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 1673-1678	4.5	5
168	Nutrients Intake in Individuals with Hypertension, Dyslipidemia, and Diabetes: An Italian Survey. <i>Nutrients</i> , 2020 , 12,	6.7	4
167	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. <i>BMJ, The</i> , 2020 , 370, m2194	5.9	24
166	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 631-643	7	10
165	The associations of major foods and fibre with risks of ischaemic and haemorrhagic stroke: a prospective study of 418 329 participants in the EPIC cohort across nine European countries. <i>European Heart Journal</i> , 2020 , 41, 2632-2640	9.5	28
164	Alcohol, smoking and rectal cancer risk in a Mediterranean cohort of adults: the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 475-483	2.2	4
163	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: A meta-analysis and Mendelian randomisation analysis. <i>PLoS Medicine</i> , 2020 , 17, e1003394	11.6	15
162	Citrus intake and risk of skin cancer in the European Prospective Investigation into Cancer and Nutrition cohort (EPIC). <i>European Journal of Epidemiology</i> , 2020 , 35, 1057-1067	12.1	8
161	Replacement of Red and Processed Meat With Other Food Sources of Protein and the Risk of Type 2 Diabetes in European Populations: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2020 , 43, 2660-2667	14.6	10
160	Intake of individual fatty acids and risk of prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2020 , 146, 44-57	7.5	7
159	Consumption of nuts and seeds and pancreatic ductal adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020 , 146, 76-84	7.5	8

158	Correlations between urinary concentrations and dietary intakes of flavonols in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2020 , 59, 1481-1492	5.2	6
157	Mediation analysis of the alcohol-postmenopausal breast cancer relationship by sex hormones in the EPIC cohort. <i>International Journal of Cancer</i> , 2020 , 146, 759-768	7.5	6
156	Mitochondrial DNA Copy-Number Variation and Pancreatic Cancer Risk in the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 681-686	4	7
155	Intake of Natural Compounds and Circulating microRNA Expression Levels: Their Relationship Investigated in Healthy Subjects With Different Dietary Habits. <i>Frontiers in Pharmacology</i> , 2020 , 11, 619200	5.6	8
154	Glucose- and Lipid-Related Biomarkers Are Affected in Healthy Obese or Hyperglycemic Adults Consuming a Whole-Grain Pasta Enriched in Prebiotics and Probiotics: A 12-Week Randomized Controlled Trial. <i>Journal of Nutrition</i> , 2019 , 149, 1714-1723	4.1	25
153	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 1089-1092	4	3
152	DNA methylation, colon cancer and Mediterranean diet: results from the EPIC-Italy cohort. <i>Epigenetics</i> , 2019 , 14, 977-988	5.7	12
151	Epigenome-wide association study for lifetime estrogen exposure identifies an epigenetic signature associated with breast cancer risk. <i>Clinical Epigenetics</i> , 2019 , 11, 66	7.7	12
150	Coffee and tea consumption and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2019 , 144, 240-250	7.5	13
149	Associations of dairy product consumption with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Italy cohort. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 1220-1230	7	17
148	Pasta Consumption and Connected Dietary Habits: Associations with Glucose Control, Adiposity Measures, and Cardiovascular Risk Factors in People with Type 2 Diabetes-TOSCA.IT Study. <i>Nutrients</i> , 2019 , 12,	6.7	8
147	Development and validation of circulating CA125 prediction models in postmenopausal women. <i>Journal of Ovarian Research</i> , 2019 , 12, 116	5.5	8
146	Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. <i>Journal of Hepatology</i> , 2019 , 70, 885-892	13.4	30
145	Gallstones and incident colorectal cancer in a large pan-European cohort study. <i>International Journal of Cancer</i> , 2019 , 145, 1510-1516	7.5	7
144	Coffee and tea drinking in relation to the risk of differentiated thyroid carcinoma: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2019 , 58, 3303-3312	5.2	7
143	Dietary cadmium and risk of breast cancer subtypes defined by hormone receptor status: A prospective cohort study. <i>International Journal of Cancer</i> , 2019 , 144, 2153-2160	7.5	31
142	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: A Multinational Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 1323-1331.e6	6.9	57
141	Circulating insulin-like growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019 , 144, 957-966	7.5	7

140	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 607-616	7	30
139	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. <i>Lancet, The</i> , 2018 , 391, 1513-1523	40	530
138	Long-term exposure to ambient air pollution and incidence of brain tumor: the European Study of Cohorts for Air Pollution Effects (ESCAPE). <i>Neuro-Oncology</i> , 2018 , 20, 420-432	1	44
137	Air pollution and incidence of cancers of the stomach and the upper aerodigestive tract in the European Study of Cohorts for Air Pollution Effects (ESCAPE). <i>International Journal of Cancer</i> , 2018 , 143, 1632-1643	7.5	31
136	A prospective evaluation of plasma polyphenol levels and colon cancer risk. <i>International Journal of Cancer</i> , 2018 , 143, 1620-1631	7.5	24
135	Interplay between genetic predisposition, macronutrient intake and type 2 diabetes incidence: analysis within EPIC-InterAct across eight European countries. <i>Diabetologia</i> , 2018 , 61, 1325-1332	10.3	14
134	Dietary intake and major food sources of polyphenols in people with type 2 diabetes: The TOSCA.IT Study. <i>European Journal of Nutrition</i> , 2018 , 57, 679-688	5.2	30
133	Is There an Association Between Ambient Air Pollution and Bladder Cancer Incidence? Analysis of 15 European Cohorts. <i>European Urology Focus</i> , 2018 , 4, 113-120	5.1	19
132	Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2018 , 142, 449-459	7.5	28
131	Perturbation of metabolic pathways mediates the association of air pollutants with asthma and cardiovascular diseases. <i>Environment International</i> , 2018 , 119, 334-345	12.9	49
130	Impact of a Mediterranean Dietary Pattern and Its Components on Cardiovascular Risk Factors, Glucose Control, and Body Weight in People with Type 2 Diabetes: A Real-Life Study. <i>Nutrients</i> , 2018 , 10,	6.7	47
129	Oxidative stress and inflammation mediate the effect of air pollution on cardio- and cerebrovascular disease: A prospective study in nonsmokers. <i>Environmental and Molecular Mutagenesis</i> , 2018 , 59, 234-246	3.2	61
128	Separate and combined associations of obesity and metabolic health with coronary heart disease: a pan-European case-cohort analysis. <i>European Heart Journal</i> , 2018 , 39, 397-406	9.5	146
127	Dietary and lifestyle determinants of acrylamide and glycidamide hemoglobin adducts in non-smoking postmenopausal women from the EPIC cohort. <i>European Journal of Nutrition</i> , 2017 , 56, 1157-1168	5.2	14
126	Outdoor air pollution and risk for kidney parenchyma cancer in 14 European cohorts. <i>International Journal of Cancer</i> , 2017 , 140, 1528-1537	7.5	35
125	Ambient air pollution and primary liver cancer incidence in four European cohorts within the ESCAPE project. <i>Environmental Research</i> , 2017 , 154, 226-233	7.9	49
124	Abdominal adiposity is not a mediator of the protective effect of Mediterranean diet on colorectal cancer. <i>International Journal of Cancer</i> , 2017 , 140, 2265-2271	7.5	6
123	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 895-904	6	6

122	Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 263-275	7	36
121	Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Nutrition</i> , 2017 , 147, 1366-1373	4.1	10
120	Biomarkers of inflammation and breast cancer risk: a case-control study nested in the EPIC-Varese cohort. <i>Scientific Reports</i> , 2017 , 7, 12708	4.9	40
119	Long-Term Exposure to Ambient Air Pollution and Incidence of Postmenopausal Breast Cancer in 15 European Cohorts within the ESCAPE Project. <i>Environmental Health Perspectives</i> , 2017 , 125, 107005	8.4	72
118	Dietary glycemic index, glycemic load, and cancer risk: results from the EPIC-Italy study. <i>Scientific Reports</i> , 2017 , 7, 9757	4.9	46
117	Coffee Drinking and Mortality in 10 European Countries: A Multinational Cohort Study. <i>Annals of Internal Medicine</i> , 2017 , 167, 236-247	8	127
116	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. <i>BMC Medicine</i> , 2017 , 15, 72	11.4	26
115	Integrative genomic analysis implicates limited peripheral adipose storage capacity in the pathogenesis of human insulin resistance. <i>Nature Genetics</i> , 2017 , 49, 17-26	36.3	312
114	Polyphenol intake and cardiovascular risk factors in a population with type 2 diabetes: The TOSCA.IT study. <i>Clinical Nutrition</i> , 2017 , 36, 1686-1692	5.9	42
113	A novel approach to breast cancer prevention: reducing excessive ovarian androgen production in elderly women. <i>Breast Cancer Research and Treatment</i> , 2016 , 158, 553-61	4.4	8
112	A genomic approach to therapeutic target validation identifies a glucose-lowering GLP1R variant protective for coronary heart disease. <i>Science Translational Medicine</i> , 2016 , 8, 341ra76	17.5	77
111	Circulating vitamin D in relation to cancer incidence and survival of the head and neck and oesophagus in the EPIC cohort. <i>Scientific Reports</i> , 2016 , 6, 36017	4.9	25
110	Urinary excretions of 34 dietary polyphenols and their associations with lifestyle factors in the EPIC cohort study. <i>Scientific Reports</i> , 2016 , 6, 26905	4.9	51
109	Evaluation of a Modified Italian European Prospective Investigation into Cancer and Nutrition Food Frequency Questionnaire for Individuals with Celiac Disease. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2016 , 116, 1810-1816	3.9	14
108	Combined effects of smoking and HPV16 in oropharyngeal cancer. <i>International Journal of Epidemiology</i> , 2016 , 45, 752-61	7.8	47
107	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. <i>European Journal of Nutrition</i> , 2016 , 55, 7-20	5.2	20
106	Prospective association of liver function biomarkers with development of hepatobiliary cancers. <i>Cancer Epidemiology</i> , 2016 , 40, 179-87	2.8	34
105	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. <i>Diabetes Care</i> , 2016 , 39, 572-81	14.6	48

104	Are 6-8 year old Italian children moving away from the Mediterranean diet?. <i>Annali Di Igiene: Medicina Preventiva E Di Comunita</i> , 2016 , 28, 339-48	0.9	5
103	Sex differences in food choices, adherence to dietary recommendations and plasma lipid profile in type 2 diabetes - The TOSCA.IT study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 879-85	4.5	30
102	Plasma Riboflavin and Vitamin B-6, but Not Homocysteine, Folate, or Vitamin B-12, Are Inversely Associated with Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition-Varese Cohort. <i>Journal of Nutrition</i> , 2016 , 146, 1227-34	4.1	21
101	Association Between Low-Density Lipoprotein Cholesterol-Lowering Genetic Variants and Risk of Type 2 Diabetes: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 1383-1391	37.4	225
100	Total, caffeinated and decaffeinated coffee and tea intake and gastric cancer risk: results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2015 , 136, E720-30	7.5	16
99	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a European population: multicentre, prospective cohort study. <i>International Journal of Cancer</i> , 2015 , 136, 1899-908	7.5	50
98	Circulating Tissue Factor Levels and Risk of Stroke: Findings From the EPICOR Study. <i>Stroke</i> , 2015 , 46, 1501-7	6.7	6
97	Life-course socioeconomic status and DNA methylation of genes regulating inflammation. <i>International Journal of Epidemiology</i> , 2015 , 44, 1320-30	7.8	96
96	Polyphenol metabolome in human urine and its association with intake of polyphenol-rich foods across European countries. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 905-13	7	100
95	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1498-508	7	44
94	Toenail selenium and risk of type 2 diabetes: the ORDET cohort study. <i>Journal of Trace Elements in Medicine and Biology</i> , 2015 , 29, 145-50	4.1	27
93	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 137, 2705-14	7.5	32
92	Alcohol consumption and the risk of renal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2015 , 137, 1953-66	7.5	19
91	Associations between Potentially Modifiable Risk Factors and Alzheimer Disease: A Mendelian Randomization Study. <i>PLoS Medicine</i> , 2015 , 12, e1001841; discussion e1001841	11.6	115
90	Micronutrients Involved in One-Carbon Metabolism and Risk of Breast Cancer Subtypes. <i>PLoS ONE</i> , 2015 , 10, e0138318	3.7	19
89	Dietary Total Antioxidant Capacity and Colorectal Cancer in the Italian EPIC Cohort. <i>PLoS ONE</i> , 2015 , 10, e0142995	3.7	36
88	Investigation of dietary factors and endometrial cancer risk using a nutrient-wide association study approach in the EPIC and Nurses'Health Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 466-71	4	35
87	Rare coding variants and X-linked loci associated with age at menarche. <i>Nature Communications</i> , 2015 , 6, 7756	17.4	23

86	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Breast Cancer Research and Treatment</i> , 2015 , 154, 389-401	4.4	24
85	Plasma fetuin-A concentration, genetic variation in the AHSR gene and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2015 , 137, 911-20	7.5	12
84	Espresso coffee consumption and risk of coronary heart disease in a large Italian cohort. <i>PLoS ONE</i> , 2015 , 10, e0126550	3.7	26
83	Metabolic syndrome and breast cancer risk: a case-cohort study nested in a multicentre Italian cohort. <i>PLoS ONE</i> , 2015 , 10, e0128891	3.7	44
82	Feasibility and reliability of a questionnaire for evaluation of the exposure to indoor and outdoor air pollutants, diet and physical activity in 6-8-year-old children. <i>Annali Di Igiene: Medicina Preventiva E Di Comunita</i> , 2015 , 27, 646-56	0.9	6
81	Dietary intake of acrylamide and esophageal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Causes and Control</i> , 2014 , 25, 639-46	2.8	16
80	Plasma methionine, choline, betaine, and dimethylglycine in relation to colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2014 , 25, 1609-15	10.3	31
79	Dietary fat intake and development of specific breast cancer subtypes. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	71
78	Dietary vitamin D intake and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition: the EPIC-InterAct study. <i>European Journal of Clinical Nutrition</i> , 2014 , 68, 196-202	5.2	12
77	Colorectal cancer risk and dyslipidemia: a case-cohort study nested in an Italian multicentre cohort. <i>Cancer Epidemiology</i> , 2014 , 38, 144-51	2.8	34
76	B-vitamins intake, DNA-methylation of One Carbon Metabolism and homocysteine pathway genes and myocardial infarction risk: the EPICOR study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 483-8	4.5	43
75	Common genetic variants highlight the role of insulin resistance and body fat distribution in type 2 diabetes, independent of obesity. <i>Diabetes</i> , 2014 , 63, 4378-4387	0.9	127
74	Dietary intakes of individual flavanols and flavonols are inversely associated with incident type 2 diabetes in European populations. <i>Journal of Nutrition</i> , 2014 , 144, 335-43	4.1	95
73	Insulin-like growth factor I and risk of breast cancer by age and hormone receptor status-A prospective study within the EPIC cohort. <i>International Journal of Cancer</i> , 2014 , 134, 2683-90	7.5	44
72	Coffee and tea consumption, genotype-based CYP1A2 and NAT2 activity and colorectal cancer risk-results from the EPIC cohort study. <i>International Journal of Cancer</i> , 2014 , 135, 401-12	7.5	27
71	Smoking and long-term risk of type 2 diabetes: the EPIC-InterAct study in European populations. <i>Diabetes Care</i> , 2014 , 37, 3164-71	14.6	45
70	Flavonoid and lignan intake in relation to bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Cancer</i> , 2014 , 111, 1870-80	8.7	41
69	Plasma and dietary carotenoids and vitamins A, C and E and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014 , 135, 2930-9	7.5	45

68	Tea and coffee consumption and risk of esophageal cancer: the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014 , 135, 1470-9	7.5	35
67	Long-term exposure to air pollution and cardiovascular mortality: an analysis of 22 European cohorts. <i>Epidemiology</i> , 2014 , 25, 368-78	3.1	195
66	Effects of long-term exposure to air pollution on natural-cause mortality: an analysis of 22 European cohorts within the multicentre ESCAPE project. <i>Lancet, The</i> , 2014 , 383, 785-95	4.0	838
65	Lifestyle factors and mortality risk in individuals with diabetes mellitus: are the associations different from those in individuals without diabetes?. <i>Diabetologia</i> , 2014 , 57, 63-72	10.3	41
64	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. <i>International Journal of Cancer</i> , 2013 , 132, 645-57	7.5	127
63	Air pollution and lung cancer incidence in 17 European cohorts: prospective analyses from the European Study of Cohorts for Air Pollution Effects (ESCAPE). <i>Lancet Oncology, The</i> , 2013 , 14, 813-22	21.7	938
62	Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. <i>Genes and Nutrition</i> , 2013 , 8, 549-60	4.3	33
61	Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. <i>Cancer Causes and Control</i> , 2013 , 24, 1901-9	2.8	18
60	Challenges in estimating the validity of dietary acrylamide measurements. <i>European Journal of Nutrition</i> , 2013 , 52, 1503-12	5.2	22
59	Evaluation of human papillomavirus antibodies and risk of subsequent head and neck cancer. <i>Journal of Clinical Oncology</i> , 2013 , 31, 2708-15	2.2	223
58	Mediterranean diet and colorectal cancer risk: results from a European cohort. <i>European Journal of Epidemiology</i> , 2013 , 28, 317-28	12.1	111
57	Endogenous sex steroids in premenopausal women and risk of breast cancer: the ORDET cohort. <i>Breast Cancer Research</i> , 2013 , 15, R46	8.3	26
56	High glycemic diet and breast cancer occurrence in the Italian EPIC cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 628-34	4.5	31
55	Italian Mediterranean Index and risk of colorectal cancer in the Italian section of the EPIC cohort. <i>International Journal of Cancer</i> , 2013 , 132, 1404-11	7.5	74
54	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Carcinogenesis</i> , 2013 , 34, 1244-50	4.6	28
53	Age at menopause, reproductive life span, and type 2 diabetes risk: results from the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 1012-9	14.6	141
52	The association between dietary flavonoid and lignan intakes and incident type 2 diabetes in European populations: the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 3961-70	14.6	89
51	Height, age at menarche and risk of hormone receptor-positive and -negative breast cancer: a cohort study. <i>International Journal of Cancer</i> , 2013 , 132, 2619-29	7.5	48

50	Age at menarche and type 2 diabetes risk: the EPIC-InterAct study. <i>Diabetes Care</i> , 2013 , 36, 3526-34	14.6	114
49	Consumption of fish and meats and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Annals of Oncology</i> , 2013 , 24, 2166-73	10.3	60
48	Dietary fiber intake and risk of hormonal receptor-defined breast cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 344-53	7	69
47	The association between dietary energy density and type 2 diabetes in Europe: results from the EPIC-InterAct Study. <i>PLoS ONE</i> , 2013 , 8, e59947	3.7	12
46	Dietary glycemic load and glycemic index and risk of cerebrovascular disease in the EPICOR cohort. <i>PLoS ONE</i> , 2013 , 8, e62625	3.7	29
45	Prospective study on the role of glucose metabolism in breast cancer occurrence. <i>International Journal of Cancer</i> , 2012 , 130, 921-9	7.5	67
44	Validity of a short questionnaire to assess physical activity in 10 European countries. <i>European Journal of Epidemiology</i> , 2012 , 27, 15-25	12.1	154
43	HbA1c measured in stored erythrocytes is positively linearly associated with mortality in individuals with diabetes mellitus. <i>PLoS ONE</i> , 2012 , 7, e38877	3.7	11
42	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012 , 130, 2654-63	7.5	30
41	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012 , 131, E544-54	7.5	59
40	Olive oil intake and breast cancer risk in the Mediterranean countries of the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2012 , 131, 2465-9	7.5	33
39	Fruit and vegetables consumption and breast cancer risk: the EPIC Italy study. <i>Breast Cancer Research and Treatment</i> , 2012 , 132, 1127-36	4.4	52
38	Long-term risk of incident type 2 diabetes and measures of overall and regional obesity: the EPIC-InterAct case-cohort study. <i>PLoS Medicine</i> , 2012 , 9, e1001230	11.6	118
37	Fiber intake and total and cause-specific mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2012 , 96, 164-74	7	87
36	Prediagnostic 25-hydroxyvitamin D, VDR and CASR polymorphisms, and survival in patients with colorectal cancer in western European populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 582-93	4	105
35	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 1445-53	7	65
34	Fruit and vegetable intake and type 2 diabetes: EPIC-InterAct prospective study and meta-analysis. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 1082-92	5.2	195
33	Dietary reporting errors on 24 h recalls and dietary questionnaires are associated with BMI across six European countries as evaluated with recovery biomarkers for protein and potassium intake. <i>British Journal of Nutrition</i> , 2012 , 107, 910-20	3.6	54

32	Cigarette smoking and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. <i>Clinical Gastroenterology and Hepatology</i> , 2011 , 9, 137-44	6.9	56
31	Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Cancer Letters</i> , 2011 , 311, 85-95	9.9	56
30	Estimated dietary intakes of flavonols, flavanones and flavones in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24 hour dietary recall cohort. <i>British Journal of Nutrition</i> , 2011 , 106, 1915-25	3.6	71
29	Food intake of individuals with and without diabetes across different countries and ethnic groups. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 635-41	5.2	35
28	The association of lifetime alcohol use with measures of abdominal and general adiposity in a large-scale European cohort. <i>European Journal of Clinical Nutrition</i> , 2011 , 65, 1079-87	5.2	33
27	Design and cohort description of the InterAct Project: an examination of the interaction of genetic and lifestyle factors on the incidence of type 2 diabetes in the EPIC Study. <i>Diabetologia</i> , 2011 , 54, 2272-82	10.3	155
26	Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2011 , 129, 2712-9	7.5	119
25	Patterns of Wine Drinking in the USA and Europe: Implications for Health. <i>Journal of Wine Research</i> , 2011 , 22, 109-112	1	4
24	A priori-defined dietary patterns are associated with reduced risk of stroke in a large Italian cohort. <i>Journal of Nutrition</i> , 2011 , 141, 1552-8	4.1	121
23	Fruit, vegetables, and olive oil and risk of coronary heart disease in Italian women: the EPICOR Study. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 275-83	7	129
22	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>American Journal of Clinical Nutrition</i> , 2011 , 94, 1304-13	7	34
21	Concentrations of IGF-I and IGFBP-3 and brain tumor risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2174-82	4	25
20	Associations between general and abdominal adiposity and mortality in individuals with diabetes mellitus. <i>American Journal of Epidemiology</i> , 2011 , 174, 22-34	3.8	62
19	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2011 , 106, 1090-9	3.6	85
18	Region-specific nutrient intake patterns exhibit a geographical gradient within and between European countries. <i>Journal of Nutrition</i> , 2010 , 140, 1280-6	4.1	86
17	Urinary 6-Sulphatoxymelatonin levels and risk of breast cancer in premenopausal women: the ORDET cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 729-37	4	53
16	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2010 , 126, 2404-15	7.5	60
15	Dietary glycemic load and index and risk of coronary heart disease in a large Italian cohort: the EPICOR study. <i>Archives of Internal Medicine</i> , 2010 , 170, 640-7		101

14	Dietary beta-carotene, vitamin C and E intake and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Breast Cancer Research and Treatment</i> , 2010 , 119, 753-65	4.4	52
13	A prospective study of dietary selenium intake and risk of type 2 diabetes. <i>BMC Public Health</i> , 2010 , 10, 564	4.1	117
12	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 602-12	7	85
11	Energy intake and sources of energy intake in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S3-15	5.2	21
10	Contribution of highly industrially processed foods to the nutrient intakes and patterns of middle-aged populations in the European Prospective Investigation into Cancer and Nutrition study. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S206-25	5.2	116
9	Eating out of home: energy, macro- and micronutrient intakes in 10 European countries. The European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Clinical Nutrition</i> , 2009 , 63 Suppl 4, S239-62	5.2	68
8	Dietary patterns, cardiovascular risk factors and C-reactive protein in a healthy Italian population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009 , 19, 697-706	4.5	118
7	Urinary estrogen metabolites and prostate cancer: a case-control study and meta-analysis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2009 , 28, 135	12.8	14
6	Sex hormone levels, breast cancer risk, and cancer receptor status in postmenopausal women: the ORDET cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 169-76	4	100
5	Association Between High Selenium Intake and Subsequent Increased Risk of Type 2 Diabetes in an Italian Population. <i>Epidemiology</i> , 2009 , 20, S47	3.1	4
4	Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1567-75	7	68
3	Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European Prospective Investigation into Cancer and Nutrition. <i>Haematologica</i> , 2008 , 93, 842-50	6.6	33
2	Lactase persistence and bitter taste response: instrumental variables and mendelian randomization in epidemiologic studies of dietary factors and cancer risk. <i>American Journal of Epidemiology</i> , 2007 , 166, 576-81	3.8	77
1	Dietary glycemic index, glycemic load, and the risk of breast cancer in an Italian prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 1160-6	7	75