

Peter Altevogt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5217897/publications.pdf>

Version: 2024-02-01

137
papers

14,860
citations

18479

62
h-index

19188

118
g-index

138
all docs

138
docs citations

138
times ranked

18046
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | STAT3 inhibitor Napabucasin abrogates MDSC immunosuppressive capacity and prolongs survival of melanoma-bearing mice. , 2022, 10, e004384. | | 21 |
| 2 | Novel insights into the function of <scp>CD24</scp>: A driving force in cancer. International Journal of Cancer, 2021, 148, 546-559. | 5.1 | 100 |
| 3 | IL-6 as a major regulator of MDSC activity and possible target for cancer immunotherapy. Cellular Immunology, 2021, 359, 104254. | 3.0 | 141 |
| 4 | miR-449a Repression Leads to Enhanced NOTCH Signaling in TMPRSS2:ERG Fusion Positive Prostate Cancer Cells. Cancers, 2021, 13, 964. | 3.7 | 5 |
| 5 | DNA Promoter Methylation and ERG Regulate the Expression of CD24 in Prostate Cancer. American Journal of Pathology, 2021, 191, 618-630. | 3.8 | 7 |
| 6 | Reduced Placental CD24 in Preterm Preeclampsia Is an Indicator for a Failure of Immune Tolerance. International Journal of Molecular Sciences, 2021, 22, 8045. | 4.1 | 7 |
| 7 | Identification and Characterization of Tumor-Initiating Cells in Multiple Myeloma. Journal of the National Cancer Institute, 2020, 112, 507-515. | 6.3 | 33 |
| 8 | SOX2 in development and cancer biology. Seminars in Cancer Biology, 2020, 67, 74-82. | 9.6 | 186 |
| 9 | IL-6 regulates CCR5 expression and immunosuppressive capacity of MDSC in murine melanoma. , 2020, 8, e000949. | | 59 |
| 10 | HER3-Receptor-Mediated STAT3 Activation Plays a Central Role in Adaptive Resistance toward Vemurafenib in Melanoma. Cancers, 2020, 12, 3761. | 3.7 | 7 |
| 11 | Recent insights into the role of <scp>L1CAM</scp> in cancer initiation and progression. International Journal of Cancer, 2020, 147, 3292-3296. | 5.1 | 17 |
| 12 | Modern Aspects of Immunotherapy with Checkpoint Inhibitors in Melanoma. International Journal of Molecular Sciences, 2020, 21, 2367. | 4.1 | 34 |
| 13 | Melanoma Extracellular Vesicles Generate Immunosuppressive Myeloid Cells by Upregulating PD-L1 via TLR4 Signaling. Cancer Research, 2019, 79, 4715-4728. | 0.9 | 97 |
| 14 | Role of STAT3 dependent SOX2 and CD24 expression in melanoma cell adaptive resistance towards targeted therapies. Oncotarget, 2019, 10, 1662-1663. | 1.8 | 7 |
| 15 | Immunosuppression mediated by myeloid-derived suppressor cells (MDSCs) during tumour progression. British Journal of Cancer, 2019, 120, 16-25. | 6.4 | 504 |
| 16 | CCR5+ Myeloid-Derived Suppressor Cells Are Enriched and Activated in Melanoma Lesions. Cancer Research, 2018, 78, 157-167. | 0.9 | 127 |
| 17 | Targeting SOX2 in anticancer therapy. Expert Opinion on Therapeutic Targets, 2018, 22, 983-991. | 3.4 | 60 |
| 18 | Myeloid-Derived Suppressor Cells Hinder the Anti-Cancer Activity of Immune Checkpoint Inhibitors. Frontiers in Immunology, 2018, 9, 1310. | 4.8 | 404 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | SOX2-mediated upregulation of CD24 promotes adaptive resistance toward targeted therapy in melanoma. <i>International Journal of Cancer</i> , 2018, 143, 3131-3142. | 5.1 | 66 |
| 20 | Tumor-derived microRNAs induce myeloid suppressor cells and predict immunotherapy resistance in melanoma. <i>Journal of Clinical Investigation</i> , 2018, 128, 5505-5516. | 8.2 | 193 |
| 21 | Procoagulant extracellular vesicles in amniotic fluid. <i>Translational Research</i> , 2017, 184, 12-20.e1. | 5.0 | 22 |
| 22 | Expression of CD24 and Siglec-10 in first trimester placenta: implications for immune tolerance at the fetal-maternal interface. <i>Histochemistry and Cell Biology</i> , 2017, 147, 565-574. | 1.7 | 42 |
| 23 | L1CAM in the Early Enteric and Urogenital System. <i>Journal of Histochemistry and Cytochemistry</i> , 2017, 65, 21-32. | 2.5 | 9 |
| 24 | <i>TMPRSS2:ERG</i> gene fusion variants induce TGF- β^2 signaling and epithelial to mesenchymal transition in human prostate cancer cells. <i>Oncotarget</i> , 2017, 8, 25115-25130. | 1.8 | 23 |
| 25 | L1CAM Expression is Related to Non-Endometrioid Histology, and Prognostic for Poor Outcome in Endometrioid Endometrial Carcinoma. <i>Pathology and Oncology Research</i> , 2016, 22, 863-868. | 1.9 | 31 |
| 26 | L1CAM in human cancer. <i>International Journal of Cancer</i> , 2016, 138, 1565-1576. | 5.1 | 148 |
| 27 | L1-CAM is commonly expressed in testicular germ cell tumours. <i>Journal of Clinical Pathology</i> , 2016, 69, 460-462. | 2.0 | 3 |
| 28 | Evaluating L1CAM expression in human endometrial cancer using qRT-PCR. <i>Oncotarget</i> , 2016, 7, 40221-40232. | 1.8 | 9 |
| 29 | Membranous CD24 expression as detected by the monoclonal antibody SWA11 is a prognostic marker in non-small cell lung cancer patients. <i>BMC Clinical Pathology</i> , 2015, 15, 19. | 1.8 | 16 |
| 30 | Extracellular Vesicles from Ovarian Carcinoma Cells Display Specific Glycosignatures. <i>Biomolecules</i> , 2015, 5, 1741-1761. | 4.0 | 64 |
| 31 | Antibody therapy to human L1CAM in a transgenic mouse model blocks local tumor growth but induces EMT. <i>International Journal of Cancer</i> , 2015, 136, E326-39. | 5.1 | 37 |
| 32 | Extracellular vesicle-mediated transfer of functional RNA in the tumor microenvironment. <i>Oncolimmunology</i> , 2015, 4, e1008371. | 4.6 | 227 |
| 33 | A novel method for measuring cellular antibody uptake using imaging flow cytometry reveals distinct uptake rates for two different monoclonal antibodies targeting L1. <i>Journal of Immunological Methods</i> , 2015, 423, 70-77. | 1.4 | 15 |
| 34 | Angiogenic Cytokines Are Antibody Targets During Graft-versus-Leukemia Reactions. <i>Clinical Cancer Research</i> , 2015, 21, 1010-1018. | 7.0 | 11 |
| 35 | Single-Molecule Localization Microscopy allows for the analysis of cancer metastasis-specific miRNA distribution on the nanoscale. <i>Oncotarget</i> , 2015, 6, 44745-44757. | 1.8 | 22 |
| 36 | A Standardized Staining Protocol for L1CAM on Formalin-Fixed, Paraffin-Embedded Tissues Using Automated Platforms. <i>International Journal of Biological Markers</i> , 2014, 29, 180-183. | 1.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | L1CAM is expressed in triple-negative breast cancers and is inversely correlated with Androgen receptor. BMC Cancer, 2014, 14, 958. | 2.6 | 38 |
| 38 | Lack of CD24 expression in mice reduces the number of leukocytes in the colon. Immunology Letters, 2014, 161, 140-148. | 2.5 | 4 |
| 39 | Extracellular Vesicle-Mediated Transfer of Genetic Information between the Hematopoietic System and the Brain in Response to Inflammation. PLoS Biology, 2014, 12, e1001874. | 5.6 | 312 |
| 40 | L1CAM promotes enrichment of immunosuppressive T cells in human pancreatic cancer correlating with malignant progression. Molecular Oncology, 2014, 8, 982-997. | 4.6 | 34 |
| 41 | Role of L1 cell adhesion molecule (L1CAM) in the metastatic cascade: promotion of dissemination, colonization, and metastatic growth. Clinical and Experimental Metastasis, 2014, 31, 87-100. | 3.3 | 20 |
| 42 | Novel insights into exosome-induced, tumor-associated inflammation and immunomodulation. Seminars in Cancer Biology, 2014, 28, 51-57. | 9.6 | 63 |
| 43 | miR-21-3p is a positive regulator of L1CAM in several human carcinomas. Cancer Letters, 2014, 354, 455-466. | 7.2 | 39 |
| 44 | Combined targeting of TGF- β 1 and integrin β 3 impairs lymph node metastasis in a mouse model of non-small-cell lung cancer. Molecular Cancer, 2014, 13, 112. | 19.2 | 35 |
| 45 | Metalloprotease-Mediated Tumor Cell Shedding of B7-H6, the Ligand of the Natural Killer Cell-Activating Receptor NKp30. Cancer Research, 2014, 74, 3429-3440. | 0.9 | 169 |
| 46 | Role of miR-34a as a suppressor of L1CAM in endometrial carcinoma. Oncotarget, 2014, 5, 462-472. | 1.8 | 63 |
| 47 | Epigenetic regulation of L1CAM in endometrial carcinoma: comparison to cancer-associated testis (CT-X) antigens. BMC Cancer, 2013, 13, 156. | 2.6 | 15 |
| 48 | Exosomes as a Potential Tool for a Specific Delivery of Functional Molecules. Methods in Molecular Biology, 2013, 1049, 495-511. | 0.9 | 61 |
| 49 | Body Fluid Exosomes Promote Secretion of Inflammatory Cytokines in Monocytic Cells via Toll-like Receptor Signaling. Journal of Biological Chemistry, 2013, 288, 36691-36702. | 3.4 | 203 |
| 50 | Influence of L1-CAM expression of breast cancer cells on adhesion to endothelial cells. Journal of Cancer Research and Clinical Oncology, 2013, 139, 107-121. | 2.5 | 18 |
| 51 | CD24 polymorphisms in breast cancer: impact on prognosis and risk. Breast Cancer Research and Treatment, 2013, 137, 927-937. | 2.5 | 19 |
| 52 | L1CAM in Early-Stage Type I Endometrial Cancer: Results of a Large Multicenter Evaluation. Journal of the National Cancer Institute, 2013, 105, 1142-1150. | 6.3 | 185 |
| 53 | L1 Cell Adhesion Molecule as a Potential Therapeutic Target in Murine Models of Endometriosis Using a Monoclonal Antibody Approach. PLoS ONE, 2013, 8, e82512. | 2.5 | 11 |
| 54 | Vesiclepedia: A Compendium for Extracellular Vesicles with Continuous Community Annotation. PLoS Biology, 2012, 10, e1001450. | 5.6 | 1,064 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | EMT-associated up-regulation of L1CAM provides insights into L1CAM-mediated integrin signalling and NF- κ B activation. <i>Carcinogenesis</i> , 2012, 33, 1919-1929. | 2.8 | 75 |
| 56 | Myofibroblast-induced tumorigenicity of pancreatic ductal epithelial cells is L1CAM dependent. <i>Carcinogenesis</i> , 2012, 33, 84-93. | 2.8 | 18 |
| 57 | L1CAM. <i>Cell Adhesion and Migration</i> , 2012, 6, 374-384. | 2.7 | 168 |
| 58 | Combined treatment of L1CAM antibodies and cytostatic drugs improve the therapeutic response of pancreatic and ovarian carcinoma. <i>Cancer Letters</i> , 2012, 319, 66-82. | 7.2 | 49 |
| 59 | Redirected T Cells That Target Pancreatic Adenocarcinoma Antigens Eliminate Tumors and Metastases in Mice. <i>Gastroenterology</i> , 2012, 143, 1375-1384.e5. | 1.3 | 82 |
| 60 | CD24 controls Src/STAT3 activity in human tumors. <i>Cellular and Molecular Life Sciences</i> , 2012, 69, 3863-3879. | 5.4 | 69 |
| 61 | CD24 Ala57Val polymorphism predicts pathologic complete response to sequential anthracycline- and taxane-based neoadjuvant chemotherapy for primary breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 819-831. | 2.5 | 21 |
| 62 | CD24 promotes tumor cell invasion by suppressing tissue factor pathway inhibitor-2 (TFPI-2) in a c-Src-dependent fashion. <i>Clinical and Experimental Metastasis</i> , 2012, 29, 27-38. | 3.3 | 50 |
| 63 | N-Glycosylation of total cellular glycoproteins from the human ovarian carcinoma SKOV3 cell line and of recombinantly expressed human erythropoietin. <i>Glycobiology</i> , 2011, 21, 376-386. | 2.5 | 65 |
| 64 | Linking L1CAM-mediated signaling to NF- κ B activation. <i>Trends in Molecular Medicine</i> , 2011, 17, 178-187. | 6.7 | 51 |
| 65 | Glycoconjugate expression in adenoid cystic carcinoma of the salivary glands: up-regulation of L1 predicts fatal prognosis. <i>Histopathology</i> , 2011, 59, 299-307. | 2.9 | 9 |
| 66 | Loss of EpCAM expression in breast cancer derived serum exosomes: Role of proteolytic cleavage. <i>Gynecologic Oncology</i> , 2011, 122, 437-446. | 1.4 | 248 |
| 67 | Interaction and uptake of exosomes by ovarian cancer cells. <i>BMC Cancer</i> , 2011, 11, 108. | 2.6 | 513 |
| 68 | L1CAM protein expression is associated with poor prognosis in non-small cell lung cancer. <i>Molecular Cancer</i> , 2011, 10, 127. | 19.2 | 82 |
| 69 | Body fluid derived exosomes as a novel template for clinical diagnostics. <i>Journal of Translational Medicine</i> , 2011, 9, 86. | 4.4 | 612 |
| 70 | Contractile Forces Contribute to Increased Glycosylphosphatidylinositol-anchored Receptor CD24-facilitated Cancer Cell Invasion. <i>Journal of Biological Chemistry</i> , 2011, 286, 34858-34871. | 3.4 | 65 |
| 71 | Full-Length L1CAM and Not Its Δ 27 Splice Variant Promotes Metastasis through Induction of Gelatinase Expression. <i>PLoS ONE</i> , 2011, 6, e18989. | 2.5 | 18 |
| 72 | Binding of the transcription factor Slug to the L1CAM promoter is essential for transforming growth factor- β 1 (TGF- β 2)-induced L1CAM expression in human pancreatic ductal adenocarcinoma cells. <i>International Journal of Oncology</i> , 2011, 38, 257-66. | 3.9 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | L1CAM malfunction in the nervous system and human carcinomas. Cellular and Molecular Life Sciences, 2010, 67, 2425-2437. | 5.4 | 122 |
| 74 | L1CAM expression in endometrial carcinomas is regulated by usage of two different promoter regions. BMC Molecular Biology, 2010, 11, 64. | 3.0 | 34 |
| 75 | Up-regulation of L1CAM is linked to loss of hormone receptors and E-cadherin in aggressive subtypes of endometrial carcinomas. Journal of Pathology, 2010, 220, 551-561. | 4.5 | 90 |
| 76 | Molecular and clinical dissection of CD24 antibody specificity by a comprehensive comparative analysis. Laboratory Investigation, 2010, 90, 1102-1116. | 3.7 | 62 |
| 77 | Therapeutic Antibodies to Human L1CAM: Functional Characterization and Application in a Mouse Model for Ovarian Carcinoma. Cancer Research, 2010, 70, 2504-2515. | 0.9 | 62 |
| 78 | Inhibition of cell proliferation, adhesion, and invasion with an anti-L1-cell adhesion molecule monoclonal antibody in an in vitro endometriosis model. Fertility and Sterility, 2010, 94, 1102-1104. | 1.0 | 9 |
| 79 | Elevated L1CAM expression in precursor lesions and primary and metastatic tissues of pancreatic ductal adenocarcinoma. Oncology Reports, 2010, 24, 909-15. | 2.6 | 28 |
| 80 | Up-regulation of L1CAM in Pancreatic Duct Cells Is Transforming Growth Factor β 1 and Slug-Dependent: Role in Malignant Transformation of Pancreatic Cancer. Cancer Research, 2009, 69, 4517-4526. | 0.9 | 90 |
| 81 | Enhanced L1CAM expression on pancreatic tumor endothelium mediates selective tumor cell transmigration. Journal of Molecular Medicine, 2009, 87, 99-112. | 3.9 | 35 |
| 82 | Systemic presence and tumor-growth promoting effect of ovarian carcinoma released exosomes. Cancer Letters, 2009, 278, 73-81. | 7.2 | 265 |
| 83 | Expression and prognostic value of L1-CAM in breast cancer. Oncology Reports, 2009, 22, 1109-17. | 2.6 | 41 |
| 84 | Nuclear translocation and signalling of L1-CAM in human carcinoma cells requires ADAM10 and presenilin/ β -secretase activity. Biochemical Journal, 2009, 420, 391-402. | 3.7 | 89 |
| 85 | Generation of novel, secreted epidermal growth factor receptor (EGFR/ErbB1) isoforms via metalloprotease-dependent ectodomain shedding and exosome secretion. Journal of Cellular Biochemistry, 2008, 103, 1783-1797. | 2.6 | 104 |
| 86 | The RGD integrin binding site in human L1-CAM is important for nuclear signaling. Experimental Cell Research, 2008, 314, 2411-2418. | 2.6 | 31 |
| 87 | Antibodies directed against L1-CAM synergize with Genistein in inhibiting growth and survival pathways in SKOV3ip human ovarian cancer cells. Cancer Letters, 2008, 261, 193-204. | 7.2 | 25 |
| 88 | Functional role of N-glycosylation from ADAM10 in processing, localization and activity of the enzyme. Biochimica Et Biophysica Acta - General Subjects, 2008, 1780, 905-913. | 2.4 | 68 |
| 89 | CD24 induces localization of β 1 integrin to lipid raft domains. Biochemical and Biophysical Research Communications, 2008, 365, 35-41. | 2.1 | 74 |
| 90 | Transfer of T Cell Surface Molecules to Dendritic Cells upon CD4+ T Cell Priming Involves Two Distinct Mechanisms. Journal of Immunology, 2008, 181, 3965-3973. | 0.8 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Targeting CD24 for Treatment of Colorectal and Pancreatic Cancer by Monoclonal Antibodies or Small Interfering RNA. <i>Cancer Research</i> , 2008, 68, 2803-2812. | 0.9 | 140 |
| 92 | Evidence for secretion of Cu,Zn superoxide dismutase via exosomes from a cell model of amyotrophic lateral sclerosis. <i>Neuroscience Letters</i> , 2007, 428, 43-46. | 2.1 | 200 |
| 93 | Copper-67 Radioimmunotherapy and Growth Inhibition by Anti-L1-Cell Adhesion Molecule Monoclonal Antibodies in a Therapy Model of Ovarian Cancer Metastasis. <i>Clinical Cancer Research</i> , 2007, 13, 603-611. | 7.0 | 73 |
| 94 | Blockade of natural killer cell-mediated lysis by NCAM140 expressed on tumor cells. <i>International Journal of Cancer</i> , 2007, 120, 2625-2634. | 5.1 | 45 |
| 95 | L1-CAM in a membrane-bound or soluble form augments protection from apoptosis in ovarian carcinoma cells. <i>Gynecologic Oncology</i> , 2007, 104, 461-469. | 1.4 | 83 |
| 96 | Malignant ascites-derived exosomes of ovarian carcinoma patients contain CD24 and EpCAM. <i>Gynecologic Oncology</i> , 2007, 107, 563-571. | 1.4 | 335 |
| 97 | CD24 affects CXCR4 function in pre-B lymphocytes and breast carcinoma cells. <i>Journal of Cell Science</i> , 2006, 119, 314-325. | 2.0 | 170 |
| 98 | L1 on ovarian carcinoma cells is a binding partner for Neuropilin-1 on mesothelial cells. <i>Cancer Letters</i> , 2006, 239, 212-226. | 7.2 | 44 |
| 99 | Expression profile analysis in multiple human tumors identifies L1 (CD171) as a molecular marker for differential diagnosis and targeted therapy. <i>Human Pathology</i> , 2006, 37, 1000-1008. | 2.0 | 72 |
| 100 | Glucocorticoid-mediated inhibition of chemotherapy in ovarian carcinomas. <i>International Journal of Oncology</i> , 2006, 28, 551. | 3.3 | 17 |
| 101 | A role for exosomes in the constitutive and stimulus-induced ectodomain cleavage of L1 and CD44. <i>Biochemical Journal</i> , 2006, 393, 609-618. | 3.7 | 217 |
| 102 | Exosomes: From biogenesis and secretion to biological function. <i>Immunology Letters</i> , 2006, 107, 102-108. | 2.5 | 775 |
| 103 | The adhesion molecule L1 (CD171) promotes melanoma progression. <i>International Journal of Cancer</i> , 2006, 119, 549-555. | 5.1 | 87 |
| 104 | Efficient Inhibition of Intra-Peritoneal Tumor Growth and Dissemination of Human Ovarian Carcinoma Cells in Nude Mice by Anti-L1-Cell Adhesion Molecule Monoclonal Antibody Treatment. <i>Cancer Research</i> , 2006, 66, 936-943. | 0.9 | 140 |
| 105 | L1 augments cell migration and tumor growth but not β 3 integrin expression in ovarian carcinomas. <i>International Journal of Cancer</i> , 2005, 115, 658-665. | 5.1 | 64 |
| 106 | Cleavage of L1 in Exosomes and Apoptotic Membrane Vesicles Released from Ovarian Carcinoma Cells. <i>Clinical Cancer Research</i> , 2005, 11, 2492-2501. | 7.0 | 174 |
| 107 | Cytoplasmic CD24 Expression in Colorectal Cancer Independently Correlates with Shortened Patient Survival. <i>Clinical Cancer Research</i> , 2005, 11, 6574-6581. | 7.0 | 145 |
| 108 | L1 Is Sequentially Processed by Two Differently Activated Metalloproteases and Presenilin/ β -Secretase and Regulates Neural Cell Adhesion, Cell Migration, and Neurite Outgrowth. <i>Molecular and Cellular Biology</i> , 2005, 25, 9040-9053. | 2.3 | 212 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | L1, a novel target of β^2 -catenin signaling, transforms cells and is expressed at the invasive front of colon cancers. <i>Journal of Cell Biology</i> , 2005, 168, 633-642. | 5.2 | 335 |
| 110 | L1 (CD171) as a novel biomarker for ovarian and endometrial carcinomas. <i>Expert Review of Molecular Diagnostics</i> , 2004, 4, 455-462. | 3.1 | 14 |
| 111 | Adhesion molecules CD171 (L1CAM) and CD24 are expressed by primary neuroendocrine carcinomas of the skin (Merkel cell carcinomas). <i>Journal of Cutaneous Pathology</i> , 2003, 30, 363-368. | 1.3 | 32 |
| 112 | L1 adhesion molecule (CD 171) in development and progression of human malignant melanoma. <i>Cancer Letters</i> , 2003, 189, 237-247. | 7.2 | 108 |
| 113 | L1 expression as a predictor of progression and survival in patients with uterine and ovarian carcinomas. <i>Lancet, The</i> , 2003, 362, 869-875. | 13.7 | 252 |
| 114 | ADAM10-mediated cleavage of L1 adhesion molecule at the cell surface and in released membrane vesicles. <i>FASEB Journal</i> , 2003, 17, 292-294. | 0.5 | 199 |
| 115 | CD24 expression is a new prognostic marker in breast cancer. <i>Clinical Cancer Research</i> , 2003, 9, 4906-13. | 7.0 | 213 |
| 116 | Critical amino acid residues of the $\beta 4$ subunit for $\beta 4 \beta 7$ integrin function. <i>Journal of Cellular Biochemistry</i> , 2001, 83, 304-319. | 2.6 | 8 |
| 117 | Ectodomain shedding of L1 adhesion molecule promotes cell migration by autocrine binding to integrins. <i>Journal of Cell Biology</i> , 2001, 155, 661-674. | 5.2 | 357 |
| 118 | Role of Src Kinases in the ADAM-mediated Release of L1 Adhesion Molecule from Human Tumor Cells. <i>Journal of Biological Chemistry</i> , 2000, 275, 15490-15497. | 3.4 | 163 |
| 119 | Characterization of the L1-Neurocan-binding Site. <i>Journal of Biological Chemistry</i> , 2000, 275, 34478-34485. | 3.4 | 39 |
| 120 | Integrin Leukocyte Function-associated Antigen-1-mediated Cell Binding Can Be Activated by Clustering of Membrane Rafts. <i>Journal of Biological Chemistry</i> , 1999, 274, 36921-36927. | 3.4 | 154 |
| 121 | Integrin and Neurocan Binding to L1 Involves Distinct Ig Domains. <i>Journal of Biological Chemistry</i> , 1999, 274, 24602-24610. | 3.4 | 69 |
| 122 | CD24 is a marker for human breast carcinoma. <i>Cancer Letters</i> , 1999, 143, 87-94. | 7.2 | 92 |
| 123 | CD24 mediates rolling of breast carcinoma cells on P-selectin. <i>FASEB Journal</i> , 1998, 12, 1241-1251. | 0.5 | 258 |
| 124 | The L1 Adhesion Molecule Supports $\beta 2$ -Mediated Migration of Human Tumor Cells and Activated T Lymphocytes. <i>Biochemical and Biophysical Research Communications</i> , 1997, 232, 236-239. | 2.1 | 33 |
| 125 | Mouse CD24 as a Signaling Molecule for Integrin-Mediated Cell Binding: Functional and Physical Association with src-Kinases. <i>Biochemical and Biophysical Research Communications</i> , 1997, 234, 330-334. | 2.1 | 50 |
| 126 | CD24, a Mucin-Type Glycoprotein, Is a Ligand for P-Selectin on Human Tumor Cells. <i>Blood</i> , 1997, 89, 3385-3395. | 1.4 | 293 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | The cell adhesion molecule L1: species- and cell-type-dependent multiple binding mechanisms. Differentiation, 1997, 61, 143-150. | 1.9 | 54 |
| 128 | Heat-stable antigen (mouse CD24) in the brain: dual but distinct interaction with P-selectin and L1. BBA - Proteins and Proteomics, 1997, 1337, 287-294. | 2.1 | 50 |
| 129 | A role for the VLA-4 integrin in the activation of human memory B cells. European Journal of Immunology, 1997, 27, 2757-2764. | 2.9 | 26 |
| 130 | L1 adhesion molecule on human lymphocytes and monocytes: expression and involvement in binding to $\alpha\text{v}\beta 3$ integrin. European Journal of Immunology, 1996, 26, 2508-2516. | 2.9 | 103 |
| 131 | Evidence for Cis Interaction and Cooperative Signalling by the Heat-stable Antigen Nectadrin (murine) Tj ETQq1 1 0.784314 rgBT /Overlo 993-1004. | 2.6 | 57 |
| 132 | Heat-stable antigen (CD24) as ligand for mouse P-selectin. International Immunology, 1994, 6, 1027-1036. | 4.0 | 110 |
| 133 | Heat-stable antigen/CD24 on mouse T lymphocytes: evidence for a costimulatory function. European Journal of Immunology, 1994, 24, 731-737. | 2.9 | 82 |
| 134 | CD2: a functional adhesion molecule on murine B cells, involved in interleukin-4-induced aggregation. European Journal of Immunology, 1993, 23, 888-892. | 2.9 | 10 |
| 135 | L1 adhesion molecule on mouse leukocytes: regulation and involvement in endothelial cell binding. European Journal of Immunology, 1993, 23, 2927-2931. | 2.9 | 39 |
| 136 | Expression and function of the neural cell adhesion molecule L1 in mouse leukocytes. European Journal of Immunology, 1992, 22, 1199-1205. | 2.9 | 59 |
| 137 | The effects of anti-CD2 antibodies on the differentiation of mouse thymocytes. European Journal of Immunology, 1989, 19, 951-954. | 2.9 | 26 |