

# Tom Fahey

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5218075/tom-fahey-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

317  
papers

11,359  
citations

59  
h-index

95  
g-index

354  
ext. papers

13,183  
ext. citations

4.2  
avg. IF

6.4  
L-index

#	Paper	IF	Citations
317	Is the Timed Up and Go test a useful predictor of risk of falls in community dwelling older adults: a systematic review and meta-analysis. <i>BMC Geriatrics</i> , <b>2014</b> , 14, 14	4.1	397
316	Predictive accuracy of the Framingham coronary risk score in British men: prospective cohort study. <i>BMJ, The</i> , <b>2003</b> , 327, 1267	5.9	328
315	Managing patients with multimorbidity in primary care. <i>BMJ, The</i> , <b>2015</b> , 350, h176	5.9	324
314	The expanding role of primary care in cancer control. <i>Lancet Oncology, The</i> , <b>2015</b> , 16, 1231-72	21.7	297
313	Accuracy and impact of risk assessment in the primary prevention of cardiovascular disease: a systematic review. <i>Heart</i> , <b>2006</b> , 92, 1752-9	5.1	296
312	How can we improve adherence to blood pressure-lowering medication in ambulatory care? Systematic review of randomized controlled trials. <i>Archives of Internal Medicine</i> , <b>2004</b> , 164, 722-32		288
311	Potentially inappropriate prescribing and cost outcomes for older people: a national population study. <i>British Journal of Clinical Pharmacology</i> , <b>2010</b> , 69, 543-52	3.8	265
310	Cohort study examining tamoxifen adherence and its relationship to mortality in women with breast cancer. <i>British Journal of Cancer</i> , <b>2008</b> , 99, 1763-8	8.7	249
309	Interventions used to improve control of blood pressure in patients with hypertension. <i>The Cochrane Library</i> , <b>2010</b> , CD005182	5.2	240
308	The Alvarado score for predicting acute appendicitis: a systematic review. <i>BMC Medicine</i> , <b>2011</b> , 9, 139	11.4	177
307	Information leaflet and antibiotic prescribing strategies for acute lower respiratory tract infection: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2005</b> , 293, 3029-35	27.4	173
306	Evaluation of computer based clinical decision support system and risk chart for management of hypertension in primary care: randomised controlled trial. <i>BMJ: British Medical Journal</i> , <b>2000</b> , 320, 686-90		169
305	The impact of patients preferences on the treatment of atrial fibrillation: observational study of patient based decision analysis. <i>BMJ: British Medical Journal</i> , <b>2000</b> , 320, 1380-4		160
304	Interventions for improving adherence to treatment in patients with high blood pressure in ambulatory settings. <i>The Cochrane Library</i> , <b>2004</b> , CD004804	5.2	145
303	Quality of care for elderly residents in nursing homes and elderly people living at home: controlled observational study. <i>BMJ, The</i> , <b>2003</b> , 326, 580	5.9	143
302	Trends and interaction of polypharmacy and potentially inappropriate prescribing in primary care over 15 years in Ireland: a repeated cross-sectional study. <i>BMJ Open</i> , <b>2015</b> , 5, e008656	3	134
301	Potentially inappropriate prescribing and adverse health outcomes in community dwelling older patients. <i>British Journal of Clinical Pharmacology</i> , <b>2014</b> , 77, 201-10	3.8	130

300	Poor glycated haemoglobin control and adverse pregnancy outcomes in type 1 and type 2 diabetes mellitus: systematic review of observational studies. <i>BMC Pregnancy and Childbirth</i> , <b>2006</b> , 6, 30	3.2	122
299	Methadone dose and neonatal abstinence syndrome-systematic review and meta-analysis. <i>Addiction</i> , <b>2010</b> , 105, 2071-84	4.6	119
298	Potentially inappropriate prescribing and cost outcomes for older people: a cross-sectional study using the Northern Ireland Enhanced Prescribing Database. <i>European Journal of Clinical Pharmacology</i> , <b>2012</b> , 68, 1425-33	2.8	114
297	Two decision aids for mode of delivery among women with previous caesarean section: randomised controlled trial. <i>BMJ, The</i> , <b>2007</b> , 334, 1305	5.9	113
296	Risk prediction models to predict emergency hospital admission in community-dwelling adults: a systematic review. <i>Medical Care</i> , <b>2014</b> , 52, 751-65	3.1	109
295	Predicting foot ulcers in patients with diabetes: a systematic review and meta-analysis. <i>QJM - Monthly Journal of the Association of Physicians</i> , <b>2007</b> , 100, 65-86	2.7	108
294	Quantitative systematic review of randomised controlled trials comparing antibiotic with placebo for acute cough in adults. <i>BMJ: British Medical Journal</i> , <b>1998</b> , 316, 906-10		105
293	Antibiotics for acute bronchitis. <i>Cochrane Database of Systematic Reviews</i> , <b>2004</b> , CD000245		100
292	The duration of acute cough in pre-school children presenting to primary care: a prospective cohort study. <i>Family Practice</i> , <b>2003</b> , 20, 696-705	1.9	100
291	Inter-rater agreement in the scoring of abstracts submitted to a primary care research conference. <i>BMC Health Services Research</i> , <b>2002</b> , 2, 8	2.9	99
290	Systematic review of the treatment of upper respiratory tract infection. <i>Archives of Disease in Childhood</i> , <b>1998</b> , 79, 225-30	2.2	99
289	Patients preferences for involvement in treatment decision making in Japan. <i>BMC Family Practice</i> , <b>2004</b> , 5, 1	2.6	97
288	Antibiotics for acute bronchitis. <i>Cochrane Database of Systematic Reviews</i> , <b>2014</b> , CD000245		94
287	Interventions to improve adherence to lipid lowering medication. <i>Cochrane Database of Systematic Reviews</i> , <b>2010</b> , CD004371		91
286	Validation of the CHADS2 clinical prediction rule to predict ischaemic stroke. A systematic review and meta-analysis. <i>Thrombosis and Haemostasis</i> , <b>2011</b> , 106, 528-38	7	88
285	Systematic review of randomised controlled trials of over the counter cough medicines for acute cough in adults. <i>BMJ, The</i> , <b>2002</b> , 324, 329-31	5.9	88
284	Over-the-counter (OTC) medications for acute cough in children and adults in community settings. <i>The Cochrane Library</i> , <b>2014</b> , CD001831	5.2	83
283	Self-monitoring and other non-pharmacological interventions to improve the management of hypertension in primary care: a systematic review. <i>British Journal of General Practice</i> , <b>2010</b> , 60, e476-88	1.6	81

282	Cemented versus uncemented fixation in total hip replacement: a systematic review and meta-analysis of randomized controlled trials. <i>Orthopedic Reviews</i> , <b>2013</b> , 5, e8	1.2	80
281	Predicting acute uncomplicated urinary tract infection in women: a systematic review of the diagnostic accuracy of symptoms and signs. <i>BMC Family Practice</i> , <b>2010</b> , 11, 78	2.6	79
280	Potentially inappropriate prescribing among older people in the United Kingdom. <i>BMC Geriatrics</i> , <b>2014</b> , 14, 72	4.1	78
279	Interventions used to improve control of blood pressure in patients with hypertension. <i>Cochrane Database of Systematic Reviews</i> , <b>2006</b> , CD005182		77
278	Impact of Potentially Inappropriate Prescribing on Adverse Drug Events, Health Related Quality of Life and Emergency Hospital Attendance in Older People Attending General Practice: A Prospective Cohort Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2017</b> , 72, 271-277	6.4	74
277	Over-the-counter medications for acute cough in children and adults in ambulatory settings. <i>Cochrane Database of Systematic Reviews</i> , <b>2008</b> , CD001831		72
276	Prevalence and outcomes of use of potentially inappropriate medicines in older people: cohort study stratified by residence in nursing home or in the community. <i>BMJ Quality and Safety</i> , <b>2011</b> , 20, 275-81	5.4	71
275	Factors associated with mortality in Scottish patients receiving methadone in primary care: retrospective cohort study. <i>BMJ, The</i> , <b>2009</b> , 338, b2225	5.9	71
274	Risk of drug-related mortality during periods of transition in methadone maintenance treatment: a cohort study. <i>Journal of Substance Abuse Treatment</i> , <b>2011</b> , 41, 252-60	4.2	70
273	Spironolactone use and renal toxicity: population based longitudinal analysis. <i>BMJ, The</i> , <b>2010</b> , 340, c1768;9		68
272	The epidemiology of malpractice claims in primary care: a systematic review. <i>BMJ Open</i> , <b>2013</b> , 3,	3	66
271	Methadone and perinatal outcomes: a retrospective cohort study. <i>American Journal of Obstetrics and Gynecology</i> , <b>2011</b> , 204, 139.e1-9	6.4	66
270	Nurse-led adherence support in hypertension: a randomized controlled trial. <i>Family Practice</i> , <b>2005</b> , 22, 144-51	1.9	66
269	The influence of absolute cardiovascular risk, patient utilities, and costs on the decision to treat hypertension: a Markov decision analysis. <i>Journal of Hypertension</i> , <b>2003</b> , 21, 1753-9	1.9	66
268	Interventions to Address Potentially Inappropriate Prescribing in Community-Dwelling Older Adults: A Systematic Review of Randomized Controlled Trials. <i>Journal of the American Geriatrics Society</i> , <b>2016</b> , 64, 1210-22	5.6	66
267	A factorial randomised controlled trial of decision analysis and an information video plus leaflet for newly diagnosed hypertensive patients. <i>British Journal of General Practice</i> , <b>2003</b> , 53, 446-53	1.6	65
266	Framework for the impact analysis and implementation of Clinical Prediction Rules (CPRs). <i>BMC Medical Informatics and Decision Making</i> , <b>2011</b> , 11, 62	3.6	64
265	Effectiveness of a Multifaceted Intervention for Potentially Inappropriate Prescribing in Older Patients in Primary Care: A Cluster-Randomized Controlled Trial (OPTI-SCRIPT Study). <i>Annals of Family Medicine</i> , <b>2015</b> , 13, 545-53	2.9	63

264	Diagnostic accuracy of clinical tests for subacromial impingement syndrome: a systematic review and meta-analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2012</b> , 93, 229-36	2.8	63
263	Comparison of self-reported health & healthcare utilisation between asylum seekers and refugees: an observational study. <i>BMC Public Health</i> , <b>2009</b> , 9, 214	4.1	62
262	Educational and organisational interventions used to improve the management of hypertension in primary care: a systematic review. <i>British Journal of General Practice</i> , <b>2005</b> , 55, 875-82	1.6	61
261	Prevalence of potentially inappropriate prescribing in older people in primary care and its association with hospital admission: longitudinal study. <i>BMJ, The</i> , <b>2018</b> , 363, k4524	5.9	61
260	Electronic prescribing and other forms of technology to reduce inappropriate medication use and polypharmacy in older people: a review of current evidence. <i>Clinics in Geriatric Medicine</i> , <b>2012</b> , 28, 301-22 <sup>3.8</sup>	3.8	59
259	Preference-based antithrombotic therapy in atrial fibrillation: implications for clinical decision making. <i>Medical Decision Making</i> , <b>2005</b> , 25, 548-59	2.5	57
258	Should we advise parents to administer over the counter cough medicines for acute cough? Systematic review of randomised controlled trials. <i>Archives of Disease in Childhood</i> , <b>2002</b> , 86, 170-5	2.2	57
257	Prevalence of potentially inappropriate prescribing and prescribing omissions in older Irish adults: findings from The Irish Longitudinal Study on Ageing study (TILDA). <i>European Journal of Clinical Pharmacology</i> , <b>2014</b> , 70, 599-606	2.8	56
256	C-reactive protein and community-acquired pneumonia in ambulatory care: systematic review of diagnostic accuracy studies. <i>Family Practice</i> , <b>2009</b> , 26, 10-21	1.9	56
255	Shared decision making in hypertension: the impact of patient preferences on treatment choice. <i>Family Practice</i> , <b>2001</b> , 18, 309-13	1.9	54
254	Medication use in early pregnancy-prevalence and determinants of use in a prospective cohort of women. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2010</b> , 19, 408-17	2.6	52
253	Predicting streptococcal pharyngitis in adults in primary care: a systematic review of the diagnostic accuracy of symptoms and signs and validation of the Centor score. <i>BMC Medicine</i> , <b>2011</b> , 9, 67	11.4	51
252	A review identifies and classifies reasons for ordering diagnostic tests. <i>Journal of Clinical Epidemiology</i> , <b>2007</b> , 60, 981-9	5.7	51
251	Adherence to antihypertensive medication and association with patient and practice factors. <i>Journal of Human Hypertension</i> , <b>2006</b> , 20, 295-7	2.6	51
250	Adverse outcomes in older adults attending emergency departments: a systematic review and meta-analysis of the Identification of Seniors At Risk (ISAR) screening tool. <i>Age and Ageing</i> , <b>2017</b> , 46, 179-186	3	51
249	The association between coeliac disease and cardiovascular disease. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2008</b> , 27, 514-9	6.1	50
248	Methadone and perinatal outcomes: a prospective cohort study. <i>Addiction</i> , <b>2012</b> , 107, 1482-92	4.6	49
247	Quality and methods of developing practice guidelines. <i>BMC Health Services Research</i> , <b>2002</b> , 2, 1	2.9	49

246	Adherence to antihypertensive medication assessed by self-report was associated with electronic monitoring compliance. <i>Journal of Clinical Epidemiology</i> , <b>2006</b> , 59, 650-1	5.7	48
245	An outbreak of <i>Campylobacter jejuni</i> enteritis associated with failed milk pasteurisation. <i>Journal of Infection</i> , <b>1995</b> , 31, 137-43	18.9	48
244	Prevalence, predictors and perinatal outcomes of peri-conceptual alcohol exposure--retrospective cohort study in an urban obstetric population in Ireland. <i>BMC Pregnancy and Childbirth</i> , <b>2011</b> , 11, 27	3.2	47
243	Measuring the financial burden of acute cough in pre-school children: a cost of illness study. <i>BMC Family Practice</i> , <b>2008</b> , 9, 10	2.6	47
242	Risk of mortality on and off methadone substitution treatment in primary care: a national cohort study. <i>Addiction</i> , <b>2016</b> , 111, 73-82	4.6	47
241	Tackling therapeutic inertia: role of treatment data in quality indicators. <i>BMJ, The</i> , <b>2007</b> , 335, 542-4	5.9	46
240	Antibiotics for acute bronchitis. <i>The Cochrane Library</i> , <b>2017</b> , 6, CD000245	5.2	45
239	Longitudinal prevalence of potentially inappropriate medicines and potential prescribing omissions in a cohort of community-dwelling older people. <i>European Journal of Clinical Pharmacology</i> , <b>2015</b> , 71, 473-82	2.8	45
238	TElehealth in CHronic disease: mixed-methods study to develop the TECH conceptual model for intervention design and evaluation. <i>BMJ Open</i> , <b>2015</b> , 5, e006448	3	45
237	Beliefs about prescribed medication among older patients with polypharmacy: a mixed methods study in primary care. <i>British Journal of General Practice</i> , <b>2017</b> , 67, e507-e518	1.6	43
236	Diagnostic accuracy of the ID Migraine: a systematic review and meta-analysis. <i>Headache</i> , <b>2011</b> , 51, 1140-8	4.8	43
235	Telehealth for patients at high risk of cardiovascular disease: pragmatic randomised controlled trial. <i>BMJ, The</i> , <b>2016</b> , 353, i2647	5.9	41
234	Potential for alcohol and drug interactions in older adults: evidence from the Irish longitudinal study on ageing. <i>BMC Geriatrics</i> , <b>2014</b> , 14, 57	4.1	41
233	Over-the-counter (OTC) medications for acute cough in children and adults in ambulatory settings. <i>Cochrane Database of Systematic Reviews</i> , <b>2012</b> , CD001831		41
232	Adherence to statin or aspirin or both in patients with established cardiovascular disease: exploring healthy behaviour vs. drug effects and 10-year follow-up of outcome. <i>British Journal of Clinical Pharmacology</i> , <b>2008</b> , 66, 110-6	3.8	41
231	Addressing potentially inappropriate prescribing in older patients: development and pilot study of an intervention in primary care (the OPTI-SCRIPT study). <i>BMC Health Services Research</i> , <b>2013</b> , 13, 307	2.9	40
230	Potentially inappropriate prescribing according to STOPP and START and adverse outcomes in community-dwelling older people: a prospective cohort study. <i>British Journal of Clinical Pharmacology</i> , <b>2016</b> , 82, 849-57	3.8	40
229	Validity of British Thoracic Society guidance (the CRB-65 rule) for predicting the severity of pneumonia in general practice: systematic review and meta-analysis. <i>British Journal of General Practice</i> , <b>2010</b> , 60, e423-33	1.6	39

228	Impact of medication reconciliation for improving transitions of care. <i>The Cochrane Library</i> , <b>2018</b> , 8, CD010791	3.9	39
227	Diagnostic accuracy systematic review of rectal bleeding in combination with other symptoms, signs and tests in relation to colorectal cancer. <i>British Journal of Cancer</i> , <b>2010</b> , 102, 48-58	8.7	38
226	Association between allopurinol and mortality in heart failure patients: a long-term follow-up study. <i>International Journal of Clinical Practice</i> , <b>2009</b> , 63, 1327-33	2.9	38
225	Effectiveness of a computerized decision aid in primary care on decision making and quality of life in menorrhagia: results of the MENTIP randomized controlled trial. <i>Medical Decision Making</i> , <b>2007</b> , 27, 575-84	2.5	38
224	Pandemic flu: clinical management of patients with an influenza-like illness during an influenza pandemic. Provisional guidelines from the British Infection Society, British Thoracic Society, and Health Protection Agency in collaboration with the Department of Health. <i>Thorax</i> , <b>2007</b> , 62 Suppl 1, 1-46	7.3	36
223	Interventions to improve adherence to lipid lowering medication. <i>Cochrane Database of Systematic Reviews</i> , <b>2004</b> , CD004371		35
222	Reducing emergency admissions through community based interventions. <i>BMJ, The</i> , <b>2016</b> , 352, h6817	5.9	33
221	Potentially inappropriate prescribing and vulnerability and hospitalization in older community-dwelling patients. <i>Annals of Pharmacotherapy</i> , <b>2014</b> , 48, 1546-54	2.9	33
220	Effect of antibiotic prescribing strategies and an information leaflet on longer-term reconsultation for acute lower respiratory tract infection. <i>British Journal of General Practice</i> , <b>2009</b> , 59, 728-34	1.6	33
219	The risk of foot ulceration in people with diabetes screened in community settings: findings from a cohort study. <i>QJM - Monthly Journal of the Association of Physicians</i> , <b>2011</b> , 104, 403-10	2.7	32
218	Health and use of health services of people who are homeless and at risk of homelessness who receive free primary health care in Dublin. <i>BMC Health Services Research</i> , <b>2015</b> , 15, 58	2.9	31
217	Proton pump inhibitors: potential cost reductions by applying prescribing guidelines. <i>BMC Health Services Research</i> , <b>2012</b> , 12, 408	2.9	31
216	Developing an international register of clinical prediction rules for use in primary care: a descriptive analysis. <i>Annals of Family Medicine</i> , <b>2014</b> , 12, 359-66	2.9	29
215	Potentially inappropriate or specifically appropriate? Qualitative evaluation of general practitioners views on prescribing, polypharmacy and potentially inappropriate prescribing in older people. <i>BMC Family Practice</i> , <b>2016</b> , 17, 109	2.6	28
214	Decision-making about mode of delivery after previous caesarean section: development and piloting of two computer-based decision aids. <i>Health Expectations</i> , <b>2007</b> , 10, 161-72	3.7	28
213	A systematic review of the use of computers in the management of hypertension. <i>Journal of Epidemiology and Community Health</i> , <b>1998</b> , 52, 520-5	5.1	28
212	Comparison of count-based multimorbidity measures in predicting emergency admission and functional decline in older community-dwelling adults: a prospective cohort study. <i>BMJ Open</i> , <b>2016</b> , 6, e013089	3	27
211	Improving risk factor management for patients with poorly controlled type 2 diabetes: a systematic review of healthcare interventions in primary care and community settings. <i>BMJ Open</i> , <b>2017</b> , 7, e015135 <sup>3</sup>		27



210	Hypertension prevalence, awareness, treatment and control in the over 50s in Ireland: evidence from The Irish Longitudinal Study on Ageing. <i>Journal of Public Health</i> , <b>2016</b> , 38, 450-458	3.5	26
209	Potentially inappropriate prescribing in two populations with differing socio-economic profiles: a cross-sectional database study using the PROMPT criteria. <i>European Journal of Clinical Pharmacology</i> , <b>2016</b> , 72, 583-91	2.8	26
208	A systematic review of the probability of repeated admission score in community-dwelling adults. <i>Journal of the American Geriatrics Society</i> , <b>2013</b> , 61, 357-64	5.6	26
207	The external validity of published randomized controlled trials in primary care. <i>BMC Family Practice</i> , <b>2009</b> , 10, 5	2.6	26
206	Interventions used to improve control of blood pressure in patients with hypertension. <i>The Cochrane Library</i> , <b>2005</b> , CD005182	5.2	26
205	Management of menorrhagia in primary care-impact on referral and hysterectomy: data from the Somerset Morbidity Project. <i>Journal of Epidemiology and Community Health</i> , <b>2000</b> , 54, 709-13	5.1	26
204	Characterizing Potentially Inappropriate Prescribing of Proton Pump Inhibitors in Older People in Primary Care in Ireland from 1997 to 2012. <i>Journal of the American Geriatrics Society</i> , <b>2016</b> , 64, e291-e298	5.6	25
203	The development of the PROMPT (PRescribing Optimally in Middle-aged People's Treatments) criteria. <i>BMC Health Services Research</i> , <b>2014</b> , 14, 484	2.9	25
202	Three-year follow-up of a factorial randomised controlled trial of two decision aids for newly diagnosed hypertensive patients. <i>British Journal of General Practice</i> , <b>2005</b> , 55, 551-3	1.6	25
201	Concurrent use of alcohol interactive medications and alcohol in older adults: a systematic review of prevalence and associated adverse outcomes. <i>BMC Geriatrics</i> , <b>2017</b> , 17, 148	4.1	24
200	Behavioural change in relation to alcohol exposure in early pregnancy and impact on perinatal outcomes—a prospective cohort study. <i>BMC Pregnancy and Childbirth</i> , <b>2013</b> , 13, 8	3.2	24
199	Supporting prescribing in older people with multimorbidity and significant polypharmacy in primary care (SPPIRE): a cluster randomised controlled trial protocol and pilot. <i>Implementation Science</i> , <b>2017</b> , 12, 99	8.4	24
198	Clinical prediction rules in practice: review of clinical guidelines and survey of GPs. <i>British Journal of General Practice</i> , <b>2014</b> , 64, e233-42	1.6	24
197	Clinical management of urinary tract infection in women: a prospective cohort study. <i>Family Practice</i> , <b>2003</b> , 20, 1-6	1.9	24
196	Diagnostic accuracy of the STRATIFY clinical prediction rule for falls: a systematic review and meta-analysis. <i>BMC Family Practice</i> , <b>2012</b> , 13, 76	2.6	23
195	How can adherence to lipid-lowering medication be improved? A systematic review of randomized controlled trials. <i>Family Practice</i> , <b>2007</b> , 24, 380-7	1.9	23
194	Adherence to long-term therapies: recent WHO report provides some answers but poses even more questions. <i>Journal of Clinical Epidemiology</i> , <b>2004</b> , 57, 2-3	5.7	22
193	Labelling of acute respiratory illness: evidence of between-practitioner variation in the UK. <i>Family Practice</i> , <b>2002</b> , 19, 375-7	1.9	22



192	COVID-19 Surveillance in a Primary Care Sentinel Network: In-Pandemic Development of an Application Ontology. <i>JMIR Public Health and Surveillance</i> , <b>2020</b> , 6, e21434	11.4	22
191	Measuring medication adherence in older community-dwelling patients with multimorbidity. <i>European Journal of Clinical Pharmacology</i> , <b>2018</b> , 74, 357-364	2.8	21
190	Optimized retrieval of primary care clinical prediction rules from MEDLINE to establish a Web-based register. <i>Journal of Clinical Epidemiology</i> , <b>2011</b> , 64, 848-60	5.7	21
189	Prognostic value of the ABCD clinical prediction rule: a systematic review and meta-analysis. <i>Family Practice</i> , <b>2011</b> , 28, 366-76	1.9	21
188	Impact analysis studies of clinical prediction rules relevant to primary care: a systematic review. <i>BMJ Open</i> , <b>2016</b> , 6, e009957	3	21
187	Effectiveness of medicines review with web-based pharmaceutical treatment algorithms in reducing potentially inappropriate prescribing in older people in primary care: a cluster randomized trial (OPTI-SCRIPT study protocol). <i>Trials</i> , <b>2013</b> , 14, 72	2.8	20
186	Improving stroke patients' care: a patient held record is not enough. <i>BMC Health Services Research</i> , <b>2001</b> , 1, 1	2.9	20
185	Prognostic value of the CAPRA clinical prediction rule: a systematic review and meta-analysis. <i>BJU International</i> , <b>2013</b> , 111, 427-36	5.6	19
184	Lactose avoidance for young children with acute diarrhoea. <i>The Cochrane Library</i> , <b>2013</b> , CD005433	5.2	19
183	Predicting complications from acute cough in pre-school children in primary care: a prospective cohort study. <i>British Journal of General Practice</i> , <b>2004</b> , 54, 9-14	1.6	19
182	GPs and community pharmacists' opinions on medication management at transitions of care in Ireland. <i>Family Practice</i> , <b>2016</b> , 33, 172-8	1.9	19
181	Economic impact of potentially inappropriate prescribing and related adverse events in older people: a cost-utility analysis using Markov models. <i>BMJ Open</i> , <b>2019</b> , 9, e021832	3	18
180	Statin use in adults at high risk of cardiovascular disease mortality: cross-sectional analysis of baseline data from The Irish Longitudinal Study on Ageing (TILDA). <i>BMJ Open</i> , <b>2015</b> , 5, e008017	3	18
179	Fixed-dose combination antihypertensives and risk of medication errors. <i>Heart</i> , <b>2019</b> , 105, 204-209	5.1	18
178	Psychostimulant prescribing trends in a paediatric population in Ireland: a national cohort study. <i>BMC Pediatrics</i> , <b>2015</b> , 15, 118	2.6	18
177	A retrospective cohort study of mode of delivery among public and private patients in an integrated maternity hospital setting. <i>BMJ Open</i> , <b>2013</b> , 3, e003865	3	18
176	The polypill and cardiovascular disease. <i>BMJ, The</i> , <b>2005</b> , 330, 1035-6	5.9	18
175	Organisational factors in relation to control of blood pressure: an observational study. <i>British Journal of General Practice</i> , <b>2005</b> , 55, 931-7	1.6	18

174	Developing an electronic health record (EHR) for methadone treatment recording and decision support. <i>BMC Medical Informatics and Decision Making</i> , <b>2011</b> , 11, 5	3.6	17
173	Relationship between medication adherence and blood pressure in primary care: prospective study. <i>Journal of Human Hypertension</i> , <b>2006</b> , 20, 625-7	2.6	17
172	The DiAMOND trial protocol: a randomised controlled trial of two decision aids for mode of delivery among women with a previous caesarean section [ISRCTN84367722]. <i>BMC Pregnancy and Childbirth</i> , <b>2004</b> , 4, 25	3.2	17
171	Control, compare and communicate: designing control charts to summarise efficiently data from multiple quality indicators. <i>Quality and Safety in Health Care</i> , <b>2005</b> , 14, 450-4		17
170	Health, perceived quality of life and health services use among homeless illicit drug users. <i>Drug and Alcohol Dependence</i> , <b>2015</b> , 154, 139-45	4.9	16
169	Stereotactic-Guided Evacuation of Spontaneous Supratentorial Intracerebral Hemorrhage: Systematic Review and Meta-Analysis. <i>World Neurosurgery</i> , <b>2015</b> , 84, 451-60	2.1	16
168	A process evaluation of a cluster randomised trial to reduce potentially inappropriate prescribing in older people in primary care (OPTI-SCRIPT study). <i>Trials</i> , <b>2016</b> , 17, 386	2.8	16
167	The development and validation of a multivariable prognostic model to predict foot ulceration in diabetes using a systematic review and individual patient data meta-analyses. <i>Diabetic Medicine</i> , <b>2018</b> , 35, 1480-1493	3.5	16
166	The accuracy of symptoms, signs and diagnostic tests in the diagnosis of left ventricular dysfunction in primary care: a diagnostic accuracy systematic review. <i>BMC Family Practice</i> , <b>2008</b> , 9, 56	2.6	16
165	Diagnosis of left ventricular systolic dysfunction (LVSD): development and validation of a clinical prediction rule in primary care. <i>Family Practice</i> , <b>2007</b> , 24, 628-35	1.9	16
164	Antiviral agents for infectious mononucleosis (glandular fever). <i>The Cochrane Library</i> , <b>2016</b> , 12, CD011487	7.2	16
163	Prescriber variation in potentially inappropriate prescribing in older populations in Ireland. <i>BMC Family Practice</i> , <b>2014</b> , 15, 59	2.6	15
162	Diagnostic accuracy of a clinical prediction rule (CPR) for identifying patients with recent-onset undifferentiated arthritis who are at a high risk of developing rheumatoid arthritis: a systematic review and meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , <b>2014</b> , 43, 498-507	5.3	15
161	Protocol for a systematic review and individual patient data meta-analysis of prognostic factors of foot ulceration in people with diabetes: the international research collaboration for the prediction of diabetic foot ulcerations (PODUS). <i>BMC Medical Research Methodology</i> , <b>2013</b> , 13, 22	4.7	15
160	Antibiotics for acute bronchitis. <i>JAMA - Journal of the American Medical Association</i> , <b>2014</b> , 312, 2678-9	27.4	15
159	Identifying suspected breast cancer: development and validation of a clinical prediction rule. <i>British Journal of General Practice</i> , <b>2011</b> , 61, e205-14	1.6	15
158	Nutrient-enriched formula versus standard term formula for preterm infants following hospital discharge. <i>Cochrane Database of Systematic Reviews</i> , <b>2007</b> , CD004696		15
157	The inter-observer agreement of examining pre-school children with acute cough: a nested study. <i>BMC Family Practice</i> , <b>2004</b> , 5, 4	2.6	15

156	Primary prevention of coronary heart disease. <i>BMJ, The</i> , <b>2002</b> , 325, 56-7	5.9	15
155	Effects of patients preferences on the treatment of atrial fibrillation: observational study of patient-based decision analysis. <i>Western Journal of Medicine</i> , <b>2001</b> , 174, 311-5		15
154	Diagnosing malignant melanoma in ambulatory care: a systematic review of clinical prediction rules. <i>BMJ Open</i> , <b>2017</b> , 7, e014096	3	14
153	Sustained effectiveness of a multifaceted intervention to reduce potentially inappropriate prescribing in older patients in primary care (OPTI-SCRIPT study). <i>Implementation Science</i> , <b>2016</b> , 11, 79	8.4	14
152	Clinical prediction rules. <i>BMJ, The</i> , <b>2009</b> , 339, b2899	5.9	14
151	PIPc study: development of indicators of potentially inappropriate prescribing in children (PIPc) in primary care using a modified Delphi technique. <i>BMJ Open</i> , <b>2016</b> , 6, e012079	3	14
150	J-shaped relationship between supervised methadone consumption and retention in methadone maintenance treatment (MMT) in primary care: National cohort study. <i>Drug and Alcohol Dependence</i> , <b>2017</b> , 173, 126-131	4.9	13
149	Supporting prescribing in Irish primary care: protocol for a non-randomised pilot study of a general practice pharmacist (GPP) intervention to optimise prescribing in primary care. <i>Pilot and Feasibility Studies</i> , <b>2018</b> , 4, 122	1.9	13
148	Consensus validation of the POSAMINO (POtentially Serious Alcohol-Medication INteractions in Older adults) criteria. <i>BMJ Open</i> , <b>2017</b> , 7, e017453	3	13
147	Economic evaluation of the DiAMOND randomized trial: cost and outcomes of 2 decision aids for mode of delivery among women with a previous cesarean section. <i>Medical Decision Making</i> , <b>2010</b> , 30, 453-63	2.5	13
146	Risk scoring for the primary prevention of cardiovascular disease <b>2008</b> ,		13
145	Development and validation of a clinical prediction rule to identify suspected breast cancer: a prospective cohort study. <i>BMC Cancer</i> , <b>2014</b> , 14, 743	4.8	12
144	Injection of botulinum toxin for treatment of chronic lateral epicondylitis: systematic review and meta-analysis. <i>Seminars in Arthritis and Rheumatism</i> , <b>2011</b> , 40, 585-7	5.3	12
143	Overcoming clinical inertia in the management of hypertension. <i>Cmaj</i> , <b>2006</b> , 174, 1285-6	3.5	12
142	Calorie and protein-enriched formula versus standard term formula for improving growth and development in preterm or low birth weight infants following hospital discharge. <i>Cochrane Database of Systematic Reviews</i> , <b>2005</b> , CD004696		12
141	REDUCING POTENTIALLY INAPPROPRIATE PRESCRIBING FOR OLDER PEOPLE IN PRIMARY CARE: COST-EFFECTIVENESS OF THE OPTI-SCRIPT INTERVENTION. <i>International Journal of Technology Assessment in Health Care</i> , <b>2017</b> , 33, 494-503	1.8	11
140	Development of a complex intervention to promote appropriate prescribing and medication intensification in poorly controlled type 2 diabetes mellitus in Irish general practice. <i>Implementation Science</i> , <b>2017</b> , 12, 115	8.4	11
139	Preferences for mode of delivery after previous caesarean section: what do women want, what do they get and how do they value outcomes?. <i>Health Expectations</i> , <b>2011</b> , 14, 397-404	3.7	11

138	The role of modifiable pre-pregnancy risk factors in preventing adverse fetal outcomes among women with type 1 and type 2 diabetes. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2009</b> , 88, 1153-7	3.8	11
137	Multinutrient fortification of human breast milk for preterm infants following hospital discharge. <i>Cochrane Database of Systematic Reviews</i> , <b>2010</b> , CD004866		11
136	Re-evaluation of a randomized controlled trial of antibiotics for minor respiratory illness in general practice. <i>Family Practice</i> , <b>2001</b> , 18, 246-8	1.9	11
135	Dramaturgical study of meetings between general practitioners and representatives of pharmaceutical companies; Commentary: dramaturgical model gives valuable insight. <i>BMJ: British Medical Journal</i> , <b>2001</b> , 323, 1481-4		11
134	Evaluation of the General Practice Pharmacist (GPP) intervention to optimise prescribing in Irish primary care: a non-randomised pilot study. <i>BMJ Open</i> , <b>2020</b> , 10, e035087	3	11
133	Do interruptions to the continuity of methadone maintenance treatment in specialist addiction settings increase the risk of drug-related poisoning deaths? A retrospective cohort study. <i>Addiction</i> , <b>2020</b> , 115, 1867-1877	4.6	10
132	Benzodiazepine prescribing in children under 15 years of age receiving free medical care on the General Medical Services scheme in Ireland. <i>BMJ Open</i> , <b>2015</b> , 5, e007070	3	10
131	Antibiotics for Children With Upper Respiratory Tract Infections. <i>JAMA - Journal of the American Medical Association</i> , <b>1998</b> , 280, 1399	27.4	10
130	The use of infrared thermometry for the detection of fever. <i>British Journal of General Practice</i> , <b>2004</b> , 54, 448-50	1.6	10
129	Quality measurement of care for people with type 2 diabetes in Tayside, Scotland: implications for the new UK general practice contract. <i>British Journal of General Practice</i> , <b>2003</b> , 53, 709-13	1.6	10
128	Antibiotic prescribing trends in a paediatric sub-population in Ireland. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2012</b> , 21, 945-52	2.6	9
127	Acute cough in children. <i>BMJ, The</i> , <b>2004</b> , 328, 1062	5.9	9
126	Decision analysis for newly diagnosed hypertensive patients: a qualitative investigation. <i>Patient Education and Counseling</i> , <b>2004</b> , 53, 197-203	3.1	9
125	Comparing Potentially Inappropriate Prescribing Tools and Their Association With Patient Outcomes. <i>Journal of the American Geriatrics Society</i> , <b>2020</b> , 68, 526-534	5.6	9
124	Characterising patient complaints in out-of-hours general practice: a retrospective cohort study in Ireland. <i>British Journal of General Practice</i> , <b>2018</b> , 68, e860-e868	1.6	9
123	Potentially serious alcohol-medication interactions and falls in community-dwelling older adults: a prospective cohort study. <i>Age and Ageing</i> , <b>2019</b> , 48, 824-831	3	8
122	Potentially inappropriate prescribing and its association with health outcomes in middle-aged people: a prospective cohort study in Ireland. <i>BMJ Open</i> , <b>2017</b> , 7, e016562	3	8
121	Methadone dosing and prescribed medication use in a prospective cohort of opioid-dependent pregnant women. <i>Addiction</i> , <b>2013</b> , 108, 762-70	4.6	8

120	Development and validation of a clinical score to identify echocardiographic left ventricular hypertrophy in patients with cardiovascular disease. <i>American Journal of Hypertension</i> , <b>2008</b> , 21, 1011-7	2.3	8
119	Predicting the duration of symptoms in lower respiratory tract infection. <i>British Journal of General Practice</i> , <b>2008</b> , 58, 88-92	1.6	8
118	Cardiovascular risk estimation: important but may be inaccurate. <i>BMJ, The</i> , <b>2006</b> , 332, 1422	5.9	8
117	Surgical Management of Idiopathic Perianal Fistulas: A Systematic Review and Meta-Analysis. <i>Digestive Surgery</i> , <b>2021</b> , 38, 104-119	2.5	8
116	Unintended discontinuation of medication following hospitalisation: a retrospective cohort study. <i>BMJ Open</i> , <b>2019</b> , 9, e024747	3	7
115	Prevalence of prescribing in pregnancy using the Irish primary care research network: a pilot study. <i>BMC Pregnancy and Childbirth</i> , <b>2015</b> , 15, 67	3.2	7
114	Antidepressant prescribing in Irish children: secular trends and international comparison in the context of a safety warning. <i>BMC Pediatrics</i> , <b>2015</b> , 15, 119	2.6	7
113	A prospective cohort study of alcohol exposure in early and late pregnancy within an urban population in Ireland. <i>International Journal of Environmental Research and Public Health</i> , <b>2014</b> , 11, 2049-63	4.6	7
112	Clinical Diagnosis of Urinary Tract Infection. <i>JAMA - Journal of the American Medical Association</i> , <b>2002</b> , 288, 1229	27.4	7
111	Validation of a clinical rule to predict complications of acute cough in preschool children: a prospective study in primary care. <i>British Journal of General Practice</i> , <b>2007</b> , 57, 530-7	1.6	7
110	External validation of the Probability of repeated admission (Pra) risk prediction tool in older community-dwelling people attending general practice: a prospective cohort study. <i>BMJ Open</i> , <b>2016</b> , 6, e012336	3	7
109	Longitudinal prevalence of potentially serious alcohol-medication interactions in community-dwelling older adults: a prospective cohort study. <i>European Journal of Clinical Pharmacology</i> , <b>2019</b> , 75, 569-575	2.8	7
108	Failure to control hypercholesterolaemia in the Irish adult population: cross-sectional analysis of the baseline wave of The Irish Longitudinal Study on Ageing (TILDA). <i>Irish Journal of Medical Science</i> , <b>2017</b> , 186, 1009-1017	1.9	6
107	Geographical variation in anti-diabetic prescribing in Ireland in 2013 and 2014: a cross-sectional analysis. <i>Family Practice</i> , <b>2017</b> , 34, 587-592	1.9	6
106	Meta-analysis of Calibration, Discrimination, and Stratum-Specific Likelihood Ratios for the CRB-65 Score. <i>Journal of General Internal Medicine</i> , <b>2019</b> , 34, 1304-1313	4	6
105	Life Course Transitions and Changes in Alcohol Consumption Among Older Irish Adults: Results From The Irish Longitudinal Study on Ageing (TILDA). <i>Journal of Aging and Health</i> , <b>2019</b> , 31, 1568-1588	2.6	6
104	External validation of the Vulnerable Elderly Survey for predicting mortality and emergency admission in older community-dwelling people: a prospective cohort study. <i>BMC Geriatrics</i> , <b>2017</b> , 17, 69	4.1	6
103	Does the EQ-5D capture the effects of physical and mental health status on life satisfaction among older people? A path analysis approach. <i>Quality of Life Research</i> , <b>2017</b> , 26, 1177-1186	3.7	6

102	Nutrient-enriched formula milk versus human breast milk for preterm infants following hospital discharge. <i>The Cochrane Library</i> , <b>2007</b> , CD004862	5.2	6
101	Improving adherence to drugs for hypertension. <i>BMJ, The</i> , <b>2007</b> , 335, 1002-3	5.9	6
100	Multicomponent fortification of human breast milk for preterm infants following hospital discharge. <i>Cochrane Database of Systematic Reviews</i> , <b>2007</b> , CD004866		6
99	Appropriateness of prescribing for childhood eczema: evidence from a community-based study. <i>Clinical and Experimental Dermatology</i> , <b>2006</b> , 31, 671-3	1.8	6
98	NSAID use and BP in treated hypertensives: a retrospective controlled observational study. <i>Journal of Human Hypertension</i> , <b>2005</b> , 19, 445-50	2.6	6
97	N-of-1 trials: an opportunity to tailor treatment in individual patients. <i>British Journal of General Practice</i> , <b>2005</b> , 55, 171-2	1.6	6
96	Self-report versus electronic medical record recorded healthcare utilisation in older community-dwelling adults: Comparison of two prospective cohort studies. <i>PLoS ONE</i> , <b>2018</b> , 13, e0206207	3.7	6
95	Modification of Potentially Inappropriate Prescribing Following Fall-Related Hospitalizations in Older Adults. <i>Drugs and Aging</i> , <b>2019</b> , 36, 461-470	4.7	5
94	Identifying Adverse Drug Events in Older Community-Dwelling Patients. <i>Annals of Family Medicine</i> , <b>2019</b> , 17, 133-140	2.9	5
93	A model predicting perforation and complications in paediatric appendicectomy. <i>International Journal of Colorectal Disease</i> , <b>2015</b> , 30, 559-65	3	5
92	Prescribing patterns of glucosamine in an older population: a national cohort study. <i>BMC Complementary and Alternative Medicine</i> , <b>2013</b> , 13, 316	4.7	5
91	Cochrane review: Over-the-counter medications for acute cough in children and adults in ambulatory settings. <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , <b>2009</b> , 4, 65-95		5
90	Prescribe prednisolone alone for Bell's palsy diagnosed within 72 hours of symptom onset. <i>BMJ, The</i> , <b>2009</b> , 338, b255	5.9	5
89	Sudden death in an adult taking methadone: lessons for general practice. <i>British Journal of General Practice</i> , <b>2003</b> , 53, 471-2	1.6	5
88	Long-term risk of stroke after transient ischaemic attack: a hospital-based validation of the ABCD <sup>2</sup> rule. <i>BMC Research Notes</i> , <b>2014</b> , 7, 281	2.3	4
87	Variation in medical practice: getting the balance right. <i>Family Practice</i> , <b>2012</b> , 29, 501-2	1.9	4
86	Differences between injectors and non-injectors, and a high prevalence of benzodiazepines among drug related deaths in Scotland 2003. <i>Addiction Research and Theory</i> , <b>2007</b> , 15, 651-662	2.6	4
85	A Multistep Maturity Model for the Implementation of Electronic and Computable Diagnostic Clinical Prediction Rules (eCPRs). <i>EGEMS (Washington, DC)</i> , <b>2015</b> , 3, 1153	2.2	4



84	Diagnosis and diagnostic testing in primary care. <i>British Journal of General Practice</i> , <b>2006</b> , 56, 323-4	1.6	4
83	An external pilot cluster randomised controlled trial of a theory-based intervention to improve appropriate polypharmacy in older people in primary care (PolyPrime): study protocol. <i>Pilot and Feasibility Studies</i> , <b>2021</b> , 7, 77	1.9	4
82	An evaluation of prescribing trends and patterns of claims within the Preferred Drugs Initiative in Ireland (20112016): an interrupted time-series study. <i>BMJ Open</i> , <b>2018</b> , 8, e019315	3	4
81	Geographical variation in musculoskeletal surgical care in public hospitals in Ireland: a repeated cross-sectional study. <i>BMJ Open</i> , <b>2019</b> , 9, e028037	3	3
80	Supporting care for suboptimally controlled type 2 diabetes mellitus in general practice with a clinical decision support system: a mixed methods pilot cluster randomised trial. <i>BMJ Open</i> , <b>2020</b> , 10, e032594	3	3
79	Barriers and facilitators of medicines reconciliation at transitions of care in Ireland - a qualitative study. <i>BMC Family Practice</i> , <b>2020</b> , 21, 116	2.6	3
78	Anticipatory care planning intervention for older adults at risk of functional decline: study protocol for a primary care cluster feasibility randomised trial. <i>Trials</i> , <b>2020</b> , 21, 168	2.8	3
77	A simplified approach to the pooled analysis of calibration of clinical prediction rules for systematic reviews of validation studies. <i>Clinical Epidemiology</i> , <b>2015</b> , 7, 267-80	5.9	3
76	Interventions for improving medication reconciliation across transitions of care. <i>The Cochrane Library</i> , <b>2013</b> ,	5.2	3
75	Recording of clinical information in a Scotland-wide drug deaths study. <i>Journal of Psychopharmacology</i> , <b>2010</b> , 24, 1289-98	4.6	3
74	Predictors of postmenopausal osteoporosis: study methods and analysis require clarification. <i>BMJ, The</i> , <b>2003</b> , 327, 392; author reply 392-3	5.9	3
73	Treating nausea and vomiting during pregnancy: case outcome. <i>BMJ, The</i> , <b>2004</b> , 328, 503; discussion 504	5.9	3
72	Daily regimen and compliance with treatment <b>2002</b> , 324, 425-425		3
71	Factors associated with initiation of bone-health medication among older adults in primary care in Ireland. <i>Age and Ageing</i> , <b>2021</b> , 50, 1649-1656	3	3
70	Persistence with oral bisphosphonates and denosumab among older adults in primary care in Ireland. <i>Archives of Osteoporosis</i> , <b>2021</b> , 16, 71	2.9	3
69	Supporting general practitioner-based care for poorly controlled type 2 diabetes mellitus (the DECIDE study): feasibility study and protocol for a pilot cluster randomised controlled trial. <i>Pilot and Feasibility Studies</i> , <b>2018</b> , 4, 159	1.9	3
68	Prescribing Variation in General Practices in England Following a Direct Healthcare Professional Communication on Mirabegron. <i>Journal of Clinical Medicine</i> , <b>2018</b> , 7,	5.1	3
67	Utility of Electronic International Register of Clinical Prediction Rules Relevant to Primary Care <b>2016</b> ,		2

66	Prevalence and predictors of initial oral antibiotic treatment failure in adult emergency department patients with cellulitis: a pilot study. <i>BMJ Open</i> , <b>2015</b> , 5, e008150	3	2
65	Developing a rule-driven clinical decision support system with an extensive and adaptative architecture <b>2012</b> ,		2
64	Self-monitoring for improving control of blood pressure in patients with hypertension. <i>The Cochrane Library</i> , <b>2013</b> ,	5.2	2
63	The design of an EHR for clinical decision support <b>2010</b> ,		2
62	Treatment of nausea and vomiting during pregnancy: presentation <b>2004</b> , 328, 276-276		2
61	Randomized trial evaluating the framing of cardiovascular risk and its impact on blood pressure control [ISRCTN87597585]. <i>BMC Health Services Research</i> , <b>2001</b> , 1, 10	2.9	2
60	Efficacy and safety of sacubitril/valsartan in the treatment of heart failure: protocol for a systematic review incorporating unpublished clinical study reports. <i>HRB Open Research</i> , <b>2020</b> , 3, 5	1.2	2
59	Cardiology. <i>British Journal of General Practice</i> , <b>2004</b> , 54, 695-702	1.6	2
58	An evidence-based approach to the use of telehealth in long-term health conditions: development of an intervention and evaluation through pragmatic randomised controlled trials in patients with depression or raised cardiovascular risk. <i>Programme Grants for Applied Research</i> , <b>2017</b> , 5, 1-468	1.5	2
57	Acute otitis media in children. Reappraisal of management of acute otitis media is required. <i>BMJ: British Medical Journal</i> , <b>1998</b> , 316, 630		2
56	Efficacy and safety of sacubitril/valsartan in the treatment of heart failure: protocol for a systematic review incorporating unpublished clinical study reports. <i>HRB Open Research</i> , <b>2020</b> , 3, 5	1.2	2
55	Acceptability of a nurse-led, person-centred, anticipatory care planning intervention for older people at risk of functional decline: A qualitative study. <i>PLoS ONE</i> , <b>2021</b> , 16, e0251978	3.7	2
54	Existing validated clinical prediction rules for predicting response to physiotherapy interventions for musculoskeletal conditions have limited clinical value: A systematic review. <i>Journal of Clinical Epidemiology</i> , <b>2021</b> , 135, 90-102	5.7	2
53	Factors associated with early and later dropout from methadone maintenance treatment in specialist addiction clinics: a six-year cohort study using proportional hazards frailty models for recurrent treatment episodes. <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 219, 108466	4.9	2
52	Payments reported by the pharmaceutical industry in Ireland from 2015 to 2019: An observational study. <i>Health Policy</i> , <b>2021</b> , 125, 1297-1304	3.2	2
51	Warfarin therapy for atrial fibrillation: the patient's preference is important. <i>Archives of Internal Medicine</i> , <b>2000</b> , 160, 2403		2
50	Reducing Surgical Site Infections in Abdominal Surgery: Are Ring Retractors Effective? A Systematic Review and Meta-Analysis. <i>Surgical Infections</i> , <b>2016</b> , 17, 138-51	2	1
49	Antiviral agents for infectious mononucleosis (glandular fever) <b>2015</b> ,		1

48	Patients with lone atrial fibrillation had low risk of progression to permanent atrial fibrillation, death, congestive heart failure, and stroke. <i>Evidence-Based Medicine</i> , <b>2008</b> , 13, 24		1
47	Construction and assumptions of models should be explicit. <i>BMJ, The</i> , <b>2007</b> , 334, 814	5.9	1
46	Coronary risk scores. <i>Lancet, The</i> , <b>2004</b> , 363, 572-3	4.0	1
45	Childhood eczema. <i>BMJ, The</i> , <b>2005</b> , 331, 497	5.9	1
44	More on patients' preferences in treating atrial fibrillation. <i>Western Journal of Medicine</i> , <b>2001</b> , 175, 379		1
43	Producing and Using Clinical Prediction Rules 213-236		1
42	Cardiovascular medication: improving adherence. <i>Clinical Evidence</i> , <b>2011</b> , 2011,		1
41	Evaluation of the General Practice Pharmacist (GPP) intervention to optimise prescribing in Irish primary care: a non-randomised pilot study		1
40	Quality, scope and reporting standards of randomised controlled trials in Irish Health Research: an observational study. <i>Trials</i> , <b>2020</b> , 21, 494	2.8	1
39	Geographical variation of emergency hospital admissions for ambulatory care sensitive conditions in older adults in Ireland 2012-2016. <i>BMJ Open</i> , <b>2021</b> , 11, e042779	3	1
38	Hospital initiation of benzodiazepines and Z-drugs in older adults and discontinuation in primary care. <i>Research in Social and Administrative Pharmacy</i> , <b>2021</b> , 18, 2670-2670	2.9	1
37	Successful implementation of a trans-jurisdictional, primary care, anticipatory care planning intervention for older adults at risk of functional decline: interviews with key health professionals. <i>BMC Health Services Research</i> , <b>2021</b> , 21, 871	2.9	1
36	Prescribing cascades in community-dwelling adults: protocol for a systematic review. <i>HRB Open Research</i> , <b>4</b> , 72	1.2	1
35	Opioid and analgesic utilization in Ireland in 2000 and 2015: A repeated cross-sectional study. <i>Pharmacology Research and Perspectives</i> , <b>2022</b> , 10, e00899	3.1	1
34	An updated and more efficient search strategy to identify primary care-relevant clinical prediction rules. <i>Journal of Clinical Epidemiology</i> , <b>2020</b> , 125, 26-29	5.7	0
33	Aspirin prescribing for cardiovascular disease in middle-aged and older adults in Ireland: Findings from The Irish Longitudinal Study on Ageing. <i>Preventive Medicine</i> , <b>2021</b> , 147, 106504	4.3	0
32	The Operative Treatment of Ankle Fractures: A 10-Year Retrospective Study of 1529 Patients. <i>Journal of Foot and Ankle Surgery</i> , <b>2021</b> , 60, 663-668	1.6	0
31	Novel approach to meta-analysis of tests and clinical prediction rules with three or more risk categories. <i>BMJ Open</i> , <b>2021</b> , 11, e036262	3	0

30	How many medications do doctors in primary care use? An observational study of the DU90% indicator in primary care in England. <i>BMJ Open</i> , <b>2021</b> , 11, e043049	3	0
29	Protocol for a process evaluation of an external pilot cluster randomised controlled trial of a theory-based intervention to improve appropriate polypharmacy in older people in primary care: the PolyPrime study. <i>Trials</i> , <b>2021</b> , 22, 449	2.8	0
28	89 Geographical Variation of Emergency Hospital Admissions for Ambulatory Care Sensitive Conditions in Older Adults in the Republic of Ireland. <i>Age and Ageing</i> , <b>2019</b> , 48, iii17-iii65	3	
27	Prescriber Variation in Relation to Prescribing Trends within the Preferred Drugs Initiative in Ireland (2012-2015): An Interrupted Time-Series Study Using Latent Curve Models. <i>Medical Decision Making</i> , <b>2019</b> , 39, 278-293	2.5	
26	Retraction of statins article is not in the public interest: better characterisation of benefits and risks is crucial. <i>BMJ, The</i> , <b>2014</b> , 348, g4028	5.9	
25	Cochrane reviews: relevant more than ever. <i>British Journal of General Practice</i> , <b>2013</b> , 63, 10	1.6	
24	Series introduction. <i>British Journal of General Practice</i> , <b>2013</b> , 63, 40	1.6	
23	045 Predicting risk of stroke following TIA: a systematic review of the validation of ABCD2 clinical prediction rule. <i>Journal of Epidemiology and Community Health</i> , <b>2010</b> , 64, A18-A18	5.1	
22	P25 Antibiotic prescribing in Irish children receiving free medical care. <i>Journal of Epidemiology and Community Health</i> , <b>2010</b> , 64, A43-A43	5.1	
21	021 Risk of overdose mortality during the initial 2 weeks after entering or re-entering methadone treatment in Scotland: retrospective cohort study. <i>Journal of Epidemiology and Community Health</i> , <b>2010</b> , 64, A8-A8	5.1	
20	Diagnostic accuracy of clinical tests for subacromial impingement syndrome (SIS): A systematic review and meta-analysis. <i>Journal of Epidemiology and Community Health</i> , <b>2011</b> , 65, A12-A12	5.1	
19	Focused Clinical Assessment. <i>InnovAiT</i> , <b>2011</b> , 4, 41-48	0	
18	A concept for a long-term scalable bioengineering model of primary care. <i>International Journal of Business Information Systems</i> , <b>2012</b> , 9, 465	0.6	
17	Reconciling different measures of risk in the treatment of hypertension: a community-based study. <i>Journal of Human Hypertension</i> , <b>1998</b> , 12, 391-5	2.6	
16	Interpretation of Thrombosis Prevention Trial. <i>Lancet, The</i> , <b>1998</b> , 351, 1204-5; author reply 1206-7	40	
15	Accuracy of ECG interpretation in primary care was limited for detecting atrial fibrillation. <i>Evidence-Based Medicine</i> , <b>2008</b> , 13, 91-91		
14	Valuable insights from morbidity coding in primary care. <i>BMJ, The</i> , <b>2004</b> , 328, 1113	5.9	
13	Rectal bleeding and colorectal cancer <b>2001</b> , 322, 610-610		

12	Evidence and primary care. <i>Lancet, The</i> , <b>1999</b> , 353, 1621-2	40
11	Use of healthcare resources in the last six months of life: findings should be approached with caution outside United States. <i>BMJ, The</i> , <b>2004</b> , 328, 1201; author reply 1202	5.9
10	Assessing health needs in primary care. Chronic diseases need to have standard definitions. <i>BMJ: British Medical Journal</i> , <b>1995</b> , 310, 1535	
9	Prevalence and predictors of oral to intravenous antibiotic switch among adult emergency department patients with acute bacterial skin and skin structure infections: a pilot, prospective cohort study. <i>BMJ Open</i> , <b>2020</b> , 10, e034057	3
8	Prescribing cascades in community-dwelling adults: protocol for a systematic review. <i>HRB Open Research</i> , <b>2021</b> , 4, 72	1.2
7	Why evidence still matters to general practice: James Mackenzie Lecture 2019. <i>British Journal of General Practice</i> , <b>2020</b> , 70, 198-199	1.6
6	Quantifying patient preferences for symptomatic breast clinic referral: a decision analysis study. <i>BMJ Open</i> , <b>2018</b> , 8, e017286	3
5	69An Exploration of Modification of Potentially Inappropriate Prescribing and Potential Prescribing Omissions Following Fall-Related Hospitalisations. <i>Age and Ageing</i> , <b>2018</b> , 47, v1-v12	3
4	148Longitudinal Prevalence of Potentially Serious Alcohol-Medication Interactions in Community Dwelling Older Adults: A Prospective Cohort Study. <i>Age and Ageing</i> , <b>2018</b> , 47, v13-v60	3
3	Overuse and underuse of cardiovascular diagnostic and therapeutic procedures for community-dwelling adults: a protocol for a systematic review.. <i>HRB Open Research</i> , <b>2021</b> , 4, 99	1.2
2	Clinical Diagnosis of Acute Bacterial Rhinosinusitis. <i>American Family Physician</i> , <b>2020</b> , 101, 758-759	1.3
1	Review: Antibiotics have a slight beneficial effect on acute bronchitis. <i>ACP Journal Club</i> , <b>2000</b> , 132, 48	