

Kazuyuki Numakura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5219317/publications.pdf>

Version: 2024-02-01

50
papers

592
citations

840776

11
h-index

713466

21
g-index

54
all docs

54
docs citations

54
times ranked

783
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Clinical and Genetic Risk Factors for Posttransplant Diabetes Mellitus in Adult Renal Transplant Recipients Treated with Tacrolimus. <i>Transplantation</i> , 2005, 80, 1419-1424. | 1.0 | 82 |
| 2 | Comparison of Pharmacokinetics and Pharmacogenetics of Once- and Twice-Daily Tacrolimus in the Early Stage After Renal Transplantation. <i>Transplantation</i> , 2012, 94, 1013-1019. | 1.0 | 55 |
| 3 | Hyperuricemia at 1 Year After Renal Transplantation, Its Prevalence, Associated Factors, and Graft Survival. <i>Transplantation</i> , 2012, 94, 145-151. | 1.0 | 36 |
| 4 | Avelumab plus axitinib vs sunitinib for advanced renal cell carcinoma: Japanese subgroup analysis from JAVELIN Renal 101. <i>Cancer Science</i> , 2020, 111, 907-923. | 3.9 | 33 |
| 5 | Pharmaceutical and genetic determinants for interindividual differences of tacrolimus bioavailability in renal transplant recipients. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 1659-1665. | 1.9 | 26 |
| 6 | Incidence and location of positive surgical margin among open, laparoscopic and robot-assisted radical prostatectomy in prostate cancer patients: a single institutional analysis. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 765-770. | 1.3 | 22 |
| 7 | Efficacy and safety of first-line nivolumab plus ipilimumab in patients with metastatic renal cell carcinoma: A multicenter retrospective study. <i>International Journal of Urology</i> , 2020, 27, 1095-1100. | 1.0 | 20 |
| 8 | Contribution of UGT1A1 genetic polymorphisms related to axitinib pharmacokinetics to safety and efficacy in patients with renal cell carcinoma. <i>Medical Oncology</i> , 2018, 35, 51. | 2.5 | 18 |
| 9 | Clinical implications of pharmacokinetics of sunitinib malate and N-desethyl-sunitinib plasma concentrations for treatment outcome in metastatic renal cell carcinoma patients. <i>Oncotarget</i> , 2018, 9, 25277-25284. | 1.8 | 18 |
| 10 | Clinical effects of single nucleotide polymorphisms on drug-related genes in Japanese metastatic renal cell carcinoma patients treated with sunitinib. <i>Anti-Cancer Drugs</i> , 2017, 28, 97-103. | 1.4 | 14 |
| 11 | Radical Prostatectomy With and Without Neoadjuvant Chemohormonal Pretreatment for High-Risk Localized Prostate Cancer: A Comparative Propensity Score Matched Analysis. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e113-e122. | 1.9 | 14 |
| 12 | Prognostic impact of proton pump inhibitors for immunotherapy in advanced urothelial carcinoma. <i>BJU International</i> , 2022, 3, 154-161. | 1.3 | 13 |
| 13 | Effect of hepatic drug transporter polymorphisms on the pharmacokinetics of mycophenolic acid in patients with severe renal dysfunction before renal transplantation. <i>Xenobiotica</i> , 2017, 47, 916-922. | 1.1 | 12 |
| 14 | Efficacy of anti-PD-1 antibody nivolumab in Japanese patients with metastatic renal cell carcinoma: A retrospective multicenter analysis. <i>Molecular and Clinical Oncology</i> , 2019, 11, 320-324. | 1.0 | 12 |
| 15 | Efficacy and safety of subsequent molecular targeted therapy after immuno-checkpoint therapy, retrospective study of Japanese patients with metastatic renal cell carcinoma (AFTER I-O study). <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 966-975. | 1.3 | 12 |
| 16 | Pharmacokinetic and CYP3A5 pharmacogenetic differences between once- and twice-daily tacrolimus from the first dosing day to 1 year after renal transplantation. <i>Pharmacogenomics</i> , 2014, 15, 1495-1506. | 1.3 | 11 |
| 17 | Capability of Utilizing CYP3A5 Polymorphisms to Predict Therapeutic Dosage of Tacrolimus at Early Stage Post-Renal Transplantation. <i>International Journal of Molecular Sciences</i> , 2015, 16, 1840-1854. | 4.1 | 11 |
| 18 | Comparison of nivolumab plus ipilimumab with tyrosine kinase inhibitors as first-line therapies for metastatic renal-cell carcinoma: a multicenter retrospective study. <i>International Journal of Clinical Oncology</i> , 2021, 26, 154-162. | 2.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Impact of early changes in serum biomarkers following androgen deprivation therapy on clinical outcomes in metastatic hormone-sensitive prostate cancer. <i>BMC Urology</i> , 2018, 18, 32. | 1.4 | 10 |
| 20 | Validation of the IMDC Prognostic Model in Patients With Metastatic Renal-Cell Carcinoma Treated With First-Line Axitinib: A Multicenter Retrospective Study. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e1080-e1089. | 1.9 | 10 |
| 21 | Efficacy and safety of nivolumab for renal cell carcinoma in patients over 75 years old from multiple Japanese institutes. <i>International Journal of Clinical Oncology</i> , 2020, 25, 1543-1550. | 2.2 | 10 |
| 22 | Impact of nuclear YAP1 expression in residual cancer after neoadjuvant chemohormonal therapy with docetaxel for high-risk localized prostate cancer. <i>BMC Cancer</i> , 2020, 20, 302. | 2.6 | 10 |
| 23 | Impact of cytoreductive nephrectomy in patients with primary metastatic renal cell carcinoma receiving systemic tyrosine kinase inhibitor therapy: A multicenter retrospective study. <i>International Journal of Urology</i> , 2021, 28, 369-375. | 1.0 | 10 |
| 24 | Outcomes of axitinib versus sunitinib as first-line therapy to patients with metastatic renal cell carcinoma in the immune-oncology era. <i>Cancer Medicine</i> , 2021, 10, 5839-5846. | 2.8 | 10 |
| 25 | Influence of CYP3A5 genetic differences in tacrolimus on quantitative interstitial fibrosis and long-term graft function in kidney transplant recipients. <i>International Immunopharmacology</i> , 2018, 58, 57-63. | 3.8 | 9 |
| 26 | Prediction of Tacrolimus Exposure by CYP3A5 Genotype and Exposure of Co-Administered Everolimus in Japanese Renal Transplant Recipients. <i>International Journal of Molecular Sciences</i> , 2018, 19, 882. | 4.1 | 9 |
| 27 | Effect of HLA genotype on intravesical recurrence after bacillus Calmette-Guérin therapy for non-muscle-invasive bladder cancer. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 727-736. | 4.2 | 9 |
| 28 | Incidence, Etiology, Prevention and Management of Ureteroenteric Strictures after Robot-Assisted Radical Cystectomy: A Review of Published Evidence and Personal Experience. <i>Current Oncology</i> , 2021, 28, 4109-4117. | 2.2 | 8 |
| 29 | Subgroup analysis of the AFTER I-O study: a retrospective study on the efficacy and safety of subsequent molecular targeted therapy after immune-oncology therapy in Japanese patients with metastatic renal cell carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1656-1664. | 1.3 | 7 |
| 30 | Severe Immune-Related Adverse Events in Patients Treated with Nivolumab for Metastatic Renal Cell Carcinoma Are Associated with PDCD1 Polymorphism. <i>Genes</i> , 2022, 13, 1204. | 2.4 | 7 |
| 31 | Successful Local Control of Recurrent Penile Cancer Treated with a Combination of Systemic Chemotherapy, Irradiation, and Mohs' Paste: A Case Report. <i>Case Reports in Oncology</i> , 2014, 7, 522-527. | 0.7 | 6 |
| 32 | Impact of the CYP3A5 genotype on the distributions of dose-adjusted trough concentrations and incidence of rejection in Japanese renal transplant recipients receiving different tacrolimus formulations. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 787-796. | 1.6 | 6 |
| 33 | Influence of everolimus on the pharmacokinetics of tacrolimus in Japanese renal transplant patients. <i>International Journal of Urology</i> , 2016, 23, 484-490. | 1.0 | 5 |
| 34 | Acute kidney injury and its impact on renal prognosis after robot-assisted laparoscopic radical prostatectomy. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2020, 16, 1-7. | 2.3 | 5 |
| 35 | Changes in PCSK9 and LDL cholesterol concentrations by everolimus treatment and their effects on polymorphisms in PCSK9 and mTORC1. <i>Pharmacological Reports</i> , 2020, 72, 622-630. | 3.3 | 5 |
| 36 | Significance of upfront cytoreductive nephrectomy stratified by IMDC risk for metastatic renal cell carcinoma in targeted therapy era – a multi-institutional retrospective study. <i>International Journal of Clinical Oncology</i> , 2022, 27, 563. | 2.2 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Impact of persistent preformed and de novo donor-specific antibodies detected at 1 year after kidney transplantation on long-term graft survival in Japan: a retrospective study. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 1398-1406. | 1.6 | 4 |
| 38 | Association of immunosuppressive agents and cytomegalovirus infection with de novo donor-specific antibody development within 1 year after renal transplantation. <i>International Immunopharmacology</i> , 2019, 76, 105881. | 3.8 | 4 |
| 39 | External validation of the REMARCC model for the selection of cytoreductive nephrectomy in patients with primary metastatic renal cell carcinoma: A multicenter retrospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 836.e11-836.e17. | 1.6 | 4 |
| 40 | Secondary bladder amyloidosis with familial Mediterranean fever in a living donor kidney transplant recipient: a case report. <i>BMC Research Notes</i> , 2016, 9, 473. | 1.4 | 3 |
| 41 | Robotic-assisted laparoscopic partial nephrectomy for renal cell carcinoma in horseshoe kidney: a hybrid technique with conventional laparoscopic surgery. <i>International Cancer Conference Journal</i> , 2020, 9, 199-202. | 0.5 | 3 |
| 42 | Specific Gut Microbial Environment in Lard Diet-Induced Prostate Cancer Development and Progression. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2214. | 4.1 | 3 |
| 43 | First-line axitinib therapy is less effective in metastatic renal cell carcinoma with spindle histology. <i>Scientific Reports</i> , 2020, 10, 20089. | 3.3 | 2 |
| 44 | Impact of obesity and adiponectin signaling in patients with renal cell carcinoma: A potential mechanism for the obesity paradox.. <i>Journal of Clinical Oncology</i> , 2017, 35, 449-449. | 1.6 | 2 |
| 45 | Overview of clinical management for older patients with renal cell carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 665-681. | 1.3 | 2 |
| 46 | Renal Subcapsular Fluid Collection Caused by Penetration of a Pancreatic Pseudocyst. <i>Urology</i> , 2014, 84, e23-e24. | 1.0 | 1 |
| 47 | Editorial Comment from Dr Numakura to Clinicopathological characteristics of Xp11.2 translocation renal cell carcinoma in adolescents and adults: Diagnosis using immunostaining of transcription factor E3 and fluorescence <i>in situ</i> hybridization analysis. <i>International Journal of Urology</i> , 2016, 23, 147-147. | 1.0 | 0 |
| 48 | Prognostic value of plasminogen activator inhibitor-1 in biomarker exploration using multiplex immunoassay in patients with metastatic renal cell carcinoma treated with axitinib. <i>Health Science Reports</i> , 2020, 3, e197. | 1.5 | 0 |
| 49 | The impact of UGT1A1 and SLCO1B1 genetic polymorphisms and pharmacokinetics of axitinib on clinical safety and efficacy in patients with metastatic renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2017, 35, 448-448. | 1.6 | 0 |
| 50 | Treatment-free survival after discontinuation of immuno-checkpoint therapy, and outcome of subsequent molecular targeted therapy: Retrospective study of Japanese metastatic renal cell carcinoma patients (after I-O study).. <i>Journal of Clinical Oncology</i> , 2020, 38, 677-677. | 1.6 | 0 |