

Kazuyuki Numakura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5219317/publications.pdf>

Version: 2024-02-01

50
papers

592
citations

840776

11
h-index

713466

21
g-index

54
all docs

54
docs citations

54
times ranked

783
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of HLA genotype on intravesical recurrence after bacillus Calmette-Guérin therapy for non-muscle-invasive bladder cancer. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 727-736.	4.2	9
2	Prognostic impact of proton pump inhibitors for immunotherapy in advanced urothelial carcinoma. <i>BJUJ Compass</i> , 2022, 3, 154-161.	1.3	13
3	Significance of upfront cytoreductive nephrectomy stratified by IMDC risk for metastatic renal cell carcinoma in targeted therapy era – a multi-institutional retrospective study. <i>International Journal of Clinical Oncology</i> , 2022, 27, 563.	2.2	5
4	Overview of clinical management for older patients with renal cell carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2022, 52, 665-681.	1.3	2
5	Specific Gut Microbial Environment in Lard Diet-Induced Prostate Cancer Development and Progression. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2214.	4.1	3
6	Severe Immune-Related Adverse Events in Patients Treated with Nivolumab for Metastatic Renal Cell Carcinoma Are Associated with PDCD1 Polymorphism. <i>Genes</i> , 2022, 13, 1204.	2.4	7
7	Comparison of nivolumab plus ipilimumab with tyrosine kinase inhibitors as first-line therapies for metastatic renal-cell carcinoma: a multicenter retrospective study. <i>International Journal of Clinical Oncology</i> , 2021, 26, 154-162.	2.2	11
8	Impact of cytoreductive nephrectomy in patients with primary metastatic renal cell carcinoma receiving systemic tyrosine kinase inhibitor therapy: A multicenter retrospective study. <i>International Journal of Urology</i> , 2021, 28, 369-375.	1.0	10
9	Efficacy and safety of subsequent molecular targeted therapy after immuno-checkpoint therapy, retrospective study of Japanese patients with metastatic renal cell carcinoma (AFTER I-O study). <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 966-975.	1.3	12
10	Outcomes of axitinib versus sunitinib as first-line therapy to patients with metastatic renal cell carcinoma in the immune-oncology era. <i>Cancer Medicine</i> , 2021, 10, 5839-5846.	2.8	10
11	Subgroup analysis of the AFTER I-O study: a retrospective study on the efficacy and safety of subsequent molecular targeted therapy after immune-oncology therapy in Japanese patients with metastatic renal cell carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 1656-1664.	1.3	7
12	External validation of the REMARCC model for the selection of cytoreductive nephrectomy in patients with primary metastatic renal cell carcinoma: A multicenter retrospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 836.e11-836.e17.	1.6	4
13	Incidence, Etiology, Prevention and Management of Ureteroenteric Strictures after Robot-Assisted Radical Cystectomy: A Review of Published Evidence and Personal Experience. <i>Current Oncology</i> , 2021, 28, 4109-4117.	2.2	8
14	Robotic-assisted laparoscopic partial nephrectomy for renal cell carcinoma in horseshoe kidney: a hybrid technique with conventional laparoscopic surgery. <i>International Cancer Conference Journal</i> , 2020, 9, 199-202.	0.5	3
15	First-line axitinib therapy is less effective in metastatic renal cell carcinoma with spindle histology. <i>Scientific Reports</i> , 2020, 10, 20089.	3.3	2
16	Prognostic value of plasminogen activator inhibitor-1 in biomarker exploration using multiplex immunoassay in patients with metastatic renal cell carcinoma treated with axitinib. <i>Health Science Reports</i> , 2020, 3, e197.	1.5	0
17	Efficacy and safety of first-line nivolumab plus ipilimumab in patients with metastatic renal cell carcinoma: A multicenter retrospective study. <i>International Journal of Urology</i> , 2020, 27, 1095-1100.	1.0	20
18	Acute kidney injury and its impact on renal prognosis after robot-assisted laparoscopic radical prostatectomy. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2020, 16, 1-7.	2.3	5

#	ARTICLE	IF	CITATIONS
19	Efficacy and safety of nivolumab for renal cell carcinoma in patients over 75 years old from multiple Japanese institutes. <i>International Journal of Clinical Oncology</i> , 2020, 25, 1543-1550.	2.2	10
20	Changes in PCSK9 and LDL cholesterol concentrations by everolimus treatment and their effects on polymorphisms in PCSK9 and mTORC1. <i>Pharmacological Reports</i> , 2020, 72, 622-630.	3.3	5
21	Avelumab plus axitinib vs sunitinib for advanced renal cell carcinoma: Japanese subgroup analysis from JAVELIN Renal 101. <i>Cancer Science</i> , 2020, 111, 907-923.	3.9	33
22	Impact of nuclear YAP1 expression in residual cancer after neoadjuvant chemohormonal therapy with docetaxel for high-risk localized prostate cancer. <i>BMC Cancer</i> , 2020, 20, 302.	2.6	10
23	Treatment-free survival after discontinuation of immuno-checkpoint therapy, and outcome of subsequent molecular targeted therapy: Retrospective study of Japanese metastatic renal cell carcinoma patients (after I-O study).. <i>Journal of Clinical Oncology</i> , 2020, 38, 677-677.	1.6	0
24	Validation of the IMDC Prognostic Model in Patients With Metastatic Renal-Cell Carcinoma Treated With First-Line Axitinib: A Multicenter Retrospective Study. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e1080-e1089.	1.9	10
25	Efficacy of anti-PD-1 antibody nivolumab in Japanese patients with metastatic renal cell carcinoma: A retrospective multicenter analysis. <i>Molecular and Clinical Oncology</i> , 2019, 11, 320-324.	1.0	12
26	Impact of persistent preformed and de novo donor-specific antibodies detected at 1 year after kidney transplantation on long-term graft survival in Japan: a retrospective study. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 1398-1406.	1.6	4
27	Association of immunosuppressive agents and cytomegalovirus infection with de novo donor-specific antibody development within 1 year after renal transplantation. <i>International Immunopharmacology</i> , 2019, 76, 105881.	3.8	4
28	Radical Prostatectomy With and Without Neoadjuvant Chemohormonal Pretreatment for High-Risk Localized Prostate Cancer: A Comparative Propensity Score Matched Analysis. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e113-e122.	1.9	14
29	Contribution of UGT1A1 genetic polymorphisms related to axitinib pharmacokinetics to safety and efficacy in patients with renal cell carcinoma. <i>Medical Oncology</i> , 2018, 35, 51.	2.5	18
30	Influence of CYP3A5 genetic differences in tacrolimus on quantitative interstitial fibrosis and long-term graft function in kidney transplant recipients. <i>International Immunopharmacology</i> , 2018, 58, 57-63.	3.8	9
31	Clinical implications of pharmacokinetics of sunitinib malate and N-desethyl-sunitinib plasma concentrations for treatment outcome in metastatic renal cell carcinoma patients. <i>Oncotarget</i> , 2018, 9, 25277-25284.	1.8	18
32	Incidence and location of positive surgical margin among open, laparoscopic and robot-assisted radical prostatectomy in prostate cancer patients: a single institutional analysis. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 765-770.	1.3	22
33	Prediction of Tacrolimus Exposure by CYP3A5 Genotype and Exposure of Co-Administered Everolimus in Japanese Renal Transplant Recipients. <i>International Journal of Molecular Sciences</i> , 2018, 19, 882.	4.1	9
34	Impact of early changes in serum biomarkers following androgen deprivation therapy on clinical outcomes in metastatic hormone-sensitive prostate cancer. <i>BMC Urology</i> , 2018, 18, 32.	1.4	10
35	Impact of the CYP3A5 genotype on the distributions of dose-adjusted trough concentrations and incidence of rejection in Japanese renal transplant recipients receiving different tacrolimus formulations. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 787-796.	1.6	6
36	Clinical effects of single nucleotide polymorphisms on drug-related genes in Japanese metastatic renal cell carcinoma patients treated with sunitinib. <i>Anti-Cancer Drugs</i> , 2017, 28, 97-103.	1.4	14

#	ARTICLE	IF	CITATIONS
37	Effect of hepatic drug transporter polymorphisms on the pharmacokinetics of mycophenolic acid in patients with severe renal dysfunction before renal transplantation. <i>Xenobiotica</i> , 2017, 47, 916-922.	1.1	12
38	The impact of UGT1A1 and SLCO1B1 genetic polymorphisms and pharmacokinetics of axitinib on clinical safety and efficacy in patients with metastatic renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2017, 35, 448-448.	1.6	0
39	Impact of obesity and adiponectin signaling in patients with renal cell carcinoma: A potential mechanism for the obesity paradox.. <i>Journal of Clinical Oncology</i> , 2017, 35, 449-449.	1.6	2
40	Editorial Comment from Dr Numakura to Clinicopathological characteristics of Xp11.2 translocation renal cell carcinoma in adolescents and adults: Diagnosis using immunostaining of transcription factor E3 and fluorescence <i>in situ</i> hybridization analysis. <i>International Journal of Urology</i> , 2016, 23, 147-147.	1.0	0
41	Secondary bladder amyloidosis with familial Mediterranean fever in a living donor kidney transplant recipient: a case report. <i>BMC Research Notes</i> , 2016, 9, 473.	1.4	3
42	Influence of everolimus on the pharmacokinetics of tacrolimus in Japanese renal transplant patients. <i>International Journal of Urology</i> , 2016, 23, 484-490.	1.0	5
43	Capability of Utilizing CYP3A5 Polymorphisms to Predict Therapeutic Dosage of Tacrolimus at Early Stage Post-Renal Transplantation. <i>International Journal of Molecular Sciences</i> , 2015, 16, 1840-1854.	4.1	11
44	Pharmacokinetic and CYP3A5 pharmacogenetic differences between once- and twice-daily tacrolimus from the first dosing day to 1 year after renal transplantation. <i>Pharmacogenomics</i> , 2014, 15, 1495-1506.	1.3	11
45	Renal Subcapsular Fluid Collection Caused by Penetration of a Pancreatic Pseudocyst. <i>Urology</i> , 2014, 84, e23-e24.	1.0	1
46	Successful Local Control of Recurrent Penile Cancer Treated with a Combination of Systemic Chemotherapy, Irradiation, and Mohs' Paste: A Case Report. <i>Case Reports in Oncology</i> , 2014, 7, 522-527.	0.7	6
47	Pharmaceutical and genetic determinants for interindividual differences of tacrolimus bioavailability in renal transplant recipients. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 1659-1665.	1.9	26
48	Hyperuricemia at 1 Year After Renal Transplantation, Its Prevalence, Associated Factors, and Graft Survival. <i>Transplantation</i> , 2012, 94, 145-151.	1.0	36
49	Comparison of Pharmacokinetics and Pharmacogenetics of Once- and Twice-Daily Tacrolimus in the Early Stage After Renal Transplantation. <i>Transplantation</i> , 2012, 94, 1013-1019.	1.0	55
50	Clinical and Genetic Risk Factors for Posttransplant Diabetes Mellitus in Adult Renal Transplant Recipients Treated with Tacrolimus. <i>Transplantation</i> , 2005, 80, 1419-1424.	1.0	82