

# Elisabeth S Bakker

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5220137/elisabeth-s-bakker-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97  
papers

3,743  
citations

32  
h-index

59  
g-index

103  
ext. papers

4,541  
ext. citations

4.3  
avg, IF

5.52  
L-index

#	Paper	IF	Citations
97	Herbivore exclusion and active planting stimulate reed marsh development on a newly constructed archipelago. <i>Ecological Engineering</i> , <b>2022</b> , 175, 106474	3.9	1
96	Fish grazing enhanced by nutrient enrichment may limit invasive seagrass expansion. <i>Aquatic Botany</i> , <b>2022</b> , 176, 103464	1.8	0
95	Impacts of sediment resuspension on phytoplankton biomass production and trophic transfer: Implications for shallow lake restoration. <i>Science of the Total Environment</i> , <b>2021</b> , 808, 152156	10.2	1
94	Temperature affects carbon and nitrogen stable isotopic signatures of aquatic plants. <i>Aquatic Sciences</i> , <b>2021</b> , 83, 1	2.5	1
93	Perspectives on a Way Forward to Implementation of Precision Medicine in Patients With Diabetic Kidney Disease; Results of a Stakeholder Consensus-Building Meeting. <i>Frontiers in Pharmacology</i> , <b>2021</b> , 12, 662642	5.6	1
92	Frugivory underpins the nitrogen cycle. <i>Functional Ecology</i> , <b>2021</b> , 35, 357-368	5.6	10
91	Enhancing ecological integrity while preserving ecosystem services: Constructing soft-sediment islands in a shallow lake. <i>Ecological Solutions and Evidence</i> , <b>2021</b> , 2, e12098	2.1	0
90	Long-term cross-scale comparison of grazing and mowing on plant diversity and community composition in a salt-marsh system. <i>Journal of Ecology</i> , <b>2021</b> , 109, 3737	6	0
89	Nature development in degraded landscapes: How pioneer bioturbators and water level control soil subsidence, nutrient chemistry and greenhouse gas emission. <i>Pedobiologia</i> , <b>2021</b> , 87-88, 150745	1.7	2
88	Seagrass coastal protection services reduced by invasive species expansion and megaherbivore grazing. <i>Journal of Ecology</i> , <b>2020</b> , 108, 2025-2037	6	11
87	Climate Extremes, Rewilding, and the Role of Microhabitats. <i>One Earth</i> , <b>2020</b> , 2, 506-509	8.1	11
86	Ectothermic omnivores increase herbivory in response to rising temperature. <i>Oikos</i> , <b>2020</b> , 129, 1028-1039	4.9	10
85	Nutrient availability controls the impact of mammalian herbivores on soil carbon and nitrogen pools in grasslands. <i>Global Change Biology</i> , <b>2020</b> , 26, 2060	11.4	22
84	Direct and indirect effects of native plants and herbivores on biotic resistance to alien aquatic plant invasions. <i>Journal of Ecology</i> , <b>2020</b> , 108, 1487-1496	6	5
83	On the move: New insights on the ecology and management of native and alien macrophytes. <i>Aquatic Botany</i> , <b>2020</b> , 162, 103190	1.8	6
82	Herbivore phenology can predict response to changes in plant quality by livestock grazing. <i>Oikos</i> , <b>2020</b> , 129, 811-819	4	1
81	Species identity and diversity effects on invasion resistance of tropical freshwater plant communities. <i>Scientific Reports</i> , <b>2020</b> , 10, 5626	4.9	2

80	Interactive Effects of Rising Temperature and Nutrient Enrichment on Aquatic Plant Growth, Stoichiometry, and Palatability. <i>Frontiers in Plant Science</i> , <b>2020</b> , 11, 58	6.2	11
79	Success of lake restoration depends on spatial aspects of nutrient loading and hydrology. <i>Science of the Total Environment</i> , <b>2019</b> , 679, 248-259	10.2	24
78	More salt, please: global patterns, responses and impacts of foliar sodium in grasslands. <i>Ecology Letters</i> , <b>2019</b> , 22, 1136-1144	10	20
77	Plant functional diversity and nutrient availability can improve restoration of floating fens via facilitation, complementarity and selection effects. <i>Journal of Applied Ecology</i> , <b>2019</b> , 56, 235-245	5.8	6
76	Combined effects of shading and clipping on the invasive alien macrophyte <i>Elodea nuttallii</i> . <i>Aquatic Botany</i> , <b>2019</b> , 154, 24-27	1.8	4
75	Classifying nuisance submerged vegetation depending on ecosystem services. <i>Limnology</i> , <b>2019</b> , 20, 55-68.	7	13
74	Effects of Rising Temperature on the Growth, Stoichiometry, and Palatability of Aquatic Plants. <i>Frontiers in Plant Science</i> , <b>2018</b> , 9, 1947	6.2	27
73	The effect of temperature on herbivory by the omnivorous ectotherm snail <i>Lymnaea stagnalis</i> . <i>Hydrobiologia</i> , <b>2018</b> , 812, 147-155	2.4	24
72	Plants in aquatic ecosystems: current trends and future directions. <i>Hydrobiologia</i> , <b>2018</b> , 812, 1-11	2.4	62
71	Mechanisms of Invasion Resistance of Aquatic Plant Communities. <i>Frontiers in Plant Science</i> , <b>2018</b> , 9, 134	6.2	22
70	Response of Submerged Macrophyte Communities to External and Internal Restoration Measures in North Temperate Shallow Lakes. <i>Frontiers in Plant Science</i> , <b>2018</b> , 9, 194	6.2	58
69	Managing Successional Stage Heterogeneity to Maximize Landscape-Wide Biodiversity of Aquatic Vegetation in Ditch Networks. <i>Frontiers in Plant Science</i> , <b>2018</b> , 9, 1013	6.2	9
68	Warming enhances sedimentation and decomposition of organic carbon in shallow macrophyte-dominated systems with zero net effect on carbon burial. <i>Global Change Biology</i> , <b>2018</b> , 24, 5231-5242	11.4	18
67	High Grazing Pressure of Geese Threatens Conservation and Restoration of Reed Belts. <i>Frontiers in Plant Science</i> , <b>2018</b> , 9, 1649	6.2	11
66	Aquatic omnivores shift their trophic position towards increased plant consumption as plant stoichiometry becomes more similar to their body stoichiometry. <i>PLoS ONE</i> , <b>2018</b> , 13, e0204116	3.7	9
65	Change in dominance determines herbivore effects on plant biodiversity. <i>Nature Ecology and Evolution</i> , <b>2018</b> , 2, 1925-1932	12.3	77
64	Trophic rewilding: impact on ecosystems under global change. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2018</b> , 373,	5.8	34
63	Plant traits and plant biogeography control the biotic resistance provided by generalist herbivores. <i>Functional Ecology</i> , <b>2017</b> , 31, 1184-1192	5.6	25

62	Herbivore exclusion promotes a more stochastic plant community assembly in a natural grassland. <i>Ecology</i> , <b>2017</b> , 98, 961-970	4.6	25
61	Mowing Submerged Macrophytes in Shallow Lakes with Alternative Stable States: Battling the Good Guys?. <i>Environmental Management</i> , <b>2017</b> , 59, 619-634	3.1	43
60	Periphyton density is similar on native and non-native plant species. <i>Freshwater Biology</i> , <b>2017</b> , 62, 906-915	3.1	13
59	Herbivore size matters for productivity-richness relationships in African savannas: Commentary on Burkepile et al. (2017). <i>Journal of Ecology</i> , <b>2017</b> , 105, 687-689	6	
58	Finding the harvesting frequency to maximize nutrient removal in a constructed wetland dominated by submerged aquatic plants. <i>Ecological Engineering</i> , <b>2017</b> , 106, 423-430	3.9	24
57	Mass development of monospecific submerged macrophyte vegetation after the restoration of shallow lakes: Roles of light, sediment nutrient levels, and propagule density. <i>Aquatic Botany</i> , <b>2017</b> , 141, 29-38	1.8	32
56	Growth strategy, phylogeny and stoichiometry determine the allelopathic potential of native and non-native plants. <i>Oikos</i> , <b>2017</b> , 126, 1770-1779	4	18
55	Management and control methods of invasive alien freshwater aquatic plants: A review. <i>Aquatic Botany</i> , <b>2017</b> , 136, 112-137	1.8	151
54	Impact of Temperature and Nutrients on Carbon: Nutrient Tissue Stoichiometry of Submerged Aquatic Plants: An Experiment and Meta-Analysis. <i>Frontiers in Plant Science</i> , <b>2017</b> , 8, 655	6.2	27
53	The Stoichiometry of Nutrient Release by Terrestrial Herbivores and Its Ecosystem Consequences. <i>Frontiers in Earth Science</i> , <b>2017</b> , 5,	3.5	36
52	Invasive species in inland waters: from early detection to innovative management approaches. <i>Aquatic Invasions</i> , <b>2017</b> , 12, 269-273	2.9	15
51	Potential for biotic resistance from herbivores to tropical and subtropical plant invasions in aquatic ecosystems. <i>Aquatic Invasions</i> , <b>2017</b> , 12, 343-353	2.9	5
50	Effects of warming on <i>Potamogeton crispus</i> growth and tissue stoichiometry in the growing season. <i>Aquatic Botany</i> , <b>2016</b> , 128, 13-17	1.8	20
49	The impact of bird herbivory on macrophytes and the resilience of the clear-water state in shallow lakes: a model study. <i>Hydrobiologia</i> , <b>2016</b> , 777, 197-207	2.4	16
48	Lake restoration by in-lake iron addition: a synopsis of iron impact on aquatic organisms and shallow lake ecosystems. <i>Aquatic Ecology</i> , <b>2016</b> , 50, 121-135	1.9	35
47	Impact of water-level fluctuations on cyanobacterial blooms: options for management. <i>Aquatic Ecology</i> , <b>2016</b> , 50, 485-498	1.9	49
46	Insect herbivory on native and exotic aquatic plants: phosphorus and nitrogen drive insect growth and nutrient release. <i>Hydrobiologia</i> , <b>2016</b> , 778, 209-220	2.4	21
45	Global nutrient transport in a world of giants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, 868-73	11.5	215

44	Combining paleo-data and modern enclosure experiments to assess the impact of megafauna extinctions on woody vegetation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, 847-55	11.5	192
43	Synergy between shading and herbivory triggers macrophyte loss and regime shifts in aquatic systems. <i>Oikos</i> , <b>2016</b> , 125, 1489-1495	4	37
42	Locomotion during digestion changes current estimates of seed dispersal kernels by fish. <i>Functional Ecology</i> , <b>2016</b> , 30, 215-225	5.6	11
41	Assessing the role of large herbivores in the structuring and functioning of freshwater and marine angiosperm ecosystems. <i>Ecography</i> , <b>2016</b> , 39, 162-179	6.5	78
40	Herbivory on freshwater and marine macrophytes: A review and perspective. <i>Aquatic Botany</i> , <b>2016</b> , 135, 18-36	1.8	131
39	Fighting internal phosphorus loading: An evaluation of the large scale application of gradual Fe-addition to a shallow peat lake. <i>Ecological Engineering</i> , <b>2015</b> , 83, 78-89	3.9	33
38	Native and non-native plants provide similar refuge to invertebrate prey, but less than artificial plants. <i>PLoS ONE</i> , <b>2015</b> , 10, e0124455	3.7	29
37	Grazing-induced changes in plant-soil feedback alter plant biomass allocation. <i>Oikos</i> , <b>2014</b> , 123, 800-806	4	36
36	Flooding tolerance and horizontal expansion of wetland plants: Facilitation by floating mats?. <i>Aquatic Botany</i> , <b>2014</b> , 113, 83-89	1.8	14
35	Herbivores Enforce Sharp Boundaries Between Terrestrial and Aquatic Ecosystems. <i>Ecosystems</i> , <b>2014</b> , 17, 1426-1438	3.9	15
34	Windows of opportunity for germination of riparian species after restoring water level fluctuations: a field experiment with controlled seed banks. <i>Journal of Applied Ecology</i> , <b>2014</b> , 51, 1006-1014	5.8	37
33	Hydrology, shore morphology and species traits affect seed dispersal, germination and community assembly in shoreline plant communities. <i>Journal of Ecology</i> , <b>2014</b> , 102, 998-1007	6	39
32	Experimental evidence for enhanced top-down control of freshwater macrophytes with nutrient enrichment. <i>Oecologia</i> , <b>2014</b> , 176, 825-36	2.9	23
31	Iron addition as a measure to restore water quality: Implications for macrophyte growth. <i>Aquatic Botany</i> , <b>2014</b> , 116, 44-52	1.8	22
30	A Device to Study the Behavioral Responses of Zooplankton to Food Quality and Quantity. <i>Journal of Insect Behavior</i> , <b>2013</b> , 26, 453-465	1.1	2
29	Iron addition as a shallow lake restoration measure: impacts on charophyte growth. <i>Hydrobiologia</i> , <b>2013</b> , 710, 241-251	2.4	23
28	Restoring macrophyte diversity in shallow temperate lakes: biotic versus abiotic constraints. <i>Hydrobiologia</i> , <b>2013</b> , 710, 23-37	2.4	116
27	An integrated perspective to explain nitrogen mineralization in grazed ecosystems. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , <b>2013</b> , 15, 32-44	3	72

26	Testing the stress gradient hypothesis in herbivore communities facilitation peaks at intermediate nutrient levels. <i>Ecology</i> , <b>2013</b> , 94, 1776-84	4.6	22
25	Aquatic grazers reduce the establishment and growth of riparian plants along an environmental gradient. <i>Freshwater Biology</i> , <b>2013</b> , 58, 1794-1803	3.1	17
24	Invasive crayfish threaten the development of submerged macrophytes in lake restoration. <i>PLoS ONE</i> , <b>2013</b> , 8, e78579	3.7	28
23	Host location success of root-feeding nematodes in patches that differ in size and quality: A belowground release-recapture experiment. <i>Basic and Applied Ecology</i> , <b>2012</b> , 13, 221-231	3.2	0
22	Effects of contrasting omnivorous fish on submerged macrophyte biomass in temperate lakes: a mesocosm experiment. <i>Freshwater Biology</i> , <b>2012</b> , 57, 1360-1372	3.1	26
21	The good, the bad and the plenty: interactive effects of food quality and quantity on the growth of different <i>Daphnia</i> species. <i>PLoS ONE</i> , <b>2012</b> , 7, e42966	3.7	19
20	Aquatic herbivores facilitate the emission of methane from wetlands. <i>Ecology</i> , <b>2011</b> , 92, 1166-73	4.6	24
19	Herbivory in omnivorous fishes: effect of plant secondary metabolites and prey stoichiometry. <i>Freshwater Biology</i> , <b>2011</b> , 56, 1783-1797	3.1	55
18	Effects of nutrient additions and macrophyte composition on invertebrate community assembly and diversity in experimental ponds. <i>Basic and Applied Ecology</i> , <b>2011</b> , 12, 466-475	3.2	44
17	Aquatic herbivores facilitate the emission of methane from wetlands <b>2011</b> , 92, 1166		8
16	Differences in tolerance of pondweeds and charophytes to vertebrate herbivores in a shallow Baltic estuary. <i>Aquatic Botany</i> , <b>2010</b> , 93, 123-128	1.8	24
15	Effect of macrophyte community composition and nutrient enrichment on plant biomass and algal blooms. <i>Basic and Applied Ecology</i> , <b>2010</b> , 11, 432-439	3.2	70
14	Effects of cattle and rabbit grazing on clonal expansion of spiny shrubs in wood-pastures. <i>Basic and Applied Ecology</i> , <b>2010</b> , 11, 685-692	3.2	19
13	Contrasting effects of large herbivore grazing on smaller herbivores. <i>Basic and Applied Ecology</i> , <b>2009</b> , 10, 141-150	3.2	39
12	Cross-site comparison of herbivore impact on nitrogen availability in grasslands: the role of plant nitrogen concentration. <i>Oikos</i> , <b>2009</b> , 118, 1613-1622	4	37
11	Herbivore impact on grassland plant diversity depends on habitat productivity and herbivore size. <i>Ecology Letters</i> , <b>2006</b> , 9, 780-8	10	326
10	Experimental manipulation of predation risk and food quality: effect on grazing behaviour in a central-place foraging herbivore. <i>Oecologia</i> , <b>2005</b> , 146, 157-67	2.9	81
9	Ecological anachronisms in the recruitment of temperate light-demanding tree species in wooded pastures. <i>Journal of Applied Ecology</i> , <b>2004</b> , 41, 571-582	5.8	136

8	Impact of herbivores on nitrogen cycling: contrasting effects of small and large species. <i>Oecologia</i> , <b>2004</b> , 138, 91-101	2.9	119
7	SPATIAL HETEROGENEITY, NOT VISITATION BIAS, DOMINATES VARIATION IN HERBIVORY: REPLY. <i>Ecology</i> , <b>2004</b> , 85, 2906-2910	4.6	3
6	Impact of different-sized herbivores on recruitment opportunities for subordinate herbs in grasslands. <i>Journal of Vegetation Science</i> , <b>2003</b> , 14, 465-474	3.1	91
5	Impact of different-sized herbivores on recruitment opportunities for subordinate herbs in grasslands <b>2003</b> , 14, 465		8
4	Shifting Mosaics in Grazed Woodlands Driven by the Alternation of Plant Facilitation and Competition. <i>Plant Biology</i> , <b>1999</b> , 1, 127-137	3.7	170
3	Soil seed bank composition along a gradient from dry alvar grassland to Juniperus shrubland. <i>Journal of Vegetation Science</i> , <b>1996</b> , 7, 165-176	3.1	135
2	The role of plant secondary metabolites in freshwater macrophyte herbivore interactions 154-169		20
1	Large herbivores: missing partners of western European light-demanding tree and shrub species? 203-231		26