

David R Clarke

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5221010/david-r-clarke-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139
papers

16,360
citations

57
h-index

127
g-index

144
ext. papers

18,476
ext. citations

6.2
avg, IF

7.13
L-index

#	Paper	IF	Citations
139	Effective thermal conductivity of particulate composites with interfacial thermal resistance. <i>Journal of Applied Physics</i> , 1997 , 81, 6692-6699	2.5	1395
138	Size dependent hardness of silver single crystals. <i>Journal of Materials Research</i> , 1995 , 10, 853-863	2.5	1063
137	Nanoscale thermal transport. II. 2003-2012. <i>Applied Physics Reviews</i> , 2014 , 1, 011305	17.3	1050
136	Varistor Ceramics. <i>Journal of the American Ceramic Society</i> , 2004 , 82, 485-502	3.8	923
135	The Tetragonal-Monoclinic Transformation in Zirconia: Lessons Learned and Future Trends. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 1901-1920	3.8	899
134	Thermal-barrier coatings for more efficient gas-turbine engines. <i>MRS Bulletin</i> , 2012 , 37, 891-898	3.2	736
133	Materials selection guidelines for low thermal conductivity thermal barrier coatings. <i>Surface and Coatings Technology</i> , 2003 , 163-164, 67-74	4.4	727
132	Thermal barrier coating materials. <i>Materials Today</i> , 2005 , 8, 22-29	21.8	664
131	On the Equilibrium Thickness of Intergranular Glass Phases in Ceramic Materials. <i>Journal of the American Ceramic Society</i> , 1987 , 70, 15-22	3.8	637
130	Data-Driven Review of Thermoelectric Materials: Performance and Resource Considerations. <i>Chemistry of Materials</i> , 2013 , 25, 2911-2920	9.6	285
129	Dielectric Elastomer Based "Grippers" for Soft Robotics. <i>Advanced Materials</i> , 2015 , 27, 6814-9	24	282
128	Determination of the Piezospectroscopic Coefficients for Chromium-Doped Sapphire. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 1347-1353	3.8	278
127	Interpenetrating Phase Composites. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 739-758	3.8	271
126	Stress Measurement in Single-Crystal and Polycrystalline Ceramics Using Their Optical Fluorescence. <i>Journal of the American Ceramic Society</i> , 1993 , 76, 1433-1440	3.8	270
125	Tunable lenses using transparent dielectric elastomer actuators. <i>Optics Express</i> , 2013 , 21, 8669-76	3.3	227
124	Dielectric elastomer actuators under equal-biaxial forces, uniaxial forces, and uniaxial constraint of stiff fibers. <i>Soft Matter</i> , 2012 , 8, 6167	3.6	200
123	Controlled flight of a microrobot powered by soft artificial muscles. <i>Nature</i> , 2019 , 575, 324-329	50.4	199

122	Anisotropic elastic and thermal properties of the double perovskite slab/rock salt layer Ln ₂ SrAl ₂ O ₇ (Ln=La, Nd, Sm, Eu, Gd or Dy) natural superlattice structure. <i>Acta Materialia</i> , 2012 , 60, 3380-3392	8.4	191
121	Piezospectroscopic Determination of Residual Stresses in Polycrystalline Alumina. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 298-302	3.8	183
120	Adaptive metalenses with simultaneous electrical control of focal length, astigmatism, and shift. <i>Science Advances</i> , 2018 , 4, eaap9957	14.3	181
119	Oxide Materials with Low Thermal Conductivity. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 533-540	3.8	175
118	The microstructural location of the intergranular metal-oxide phase in a zinc oxide varistor. <i>Journal of Applied Physics</i> , 1978 , 49, 2407	2.5	157
117	Calcium Concentration Dependence of the Intergranular Film Thickness in Silicon Nitride. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 911-914	3.8	156
116	Possible Electrical Double-Layer Contribution to the Equilibrium Thickness of Intergranular Glass Films in Polycrystalline Ceramics. <i>Journal of the American Ceramic Society</i> , 1993 , 76, 1201-1204	3.8	153
115	Mechanical and chemical consequences of the residual stresses in plasma sprayed hydroxyapatite coatings. <i>Biomaterials</i> , 1997 , 18, 477-82	15.6	147
114	Realizing the potential of dielectric elastomer artificial muscles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 2476-2481	11.5	146
113	Multilayer Dielectric Elastomers for Fast, Programmable Actuation without Prestretch. <i>Advanced Materials</i> , 2016 , 28, 8058-8063	24	141
112	Maximizing the Energy Density of Dielectric Elastomer Generators Using Equi-Biaxial Loading. <i>Advanced Functional Materials</i> , 2013 , 23, 5056-5061	15.6	139
111	Giant, voltage-actuated deformation of a dielectric elastomer under dead load. <i>Applied Physics Letters</i> , 2012 , 100, 041911	3.4	137
110	Fracture toughness measurements of YBa ₂ Cu ₃ O _x single crystals. <i>Applied Physics Letters</i> , 1987 , 51, 454-456	3.4	126
109	Forces between Alumina Surfaces in Salt Solutions: Non-DLVO Forces and the Implications for Colloidal Processing. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 437-443	3.8	121
108	Issues in the Processing of Cuprate Ceramic Superconductors. <i>Journal of the American Ceramic Society</i> , 1989 , 72, 1103-1113	3.8	115
107	The thickness and stretch dependence of the electrical breakdown strength of an acrylic dielectric elastomer. <i>Applied Physics Letters</i> , 2012 , 101, 122905	3.4	111
106	Thermal conductivity of yttria-stabilized zirconia/lafnia solid solutions. <i>Acta Materialia</i> , 2006 , 54, 5051-5059	3.4	105
105	Microstructural aspects of the sintering of thermal barrier coatings. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 368, 212-221	5.3	96

104	Large area metalenses: design, characterization, and mass manufacturing. <i>Optics Express</i> , 2018 , 26, 15733-1585	15.85	95
103	Sample-probe interactions in spectroscopy: Sampling microscopic property gradients. <i>Journal of Applied Physics</i> , 1995 , 77, 1855-1863	2.5	93
102	Complex ordered patterns in mechanical instability induced geometrically frustrated triangular cellular structures. <i>Physical Review Letters</i> , 2014 , 112, 098701	7.4	92
101	Defect and stress characterization of AlN films by Raman spectroscopy. <i>Applied Physics Letters</i> , 2006 , 89, 241911	3.4	91
100	Observation of Subcritical Spall Propagation of a Thermal Barrier Coating. <i>Journal of the American Ceramic Society</i> , 1998 , 81, 3237-3242	3.8	88
99	Compact Dielectric Elastomer Linear Actuators. <i>Advanced Functional Materials</i> , 2018 , 28, 1804328	15.6	88
98	Transformation of Electron-Beam Physical Vapor-Deposited 8 wt% Yttria-Stabilized Zirconia Thermal Barrier Coatings. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 2552-2558	3.8	81
97	High temperature aging of YSZ coatings and subsequent transformation at low temperature. <i>Surface and Coatings Technology</i> , 2005 , 200, 1287-1291	4.4	80
96	Large, uni-directional actuation in dielectric elastomers achieved by fiber stiffening. <i>Applied Physics Letters</i> , 2012 , 100, 211901	3.4	77
95	Anisotropic thermal conductivity of the Aurivillius phase, bismuth titanate (Bi ₄ Ti ₃ O ₁₂): A natural nanostructured superlattice. <i>Applied Physics Letters</i> , 2008 , 93, 102907	3.4	76
94	Measurement of Stresses Using Fluorescence in an Optical Microprobe: Stresses around Indentations in a Chromium-Doped Sapphire. <i>Journal of the American Ceramic Society</i> , 1990 , 73, 3189-3194	3.8	76
93	Rare-Earth Separation Using Bacteria. <i>Environmental Science and Technology Letters</i> , 2016 , 3, 180-184	11	75
92	The tetragonal to monoclinic, ferroelastic transformation in yttrium tantalate and effect of zirconia alloying. <i>Acta Materialia</i> , 2014 , 69, 196-202	8.4	75
91	Thermal conductivity of the gadolinium calcium silicate apatites: Effect of different point defect types. <i>Acta Materialia</i> , 2011 , 59, 3841-3850	8.4	75
90	Epitaxial Aluminum-Doped Zinc Oxide Thin Films on Sapphire: I, Effect of Substrate Orientation. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 1931-1934	3.8	75
89	Reconfigurable shape-morphing dielectric elastomers using spatially varying electric fields. <i>Nature Communications</i> , 2019 , 10, 183	17.4	75
88	Optimizing the electrical energy conversion cycle of dielectric elastomer generators. <i>Advanced Materials</i> , 2014 , 26, 6617-21	24	73
87	Thermal conductivity of single- and multi-phase compositions in the ZrO ₂ -2O ₃ -a ₂ O ₅ system. <i>Journal of the European Ceramic Society</i> , 2014 , 34, 3085-3094	6	72

86	Low thermal conductivity without oxygen vacancies in equimolar YO _{1.5} +TaO _{2.5} - and YbO _{1.5} +TaO _{2.5} -stabilized tetragonal zirconia ceramics. <i>Acta Materialia</i> , 2010 , 58, 4424-4431	8.4	71
85	Effective Properties of Ferroelectric and/or Ferromagnetic Composites: A Unified Approach and Its Application. <i>Journal of the American Ceramic Society</i> , 2005 , 80, 1333-1340	3.8	71
84	3D Printing of Interdigitated Dielectric Elastomer Actuators. <i>Advanced Functional Materials</i> , 2020 , 30, 1907375	15.6	70
83	Luminescence Characterization of Chromium-Containing theta-Alumina. <i>Journal of the American Ceramic Society</i> , 1998 , 81, 3345-3348	3.8	60
82	Organic liquid-crystal devices based on ionic conductors. <i>Materials Horizons</i> , 2017 , 4, 1102-1109	14.4	56
81	Deformation Bands in Ceria-Stabilized Tetragonal Zirconia/Alumina: I, Measurement of Internal Stresses. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 633-640	3.8	56
80	A high speed soft robot based on dielectric elastomer actuators 2017 ,		52
79	Stress Distributions in Plasma-Sprayed Thermal Barrier Coatings Under Thermal Cycling in a Temperature Gradient. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2011 , 78,	2.7	52
78	Polarization Dependence of the Cr ³⁺ R-Line Fluorescence from Sapphire and Its Application to Crystal Orientation and Piezospectroscopic Measurement. <i>Journal of the American Ceramic Society</i> , 1997 , 80, 69-78	3.8	52
77	Effect of Variations in Grain Size and Grain Boundary Barrier Heights on the Current- Voltage Characteristics of ZnO Varistors. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 3185-3192	3.8	52
76	First-principles calculations of the high-temperature phase transformation in yttrium tantalate. <i>Physical Review B</i> , 2014 , 90,	3.3	51
75	Fabrication of thin, luminescent, single-crystal diamond membranes. <i>Applied Physics Letters</i> , 2011 , 99, 081913	3.4	49
74	Lattice Expansion and Saturation Magnetization of NickelZinc Ferrite Nanoparticles Prepared by Aqueous Precipitation. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 3541-3546	3.8	49
73	Piezospectroscopic Analysis of Interface Debonding in Thermal Barrier Coatings. <i>Journal of the American Ceramic Society</i> , 2004 , 83, 1165-1170	3.8	49
72	Spontaneous and deterministic three-dimensional curling of pre-strained elastomeric bi-strips. <i>Soft Matter</i> , 2012 , 8, 6291	3.6	48
71	A Diffuse Interface Description of Intergranular Films in Polycrystalline Ceramics. <i>Journal of the American Ceramic Society</i> , 2004 , 82, 1537-1546	3.8	46
70	Structural transition from helices to hemihelices. <i>PLoS ONE</i> , 2014 , 9, e93183	3.7	44
69	Highly compliant transparent electrodes. <i>Applied Physics Letters</i> , 2012 , 101, 061101	3.4	43

68	Anisotropic Thermal Diffusivity and Conductivity of La-Doped Strontium Niobate Sr ₂ Nb ₂ O ₇ . <i>Journal of the American Ceramic Society</i> , 2010 , 93, 1136-1141	3.8	43
67	Effect of long term, high temperature aging on luminescence from Eu-doped YSZ thermal barrier coatings. <i>Surface and Coatings Technology</i> , 2006 , 201, 3942-3946	4.4	43
66	Crossover in thermal transport properties of natural, perovskite-structured superlattices. <i>Applied Physics Letters</i> , 2009 , 95, 161906	3.4	41
65	A Wearable Soft Haptic Communicator Based on Dielectric Elastomer Actuators. <i>Soft Robotics</i> , 2020 , 7, 451-461	9.2	41
64	Microstructural origin of current localization and puncture failure in varistor ceramics. <i>Journal of Applied Physics</i> , 1997 , 81, 985-993	2.5	39
63	The grain size and temperature dependence of the thermal conductivity of polycrystalline, tetragonal yttria-stabilized zirconia. <i>Applied Physics Letters</i> , 2011 , 98, 211906	3.4	37
62	Low-temperature transformation kinetics of electron-beam deposited 5wt.% yttria-stabilized zirconia. <i>Acta Materialia</i> , 2007 , 55, 2049-2055	8.4	37
61	The Thermal Conductivity of Polymer-Derived Amorphous SiO ₂ Compounds and Nano-Composites. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 281-285	3.8	36
60	The use of Larson-Miller parameters to monitor the evolution of Raman lines of tetragonal zirconia with high temperature aging. <i>Acta Materialia</i> , 2011 , 59, 1162-1167	8.4	35
59	Electrically tunable window device. <i>Optics Letters</i> , 2016 , 41, 1289-92	3	34
58	Calculation of the thermal conductivity of L ₂ SrAl ₂ O ₇ (L= La, Nd, Sm, Eu, Gd, Dy). <i>Physical Review B</i> , 2011 , 84,	3.3	32
57	Relation between thermoelectric properties and phase equilibria in the ZnO/In ₂ O ₃ binary system. <i>Acta Materialia</i> , 2014 , 63, 191-201	8.4	30
56	Expression of interfacial Seebeck coefficient through grain boundary engineering with multi-layer graphene nanoplatelets. <i>Energy and Environmental Science</i> , 2020 , 13, 4114-4121	35.4	30
55	Thermal (Kapitza) resistance of interfaces in compositional dependent ZnO-In ₂ O ₃ superlattices. <i>Applied Physics Letters</i> , 2013 , 102, 223903	3.4	29
54	Structural Relaxation around Substitutional Cr ³⁺ Ions in Sapphire. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 3-11	3.8	29
53	Magnetic Properties of Nickel-Zinc Ferrite Toroids Prepared from Nanoparticles. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 3547-3553	3.8	28
52	Effect of CMAS Infiltration on Radiative Transport Through an EB-PVD Thermal Barrier Coating. <i>International Journal of Applied Ceramic Technology</i> , 2008 , 5, 278-288	2	28
51	Effect of Yttrium and Erbium Ions on Epitaxial Phase Transformations in Alumina. <i>Journal of the American Ceramic Society</i> , 2003 , 86, 541-45	3.8	28

50	Noncontact Methods for Measuring Thermal Barrier Coating Temperatures. <i>International Journal of Applied Ceramic Technology</i> , 2006 , 3, 105-112	2	27
49	Neodymium zirconate (Nd ₂ Zr ₂ O ₇) transparent ceramics as a solid state laser material. <i>Applied Physics Letters</i> , 2011 , 98, 151105	3.4	26
48	Effect of Codoping on the R-Line Luminescence of Cr ³⁺ -Doped Alumina. <i>Journal of the American Ceramic Society</i> , 2002 , 85, 1966-1970	3.8	25
47	Dielectric elastomer actuators. <i>Journal of Applied Physics</i> , 2021 , 129, 151102	2.5	25
46	Damage Evolution in Thermal Barrier Coatings with Thermal Cycling. <i>Journal of the American Ceramic Society</i> , 2011 , 94, s112-s119	3.8	24
45	Crystallographic Texture and Thermal Conductivity of Zirconia Thermal Barrier Coatings Deposited on Different Substrates. <i>Journal of the American Ceramic Society</i> , 2004 , 84, 1539-1544	3.8	24
44	The effect of zirconia substitution on the high-temperature transformation of the monoclinic-prime phase in yttrium tantalate. <i>Journal of the European Ceramic Society</i> , 2018 , 38, 3925-3931	6	23
43	On the initiation of cyclic oxidation-induced rumpling of platinum-modified nickel aluminide coatings. <i>Acta Materialia</i> , 2009 , 57, 1717-1723	8.4	23
42	Electrical-Impulse-Induced Fracture of Zinc Oxide Varistor Ceramics. <i>Journal of the American Ceramic Society</i> , 2005 , 80, 2086-2092	3.8	23
41	Characterization of Electron Beam Physical Vapor-Deposited Thermal Barrier Coatings Using Diffuse Optical Reflectance. <i>International Journal of Applied Ceramic Technology</i> , 2009 , 6, 400-409	2	22
40	Temperature-Dependent Optical Reflectivity of Tetragonal-Prime Yttria-Stabilized Zirconia. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 908-913	3.8	22
39	Diffusion of Water Species in Yttria-Stabilized Zirconia. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 2731-2737	3.8	21
38	Temperature dependence of the yttria-stabilized zirconia Raman spectrum. <i>Journal of Applied Physics</i> , 2007 , 101, 053524	2.5	21
37	Deformation Bands in Ceria-Stabilized Tetragonal Zirconia/Alumina : II, Stress-Induced Aging at Room Temperature. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 641-644	3.8	21
36	Printing Reconfigurable Bundles of Dielectric Elastomer Fibers. <i>Advanced Functional Materials</i> , 2021 , 31, 2010643	15.6	19
35	Electrically-tunable surface deformation of a soft elastomer. <i>Soft Matter</i> , 2016 , 12, 3137-41	3.6	18
34	Ultra-Lightweight, High Power Density Lithium-Ion Batteries. <i>Batteries and Supercaps</i> , 2018 , 1, 131-134	5.6	17
33	Voltage-controlled morphing of dielectric elastomer circular sheets into conical surfaces. <i>Extreme Mechanics Letters</i> , 2019 , 30, 100504	3.9	17

32	Effects of Reducing Atmosphere on the Luminescence of Eu ³⁺ -Doped Yttria-Stabilized Zirconia Sensor Layers in Thermal Barrier Coatings. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 125-129	3.8	17
31	Enhanced n-type thermopower in distortion-free LiMn ₂ O ₄ . <i>Journal of Materials Chemistry</i> , 2012 , 22, 4631		14
30	The use of polarization in the piezospectroscopic determination of the residual stresses in polycrystalline alumina films. <i>Acta Materialia</i> , 2006 , 54, 5551-5557	8.4	14
29	On the Yttrium Tantalate-Zirconia phase diagram. <i>Journal of the European Ceramic Society</i> , 2018 , 38, 3317-3324	6	13
28	Resistance to Low-Temperature Degradation of Equimolar YO _{1.5} TaO _{2.5} Stabilized Tetragonal ZrO ₂ Ceramics in Air. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 2024	3.8	12
27	Piezoelectric Moduli of Piezoelectric Ceramics. <i>Journal of the American Ceramic Society</i> , 2005 , 79, 2563-2566	3.5	12
26	Tunable Multi-Modal Locomotion in Soft Dielectric Elastomer Robots. <i>IEEE Robotics and Automation Letters</i> , 2020 , 5, 3868-3875	4.2	11
25	Thermal Conductivity of the Rare-Earth Strontium Aluminates. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 1457	3.8	11
24	Electric-field induced surface instabilities of soft dielectrics and their effects on optical transmittance and scattering. <i>Journal of Applied Physics</i> , 2018 , 123, 113105	2.5	10
23	Aqueous Epitaxial Growth of ZnO on Single Crystalline Au Microplates. <i>Crystal Growth and Design</i> , 2013 , 13, 986-991	3.5	10
22	A numerical solution based parameter estimation method for flash thermal diffusivity measurements. <i>Computational Materials Science</i> , 2009 , 45, 342-348	3.2	9
21	Recent advances in piezospectroscopy. <i>International Journal of Materials Research</i> , 2007 , 98, 756-762	0.5	9
20	Optical and vibrational properties of (ZnO) _k In ₂ O ₃ natural superlattice nanostructures. <i>Journal of Applied Physics</i> , 2016 , 119, 195103	2.5	9
19	Pattern formation in plastic liquid films on elastomers by ratcheting. <i>Soft Matter</i> , 2016 , 12, 3820-7	3.6	8
18	Opportunities for minimizing radiative heat transfer in future thermal and environmental barrier coatings. <i>Scripta Materialia</i> , 2019 , 173, 26-31	5.6	8
17	Superconductivity and crystal structural origins of the metal-insulator transition in Ba _{6-x} Sr _x Nb ₁₀ O ₃₀ tetragonal tungsten bronzes. <i>Physical Review B</i> , 2015 , 92,	3.3	8
16	Use of polarization in imaging the residual stresses in polycrystalline alumina films. <i>Acta Materialia</i> , 2007 , 55, 3431-3436	8.4	7
15	Composition-Size Effects in Nickel-Zinc Ferrite Nanoparticles Prepared by Aqueous Coprecipitation. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 1253-1257	3.8	7

14	Optical measurement of the thermal diffusivity of intact thermal barrier coatings. <i>Journal of Applied Physics</i> , 2008 , 104, 113119	2.5	6
13	Vibration Damping of Thermal Barrier Coatings Containing Ductile Metallic Layers. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2014 , 81,	2.7	5
12	Effect of Residual Stress on the Luminescence Lifetime of R-Line Emission from Polycrystalline Alumina Formed by Oxidation. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 1798-1801	3.8	5
11	Stress anisotropy of the R-line luminescence lifetime in single crystal Cr-doped sapphire (ruby). <i>Journal of Applied Physics</i> , 2007 , 101, 093521	2.5	4
10	Power generation performance of dielectric elastomer generator with laterally-constrained configuration. <i>Smart Materials and Structures</i> , 2020 , 29, 015018	3.4	4
9	Single layer In-O atomic sheets as phonon and electron barriers in ZnO-In ₂ O ₃ natural superlattices: Implications for thermoelectricity. <i>Journal of Applied Physics</i> , 2018 , 124, 025101	2.5	3
8	Hohempfindlicher Wasserstoffnachweis mithilfe von rissigen Palladiumfilmen auf nachgiebigen Substraten. <i>Angewandte Chemie</i> , 2011 , 123, 10312-10314	3.6	3
7	Aqueous lateral epitaxy overgrowth of ZnO on (0001) GaN at 90 °C: Part II: Stress determination. <i>Thin Solid Films</i> , 2010 , 518, 6030-6035	2.2	2
6	Photoswitchable Covalent Adaptive Networks Based on Thiol-Ene Elastomers.. <i>ACS Applied Materials & Interfaces</i> , 2022 ,	9.5	2
5	Characterization of Tetragonal-Monoclinic, Ferroelastic Transformation and Domain Boundaries in Zirconia-Alloyed Yttrium Tantalate. <i>Microscopy and Microanalysis</i> , 2014 , 20, 1930-1931	0.5	1
4	Turbine Materials and Mechanics 2014 , 495-553		1
3	Confocal microscopy observations of electrical pre-breakdown of bi-layer elastomer dielectrics. <i>Extreme Mechanics Letters</i> , 2021 , 49, 101473	3.9	1
2	YMnO ₃ -ZnO Thermoelectrics. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2012 , 638, 1630-1630 _{1,3}		
1	Imaging Spatial Variations in Resistance Along Interconnects. <i>Materials Research Society Symposia Proceedings</i> , 1998 , 514, 139		