

Igor Cretescu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/52214/igor-cretescu-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89
papers

1,605
citations

21
h-index

38
g-index

101
ext. papers

1,831
ext. citations

3
avg, IF

4.69
L-index

#	Paper	IF	Citations
89	Using Fly Ash Wastes for the Development of New Building Materials with Improved Compressive Strength.. <i>Materials</i> , 2022 , 15,	3.5	2
88	Scandium Recovery Methods from Mining, Metallurgical Extractive Industries, and Industrial Wastes.. <i>Materials</i> , 2022 , 15,	3.5	2
87	Green Chemistry in the Extraction of Natural Dyes from Colored Food Waste, for Dyeing Protein Textile Materials. <i>Polymers</i> , 2021 , 13,	4.5	3
86	Cesium and barium removal from aqueous solutions in the presence of humic acid and competing cations by a Greek bentonite from Kimolos Island. <i>Applied Radiation and Isotopes</i> , 2021 , 170, 109600	1.7	5
85	Investigation of a biosystem based on <i>Arthrospira platensis</i> for air revitalisation in spacecrafts: Performance evaluation through response surface methodology. <i>Chemosphere</i> , 2021 , 264, 128465	8.4	2
84	Preparation and characterization of MnO ₂ -based nanoparticles at different annealing temperatures and their application in dye removal from water. <i>International Journal of Environmental Science and Technology</i> , 2021 , 18, 1499-1512	3.3	6
83	V ₂ O ₅ Nanoparticles for Dyes Removal from Water. <i>Chemistry Journal of Moldova</i> , 2021 , 16, 102-111	0.9	1
82	Antibacterial Efficiency of Stainless-Steel Grids Coated with Cu-Ag by Thermionic Vacuum Arc Method. <i>Coatings</i> , 2020 , 10, 322	2.9	2
81	Environmental assessment of physical-chemical features of Lake Nasser, Egypt. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 20136-20148	5.1	4
80	PACKED COLUMN SIMULATION FOR CO ₂ CHEMISORPTION IN ACTIVATED SOLUTIONS. <i>Environmental Engineering and Management Journal</i> , 2020 , 19, 325-333	0.6	
79	STUDY OF DIFFERENT LIQUID MEDIA INFLUENCE ON <i>Arthrospira platensis</i> MICROALGAE CULTIVATION FOR ENVIRONMENTAL APPLICATIONS. <i>Environmental Engineering and Management Journal</i> , 2020 , 19, 353-358	0.6	2
78	Functionalized carbon nanotubes for hydrocarbon removal from water. <i>Journal of Environmental Chemical Engineering</i> , 2020 , 8, 103570	6.8	18
77	Novel Hybrid Nanoparticles: Synthesis, Functionalization, Characterization, and Their Application in the Uptake of Scandium (III)Ions from Aqueous Media. <i>Materials</i> , 2020 , 13,	3.5	3
76	Study of Sludge Particles Formed during Coagulation of Synthetic and Municipal Wastewater for Increasing the Sludge Dewatering Efficiency. <i>Water (Switzerland)</i> , 2019 , 11, 101	3	3
75	Modified Jordanian zeolitic tuff in hydrocarbon removal from surface water. <i>Journal of Environmental Management</i> , 2019 , 239, 333-341	7.9	5
74	New Approaches in Modeling and Simulation of CO ₂ Absorption Reactor by Activated Potassium Carbonate Solution. <i>Processes</i> , 2019 , 7, 78	2.9	1
73	A NEW APPROACH TO OBTAIN AEROGELS FOR GAS SAFETY APPLICATIONS. <i>Environmental Engineering and Management Journal</i> , 2019 , 18, 1721-1726	0.6	

72	Mesoporous cerium-doped titania for the photocatalytic removal of persistent dyes. <i>Catalysis Today</i> , 2018 , 306, 300-309	5.3	13
71	Synthesis and characterisation of a binder cement replacement based on alkali activation of fly ash waste. <i>Chemical Engineering Research and Design</i> , 2018 , 119, 23-35	5.5	29
70	Environmental assesment of surface waters based on monitoring data and neuro-evolutive modelling. <i>Chemical Engineering Research and Design</i> , 2018 , 120, 136-145	5.5	6
69	PREPARATION AND CHARACTERIZATION OF NANOCOMPOSITE MATERIAL BASED ON TiO ₂ -Ag FOR ENVIRONMENTAL APPLICATIONS. <i>Environmental Engineering and Management Journal</i> , 2018 , 17, 925-936	0.6	7
68	Removal of 2,4-D herbicide in soils using a combined process based on washing and adsorption electrochemically assisted. <i>Separation and Purification Technology</i> , 2018 , 194, 19-25	8.3	17
67	Case Studies for Clean Technology Development in the Chemical Industry Using Zeolite Based Catalysts. <i>Minerals (Basel, Switzerland)</i> , 2018 , 8, 462	2.4	3
66	Low-cost sorbents for the removal of acid dyes from aqueous solutions. <i>Chemical Engineering Research and Design</i> , 2017 , 108, 57-66	5.5	15
65	Graphical Methodology of Global Pollution Index for the Environmental Impact Assessment Using Two Environmental Components. <i>Sustainability</i> , 2017 , 9, 593	3.6	7
64	A Technical Approach to the Evaluation of Radiofrequency Radiation Emissions from Mobile Telephony Base Stations. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	15
63	Zeolites in technologies of pollution prevention and remediation of aquatic systems. <i>Vestnik of Institute of Geology of Komi Science Center of Ural Branch RAS</i> , 2017 , 5, 49-53	0.9	6
62	NEW MESOPOROUS TITANIUM OXIDE-BASED PHOTOACTIVE MATERIALS FOR THE REMOVAL OF DYES FROM WASTEWATERS. <i>Environmental Engineering and Management Journal</i> , 2017 , 16, 801-807	0.6	3
61	MOBILE PHONES ELECTROMAGNETIC FIELD RADIATION RESEARCH AND ANALYSIS OF ITS DISPERSION BY APPLYING MATLAB7 SOFTWARE. <i>Environmental Engineering and Management Journal</i> , 2017 , 16, 1177-1184	0.6	
60	USE OF MACROINVERTEBRATES FOR ASSESSMENT OF RESTORATION WORKS INFLUENCE ON THE HABITAT IN FLOODPLAIN LAKES. <i>Environmental Engineering and Management Journal</i> , 2017 , 16, 969-978	0.6	0
59	Monitoring of Surface Water Status in the Lower Danube Basin 2016 ,		2
58	Phytoextraction of Cd and Zn as single or mixed pollutants from soil by rape (<i>Brassica napus</i>). <i>Environmental Science and Pollution Research</i> , 2016 , 23, 10693-10701	5.1	37
57	Photocatalytic treatment of colored wastewater from medical laboratories: photodegradation of Nuclear Fast Red. <i>Desalination and Water Treatment</i> , 2016 , 57, 18897-18905		2
56	Bioelectro-Claus processes using MFC technology: Influence of co-substrate. <i>Bioresource Technology</i> , 2015 , 189, 94-98	11	21
55	Experimental design for modelling and multi-response optimization of FeNi electroplating process. <i>Chemical Engineering Research and Design</i> , 2015 , 96, 138-149	5.5	15

54	A low-cost sorbent for removal of copper ions from wastewaters based on sawdust/fly ash mixture. <i>International Journal of Environmental Science and Technology</i> , 2015 , 12, 1799-1810	3.3	20
53	Differential Pulse Anodic Stripping Voltammetry for Mercury Determination. <i>Acta Chemica Iasi</i> , 2015 , 23, 13-24	1.2	
52	Nanosized Spinel Ferrites Synthesized by Sol-Gel Autocombustion for Optimized Removal of Azo Dye from Aqueous Solution. <i>Journal of Nanomaterials</i> , 2015 , 2015, 1-13	3.2	30
51	ENHANCING THE FENTON PROCESS BY UV LIGHT APPLIED IN TEXTILE WASTEWATER TREATMENT. <i>Environmental Engineering and Management Journal</i> , 2015 , 14, 595-600	0.6	3
50	Uranium removal from aqueous solutions by raw and modified thermal power plant ash. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2014 , 299, 381-386	1.5	23
49	Sono-electrocoagulation of wastewater polluted with Rhodamine 6G. <i>Separation and Purification Technology</i> , 2014 , 135, 110-116	8.3	28
48	Multi-Objective Optimization of Indigo Carmine Removal by an Electrocoagulation/GAC Coupling Process in a Batch Reactor. <i>Separation Science and Technology</i> , 2014 , 49, 924-938	2.5	7
47	Performances of clay aerogel polymer composites for oil spill sorption: Experimental design and modeling. <i>Separation and Purification Technology</i> , 2014 , 133, 260-275	8.3	27
46	Removal of Rhodamine 6G from Aqueous Effluents by Electrocoagulation in a Batch Reactor: Assessment of Operational Parameters and Process Mechanism. <i>Water, Air, and Soil Pollution</i> , 2014 , 225, 1	2.6	11
45	MONITORING OF MERCURY FROM AIR AND URBAN DUST IN THE INDUSTRIAL AREA OF IASI MUNICIPALITY. <i>Environmental Engineering and Management Journal</i> , 2014 , 13, 2051-2061	0.6	3
44	Valorization of Low-Cost Natural Materials in Depollution Processes of Wastewater. <i>Chemistry Journal of Moldova</i> , 2014 , 9, 53-58	0.9	0
43	Removal of heavy metal ions from aqueous solutions using low-cost sorbents obtained from ash. <i>Chemical Papers</i> , 2013 , 67,	1.9	22
42	A novel pulsed xenon flashlamp photoreactor and its potential applications in flow analysis with chemiluminescence detection. <i>Analytical Methods</i> , 2013 , 5, 3650	3.2	7
41	A solid-contact ion selective electrode for copper(II) using a succinimide derivative as ionophore. <i>Sensors</i> , 2013 , 13, 4367-77	3.8	32
40	Fractional Factorial Design Study on the Performance of GAC-Enhanced Electrocoagulation Process Involved in Color Removal from Dye Solutions. <i>Materials</i> , 2013 , 6, 2723-2746	3.5	38
39	Electrochemical coagulation of treated wastewaters for reuse. <i>Desalination and Water Treatment</i> , 2013 , 51, 3381-3388		17
38	DEVELOPMENT OF AN EXPERT SYSTEM FOR SURFACE WATER QUALITY MONITORING IN THE CONTEXT OF SUSTAINABLE MANAGEMENT OF WATER RESOURCES. <i>Environmental Engineering and Management Journal</i> , 2013 , 12, 1721-1734	0.6	2
37	Ionic liquids supported on magnetic nanoparticles as a sorbent preconcentration material for sulfonylurea herbicides prior to their determination by capillary liquid chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 404, 1529-38	4.4	48

36	Treatment of Pesticides in Wastewater by Heterogeneous and Homogeneous Photocatalysis. <i>International Journal of Photoenergy</i> , 2012 , 2012, 1-6	2.1	7
35	Photocatalytic Treatment of Rhodamine 6G in Wastewater Using Photoactive ZnO. <i>International Journal of Photoenergy</i> , 2012 , 2012, 1-8	2.1	24
34	EQUILIBRIUM AND KINETICS STUDY OF NITRATE REMOVAL FROM WATER BY PUROLITE A520-E RESIN. <i>Environmental Engineering and Management Journal</i> , 2012 , 11, 37-45	0.6	5
33	OPTIMIZATION PROCESS OF CADMIUM AND ZINC REMOVAL FROM SOIL BY PHYTOREMEDIATION USING Brassica napus AND Triticales sp.. <i>Environmental Engineering and Management Journal</i> , 2012 , 11, 271-278	0.6	6
32	ASSESSING THE HUMAN EXPOSURE DUE TO WIRELESS LOCAL AREA NETWORKS IN OFFICE ENVIRONMENTS. <i>Environmental Engineering and Management Journal</i> , 2012 , 11, 385-391	0.6	6
31	ELECTROCHEMICAL SENSORS FOR HEAVY METAL IONS DETECTION FROM AQUEOUS SOLUTIONS. <i>Environmental Engineering and Management Journal</i> , 2012 , 11, 463-470	0.6	2
30	ELECTROCOAGULATION TREATMENT OF SULFIDE WASTEWATER IN A BATCH REACTOR: EFFECT OF ELECTRODE MATERIAL ON ELECTRICAL OPERATING COSTS. <i>Environmental Engineering and Management Journal</i> , 2012 , 11, 1485-1491	0.6	14
29	A COMPARATIVE STUDY OF ELECTROCOAGULATION AND CHEMICAL COAGULATION PROCESSES APPLIED FOR WASTEWATER TREATMENT. <i>Environmental Engineering and Management Journal</i> , 2012 , 11, 1517-1525	0.6	19
28	Design of experiments for statistical modeling and multi-response optimization of nickel electroplating process. <i>Chemical Engineering Research and Design</i> , 2011 , 89, 136-147	5.5	52
27	Peat-based sorbents for the removal of oil spills from water surface: Application of artificial neural network modeling. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2011 , 384, 675-684	5.1	71
26	An experimental study of indigo carmine removal from aqueous solution by electrocoagulation. <i>Desalination</i> , 2011 , 277, 227-235	10.3	94
25	RESPONSE SURFACE METHODOLOGY FOR OPTIMIZATION OF LANDFILL LEACHATE TREATMENT USING ION EXCHANGE RESINS. <i>Environmental Engineering and Management Journal</i> , 2011 , 10, 357-366	0.6	1
24	INFLUENCE OF SOME PARAMETERS ON NITRATE REMOVAL FROM WATER BY PUROLITE A-520E RESIN. <i>Environmental Engineering and Management Journal</i> , 2011 , 10, 1553-1559	0.6	5
23	MONITORING OF WATER QUALITY INDICATORS FOR IMPROVING WATER RESOURCES MANAGEMENT OF BAHLUI RIVER. <i>Environmental Engineering and Management Journal</i> , 2011 , 10, 327-332 ^{9.6}		
22	Modeling and optimization of tartaric acid reactive extraction from aqueous solutions: A comparison between response surface methodology and artificial neural network. <i>Separation and Purification Technology</i> , 2010 , 75, 273-285	8.3	90
21	Preparation, characterization and applicability of cellulose acetate/polyurethane blend membrane in separation techniques. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2010 , 370, 120-128	5.1	73
20	A CASE STUDY OF INDUSTRIAL WATER POLLUTED WITH CHROMIUM (VI) AND ITS IMPACT TO RIVER RECIPIENT IN WESTERN SERBIA. <i>Environmental Engineering and Management Journal</i> , 2010 , 9, 45-49	0.6	2
19	BIOSORPTION OF MALACHITE GREEN FROM AQUEOUS SOLUTIONS ONTO BIOMATERIALS. <i>Environmental Engineering and Management Journal</i> , 2010 , 9, 67-71	0.6	4

18	IN VITRO CORROSION STUDY BY ELECTROCHEMICAL AND SURFACE ANALYSIS TECHNIQUES OF A Ti50TA ALLOY FOR DENTAL APPLICATIONS. <i>Environmental Engineering and Management Journal</i> , 2010 , 9, 81-87	0.6	5
17	THE TREATMENT AND MINIMIZATION OF METALLURGICAL SLAG AS WASTE. <i>Environmental Engineering and Management Journal</i> , 2010 , 9, 101-106	0.6	1
16	REMOVAL OF DUNKEL BLAU DYE FROM AQUEOUS SOLUTIONS BY FUNGAL AND PEAT BIOMASS IN BATCH MODE. <i>Environmental Engineering and Management Journal</i> , 2010 , 9, 107-112	0.6	2
15	CHELATING SORBENT CONTAINING TWO TYPES OF FUNCTIONAL GROUPS - HYDROXAMIC ACID AND AMIDOXIME FOR LEAD (II) IONS EFFLUENT MANAGEMENT. <i>Environmental Engineering and Management Journal</i> , 2010 , 9, 113-118	0.6	3
14	ENHANCEMENT OF SEPARATION PERFORMANCES OF A NEW AZOIC DERIVATIVE FROM INDUSTRIAL WATER AND THE POSSIBILITY TO RECOVER ITS COMPLEX AS NANOMATERIAL. <i>Environmental Engineering and Management Journal</i> , 2010 , 9, 147-151	0.6	1
13	STUDIES ON THE BIOSORPTION OF TERASIL DYE BY ASPERGILLUS NIGER DEAD BIOMASS. <i>Environmental Engineering and Management Journal</i> , 2010 , 9, 335-339	0.6	
12	Characterization and remediation of soils contaminated with uranium. <i>Journal of Hazardous Materials</i> , 2009 , 163, 475-510	12.8	368
11	Biosorption of copper(II) ions from aqua solutions using dried yeast biomass. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2009 , 335, 181-188	5.1	58
10	Application of Low-Cost Sorbent for Oil Spill Sorption Using Response Surface Methodological Approach. <i>NATO Science for Peace and Security Series C: Environmental Security</i> , 2009 , 109-118	0.3	1
9	Response surface methodology applied for Orange II photocatalytic degradation in TiO ₂ aqueous suspensions. <i>Journal of Chemical Technology and Biotechnology</i> , 2008 , 83, 1454-1465	3.5	26
8	Response surface optimization of the photocatalytic decolorization of a simulated dyestuff effluent. <i>Chemical Engineering Journal</i> , 2008 , 141, 18-26	14.7	60
7	EFFECT OF VANADIUM REPLACEMENT BY ZIRCONIUM ON THE ELECTROCHEMICAL BEHAVIOR OF Ti6Al4V ALLOY IN RINGER'S SOLUTION. <i>Environmental Engineering and Management Journal</i> , 2008 , 7, 701-706	0.6	10
6	STUDIES ON DIESEL OIL SPILLS REMOVAL FROM WATER SURFACE USING PEAT. PROCESS MODELLING AND OPTIMIZATION. <i>Environmental Engineering and Management Journal</i> , 2004 , 3, 247-257	0.6	0
5	POSSIBILITIES OF ALUMINUM REMOVAL FROM AQUEOUS SOLUTIONS USING ORIGINAL POLYURETHANE MEMBRANES. <i>Environmental Engineering and Management Journal</i> , 2004 , 3, 649-660	0.6	
4	STUDY OF PLATINUM ELECTRODES APPLIED IN THE TREATMENT OF PHENOLIC WASTEWATER. <i>Environmental Engineering and Management Journal</i> , 2002 , 1, 551-556	0.6	
3	EVALUATION OF NATURAL ION EXCHANGERS FOR THE REMOVAL OF RADIOACTIVE ISOTOPES FROM LIQUID EFFLUENTS. <i>Environmental Engineering and Management Journal</i> , 2002 , 1, 577-588	0.6	
2	Behaviour of the poly(maleic anhydride-co-vinyl acetate) copolymer in aqueous solutions. <i>European Polymer Journal</i> , 2001 , 37, 729-735	5.2	18
1	Potential Application of Macrocyclic Compounds for Selective Recovery of Rare Earth Scandium Elements from Aqueous Media. <i>Journal of Sustainable Metallurgy</i> , 1	2.7	1

