

Sonja Hess

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5222041/sonja-hess-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67
papers

3,587
citations

28
h-index

59
g-index

67
ext. papers

3,935
ext. citations

6.7
avg, IF

4.94
L-index

#	Paper	IF	Citations
67	PD-L1 neutrophils contribute to injury-induced infection susceptibility. <i>Science Advances</i> , 2021 , 7,	14.3	1
66	Resistance to Pyrrolobenzodiazepine Dimers Is Associated with SLFN11 Downregulation and Can Be Reversed through Inhibition of ATR. <i>Molecular Cancer Therapeutics</i> , 2021 , 20, 541-552	6.1	7
65	Characterization of Citrullination Sites in Neutrophils and Mast Cells Activated by Ionomycin via Integration of Mass Spectrometry and Machine Learning. <i>Journal of Proteome Research</i> , 2021 , 20, 3150-3164	5.6	3
64	Metabolomic Profiling of Human Urine Samples Using LC-TIMS-QTOF Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2021 , 32, 2072-2080	3.5	1
63	<i>Staphylococcus aureus</i> drives expansion of low-density neutrophils in diabetic mice. <i>Journal of Clinical Investigation</i> , 2019 , 129, 2133-2144	15.9	17
62	Bioorthogonal Noncanonical Amino Acid Tagging (BONCAT) Enables Time-Resolved Analysis of Protein Synthesis in Native Plant Tissue. <i>Plant Physiology</i> , 2017 , 173, 1543-1553	6.6	29
61	High resolution data-independent acquisition with electron transfer dissociation mass spectrometry: Multiplexed analysis of post-translationally modified proteins. <i>International Journal of Mass Spectrometry</i> , 2015 , 390, 155-162	1.9	2
60	Recent proteomic advances in developmental, regeneration, and cancer governing signaling pathways. <i>Proteomics</i> , 2015 , 15, 1014-25	4.8	7
59	Middle-down electron capture dissociation and electron transfer dissociation for histone analysis. <i>Journal of Analytical Science and Technology</i> , 2015 , 6,	3.4	3
58	Recent advances in defining the ubiquitylome. <i>Expert Review of Proteomics</i> , 2014 , 11, 477-90	4.2	12
57	The top-down, middle-down, and bottom-up mass spectrometry approaches for characterization of histone variants and their post-translational modifications. <i>Proteomics</i> , 2014 , 14, 489-97	4.8	103
56	The emerging field of chemo- and pharmacoproteomics. <i>Proteomics - Clinical Applications</i> , 2013 , 7, 171-80	3.1	14
55	Cand1 promotes assembly of new SCF complexes through dynamic exchange of F box proteins. <i>Cell</i> , 2013 , 153, 206-15	56.2	169
54	Evaluation and optimization of mass spectrometric settings during data-dependent acquisition mode: focus on LTQ-Orbitrap mass analyzers. <i>Journal of Proteome Research</i> , 2013 , 12, 3071-86	5.6	110
53	Comprehensive profiling of N-linked glycosylation sites in HeLa cells using hydrazide enrichment. <i>Journal of Proteome Research</i> , 2013 , 12, 248-59	5.6	16
52	Data-dependent middle-down nano-liquid chromatography-electron capture dissociation-tandem mass spectrometry: an application for the analysis of unfractionated histones. <i>Analytical Chemistry</i> , 2013 , 85, 3501-7	7.8	33
51	Structural basis for high-affinity binding of LEDGF PWWP to mononucleosomes. <i>Nucleic Acids Research</i> , 2013 , 41, 3924-36	20.1	151

50	Activation of p107 by fibroblast growth factor, which is essential for chondrocyte cell cycle exit, is mediated by the protein phosphatase 2A/B55 β holoenzyme. <i>Molecular and Cellular Biology</i> , 2013 , 33, 3330-42	4.8	20
49	Mechanism of an ATP-independent protein disaggregase: I. structure of a membrane protein aggregate reveals a mechanism of recognition by its chaperone. <i>Journal of Biological Chemistry</i> , 2013 , 288, 13420-30	5.4	10
48	Electron capture dissociation of hydrogen-deficient peptide radical cations. <i>Journal of the American Society for Mass Spectrometry</i> , 2012 , 23, 1729-40	3.5	5
47	Dopaminergic modulation of the hippocampal neuropil proteome identified by bioorthogonal noncanonical amino acid tagging (BONCAT). <i>Proteomics</i> , 2012 , 12, 2464-76	4.8	50
46	Characterization of the Mycobacterium tuberculosis proteome by liquid chromatography mass spectrometry-based proteomics techniques: a comprehensive resource for tuberculosis research. <i>Journal of Proteome Research</i> , 2012 , 11, 119-30	5.6	51
45	A universal HPLC-MS method to determine the stereochemistry of common and unusual amino acids. <i>Methods in Molecular Biology</i> , 2012 , 828, 63-75	1.4	3
44	Effect of mass spectrometric parameters on peptide and protein identification rates for shotgun proteomic experiments on an LTQ-orbitrap mass analyzer. <i>Proteomics</i> , 2012 , 12, 21-31	4.8	43
43	Click chemistry facilitates formation of reporter ions and simplified synthesis of amine-reactive multiplexed isobaric tags for protein quantification. <i>Journal of the American Chemical Society</i> , 2012 , 134, 2672-80	16.4	28
42	Designer reagents for mass spectrometry-based proteomics: clickable cross-linkers for elucidation of protein structures and interactions. <i>Analytical Chemistry</i> , 2012 , 84, 2662-9	7.8	39
41	Broad activation of the ubiquitin-proteasome system by Parkin is critical for mitophagy. <i>Human Molecular Genetics</i> , 2011 , 20, 1726-37	5.6	737
40	Mass Spectrometry in the Elucidation of the Glycoproteome of Bacterial Pathogens. <i>Current Proteomics</i> , 2010 , 7, 57-81	0.7	11
39	Preparation of stable isotope-labeled peripheral cannabinoid receptor CB2 by bacterial fermentation. <i>Protein Expression and Purification</i> , 2010 , 70, 236-47	2	27
38	Peptide fragmentation by corona discharge induced electrochemical ionization. <i>Journal of the American Society for Mass Spectrometry</i> , 2010 , 21, 2051-61	3.5	7
37	A combined top-down and bottom-up MS approach for the characterization of hemoglobin variants in Rhesus monkeys. <i>Proteomics</i> , 2010 , 10, 3657-68	4.8	6
36	An allosteric mechanism for inhibiting HIV-1 integrase with a small molecule. <i>Molecular Pharmacology</i> , 2009 , 76, 824-32	4.3	44
35	A corona discharge initiated electrochemical electrospray ionization technique. <i>Journal of the American Society for Mass Spectrometry</i> , 2009 , 20, 1988-96	3.5	14
34	The sim operon facilitates the transport and metabolism of sucrose isomers in <i>Lactobacillus casei</i> ATCC 334. <i>Journal of Bacteriology</i> , 2008 , 190, 3362-73	3.5	9
33	Analysis of a G protein-coupled receptor for neurotensin by liquid chromatography-electrospray ionization-mass spectrometry. <i>Analytical Biochemistry</i> , 2008 , 376, 13-24	3.1	10

32	Adipose proteome analysis: focus on mediators of insulin resistance. <i>Expert Review of Proteomics</i> , 2008 , 5, 827-39	4.2	24
31	Protein disulfide isomerase acts as an injury response signal that enhances fibrin generation via tissue factor activation. <i>Journal of Clinical Investigation</i> , 2008 , 118, 1110-22	15.9	219
30	Solid-phase synthesis of thermolytic DNA oligonucleotides functionalized with a single 4-hydroxy-1-butyl or 4-phosphato-/thiophosphato-1-butyl thiophosphate protecting group. <i>Journal of Organic Chemistry</i> , 2007 , 72, 805-15	4.2	21
29	Mycobacterium tuberculosis produces pili during human infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 5145-50	11.5	136
28	High resolution footprinting of the hepatitis C virus polymerase NS5B in complex with RNA. <i>Journal of Biological Chemistry</i> , 2007 , 282, 16907-16	5.4	18
27	Cellular expression and crystal structure of the murine cytomegalovirus major histocompatibility complex class I-like glycoprotein, m153. <i>Journal of Biological Chemistry</i> , 2007 , 282, 35247-58	5.4	22
26	Amended description of the genes for synthesis of Actinomyces naeslundii T14V type 1 fimbriae and associated adhesin. <i>Infection and Immunity</i> , 2007 , 75, 4181-5	3.7	14
25	Endogenous retroviral insertion in Cryge in the mouse No3 cataract mutant. <i>Genomics</i> , 2007 , 89, 512-20	4.3	7
24	Genetic requirements for growth of Escherichia coli K12 on methyl-alpha-D-glucopyranoside and the five alpha-D-glucosyl-D-fructose isomers of sucrose. <i>Journal of Biological Chemistry</i> , 2006 , 281, 17900-8	5.4	14
23	Thermolytic CpG-containing DNA oligonucleotides as potential immunotherapeutic prodrugs. <i>Nucleic Acids Research</i> , 2005 , 33, 3550-60	20.1	26
22	Quantitative proteomic analysis of the secretory proteins from rat adipose cells using a 2D liquid chromatography-MS/MS approach. <i>Journal of Proteome Research</i> , 2005 , 4, 570-7	5.6	104
21	Modulation of replication protein A function by its hyperphosphorylation-induced conformational change involving DNA binding domain B. <i>Journal of Biological Chemistry</i> , 2005 , 280, 32775-83	5.4	48
20	Mass spectrometric analysis of the HIV-1 integrase-pyridoxal 5Tphosphate complex reveals a new binding site for a nucleotide inhibitor. <i>Journal of Biological Chemistry</i> , 2005 , 280, 7949-55	5.4	22
19	Genes malh and pagl of Clostridium acetobutylicum ATCC 824 encode NAD ⁺ - and Mn ²⁺ -dependent phospho-alpha-glucosidase(s). <i>Journal of Biological Chemistry</i> , 2004 , 279, 1553-61	5.4	21
18	Identification of an inhibitor-binding site to HIV-1 integrase with affinity acetylation and mass spectrometry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 6894-9	11.5	37
17	Chirality determination of unusual amino acids using precolumn derivatization and liquid chromatography-electrospray ionization mass spectrometry. <i>Journal of Chromatography A</i> , 2004 , 1035, 211-9	4.5	62
16	Neamphamide A, a new HIV-inhibitory depsipeptide from the Papua New Guinea marine sponge Neamphius huxleyi. <i>Journal of Natural Products</i> , 2004 , 67, 1407-11	4.9	106
15	Isolation of homodolastatin 16, a new cyclic depsipeptide from a Kenyan collection of Lyngbya majuscula. <i>Journal of Natural Products</i> , 2003 , 66, 712-5	4.9	67

14	Identification and characterization of hydrophobic Escherichia coli virulence proteins by liquid chromatography-electrospray ionization mass spectrometry. <i>Analytical Biochemistry</i> , 2002 , 302, 123-30	3.1	10
13	Structure of cyclized green fluorescent protein. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2002 , 58, 1400-6		7
12	Acid hydrolysis of silk fibroins and determination of the enrichment of isotopically labeled amino acids using precolumn derivatization and high-performance liquid chromatography-electrospray ionization-mass spectrometry. <i>Analytical Biochemistry</i> , 2002 , 311, 19-26	3.1	31
11	Plant annexins form calcium-independent oligomers in solution. <i>Protein Science</i> , 2002 , 11, 2033-40	6.3	17
10	Lignans isolated from valerian: identification and characterization of a new olivil derivative with partial agonistic activity at A(1) adenosine receptors. <i>Journal of Natural Products</i> , 2002 , 65, 1479-85	4.9	119
9	The molecular structure of spider dragline silk: folding and orientation of the protein backbone. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 10266-71	11.5	424
8	Rapid and sensitive LC separation of new impurities in trimethoprim. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2001 , 25, 531-8	3.5	6
7	Synthesis and immunological activity of water-soluble thalidomide prodrugs. <i>Bioorganic and Medicinal Chemistry</i> , 2001 , 9, 1279-91	3.4	34
6	Profiling indomethacin impurities using high-performance liquid chromatography and nuclear magnetic resonance. <i>European Journal of Pharmaceutical Sciences</i> , 2001 , 14, 301-11	5.1	20
5	In vivo mechanism-based inactivation of S-adenosylmethionine decarboxylases from Escherichia coli, Salmonella typhimurium, and Saccharomyces cerevisiae. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 10578-83	11.5	22
4	Recent advances in adenosine receptor antagonist research. <i>Expert Opinion on Therapeutic Patents</i> , 2001 , 11, 1533-1561	6.8	42
3	Solid-state NMR data support a helix-loop-helix structural model for the N-terminal half of HIV-1 Rev in fibrillar form. <i>Journal of Molecular Biology</i> , 2001 , 313, 845-59	6.5	44
2	Effect of an adenosine A(1) receptor agonist and a novel pyrimidoindole on membrane properties and neurotransmitter release in rat cortical and hippocampal neurons. <i>Neurochemistry International</i> , 2001 , 38, 391-8	4.4	8
1	7-Deazaadenines bearing polar substituents: structure-activity relationships of new A(1) and A(3) adenosine receptor antagonists. <i>Journal of Medicinal Chemistry</i> , 2000 , 43, 4636-46	8.3	43