

# Eva Mezey

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5223260/eva-mezey-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

246  
papers

20,499  
citations

68  
h-index

140  
g-index

261  
ext. papers

21,658  
ext. citations

9.2  
avg, IF

6.26  
L-index

#	Paper	IF	Citations
246	SARS-CoV-2 entry sites are present in all structural elements of the human glossopharyngeal and vagal nerves: clinical implications. <b>2022</b> ,		2
245	Human Mesenchymal Stem/Stromal Cells in Immune Regulation and Therapy.. <i>Stem Cells Translational Medicine</i> , <b>2022</b> , 11, 114-134	6.9	2
244	Atto 465 Derivative Is a Nuclear Stain with Unique Excitation and Emission Spectra Useful for Multiplex Immunofluorescence Histochemistry.. <i>Journal of Histochemistry and Cytochemistry</i> , <b>2022</b> , 221534211064942	3.4	1
243	SARS-CoV-2 entry sites are present in all structural elements of the human glossopharyngeal and vagal nerves: Clinical implications.. <i>EBioMedicine</i> , <b>2022</b> , 78, 103981	8.8	1
242	Hypoxia-Induced Alpha-Globin Expression in Syncytiotrophoblasts Mimics the Pattern Observed in Preeclamptic Placentas. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	1
241	Differences in Steady-State Erythropoiesis in Different Mouse Bones and Postnatal Spleen. <i>Frontiers in Cell and Developmental Biology</i> , <b>2021</b> , 9, 646646	5.7	1
240	Melanoma-associated fibroblasts impair CD8+ T cell function and modify expression of immune checkpoint regulators via increased arginase activity. <i>Cellular and Molecular Life Sciences</i> , <b>2021</b> , 78, 661-673	10.3	15
239	Commentary on Winzeler et al Qow arginine vasopressin levels in patients with diabetes insipidus are not associated with anaemiaQ <i>Clinical Endocrinology</i> , <b>2021</b> , 94, 888-890	3.4	
238	An immunohistochemical study of lymphatic elements in the human brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5	10
237	Bone Marrow-Derived Mesenchymal Stromal Cells (MSCs) Modulate the Inflammatory Character of Alveolar Macrophages from Sarcoidosis Patients. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	6
236	Preeclampsia is Associated with Sex-Specific Transcriptional and Proteomic Changes in Fetal Erythroid Cells. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	9
235	Mesenchymal stromal cells from infants with simple polydactyly modulate immune responses more efficiently than adult mesenchymal stromal cells. <i>Cytotherapy</i> , <b>2019</b> , 21, 148-161	4.8	5
234	Immunomodulatory effect of vitamin K2: Implications for bone health. <i>Oral Diseases</i> , <b>2018</b> , 24, 67-71	3.5	18
233	Hybridization Histochemistry of Neural Transcripts. <i>Current Protocols in Neuroscience</i> , <b>2018</b> , 82, 1.3.1-1.3.27	3.7	2
232	Immunogenic potential of human bone marrow mesenchymal stromal cells is enhanced by hyperthermia. <i>Cytotherapy</i> , <b>2018</b> , 20, 1437-1444	4.8	9
231	Regulation of bone remodeling by vitamin K2. <i>Oral Diseases</i> , <b>2017</b> , 23, 1021-1028	3.5	27
230	Vasopressin stimulates the proliferation and differentiation of red blood cell precursors and improves recovery from anemia. <i>Science Translational Medicine</i> , <b>2017</b> , 9,	17.5	10

229	Hybridization Histochemistry of Neural Transcripts. <i>Current Protocols in Neuroscience</i> , <b>2016</b> , 75, 1.3.1-1.3.27		1
228	On the origin of blood cells--hematopoiesis revisited. <i>Oral Diseases</i> , <b>2016</b> , 22, 247-8	3.5	
227	Image Correspondence: Cover Image: Detection of hair follicle-associated Merkel cell polyomavirus in an immunocompromised host with follicular spicules and alopecia. <i>British Journal of Dermatology</i> , <b>2016</b> , 175, 1409	4	3
226	Origin of stem cells in the BM niche: new clues from mastocytosis. <i>Blood</i> , <b>2016</b> , 127, 670-2	2.2	2
225	Neuroanatomy: Forgotten findings of brain lymphatics. <i>Nature</i> , <b>2015</b> , 524, 415	50.4	14
224	Impaired function of bone marrow stromal cells in systemic mastocytosis. <i>Stem Cell Research</i> , <b>2015</b> , 15, 42-53	1.6	7
223	A novel form of ciliopathy underlies hyperphagia and obesity in Ankrd26 knockout mice. <i>Brain Structure and Function</i> , <b>2015</b> , 220, 1511-28	4	21
222	Raphe serotonin neuron-specific oxytocin receptor knockout reduces aggression without affecting anxiety-like behavior in male mice only. <i>Genes, Brain and Behavior</i> , <b>2015</b> , 14, 167-76	3.6	43
221	Mesenchymal stem cells and infectious diseases: Smarter than drugs. <i>Immunology Letters</i> , <b>2015</b> , 168, 208-14	4.1	52
220	Do circulating cells transdifferentiate and replenish stem cell pools in the brain and periphery?. <i>BioEssays</i> , <b>2015</b> , 37, 398-402	4.1	1
219	Bone marrow stromal cells as immunomodulators. A primer for dermatologists. <i>Journal of Dermatological Science</i> , <b>2015</b> , 77, 11-20	4.3	19
218	MSCs and Innate Immune Responses: A Balancing Act <b>2013</b> , 135-143		
217	A practical guide to culturing mouse and human bone marrow stromal cells. <i>Current Protocols in Immunology</i> , <b>2013</b> , 102, 22F.12.1-22F.12.13	4	13
216	Characterization and function of histamine receptors in human bone marrow stromal cells. <i>Stem Cells</i> , <b>2012</b> , 30, 222-31	5.8	27
215	Analyses of donor-derived keratinocytes in hairy and nonhairy skin biopsies of female patients following allogeneic male bone marrow transplantation. <i>Stem Cells and Development</i> , <b>2012</b> , 21, 152-7	4.4	5
214	Bone marrow-derived cells rescue salivary gland function in mice with head and neck irradiation. <i>International Journal of Biochemistry and Cell Biology</i> , <b>2011</b> , 43, 80-7	5.6	103
213	Microchimerism in salivary glands after blood- and marrow-derived stem cell transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2011</b> , 17, 429-33	4.7	22
212	Bone marrow stromal cells inhibit mast cell function via a COX2-dependent mechanism. <i>Clinical and Experimental Allergy</i> , <b>2011</b> , 41, 526-34	4.1	84

211	The therapeutic potential of bone marrow-derived stromal cells. <i>Journal of Cellular Biochemistry</i> , <b>2011</b> , 112, 2683-7	4.7	43
210	Bone marrow-derived nonreactive astrocytes in the mouse brain after permanent middle cerebral artery occlusion. <i>Stem Cells and Development</i> , <b>2011</b> , 20, 539-46	4.4	4
209	Adult Stem Cell Plasticity Revisited <b>2011</b> , 113-131		1
208	Unexpected roles for bone marrow stromal cells (or MSCs): a real promise for cellular, but not replacement, therapy. <i>Oral Diseases</i> , <b>2010</b> , 16, 129-35	3.5	13
207	Bone marrow stromal cells use TGF-beta to suppress allergic responses in a mouse model of ragweed-induced asthma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2010</b> , 107, 5652-7	11.5	335
206	Neural and Non-Neural Stem Cells as Novel Therapeutic Modalities for Brain Injury. <i>NeuroImmune Biology</i> , <b>2010</b> , 9, 59-66		
205	Bone marrow cells are a source of undifferentiated cells to prevent Sjögren's syndrome and to preserve salivary glands function in the non-obese diabetic mice. <i>International Journal of Biochemistry and Cell Biology</i> , <b>2010</b> , 42, 1893-9	5.6	19
204	Modulation of bone marrow stromal cell functions in infectious diseases by toll-like receptor ligands. <i>Journal of Molecular Medicine</i> , <b>2010</b> , 88, 5-10	5.5	61
203	Dispersed donor salivary gland cells are widely distributed in the recipient gland when infused up the ductal tree. <i>Biotechnic and Histochemistry</i> , <b>2009</b> , 84, 253-60	1.8	14
202	Neuronal M3 muscarinic acetylcholine receptors are essential for somatotroph proliferation and normal somatic growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2009</b> , 106, 6398-403	11.5	36
201	Bone marrow stromal cells attenuate sepsis via prostaglandin E(2)-dependent reprogramming of host macrophages to increase their interleukin-10 production. <i>Nature Medicine</i> , <b>2009</b> , 15, 42-9	50.5	1823
200	Reply to Mesenchymal stem cells: another anti-inflammatory treatment for sepsis? <i>Nature Medicine</i> , <b>2009</b> , 15, 602-602	50.5	
199	Transforming growth factor alpha induces angiogenesis and neurogenesis following stroke. <i>Neuroscience</i> , <b>2009</b> , 163, 233-43	3.9	39
198	Glucocorticoid modulation of tryptophan hydroxylase-2 protein in raphe nuclei and 5-hydroxytryptophan concentrations in frontal cortex of C57/Bl6 mice. <i>Molecular Psychiatry</i> , <b>2008</b> , 13, 498-506	15.1	56
197	Localization of S100A8 and S100A9 expressing neutrophils to spinal cord during peripheral tissue inflammation. <i>Pain</i> , <b>2008</b> , 134, 216-31	8	26
196	Placental expression profiling in preeclampsia: local overproduction of hemoglobin may drive pathological changes. <i>Fertility and Sterility</i> , <b>2008</b> , 90, 1834-43	4.8	67
195	Tuberoinfundibular Peptide of 39 residues is required for germ cell development. <i>Endocrinology</i> , <b>2008</b> , 149, 4292-300	4.8	25
194	A model for obesity and gigantism due to disruption of the Ankrd26 gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 270-5	11.5	48

193	The combination of granulocyte colony-stimulating factor and stem cell factor significantly increases the number of bone marrow-derived endothelial cells in brains of mice following cerebral ischemia. <i>Blood</i> , <b>2008</b> , 111, 5544-52	2.2	85
192	Chronic repeated restraint stress increases prolactin-releasing peptide/tyrosine-hydroxylase ratio with gender-related differences in the rat brain. <i>Journal of Neurochemistry</i> , <b>2008</b> , 104, 653-66	6	18
191	CD45-positive blood cells give rise to uterine epithelial cells in mice. <i>Stem Cells</i> , <b>2007</b> , 25, 2820-6	5.8	99
190	Sensitive and specific method for detecting G protein-coupled receptor mRNAs. <i>Nature Methods</i> , <b>2007</b> , 4, 35-7	21.6	11
189	Cells from bone marrow that evolve into oral tissues and their clinical applications. <i>Oral Diseases</i> , <b>2007</b> , 13, 11-6	3.5	34
188	Sensitive detection of GFP utilizing tyramide signal amplification to overcome gene silencing. <i>Experimental Cell Research</i> , <b>2007</b> , 313, 1943-50	4.2	19
187	Reversal of Sjogren's-like syndrome in non-obese diabetic mice. <i>Annals of the Rheumatic Diseases</i> , <b>2007</b> , 66, 812-4	2.4	30
186	Simultaneous visualization of multiple antigens with tyramide signal amplification using antibodies from the same species. <i>Journal of Histochemistry and Cytochemistry</i> , <b>2007</b> , 55, 545-54	3.4	140
185	Bone marrow-derived stem cells in neurological diseases: stones or masons?. <i>Regenerative Medicine</i> , <b>2007</b> , 2, 37-49	2.5	24
184	Using brain slice cultures of mouse brain to assess the effect of growth factors on differentiation of bone marrow derived stem cells. <i>Ideggyogyaszati Szemle</i> , <b>2007</b> , 60, 124-9	0.4	2
183	Comment on papers by Chong et al., Nishio et al., and Suri et al. on diabetes reversal in NOD mice. <i>Science</i> , <b>2006</b> , 314, 1243; author reply 1243	33.3	5
182	Co-expression of estrogen receptor-alpha and targets of estrogen receptor action in proliferating monkey mammary epithelial cells. <i>Breast Cancer Research</i> , <b>2006</b> , 8, R10	8.3	8
181	Increased response to high KCl-induced elevation in the intracellular-Ca(2+) concentration in differentiated NG108-15 cell and the inhibitory effect of the L-type Ca(2+) channel blocker, calciseptine. <i>Neurochemical Research</i> , <b>2006</b> , 31, 33-40	4.6	12
180	Transplanted human bone marrow cells generate new brain cells. <i>Journal of the Neurological Sciences</i> , <b>2005</b> , 233, 121-3	3.2	57
179	Bone marrow and brain: unexpected allies or accidental acquaintances?. <i>Stem Cell Reviews and Reports</i> , <b>2005</b> , 1, 15-9	6.4	4
178	Commentary: on bone marrow stem cells and openmindedness. <i>Stem Cells and Development</i> , <b>2004</b> , 13, 147-52	4.4	18
177	Using DSP, a reversible cross-linker, to fix tissue sections for immunostaining, microdissection and expression profiling. <i>Nucleic Acids Research</i> , <b>2004</b> , 32, e185	20.1	36
176	Hybridization histochemistry of neural transcripts. <i>Current Protocols in Neuroscience</i> , <b>2004</b> , Chapter 1, Unit 1.3	2.7	2

175	Transplanted bone marrow generates new neurons in human brains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2003</b> , 100, 1364-9	11.5	473
174	Comment on "Failure of bone marrow cells to transdifferentiate into neural cells in vivo". <i>Science</i> , <b>2003</b> , 299, 1184; author reply 1184	33.3	49
173	On the Origin of Newly Made Neural Cells in the Adult Organism: Does Transdifferentiation Occur? <b>2003</b> , 181-206		
172	Of splice and men: what does the distribution of IKAP mRNA in the rat tell us about the pathogenesis of familial dysautonomia?. <i>Brain Research</i> , <b>2003</b> , 983, 209-14	3.7	24
171	Differentiation of human bone marrow-derived cells into buccal epithelial cells in vivo: a molecular analytical study. <i>Lancet, The</i> , <b>2003</b> , 361, 1084-8	40	148
170	Mice lacking D5 dopamine receptors have increased sympathetic tone and are hypertensive. <i>Journal of Neuroscience</i> , <b>2002</b> , 22, 10801-10	6.6	129
169	Expression and functional characterization of the serine protease inhibitor neuroserpin in endocrine cells. <i>Annals of the New York Academy of Sciences</i> , <b>2002</b> , 971, 406-15	6.5	15
168	Bone marrow transplantation in mice leads to a minor population of hepatocytes that can be selectively amplified in vivo. <i>Hepatology</i> , <b>2002</b> , 35, 799-804	11.2	92
167	Plasticity of adult bone marrow stem cells. <i>Advances in Cell Aging and Gerontology</i> , <b>2002</b> , 73-95		3
166	Characterisation of two serine protease inhibitors expressed in the pituitary gland. <i>Archives of Physiology and Biochemistry</i> , <b>2002</b> , 110, 26-33	2.2	7
165	Susceptibility of dopamine D5 receptor targeted mice to cysteamine. <i>Journal of Physiology (Paris)</i> , <b>2001</b> , 95, 147-51		7
164	Liver alcohol dehydrogenase is degraded by the ubiquitin-proteasome pathway. <i>Biochemical and Biophysical Research Communications</i> , <b>2001</b> , 285, 644-8	3.4	14
163	Neuroserpin is expressed in the pituitary and adrenal glands and induces the extension of neurite-like processes in AtT-20 cells. <i>Biochemical Journal</i> , <b>2000</b> , 345, 595	3.8	5
162	Neuroserpin is expressed in the pituitary and adrenal glands and induces the extension of neurite-like processes in AtT-20 cells. <i>Biochemical Journal</i> , <b>2000</b> , 345, 595-601	3.8	41
161	Vesicular monoamine transporters in the rat stomach. <i>Journal of Physiology (Paris)</i> , <b>2000</b> , 94, 123-30		5
160	Immunomodulation by cannabinoids is absent in mice deficient for the cannabinoid CB(2) receptor. <i>European Journal of Pharmacology</i> , <b>2000</b> , 396, 141-9	5.3	418
159	Bone marrow: a possible alternative source of cells in the adult nervous system. <i>European Journal of Pharmacology</i> , <b>2000</b> , 405, 297-302	5.3	70
158	New members of the parathyroid hormone/parathyroid hormone receptor family: the parathyroid hormone 2 receptor and tuberoinfundibular peptide of 39 residues. <i>Frontiers in Neuroendocrinology</i> , <b>2000</b> , 21, 349-83	8.9	37

157	Cloning, mapping, and expression of a novel brain-specific transcript in the familial dysautonomia candidate region on chromosome 9q31. <i>Mammalian Genome</i> , <b>2000</b> , 11, 81-3	3.2	5
156	Distribution of the GABA(B) receptor subunit gb2 in rat CNS. <i>Brain Research</i> , <b>2000</b> , 860, 41-52	3.7	78
155	Distribution of parathyroid hormone-2 receptor-like immunoreactivity and messenger RNA in the rat nervous system. <i>Neuroscience</i> , <b>2000</b> , 100, 629-49	3.9	46
154	Nigrostriatal innervation is preserved in Nurr1-null mice, although dopaminergic neuron precursors are arrested from terminal differentiation. <i>Molecular Brain Research</i> , <b>2000</b> , 84, 67-78		52
153	Alpha-synuclein immunoreactivity of huntingtin polyglutamine aggregates in striatum and cortex of Huntington's disease patients and transgenic mouse models. <i>Neuroscience Letters</i> , <b>2000</b> , 289, 29-32	3.3	54
152	Turning blood into brain: cells bearing neuronal antigens generated in vivo from bone marrow. <i>Science</i> , <b>2000</b> , 290, 1779-82	33.3	1381
151	Distribution of mRNA for vanilloid receptor subtype 1 (VR1), and VR1-like immunoreactivity, in the central nervous system of the rat and human. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2000</b> , 97, 3655-60	11.5	372
150	The lack of Nurr1 does not effect cholecystokinin mRNA expression in the ventral midbrain in newborn mouse. <i>Neurobiology (Budapest, Hungary)</i> , <b>2000</b> , 8, 265-7		
149	Gastrointestinal immunology: cell types in the lamina propria--a morphological review. <i>Acta Physiologica Hungarica</i> , <b>2000</b> , 87, 305-28		11
148	Distribution of the parathyroid hormone 2 receptor in rat: immunolocalization reveals expression by several endocrine cells. <i>Endocrinology</i> , <b>1999</b> , 140, 3363-71	4.8	53
147	Colocalization of somatostatin receptor sst5 and insulin in rat pancreatic beta-cells. <i>Endocrinology</i> , <b>1999</b> , 140, 3790-6	4.8	78
146	Single cell reverse transcription-polymerase chain reaction analysis of rat supraoptic magnocellular neurons: neuropeptide phenotypes and high voltage-gated calcium channel subtypes. <i>Endocrinology</i> , <b>1999</b> , 140, 5391-401	4.8	89
145	Identification of a GABAB receptor subunit, gb2, required for functional GABAB receptor activity. <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 7607-10	5.4	169
144	TIP39: a new neuropeptide and PTH2-receptor agonist from hypothalamus. <i>Nature Neuroscience</i> , <b>1999</b> , 2, 941-3	25.5	168
143	Cannabinoid-induced mesenteric vasodilation through an endothelial site distinct from CB1 or CB2 receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1999</b> , 96, 14136-41	11.5	539
142	Serotonin transporter messenger RNA expression in neural crest-derived structures and sensory pathways of the developing rat embryo. <i>Neuroscience</i> , <b>1999</b> , 89, 243-65	3.9	66
141	Differential expression of tyrosine hydroxylase in catecholaminergic neurons of neonatal wild-type and Nurr1-deficient mice. <i>Neuroscience</i> , <b>1999</b> , 93, 631-42	3.9	37
140	Non-neuronal dopamine in the gastrointestinal system. <i>Clinical and Experimental Pharmacology &amp; Physiology Supplement</i> , <b>1999</b> , 26, S14-22		19

139	Regulation of dopamine transporter mRNA levels in the central nervous system. <i>Advances in Pharmacology</i> , <b>1998</b> , 42, 202-6	5.7	5
138	Expression of the CB1 and CB2 receptor messenger RNAs during embryonic development in the rat. <i>Neuroscience</i> , <b>1998</b> , 82, 1131-49	3.9	181
137	Localization and dynamic regulation of biogenic amine transporters in the mammalian central nervous system. <i>Frontiers in Neuroendocrinology</i> , <b>1998</b> , 19, 187-231	8.9	184
136	The ubiquitin pathway in Parkinson's disease. <i>Nature</i> , <b>1998</b> , 395, 451-2	50.4	1371
135	Alpha synuclein is present in Lewy bodies in sporadic Parkinson's disease. <i>Molecular Psychiatry</i> , <b>1998</b> , 3, 493-9	15.1	106
134	Alpha synuclein in neurodegenerative disorders: murderer or accomplice?. <i>Nature Medicine</i> , <b>1998</b> , 4, 755-60	50.5	169
133	Ontogeny of vesicular monoamine transporter mRNAs VMAT1 and VMAT2. II. Expression in neural crest derivatives and their target sites in the rat. <i>Developmental Brain Research</i> , <b>1998</b> , 110, 159-74		24
132	Ontogeny of vesicular monoamine transporter mRNAs VMAT1 and VMAT2. I. The developing rat central nervous system. <i>Developmental Brain Research</i> , <b>1998</b> , 110, 135-58		32
131	Effect of dihydrotestosterone on turnover of alcohol dehydrogenase in rat hepatocyte culture. <i>Hepatology</i> , <b>1998</b> , 27, 185-90	11.2	13
130	Dietary fat and alcoholic liver disease. <i>Hepatology</i> , <b>1998</b> , 28, 901-5	11.2	71
129	Serotonin transporter messenger RNA in the developing rat brain: early expression in serotonergic neurons and transient expression in non-serotonergic neurons. <i>Neuroscience</i> , <b>1998</b> , 83, 1185-201	3.9	151
128	A new intracellular serine protease inhibitor expressed in the rat pituitary gland complexes with granzyme B. <i>FEBS Letters</i> , <b>1998</b> , 440, 361-4	3.8	7
127	Plasma metanephrines are markers of pheochromocytoma produced by catechol-O-methyltransferase within tumors. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1998</b> , 83, 2175-85	5.6	186
126	The localization of messenger ribonucleic acids for somatostatin receptors 1, 2, and 3 in rat testis. <i>Endocrinology</i> , <b>1998</b> , 139, 350-7	4.8	17
125	Gastrin-producing endocrine cells: a novel source of histamine in the rat stomach. <i>Endocrinology</i> , <b>1998</b> , 139, 4404-15	4.8	14
124	Cell specific expression of the sst2A and sst5 somatostatin receptors in the rat anterior pituitary. <i>Endocrinology</i> , <b>1998</b> , 139, 414-9	4.8	67
123	Dopamine produced by the stomach may act as a paracrine/autocrine hormone in the rat. <i>Neuroendocrinology</i> , <b>1998</b> , 67, 336-48	5.6	41
122	Hypoalgesia in mice with a targeted deletion of the tachykinin 1 gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1998</b> , 95, 2630-5	11.5	175



121	Substance P receptor expression in intestinal epithelium in clostridium difficile toxin A enteritis in rats. <i>American Journal of Physiology - Renal Physiology</i> , <b>1998</b> , 275, G68-75	5.1	41
120	Identification of elf1, a beta-spectrin, in early mouse liver development. <i>International Journal of Developmental Biology</i> , <b>1998</b> , 42, 221-4	1.9	10
119	Substantial production of dopamine in the human gastrointestinal tract. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1997</b> , 82, 3864-71	5.6	230
118	Hematopoietic cells differentiate into both microglia and macroglia in the brains of adult mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1997</b> , 94, 4080-5	11.5	893
117	Distribution of somatostatin receptor messenger RNAs in the rat gastrointestinal tract. <i>Gastroenterology</i> , <b>1997</b> , 112, 1948-60	13.3	63
116	Praja1, a novel gene encoding a RING-H2 motif in mouse development. <i>Oncogene</i> , <b>1997</b> , 15, 2361-8	9.2	39
115	Mutations in SOD1 associated with amyotrophic lateral sclerosis cause novel protein interactions. <i>Nature Genetics</i> , <b>1997</b> , 15, 91-4	36.3	113
114	Dopaminergic characteristics of isolated parietal cells from rats. <i>Journal of Physiology (Paris)</i> , <b>1997</b> , 91, 247-56		13
113	Tyrosine hydroxylase assay for detection of low levels of enzyme activity in peripheral tissues. <i>Biomedical Applications</i> , <b>1997</b> , 694, 317-24		13
112	Distribution of Muscarinic Receptor mRNAs in the Stomachs of Normal or Immobilized Rats <b>1997</b> , 171-185		
111	Immunohistochemical signal amplification by catalyzed reporter deposition and its application in double immunostaining. <i>Journal of Histochemistry and Cytochemistry</i> , <b>1996</b> , 44, 1353-62	3.4	238
110	Distribution of parathyroid hormone-2 receptor messenger ribonucleic acid in rat. <i>Endocrinology</i> , <b>1996</b> , 137, 4285-97	4.8	98
109	A novel nonneuronal catecholaminergic system: exocrine pancreas synthesizes and releases dopamine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1996</b> , 93, 10377-82	11.5	96
108	Distribution of muscarinic receptor mRNAs in the stomachs of normal or immobilized rats. <i>Inflammopharmacology</i> , <b>1996</b> , 4, 399-413	5.1	3
107	Identification of endogenous peroxidase-containing cells as eosinophils in the gastrointestinal system. <i>Histochemistry and Cell Biology</i> , <b>1996</b> , 106, 447-56	2.4	15
106	Food-dependent Cushing's syndrome resulting from abundant expression of gastric inhibitory polypeptide receptors in adrenal adenoma cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1996</b> , 81, 3168-3172	5.6	69
105	Identification of endogenous peroxidase-containing cells as eosinophils in the gastrointestinal system. <i>Histochemistry and Cell Biology</i> , <b>1996</b> , 106, 447-456	2.4	
104	Molecular neurobiology and pharmacology of the vasopressin/oxytocin receptor family. <i>Cellular and Molecular Neurobiology</i> , <b>1995</b> , 15, 573-95	4.6	115

103	Analysis of aldehyde oxidase and xanthine dehydrogenase/oxidase as possible candidate genes for autosomal recessive familial amyotrophic lateral sclerosis. <i>Somatic Cell and Molecular Genetics</i> , <b>1995</b> , 21, 121-31		52
102	PACAP acts through VIP type 2 receptors in the rat testis. <i>Neuropeptides</i> , <b>1995</b> , 29, 315-20	3.3	37
101	Is there a third peripheral catecholaminergic system? Endogenous dopamine as an autocrine/paracrine substance derived from plasma DOPA and inactivated by conjugation. <i>Hypertension Research</i> , <b>1995</b> , 18 Suppl 1, S93-9	4.7	57
100	Neurotransmitters and neuropeptides in the baroreceptor reflex arc: connections between the nucleus of the solitary tract and the ventrolateral medulla oblongata in the rat. <i>Clinical and Experimental Hypertension</i> , <b>1995</b> , 17, 101-13	2.2	18
99	Extrapituitary expression of the rat V1b vasopressin receptor gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1995</b> , 92, 6783-7	11.5	276
98	Two receptors for vasoactive intestinal polypeptide with similar specificity and complementary distributions. <i>Endocrinology</i> , <b>1994</b> , 135, 2662-80	4.8	372
97	A frequent ala 4 to val superoxide dismutase-1 mutation is associated with a rapidly progressive familial amyotrophic lateral sclerosis. <i>Human Molecular Genetics</i> , <b>1994</b> , 3, 981-7	5.6	132
96	Potential problems in using [35S]-dATP-tailed oligonucleotides for detecting mRNAs in certain cells of the immune system. <i>Journal of Histochemistry and Cytochemistry</i> , <b>1994</b> , 42, 1277-83	3.4	5
95	Distribution and regulation of the candidate prohormone processing enzymes SPC2 and SPC3 in adult rat brain. <i>Neuropeptides</i> , <b>1994</b> , 27, 307-22	3.3	18
94	Two glycine transporter variants with distinct localization in the CNS and peripheral tissues are encoded by a common gene. <i>Neuron</i> , <b>1993</b> , 10, 851-63	13.9	176
93	Treatment of alcoholic liver disease. <i>Seminars in Liver Disease</i> , <b>1993</b> , 13, 210-6	7.3	15
92	Gastric inhibitory polypeptide receptor, a member of the secretin-vasoactive intestinal peptide receptor family, is widely distributed in peripheral organs and the brain. <i>Endocrinology</i> , <b>1993</b> , 133, 2861-70	4.8	389
91	Neural and non-neural origin of calcitonin gene-related peptide (CGRP) in the gastric mucosa. <i>Neuropeptides</i> , <b>1993</b> , 24, 117-22	3.3	18
90	Response : Actions of Antiulcer Drugs. <i>Science</i> , <b>1993</b> , 262, 1454-1455	33.3	
89	Response : Actions of Antiulcer Drugs. <i>Science</i> , <b>1993</b> , 262, 1454-1455	33.3	
88	Localization of targets for anti-ulcer drugs in cells of the immune system. <i>Science</i> , <b>1992</b> , 258, 1662-5	33.3	76
87	Sex differences in gastric alcohol dehydrogenase activity in Sprague-Dawley rats. <i>Gastroenterology</i> , <b>1992</b> , 103, 1804-10	13.3	27
86	Adrenergic projections from the lower brainstem to the hypothalamic paraventricular nucleus, the lateral hypothalamic area and the central nucleus of the amygdala in rats. <i>Journal of Chemical Neuroanatomy</i> , <b>1992</b> , 5, 407-15	3.2	44

85	Cloning of the cocaine-sensitive bovine dopamine transporter. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1991</b> , 88, 11168-71	11.5	201
84	Cloning of a serotonin transporter affected by antidepressants. <i>Science</i> , <b>1991</b> , 254, 579-80	33.3	521
83	Interaction between alcohol and nutrition in the pathogenesis of alcoholic liver disease. <i>Seminars in Liver Disease</i> , <b>1991</b> , 11, 340-8	7.3	40
82	The path forward in Hungarian neuroscience. <i>Trends in Neurosciences</i> , <b>1991</b> , 14, 185-8	13.3	0
81	Activity of the beta-retinoic acid receptor promoter in transgenic mice. <i>Mechanisms of Development</i> , <b>1991</b> , 36, 15-29	1.7	71
80	Coexpression of vasopressin and oxytocin in hypothalamic supraoptic neurons of lactating rats. <i>Endocrinology</i> , <b>1991</b> , 129, 1814-20	4.8	108
79	The origin of somatostatin-containing nerve fibers innervating the hypothalamic supraoptic nucleus. <i>Brain Research</i> , <b>1991</b> , 554, 293-8	3.7	8
78	Time dependent changes in CRF and its mRNA in the neurons of the inferior olive following surgical transection of the olivocerebellar tract in the rat. <i>Molecular Brain Research</i> , <b>1991</b> , 10, 55-9		9
77	Approaches to treatment of fibrogenesis in alcoholic liver disease. <i>Alcohol and Alcoholism Supplement</i> , <b>1991</b> , 1, 363-7		1
76	Effect of parenteral amino acid supplementation on short-term and long-term outcomes in severe alcoholic hepatitis: a randomized controlled trial. <i>Hepatology</i> , <b>1991</b> , 14, 1090-6	11.2	18
75	Distribution of carboxypeptidase H messenger RNA in rat brain using in situ hybridization histochemistry: implications for neuropeptide biosynthesis. <i>Molecular Brain Research</i> , <b>1990</b> , 7, 53-9		26
74	Effect of epinephrine on ethanol metabolism by isolated rat hepatocytes. <i>Biochemical Pharmacology</i> , <b>1990</b> , 40, 2473-8	6	10
73	Neuropeptide content and connectivity of the rat claustrum. <i>Brain Research</i> , <b>1990</b> , 523, 245-50	3.7	23
72	Effect of insulin-like growth factor I on rat alcohol dehydrogenase in primary hepatocyte culture. <i>Archives of Biochemistry and Biophysics</i> , <b>1990</b> , 280, 390-6	4.1	12
71	Cloning of the rat adrenal medullary phenylethanolamine-N-methyltransferase. <i>Nucleic Acids Research</i> , <b>1989</b> , 17, 2125	20.1	11
70	Animal models for alcoholic liver disease. <i>Hepatology</i> , <b>1989</b> , 9, 904-5	11.2	3
69	Biogenic Amine and Corticotrophin-Releasing Factor Concentrations in Hypothalamic Paraventricular Nucleus and Biogenic Amine Levels in the Median Eminence of Normal Dogs, Chronic Dexamethasone-Treated Dogs, and Dogs with Naturally-Occurring Pituitary-Dependent Hyperadrenocorticism (Canine Cushing's Disease). <i>Journal of Neuroendocrinology</i> , <b>1989</b> , 1, 169-71	3.8	7
68	Effect of testosterone administration on rates of ethanol elimination in hypogonadal patients. <i>Alcohol</i> , <b>1989</b> , 6, 331-3	2.7	8

67	Distribution of serotonin 5-HT <sub>1C</sub> receptor mRNA in adult rat brain. <i>FEBS Letters</i> , <b>1989</b> , 247, 453-62	3.8	139
66	Partial coexistence of growth hormone-releasing hormone and tyrosine hydroxylase in paraventricular neurons in rats. <i>Peptides</i> , <b>1989</b> , 10, 791-5	3.8	5
65	Phenylethanolamine N-methyltransferase-containing neurons in the limbic system of the young rat. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1989</b> , 86, 347-51	11.5	27
64	Influence of epinephrine on alcohol dehydrogenase activity in rat hepatocyte culture. <i>Biochemical Pharmacology</i> , <b>1988</b> , 37, 2993-3000	6	6
63	Galanin coexists with vasopressin in the normal rat hypothalamus and galanin synthesis is increased in the Brattleboro (diabetes insipidus) rat. <i>Neuroscience Letters</i> , <b>1988</b> , 90, 45-50	3.3	98
62	Changes in erythrocyte enzyme activities during erythrocyte aging in alcoholism. <i>Alcoholism: Clinical and Experimental Research</i> , <b>1988</b> , 12, 422-6	3.7	3
61	Alcohol and dietary intake in the development of chronic pancreatitis and liver disease in alcoholism. <i>American Journal of Clinical Nutrition</i> , <b>1988</b> , 48, 148-51	7	79
60	Mechanism of action of atrial natriuretic peptides does not involve adenylate cyclase system of different rat brain areas. <i>Kidney International, Supplement</i> , <b>1988</b> , 25, S98-100		
59	Dexamethasone inhibits corticotropin-releasing factor gene expression in the rat paraventricular nucleus. <i>Neuroendocrinology</i> , <b>1987</b> , 46, 365-8	5.6	156
58	Tyrosine hydroxylase mRNA is increased by hyperosmotic stimuli in the paraventricular and supraoptic nuclei. <i>Neuroendocrinology</i> , <b>1987</b> , 46, 439-44	5.6	67
57	Neuropeptides and neurotransmitters involved in regulation of corticotropin-releasing factor-containing neurons in the rat. <i>Progress in Brain Research</i> , <b>1987</b> , 72, 119-27	2.9	5
56	Pro-opiomelanocortin-derived peptides (ACTH/beta-endorphin/alpha-MSH) in brainstem baroreceptor areas of the rat. <i>Brain Research</i> , <b>1987</b> , 436, 323-38	3.7	128
55	Role of cholecystokinin in corticotropin release: coexistence with vasopressin and corticotropin-releasing factor in cells of the rat hypothalamic paraventricular nucleus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1986</b> , 83, 3510-2	11.5	52
54	The sympathochromaffin system and the pituitary-adrenocortical response to hypoglycemia. <i>Science</i> , <b>1986</b> , 231, 502	33.3	
53	Vasopressin and oxytocin mRNAs in adrenalectomized and Brattleboro rats: analysis by quantitative in situ hybridization histochemistry. <i>Molecular Brain Research</i> , <b>1986</b> , 387, 231-41		228
52	Quantitative in situ hybridization histochemistry reveals increased levels of corticotropin-releasing factor mRNA after adrenalectomy in rats. <i>Neuroscience Letters</i> , <b>1986</b> , 70, 198-203	3.3	355
51	Enkephalin and neuropeptide Y: two colocalized neuropeptides are independently regulated in primary cultures of bovine chromaffin cells. <i>Neuropeptides</i> , <b>1986</b> , 7, 315-27	3.3	35
50	Demonstration of the vasopressin associated glycopeptide in the brain and peripheral tissues of the Brattleboro rat. <i>Neuropeptides</i> , <b>1986</b> , 7, 79-85	3.3	21

49	Innervation of the nucleus of the solitary tract and the dorsal vagal nucleus by thyrotropin-releasing hormone-containing raphe neurons. <i>Brain Research</i> , <b>1986</b> , 373, 246-51	3.7	133
48	Serotonin-containing elements of the rat pituitary intermediate lobe. <i>Neuroendocrinology</i> , <b>1986</b> , 42, 522-56	5.6	27
47	Vasoactive intestinal polypeptide immunopositive neurons in the paraventricular nucleus of homozygous Brattleboro rats. <i>Neuroendocrinology</i> , <b>1986</b> , 42, 88-90	5.6	16
46	Tyrosine hydroxylase in magnocellular neurosecretory neurons. Response to physiological manipulations. <i>Neuroendocrinology</i> , <b>1986</b> , 43, 519-25	5.6	54
45	Multiple chemical messengers in hypothalamic magnocellular neurons. <i>Progress in Brain Research</i> , <b>1986</b> , 68, 161-8	2.9	40
44	Response : The Sympathochromaffin System and the Pituitary-Adrenocortical Response to Hypoglycemia. <i>Science</i> , <b>1986</b> , 231, 502-502	33.3	
43	Response : The Sympathochromaffin System and the Pituitary-Adrenocortical Response to Hypoglycemia. <i>Science</i> , <b>1986</b> , 231, 502-502	33.3	
42	Vasoactive intestinal peptide-containing neurons in the paraventricular nucleus may participate in regulating prolactin secretion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1985</b> , 82, 245-7	11.5	101
41	Immunochemical characterization of carboxypeptidase B-like peptide-hormone-processing enzyme. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1985</b> , 82, 4745-9	11.5	44
40	Co-localization of corticotropin-releasing factor and vasopressin in median eminence neurosecretory vesicles. <i>Nature</i> , <b>1985</b> , 317, 248-50	50.4	198
39	Cholecystikinin in the medial parvocellular subdivision of the paraventricular nucleus. Co-existence with corticotropin-releasing hormone. <i>Annals of the New York Academy of Sciences</i> , <b>1985</b> , 448, 152-6	6.5	31
38	Neuropeptide Y and peptide YY neuronal and endocrine systems. <i>Peptides</i> , <b>1985</b> , 6, 755-68	3.8	271
37	Topographical distribution of pro-opiomelanocortin-derived peptides (ACTH/beta-END/alpha-MSH) in the rat median eminence. <i>Brain Research</i> , <b>1985</b> , 329, 169-76	3.7	29
36	Distribution of the pro-opiomelanocortin derived peptides, adrenocorticotrope hormone, alpha-melanocyte-stimulating hormone and beta-endorphin (ACTH, alpha-MSH, beta-END) in the rat hypothalamus. <i>Brain Research</i> , <b>1985</b> , 328, 341-7	3.7	123
35	Beta-adrenergic mechanism of insulin-induced adrenocorticotropin release from the anterior pituitary. <i>Science</i> , <b>1984</b> , 226, 1085-7	33.3	53
34	A dynorphinergic pathway of Leu-enkephalin production in rat substantia nigra. <i>Nature</i> , <b>1984</b> , 307, 643-5	50.4	184
33	Increase of corticotropin-releasing factor staining in rat paraventricular nucleus neurones by depletion of hypothalamic adrenaline. <i>Nature</i> , <b>1984</b> , 310, 140-1	50.4	137
32	Differential regulation of Central and Peripheral benzodiazepine binding sites in the rat olfactory bulb. <i>European Journal of Pharmacology</i> , <b>1984</b> , 105, 143-8	5.3	41

31	Bilateral midbrain transections block the behavioral effects of cholecystokinin on feeding and exploration in rats. <i>Brain Research</i> , <b>1984</b> , 322, 316-21	3.7	62
30	On the origin of the serotonergic input to the intermediate lobe of the rat pituitary. <i>Brain Research</i> , <b>1984</b> , 294, 231-7	3.7	48
29	Corticotropin-releasing factor-immunoreactive neurons of the paraventricular nucleus become vasopressin positive after adrenalectomy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1984</b> , 81, 1854-8	11.5	242
28	Acetaldehyde, liver injury, and jejunoileal bypass. <i>Lancet, The</i> , <b>1983</b> , 2, 971	4.0	1
27	Circadian variations in beta-endorphin concentrations in pituitary and in some brain nuclei of the adult male rat. <i>Brain Research</i> , <b>1983</b> , 261, 243-8	3.7	49
26	Pituitary stalk section transiently impairs the acquisition of shuttle box avoidance behavior. <i>Physiology and Behavior</i> , <b>1983</b> , 30, 499-502	3.5	3
25	Serotonergic innervation of the rat pituitary intermediate lobe: decrease after stalk section. <i>Endocrinology</i> , <b>1983</b> , 112, 1943-7	4.8	55
24	Direct stimulation of beta 2-adrenergic receptors in rat anterior pituitary induces the release of adrenocorticotropin in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1983</b> , 80, 6728-31	11.5	44
23	Distribution of vasoactive intestinal peptide (VIP) following various brain transections in the rat by radioimmunoassay and electronmicroscopic immunocytochemistry. <i>Neuropeptides</i> , <b>1982</b> , 2, 337-350	3.3	29
22	Meningeal relations of the rat hypothalamo-hypophyseal system. Extravascular fluid spaces in and around the median eminence. <i>Brain Research</i> , <b>1982</b> , 250, 21-30	3.7	8
21	Neonatal treatment with monosodium-L-glutamate: differential effects on growth hormone and prolactin release induced by morphine. <i>Neuroendocrinology</i> , <b>1982</b> , 35, 231-5	5.6	20
20	Transport of horseradish peroxidase by processes of radial glia from the pial surface into the mouse brain. <i>Cell and Tissue Research</i> , <b>1982</b> , 224, 189-94	4.2	5
19	Distribution of monoamines within the median eminence in rats. <i>Endocrinologia Experimentalis</i> , <b>1982</b> , 16, 207-16		2
18	Axonterminal uptake and retrograde axonal transport of labeled amino acids and their incorporation into proteins of neuronal perikarya. <i>Neuroscience</i> , <b>1981</b> , 6, 2035-46	3.9	9
17	Opiocortin peptides: localization, source and avenues of transport <b>1981</b> , 12, 321-51		29
16	Electron microscopic identification of cerebellar nucleo-cortical mossy terminals in the rat. <i>Experimental Brain Research</i> , <b>1981</b> , 44, 97-100	2.3	22
15	TRANSPORT OF EXOGENOUS BETA-LIPOTROPIN (βLP) FROM THE PITUITARY TO THE CENTRAL NERVOUS SYSTEM OF THE RAT <b>1981</b> , 295-301		
14	Noradrenergic innervation of the rat hypothalamus: experimental biochemical and electron microscopic studies. <i>Brain Research</i> , <b>1980</b> , 191, 161-71	3.7	153

13	Adrenergic innervation of the rat hypothalamus. <i>Neuroscience Letters</i> , <b>1980</b> , 18, 237-43	3.3	42
12	Myelinated dendrites of Purkinje cells in deafferented cerebellar cortex. <i>Journal Für Hirnforschung</i> , <b>1980</b> , 21, 391-407		4
11	Pituitary-brain retrograde transport. <i>Trends in Neurosciences</i> , <b>1979</b> , 2, 57-60	13.3	29
10	Pituitary-brain transport of neurotensin: functional significance of retrograde transport. <i>Endocrinology</i> , <b>1979</b> , 104, 1663-6	4.8	40
9	Evidence for pituitary-brain transport of a behaviorally potent ACTH analog. <i>Life Sciences</i> , <b>1978</b> , 22, 831-8.8		122
8	Hepatic collagen proline hydroxylase activity in hepatic disease following jejunoileal bypass for morbid obesity. <i>Surgery</i> , <b>1978</b> , 83, 345-53	3.6	3
7	Quantitative histological analysis of the cerebellar nuclei in the cat. I. Numerical data on cells and on synapses. <i>Experimental Brain Research</i> , <b>1977</b> , 28, 189-209	2.3	134
6	Serial and triadic synapses in the cerebellar nuclei of the cat. <i>Experimental Brain Research</i> , <b>1977</b> , 30, 259-73		11
5	Quantitative cytology and electron microscopy of the cerebellar nuclei in the cat <b>1977</b> , 171-6		3
4	Endogenous ethanol production and hepatic disease following jejunoileal bypass for morbid obesity. <i>American Journal of Clinical Nutrition</i> , <b>1975</b> , 28, 1277-83	7	75
3	Gastric inhibitory polypeptide receptor, a member of the secretin-vasoactive intestinal peptide receptor family, is widely distributed in peripheral organs and the brain		121
2	The Localization of Messenger Ribonucleic Acids for Somatostatin Receptors 1, 2, and 3 in Rat Testis		9
1	Plasma Metanephrines Are Markers of Pheochromocytoma Produced by Catechol-O-Methyltransferase Within Tumors		52