Yuan Zhu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5223545/publications.pdf

Version: 2024-02-01

33 papers	1,071 citations	18 h-index	414414 32 g-index
35 all docs	35 docs citations	35 times ranked	1527 citing authors

#	Article	IF	CITATIONS
1	Characterization of Temozolomide Resistance Using a Novel Acquired Resistance Model in Glioblastoma Cell Lines. Cancers, 2022, 14, 2211.	3.7	7
2	Cerebral cavernous malformations do not fall in the spectrum of PIK3CA-related overgrowth. Journal of Neurology, Neurosurgery and Psychiatry, 2022, 93, 808-815.	1.9	5
3	Ischemia-induced inflammation in arteriovenous malformations. Neurosurgical Focus, 2022, 53, E3.	2.3	2
4	Modifiable Cardiovascular Risk Factors in Patients With Sporadic Cerebral Cavernous Malformations. Stroke, 2021, 52, 1259-1264.	2.0	15
5	The predominant expression of cancer stem cell marker ALDH1A3 in tumor infiltrative area is associated with shorter overall survival of human glioblastoma. BMC Cancer, 2020, 20, 672.	2.6	12
6	PDCD10-Deficiency Promotes Malignant Behaviors and Tumor Growth via Triggering EphB4 Kinase Activity in Glioblastoma. Frontiers in Oncology, 2020, 10, 1377.	2.8	9
7	DNA promoter methylation of CCM genes in human cerebral cavernous malformations: Importance of confirming MSP data through sequencing. European Journal of Medical Genetics, 2020, 63, 104090.	1.3	O
8	Hemorrhage from cerebral cavernous malformations. Neurology, 2020, 95, e89-e96.	1.1	31
9	Loss of programmed cell death 10 activates tumor cells and leads to temozolomide-resistance in glioblastoma. Journal of Neuro-Oncology, 2019, 141, 31-41.	2.9	8
10	Correlation of the venous angioarchitecture of multiple cerebral cavernous malformations with familial or sporadic disease: a susceptibility-weighted imaging study with 7-Tesla MRI. Journal of Neurosurgery, 2017, 126, 570-577.	1.6	52
11	EphB4 forward signalling mediates angiogenesis caused by <i><scp>CCM</scp>3/<scp>PDCD</scp>10</i> 2017, 21, 1848-1858.	3.6	30
12	Mutagenicity and estrogenicity of raw water and drinking water in an industrialized city in the Yangtze River Delta. Chemosphere, 2017, 185, 647-655.	8.2	14
13	Outcome after conservative management or surgical treatment for new-onset epilepsy in cerebral cavernous malformation. Journal of Neurosurgery, 2017, 126, 1303-1311.	1.6	33
14	Study of angiogenic signaling pathways in hemangioblastoma. Neuropathology, 2017, 37, 3-11.	1.2	32
15	Solitary Sporadic Cerebral Cavernous Malformations: Risk Factors of First or Recurrent Symptomatic Hemorrhage and Associated Functional Impairment. World Neurosurgery, 2016, 91, 73-80.	1.3	33
16	MicroRNA-146b, a Sensitive Indicator of Mesenchymal Stem Cell Repair of Acute Renal Injury. Stem Cells Translational Medicine, 2016, 5, 1406-1415.	3.3	32
17	Multiple cerebral arterio-venous malformations: impact of multiplicity and hemodynamics on treatment strategies. Acta Neurochirurgica, 2016, 158, 2399-2407.	1.7	5
18	Activation of multiple angiogenic signaling pathways in hemangiopericytoma. Brain Tumor Pathology, 2016, 33, 200-208.	1.7	6

#	Article	IF	CITATIONS
19	Loss of endothelial programmed cell death 10 activates glioblastoma cells and promotes tumor growth. Neuro-Oncology, 2016, 18, 538-548.	1.2	30
20	Downregulation of programmed cell death 10 is associated with tumor cell proliferation, hyperangiogenesis and peritumoral edema in human glioblastoma. BMC Cancer, 2015, 15, 759.	2.6	22
21	Tumorigenic hybrids between mesenchymal stem cells and gastric cancer cells enhanced cancer proliferation, migration and stemness. BMC Cancer, 2015, 15, 793.	2.6	68
22	Regulation of \hat{I}^21 Integrin-Klf2-Mediated Angiogenesis by CCM Proteins. Developmental Cell, 2015, 32, 181-190.	7.0	127
23	Extracellular regulated protein kinases $1/2$ phosphorylation is required for hepatic differentiation of human umbilical cord-derived mesenchymal stem cells. Experimental Biology and Medicine, 2015, 240, 534-545.	2.4	7
24	Implications of Dll4-Notch signaling activation in primary glioblastoma multiforme. Neuro-Oncology, 2013, 15, 1366-1378.	1.2	44
25	Loss of <scp>CCM</scp> 3 impairs <scp>DLL</scp> 4â€Notch signalling: implication in endothelial angiogenesis and in inherited cerebral cavernous malformations. Journal of Cellular and Molecular Medicine, 2013, 17, 407-418.	3.6	75
26	The functional <i>Aquaporin 1</i> à 2 783G/C-polymorphism is associated with survival in patients with glioblastoma multiforme. Journal of Surgical Oncology, 2013, 108, 492-498.	1.7	15
27	Prognostic factors for cerebral infraction and outcome in patients with intracranial aneurysm. Surgical Practice, 2012, 16, 94-102.	0.2	0
28	In Vitro Characterization of the Angiogenic Phenotype and Genotype of the Endothelia Derived From Sporadic Cerebral Cavernous Malformations. Neurosurgery, 2011, 69, 722-732.	1.1	23
29	Cerebral cavernous malformation protein CCM1 inhibits sprouting angiogenesis by activating DELTA-NOTCH signaling. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 12640-12645.	7.1	172
30	Differential angiogenesis function of CCM2 and CCM3 in cerebral cavernous malformations. Neurosurgical Focus, 2010, 29, E1.	2.3	64
31	Involvement of PTEN Promoter Methylation in Cerebral Cavernous Malformations. Stroke, 2009, 40, 820-826.	2.0	30
32	Phosphatase and tensin homolog in cerebral cavernous malformation: a potential role in pathological angiogenesis. Journal of Neurosurgery, 2009, 110, 530-539.	1.6	11
33	Implication of PTEN in production of reactive oxygen species and neuronal death in in vitro models of stroke and Parkinson's disease. Neurochemistry International, 2007, 50, 507-516.	3.8	56