

Hai Lu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5224751/hai-lu-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

135
papers

1,825
citations

22
h-index

37
g-index

147
ext. papers

2,384
ext. citations

4.1
avg. IF

4.67
L-index

#	Paper	IF	Citations
135	A self-powered high-performance graphene/silicon ultraviolet photodetector with ultra-shallow junction: breaking the limit of silicon?. <i>Npj 2D Materials and Applications</i> , 2017 , 1,	8.8	144
134	Anomalous Terahertz Reflection and Scattering by Flexible and Conformal Coding Metamaterials. <i>Advanced Optical Materials</i> , 2015 , 3, 1374-1380	8.1	131
133	Solar-Blind Photodetector with High Avalanche Gains and Bias-Tunable Detecting Functionality Based on Metastable Phase β -GaO/ZnO Isotype Heterostructures. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 36997-37005	9.5	106
132	High-Gain AlGaIn Solar-Blind Avalanche Photodiodes. <i>IEEE Electron Device Letters</i> , 2014 , 35, 372-374	4.4	76
131	Developing LED UV fluorescence sensors for online monitoring DOM and predicting DBPs formation potential during water treatment. <i>Water Research</i> , 2016 , 93, 1-9	12.5	69
130	Carbonized Bamboos as Excellent 3D Solar Vapor-Generation Devices. <i>Advanced Materials Technologies</i> , 2019 , 4, 1800593	6.8	68
129	Electrical instability of amorphous indium-gallium-zinc oxide thin film transistors under monochromatic light illumination. <i>Applied Physics Letters</i> , 2012 , 100, 243505	3.4	66
128	Ultra-Low Dark Current AlGaIn-Based Solar-Blind Metal-Semiconductor-Metal Photodetectors for High-Temperature Applications. <i>IEEE Sensors Journal</i> , 2012 , 12, 2086-2090	4	57
127	Progress on AlGaIn-based solar-blind ultraviolet photodetectors and focal plane arrays. <i>Light: Science and Applications</i> , 2021 , 10, 94	16.7	51
126	High-Temperature Single Photon Detection Performance of 4H-SiC Avalanche Photodiodes. <i>IEEE Photonics Technology Letters</i> , 2014 , 26, 1136-1138	2.2	44
125	Solvent-Based Soft-Patterning of Graphene Lateral Heterostructures for Broadband High-Speed Metal-Semiconductor-Metal Photodetectors. <i>Advanced Materials Technologies</i> , 2017 , 2, 1600241	6.8	43
124	Br doped porous bismuth oxychloride micro-sheets with rich oxygen vacancies and dominating {0 0 1} facets for enhanced nitrogen photo-fixation performances. <i>Journal of Colloid and Interface Science</i> , 2019 , 556, 111-119	9.3	39
123	Highly Efficient Spintronic Terahertz Emitter Enabled by Metal-Dielectric Photonic Crystal. <i>Advanced Optical Materials</i> , 2018 , 6, 1800965	8.1	36
122	Highly selective and sensitive phosphate anion sensors based on AlGaIn/GaN high electron mobility transistors functionalized by ion imprinted polymer. <i>Scientific Reports</i> , 2016 , 6, 27728	4.9	33
121	High Quantum Efficiency GaN-Based p-i-n Ultraviolet Photodetectors Prepared on Patterned Sapphire Substrates. <i>IEEE Photonics Technology Letters</i> , 2013 , 25, 652-654	2.2	32
120	Field-dependent carrier trapping induced kink effect in AlGaIn/GaN high electron mobility transistors. <i>Applied Physics Letters</i> , 2011 , 98, 173508	3.4	29
119	A Reusable and High Sensitivity Nitrogen Dioxide Sensor Based on Monolayer SnSe. <i>IEEE Electron Device Letters</i> , 2018 , 39, 599-602	4.4	27

118	A flexible wideband bandpass terahertz filter using multi-layer metamaterials. <i>Applied Physics B: Lasers and Optics</i> , 2013 , 113, 285-290	1.9	25
117	Vertically Emitting Indium Phosphide Nanowire Lasers. <i>Nano Letters</i> , 2018 , 18, 3414-3420	11.5	25
116	Large-Swing a-IGZO Inverter With a Depletion Load Induced by Laser Annealing. <i>IEEE Electron Device Letters</i> , 2014 , 35, 1034-1036	4.4	24
115	Significant Performance Improvement in AlGaIn Solar-Blind Avalanche Photodiodes by Exploiting the Built-In Polarization Electric Field. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2014 , 20, 187-192	3.8	23
114	Exploitation of Polarization in Back-Illuminated AlGaIn Avalanche Photodiodes. <i>IEEE Photonics Technology Letters</i> , 2013 , 25, 1510-1513	2.2	23
113	Performance of Monolayer Blue Phosphorene Double-Gate MOSFETs from the First Principles. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 20956-20964	9.5	22
112	Modification of the valence band structures of polar and nonpolar plane wurtzite-GaN by anisotropic strain. <i>Journal of Applied Physics</i> , 2009 , 106, 023714	2.5	22
111	Do all screw dislocations cause leakage in GaN-based devices?. <i>Applied Physics Letters</i> , 2020 , 116, 062104	5.4	19
110	An ultra-sensitive and selective nitrogen dioxide sensor based on a novel PC monolayer from a theoretical perspective. <i>Nanoscale</i> , 2018 , 10, 21936-21943	7.7	19
109	1.37 kV/12 A NiO/EGa ₂ O ₃ Heterojunction Diode With Nanosecond Reverse Recovery and Rugged Surge-Current Capability. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 12213-12217	7.2	19
108	Realization of p-type gallium nitride by magnesium ion implantation for vertical power devices. <i>Scientific Reports</i> , 2019 , 9, 8796	4.9	18
107	Sustainable Solar Evaporation while Salt Accumulation. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 4935-4942	9.5	17
106	Gate Reliability of p-GaN Gate AlGaIn/GaN High Electron Mobility Transistors. <i>IEEE Electron Device Letters</i> , 2019 , 40, 379-382	4.4	16
105	High Fill-Factor 4H-SiC Avalanche Photodiodes With Partial Trench Isolation. <i>IEEE Photonics Technology Letters</i> , 2016 , 28, 2526-2528	2.2	16
104	Optical Tamm states in hetero-structures with highly dispersive planar plasmonic metamaterials. <i>Applied Physics Letters</i> , 2013 , 102, 111909	3.4	16
103	Solar-blind ultraviolet AlInN/AlGaIn distributed Bragg reflectors. <i>Applied Physics Letters</i> , 2013 , 102, 242134	3.4	15
102	Guided Bloch surface wave resonance for biosensor designs. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2016 , 33, 997-1003	1.8	14
101	Photoluminescence Study of the Photoinduced Phase Separation in Mixed-Halide Hybrid Perovskite CH ₃ NH ₃ Pb(Br) Crystals Synthesized via a Solvothermal Method. <i>Scientific Reports</i> , 2017 , 7, 17695	4.9	13

100	High-Voltage Quasi-Vertical GaN Junction Barrier Schottky Diode With Fast Switching Characteristics. <i>IEEE Electron Device Letters</i> , 2021 , 42, 974-977	4.4	13
99	Sustainable Application of ZIF-8 for Heavy-Metal Removal in Aqueous Solutions. <i>Sustainability</i> , 2021 , 13, 984	3.6	13
98	1.95-kV Beveled-Mesa NiO/EGa ₂ O ₃ Heterojunction Diode With 98.5% Conversion Efficiency and Over Million-Times Overvoltage Ruggedness. <i>IEEE Transactions on Power Electronics</i> , 2021 , 1-1	7.2	13
97	4H-SiC SACM Avalanche Photodiode With Low Breakdown Voltage and High UV Detection Efficiency. <i>IEEE Photonics Journal</i> , 2016 , 8, 1-7	1.8	12
96	Tunneling-Hopping Transport Model for Reverse Leakage Current in InGaN/GaN Blue Light-Emitting Diodes. <i>IEEE Photonics Technology Letters</i> , 2017 , 29, 1447-1450	2.2	12
95	Characteristics of polarization-doped N-face III-nitride light-emitting diodes. <i>Applied Physics Letters</i> , 2012 , 100, 073507	3.4	12
94	Electrically tunable terahertz metamaterials with embedded large-area transparent thin-film transistor arrays. <i>Scientific Reports</i> , 2016 , 6, 23486	4.9	12
93	High-Performance 4H-SiC p-i-n Ultraviolet Photodiode With p Layer Formed by Al Implantation. <i>IEEE Photonics Technology Letters</i> , 2016 , 28, 1189-1192	2.2	11
92	High Sensitive pH Sensor Based on AlInN/GaN Heterostructure Transistor. <i>Sensors</i> , 2018 , 18,	3.8	11
91	Hybrid Light Emitters and UV Solar-Blind Avalanche Photodiodes based on III-Nitride Semiconductors. <i>Advanced Materials</i> , 2020 , 32, e1904354	24	11
90	Analysis of Dark Count Mechanisms of 4H-SiC Ultraviolet Avalanche Photodiodes Working in Geiger Mode. <i>IEEE Transactions on Electron Devices</i> , 2017 , 64, 4532-4539	2.9	11
89	Observation of quincunx-shaped and dipole-like flatband states in photonic rhombic lattices without band-touching. <i>APL Photonics</i> , 2020 , 5, 016107	5.2	10
88	An Improved Design for Solar-Blind AlGaN Avalanche Photodiodes. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-7	1.8	10
87	Improving the sensitivity of compound waveguide grating biosensor via modulated wavevector. <i>Applied Physics Express</i> , 2018 , 11, 082202	2.4	9
86	GaN MSM photodetectors fabricated on bulk GaN with low dark-current and high UV/visible rejection ratio. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2011 , 8, 2473-2475		9
85	A Terahertz Controlled-NOT Gate Based on Asymmetric Rotation of Polarization in Chiral Metamaterials. <i>Advanced Optical Materials</i> , 2017 , 5, 1700108	8.1	8
84	VT Shift and Recovery Mechanisms of p-GaN Gate HEMTs Under DC/AC Gate Stress Investigated by Fast Sweeping Characterization. <i>IEEE Electron Device Letters</i> , 2021 , 42, 1508-1511	4.4	8
83	4H-SiC Ultraviolet Avalanche Photodiodes With Small Gain Slope and Enhanced Fill Factor. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-8	1.8	7

82	Highly Enhanced Inductive Current Sustaining Capability and Avalanche Ruggedness in GaN p-i-n Diodes With Shallow Bevel Termination. <i>IEEE Electron Device Letters</i> , 2020 , 41, 469-472	4.4	7
81	Single Photon Counting Spatial Uniformity of 4H-SiC APD Characterized by SNOM-Based Mapping System. <i>IEEE Photonics Technology Letters</i> , 2017 , 29, 1603-1606	2.2	7
80	4H-SiC Avalanche Photodiode Linear Array Operating in Geiger Mode. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-7	1.8	7
79	Bias-Selective Dual-Operation-Mode Ultraviolet Schottky-Barrier Photodetectors Fabricated on High-Resistivity Homoepitaxial GaN. <i>IEEE Photonics Technology Letters</i> , 2012 , 24, 2203-2205	2.2	7
78	Light tunneling effect tuned by a meta-interface with electromagnetically-induced-transparency-like properties. <i>Applied Physics Letters</i> , 2013 , 102, 251908	3.4	7
77	High- κ HfO ₂ -Based AlGaIn/GaN MIS-HEMTs With Y ₂ O ₃ Interfacial Layer for High Gate Controllability and Interface Quality. <i>IEEE Journal of the Electron Devices Society</i> , 2020 , 8, 15-19	2.3	7
76	Spatial Non-Uniform Hot Carrier Luminescence From 4H-SiC p-i-n Avalanche Photodiodes. <i>IEEE Photonics Technology Letters</i> , 2019 , 31, 447-450	2.2	6
75	Low emissivity double sides antireflection coatings for silicon wafer at infrared region. <i>Journal of Alloys and Compounds</i> , 2018 , 742, 729-735	5.7	6
74	Vertical 4H-SiC n-i-p-n APDs With Partial Trench Isolation. <i>IEEE Photonics Technology Letters</i> , 2018 , 30, 805-808	2.2	6
73	Effect of Very High-Fluence Proton Radiation on 6H-SiC Photoconductive Proton Detectors. <i>IEEE Electron Device Letters</i> , 2019 , 40, 1929-1932	4.4	6
72	High-Quality Crystal Growth and Characteristics of AlGaIn-Based Solar-Blind Distributed Bragg Reflectors with a Tri-layer Period Structure. <i>Scientific Reports</i> , 2016 , 6, 29571	4.9	6
71	Enhanced Diffuse Reflectance and Microstructure Properties of Hybrid Titanium Dioxide Nanocomposite Coating. <i>Nanoscale Research Letters</i> , 2018 , 13, 328	5	6
70	Avalanche Ruggedness of GaN p-i-n Diodes Grown on Sapphire Substrate. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018 , 215, 1800069	1.6	6
69	Demonstration of Avalanche and Surge Current Robustness in GaN Junction Barrier Schottky Diode With 600-V/10-A Switching Capability. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 12163-12167	7.2	6
68	Precise Extraction of Dynamic R _{dson} Under High Frequency and High Voltage by a Double-Diode-Isolation Method. <i>IEEE Journal of the Electron Devices Society</i> , 2019 , 1-1	2.3	5
67	Janus Ga ₂ SeTe: A Promising Candidate for Highly Efficient Solar Cells. <i>Solar Rrl</i> , 2019 , 3, 1900321	7.1	5
66	Reverse leakage current in AlGaIn-based ultraviolet light-emitting diodes. <i>Science Bulletin</i> , 2014 , 59, 1276-1279	5	5
65	The Fano-type transmission and field enhancement in heterostructures composed of epsilon-near-zero materials and truncated photonic crystals. <i>Applied Physics Letters</i> , 2013 , 103, 201902	3.4	5

64	Metamaterials: Anomalous Terahertz Reflection and Scattering by Flexible and Conformal Coding Metamaterials (Advanced Optical Materials 10/2015). <i>Advanced Optical Materials</i> , 2015 , 3, 1373-1373	8.1	5
63	Enhanced nonlinear optical response of a planar thick metal film combined with a truncated photonic crystal. <i>Optics Communications</i> , 2012 , 285, 5416-5419	2	5
62	Fine Control of the Electric Field Distribution in the Heterostructure Multiplication Region of AlGaN Avalanche Photodiodes. <i>IEEE Photonics Journal</i> , 2017 , 9, 1-7	1.8	4
61	Performance Modulation for Back-Illuminated AlGaN Ultraviolet Avalanche Photodiodes Based on Multiplication Scaling. <i>IEEE Photonics Journal</i> , 2019 , 11, 1-7	1.8	4
60	Metasurface-enhanced optical Tamm states and related lasing effect. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2015 , 32, 1624	1.7	4
59	Surface Acceptor-Like Trap Model for Gate Leakage Current Degradation in Lattice-Matched InAlN/GaN HEMTs. <i>IEEE Electron Device Letters</i> , 2015 , 36, 1281-1283	4.4	4
58	InGaO ₂ Promising Candidate for High-Electron-Mobility Transistors. <i>IEEE Electron Device Letters</i> , 2020 , 1-1	4.4	4
57	High-Performance 4H-SiC Schottky Photodiode With Semitransparent Grid-Electrode for EUV Detection. <i>IEEE Photonics Technology Letters</i> , 2020 , 32, 791-794	2.2	4
56	Noise Characterization of Geiger-Mode 4H-SiC Avalanche Photodiodes for Ultraviolet Single-Photon Detection. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2018 , 24, 1-5	3.8	4
55	Guided Bloch surface wave resonance by near normal and near in-plane illuminations: the hyper azimuthal sensitivity. <i>Optics Express</i> , 2018 , 26, 12769-12778	3.3	4
54	Sex- and season-dependent differences in telomere length and telomerase activity in the leaves of ash and willow. <i>SpringerPlus</i> , 2014 , 3, 163		4
53	High-efficiency nonlinear platform with usage of metallic nonlinear susceptibility. <i>Optics Letters</i> , 2013 , 38, 1283-5	3	4
52	Near-infrared ITO-based photonic hypercrystals with large angle-insensitive bandgaps.. <i>Optics Letters</i> , 2022 , 47, 917-920	3	4
51	Plasmonic interference lithography by coupling the bulk plasmon polariton mode and the waveguide mode. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 135103	3	4
50	High Performance Quasi-Vertical GaN Junction Barrier Schottky Diode with Zero Reverse Recovery and Rugged Avalanche Capability 2021 ,		4
49	Nonreciprocal Tamm plasmon absorber based on lossy epsilon-near-zero materials. <i>Optics Express</i> , 2021 , 29, 17736-17745	3.3	4
48	High-voltage photoconductive semiconductor switches fabricated on semi-insulating HVPE GaN:Fe template. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2016 , 13, 374-377		4
47	Effects of the Trap Level in the Unintentionally Doped GaN Buffer Layer on Optimized p-GaN Gate AlGaIn/GaN HEMTs. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018 , 215, 1700368	1.6	4

46	Improvements in Microstructure and Leakage Current of High-In-Content InGaN p-i-n Structure by Annealing. <i>IEEE Photonics Technology Letters</i> , 2012 , 24, 1478-1480	2.2	3
45	Fabrication of blue and green non-polar InGaN/GaN multiple quantum well light-emitting diodes on LiAlO ₂ (100) substrates. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2010 , 207, 1404-1406	1.6	3
44	Energy Consumption Analysis of Sludge Transport Pipeline System Based on GA-DE Hybrid Algorithm. <i>Journal of Chemical Engineering of Japan</i> , 2014 , 47, 621-627	0.8	3
43	Synthesis and Properties of InGaN/GaN Multiple Quantum Well Nanowires on Si (111) by Molecular Beam Epitaxy. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2020 , 217, 1900729	1.6	3
42	Effects of dissipative substrate on the performances of enhancement mode AlInN/GaN HEMTs. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2019 , 32, e2482	1	3
41	1.2 kV/25 A Normally off P-N Junction/AlGaIn/GaN HEMTs With Nanosecond Switching Characteristics and Robust Overvoltage Capability. <i>IEEE Transactions on Power Electronics</i> , 2022 , 37, 26-30	2	3
40	Photodetectors: Solvent-Based Soft-Patterning of Graphene Lateral Heterostructures for Broadband High-Speed Metal-Semiconductor-Metal Photodetectors (Adv. Mater. Technol. 2/2017). <i>Advanced Materials Technologies</i> , 2017 , 2,	6.8	2
39	The Generalized Analytical Expression for the Resonance Frequencies of Plasmonic Nanoresonators Composed of Folded Rectangular Geometries. <i>Scientific Reports</i> , 2019 , 9, 52	4.9	2
38	Over 1200 V Normally-OFF p-NiO gated AlGaIn/GaN HEMTs on Si with a Small Threshold Voltage Shift. <i>IEEE Electron Device Letters</i> , 2021 , 1-1	4.4	2
37	Polarization-independent split bullseye antennas for infrared nano-photodetectors. <i>Scientific Reports</i> , 2016 , 6, 39106	4.9	2
36	Observation and Modeling of Leakage Current in AlGaIn Ultraviolet Light Emitting Diodes. <i>IEEE Photonics Technology Letters</i> , 2019 , 31, 1697-1700	2.2	2
35	70-m ² Body Ga ₂ O ₃ Schottky Barrier Diode with 1.48 K/W Thermal Resistance, 59 A Surge Current and 98.9% Conversion Efficiency. <i>IEEE Electron Device Letters</i> , 2022 , 1-1	4.4	2
34	M-Plane Ga ₂ O ₃ Solar-Blind Detector With Record-High Responsivity-Bandwidth Product and High-Temperature Operation Capability. <i>IEEE Electron Device Letters</i> , 2022 , 43, 541-544	4.4	2
33	After-Pulse Characterizations of Geiger-Mode 4H-SiC Avalanche Photodiodes. <i>IEEE Photonics Technology Letters</i> , 2020 , 32, 706-709	2.2	1
32	Structural and optical characteristics of Al _x Ga _{1-x} N/AlN superlattice. <i>Science in China Series D: Earth Sciences</i> , 2009 , 52, 332-335		1
31	Developing a Miniaturized Spectrophotometer Using 235 and 275 nm UVC-LEDs for Fast Detection of Nitrate in Natural Water and Wastewater Effluents. <i>ACS ES&T Water</i> ,		1
30	Low-Voltage p-i-n GaN-Based Alpha-Particle Detector With High Energy Resolution. <i>IEEE Electron Device Letters</i> , 2021 , 1-1	4.4	1
29	Electrically tunable terahertz metamaterials with embedded large-area transparent thin-film transistor arrays		1

28	Property manipulation through pulsed laser annealing in high dose Mg-implanted GaN. <i>Journal of Applied Physics</i> , 2020 , 128, 235704	2.5	1
27	Content and health risk assessment of heavy metals and polybrominated diphenyl ethers in fish from Songhua Lake (Jilin City), China. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 40848-40856	5.1	1
26	Different IV Behaviors and Leakage Current Mechanisms in AlGaIn Solar-Blind Ultraviolet Avalanche Photodiodes. <i>ACS Applied Electronic Materials</i> , 2020 , 2, 2716-2720	4	1
25	Quasiperiodic metamaterials empowered non-metallic broadband optical absorbers. <i>Optics Express</i> , 2021 , 29, 13576-13589	3.3	1
24	A High Quantum Efficiency Narrow-Band UV-B AlGaIn p-i-n Photodiode With Polarization Assistance. <i>IEEE Photonics Journal</i> , 2021 , 13, 1-8	1.8	1
23	A method of applying compressive pre-stress to AlGaIn barrier in AlGaIn/GaN heterostructures by depositing an additional thermally mismatched dielectric. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016 , 213, 2474-2478	1.6	1
22	Second-harmonic generation from 2D photonic crystal waveguide with simultaneous near-flat dispersions at fundamental frequency and second harmonic. <i>Optics Communications</i> , 2020 , 472, 125885	2	1
21	Effective suppression of the high temperature DC performance degradation of AlInN/GaN HEMTs by back barrier. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2018 , 31, e2299	1	1
20	Investigation on the Activation Energy of Device Degradation and Switching Time in AlGaIn/GaN HEMTs for High-Frequency Application. <i>IEEE Journal of the Electron Devices Society</i> , 2019 , 1-1	2.3	0
19	InGaIn/GaN multi-quantum-well-based light-emitting and photodetective dual-functional devices. <i>Frontiers of Optoelectronics in China</i> , 2009 , 2, 442-445		0
18	1000-W Resistive Energy Dissipating Capability Against Inductive Transients Demonstrated in Non-Avalanche AlGaIn/GaN Schottky Diode. <i>IEEE Electron Device Letters</i> , 2021 , 42, 1743-1746	4.4	0
17	Band evolution and Landau-Zener Bloch oscillations in strained photonic rhombic lattices. <i>Optics Express</i> , 2021 , 29, 37503-37514	3.3	0
16	Electronic properties of arsenene nanoribbons for FET application. <i>Optical and Quantum Electronics</i> , 2020 , 52, 1	2.4	0
15	Using a Modified Turian-Yuan Model to Enhance Heterogeneous Resistance in Municipal Sludge Transportation Pipeline. <i>ACS Omega</i> , 2021 , 6, 7199-7211	3.9	0
14	4H-SiC n-i-p extreme ultraviolet detector with gradient doping-induced surface junction. <i>IEEE Electron Device Letters</i> , 2022 , 1-1	4.4	0
13	Synthesis and Properties of InGaIn/GaN Multiple Quantum Well Nanowires on Si (111) by Molecular Beam Epitaxy. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2020 , 217, 2070028	1.6	
12	Azimuthal illumination enabled ultra-high polar angle sensitivity by a Bloch surface wave resonance refractive index sensor. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 215401	3	
11	Numerical study of the defect adamantine compound CuGaGeSe ₄ . <i>Molecular Physics</i> , 2018 , 116, 1551-1557		

- 10 Plasmonic Fraunhofer-wavelength narrow-band filter based on calcium film. *Optik*, **2014**, 125, 3355-3357.5
- 9 Abnormal mode splitting in photonic crystals micro-cavity containing highly dispersive metamaterials. *Journal of Optics (United Kingdom)*, **2017**, 19, 125101 1.7
- 8 Determination of Temperature-Dependent Stress State in Thin AlGa_N Layer of AlGa_N/Ga_N HEMT Heterostructures by Near-Resonant Raman Scattering. *Advances in Condensed Matter Physics*, **2015**, 2015, 1-6 1
- 7 Improved Schottky contacts to InGa_N alloys by a photoelectrochemical treatment. *Physica Status Solidi (A) Applications and Materials Science*, **2016**, 213, 1034-1038 1.6
- 6 Frequency response and design consideration of Ga_N SAM avalanche photodiodes. *Applied Physics A: Materials Science and Processing*, **2016**, 122, 1 2.6
- 5 46.4: Fabrication of InGa_N/Ga_N-based nano-LEDs for display applications. *Digest of Technical Papers SID International Symposium*, **2021**, 52, 568-568 0.5
- 4 An experimental study on the pretreatment of lignite upgrading wastewater using the Fenton oxidation method. *Chemical Papers*, 1 1.9
- 3 The generating and modulating characteristics of bound states in the continuum for both TE and TM polarizations by one-dimensional photonic crystal slabs. *Journal of Optics (United Kingdom)*, **2021**, 23, 105202 1.7
- 2 An Ultraviolet Photon Counting Imaging System Based on a SiC SPAD Array. *IEEE Photonics Technology Letters*, **2021**, 33, 1213-1216 2.2
- 1 3-D Simulation Study of a Normally-OFF Ga_N Lateral Multi-Channel JFET With Optimized Electrical Field Transfer Terminal Structure. *IEEE Transactions on Electron Devices*, **2022**, 69, 1918-1923 2.9