

Pierluigi Scalia

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5224990/pierluigi-scalia-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

17
papers

1,389
citations

11
h-index

19
g-index

19
ext. papers

1,499
ext. citations

4.4
avg, IF

3.24
L-index

#	Paper	IF	Citations
17	Transcriptional and Post-Translational Control Mechanisms for EphB4 Expression in Physiology and Cancer Disease. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2021 , 31, 83-88	1.3	
16	Isoform- and Paralog-Switching in IR-Signaling: When Diabetes Opens the Gates to Cancer. <i>Biomolecules</i> , 2020 , 10,	5.9	3
15	The IGF-II-Insulin Receptor Isoform-A Autocrine Signal in Cancer:. <i>Cancers</i> , 2020 , 12,	6.6	6
14	Identification of a novel EphB4 phosphodegron regulated by the autocrine IGFII/IR axis in malignant mesothelioma. <i>Oncogene</i> , 2019 , 38, 5987-6001	9.2	4
13	Core Element Cloning, CisElement Mapping and Serum Regulation of the Human Promoter: A Novel TATA-Less Inr/MTE/DPELike Regulated Gene. <i>Genes</i> , 2019 , 10,	4.2	2
12	Characterisation of the canine parvovirus type 2 variants using minor groove binder probe technology. <i>Journal of Virological Methods</i> , 2006 , 133, 92-9	2.6	96
11	Ephrin B2 expression in Kaposi sarcoma is induced by human herpesvirus type 8: phenotype switch from venous to arterial endothelium. <i>Blood</i> , 2005 , 105, 1310-8	2.2	55
10	Expression of EphB4 in Head and Neck Squamous Cell Carcinoma. <i>Ear, Nose and Throat Journal</i> , 2003 , 82, 866-887	1	18
9	Malignant mesothelioma growth inhibition by agents that target the VEGF and VEGF-C autocrine loops. <i>International Journal of Cancer</i> , 2003 , 104, 603-10	7.5	128
8	Expression of EphB4 in head and neck squamous cell carcinoma. <i>Ear, Nose and Throat Journal</i> , 2003 , 82, 866, 869-70, 887	1	14
7	The cell cycle regulatory factor TAF1 stimulates ribosomal DNA transcription by binding to the activator UBF. <i>Current Biology</i> , 2002 , 12, 2142-6	6.3	29
6	Regulation of the Akt/Glycogen synthase kinase-3 axis by insulin-like growth factor-II via activation of the human insulin receptor isoform-A. <i>Journal of Cellular Biochemistry</i> , 2001 , 82, 610-8	4.7	21
5	Insulin receptor activation by IGF-II in breast cancers: evidence for a new autocrine/paracrine mechanism. <i>Oncogene</i> , 1999 , 18, 2471-9	9.2	236
4	Insulin receptor isoform A, a newly recognized, high-affinity insulin-like growth factor II receptor in fetal and cancer cells. <i>Molecular and Cellular Biology</i> , 1999 , 19, 3278-88	4.8	697
3	Insulin-stimulated cell growth in insulin receptor substrate-1-deficient ZR-75-1 cells is mediated by a phosphatidylinositol-3-kinase-independent pathway. <i>Journal of Cellular Biochemistry</i> , 1998 , 70, 268-80	4.7	24
2	Insulin-stimulated glycogen synthesis in cultured hepatoma cells: differential effects of inhibitors of insulin signaling molecules. <i>Journal of Receptor and Signal Transduction Research</i> , 1998 , 18, 243-63	2.6	10
1	Insulin-like growth factor-I (IGF-I) receptors in breast cancer. <i>Annals of the New York Academy of Sciences</i> , 1996 , 784, 189-201	6.5	45

