

Alexander Presciutti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5225213/publications.pdf>

Version: 2024-02-01

19
papers

241
citations

933264

10
h-index

996849

15
g-index

19
all docs

19
docs citations

19
times ranked

287
citing authors

#	ARTICLE	IF	CITATIONS
1	Gaps in the Provision of Cognitive and Psychological Resources in Cardiac Arrest Survivors with Good Neurologic Recovery. <i>Therapeutic Hypothermia and Temperature Management</i> , 2022, 12, 61-67.	0.3	7
2	The evolution of hypothermia for neuroprotection after cardiac arrest: a history in the making. <i>Annals of the New York Academy of Sciences</i> , 2022, 1507, 60-69.	1.8	6
3	Mindfulness is inversely associated with psychological symptoms in long-term cardiac arrest survivors. <i>Journal of Behavioral Medicine</i> , 2022, , 1.	1.1	2
4	Qualitative Study of Long-Term Cardiac Arrest Survivors' Challenges and Recommendations for Improving Survivorship. <i>Journal of the American Heart Association</i> , 2022, 11, .	1.6	13
5	Associations Between Baseline Total PTSD Symptom Severity, Specific PTSD Symptoms, and 3-Month Quality of Life in Neurologically Intact Neurocritical Care Patients and Informal Caregivers. <i>Neurocritical Care</i> , 2021, 34, 54-63.	1.2	5
6	Associations between posttraumatic stress symptoms and quality of life in cardiac arrest survivors and informal caregivers: A pilot survey study. <i>Resuscitation Plus</i> , 2021, 5, 100085.	0.6	17
7	Hyperarousal Symptoms in Survivors of Cardiac Arrest Are Associated With 13 Month Risk of Major Adverse Cardiovascular Events and All-Cause Mortality. <i>Annals of Behavioral Medicine</i> , 2020, 54, 413-422.	1.7	12
8	Modifiable provider-patient relationship factors and illness perceptions are associated with quality of life in survivors of cardiac arrest with good neurologic recovery. <i>Resuscitation Plus</i> , 2020, 3, 100008.	0.6	4
9	The Impact of Resilience Factors and Anxiety During Hospital Admission on Longitudinal Anxiety Among Dyads of Neurocritical Care Patients Without Major Cognitive Impairment and Their Family Caregivers. <i>Neurocritical Care</i> , 2020, 33, 468-478.	1.2	21
10	Associations between depression and anxiety symptoms with quality of life in cardiac arrest survivors with good neurologic recovery and informal caregivers of cardiac arrest survivors. <i>Journal of Affective Disorders Reports</i> , 2020, 2, 100046.	0.9	6
11	Dimensional structure of posttraumatic stress disorder symptoms after cardiac arrest. <i>Journal of Affective Disorders</i> , 2019, 251, 213-217.	2.0	7
12	Cardiac Arrest and Subsequent Hospitalization-Induced Posttraumatic Stress Is Associated With 1-Year Risk of Major Adverse Cardiovascular Events and All-Cause Mortality. <i>Critical Care Medicine</i> , 2019, 47, e502-e505.	0.4	23
13	The impact of psychological distress on long-term recovery perceptions in survivors of cardiac arrest. <i>Journal of Critical Care</i> , 2019, 50, 227-233.	1.0	22
14	Women have worse cognitive, functional, and psychiatric outcomes at hospital discharge after cardiac arrest. <i>Resuscitation</i> , 2018, 125, 12-15.	1.3	22
15	Determinants of Long-Term Neurological Recovery Patterns Relative to Hospital Discharge Among Cardiac Arrest Survivors. <i>Critical Care Medicine</i> , 2018, 46, e141-e150.	0.4	29
16	Early myoclonus following anoxic brain injury. <i>Neurology: Clinical Practice</i> , 2018, 8, 249-256.	0.8	18
17	Posttraumatic stress and depressive symptoms characterize cardiac arrest survivors' perceived recovery at hospital discharge. <i>General Hospital Psychiatry</i> , 2018, 53, 108-113.	1.2	22
18	Tracheostomy use, long-term survival, and neurological outcomes among cardiac arrest survivors. <i>Resuscitation</i> , 2018, 129, e19-e20.	1.3	2

#	ARTICLE	IF	CITATIONS
19	Abstract 302: NeuroCardiac Comprehensive Care Clinic Seeks to Define and Detect Neurological, Psychiatric, and Functional Sequelae in Cardiac Arrest Survivors. <i>Circulation</i> , 2018, 138, .	1.6	3