
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5225669/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Early expansion of CD38+ICOS+ GC Tfh in draining lymph nodes during influenza vaccination immune response. IScience, 2022, 25, 103656.   | 1.9 | 8         |
| 2  | Altered Immune Reconstitution in Allogeneic Stem Cell Transplant Recipients With Human<br>Immunodeficiency Virus (HIV). Clinical Infectious Diseases, 2021, 72, 1141-1146.   | 2.9 | 2         |
| 3  | CD73+ CD127high Long-Term Memory CD4 T Cells Are Highly Proliferative in Response to Recall<br>Antigens and Are Early Targets in HIV-1 Infection. International Journal of Molecular Sciences, 2021, 22,<br>912.                             | 1.8 | 2         |
| 4  | The Role of ZEB2 in Human CD8 T Lymphocytes: Clinical and Cellular Immune Profiling in<br>Mowat–Wilson Syndrome. International Journal of Molecular Sciences, 2021, 22, 5324.  | 1.8 | 4         |
| 5  | HIV-1 viral blips are associated with repeated and increasingly high levels of cell-associated HIV-1 RNA transcriptional activity. Aids, 2021, 35, 2095-2103.  | 1.0 | 12        |
| 6  | Long-term and short-term immunity to SARS-CoV-2: why it matters. Microbiology Australia, 2021, 42, 34.   | 0.1 | 0         |
| 7  | Editorial: Infectious Agent-Induced Chronic Immune Activation: Causes, Phenotypes, and Consequences. Frontiers in Immunology, 2021, 12, 740556.  | 2.2 | 1         |
| 8  | Circulating glutenâ€specific, but not CMVâ€specific, CD39 + regulatory T cells have an oligoclonal TCR<br>repertoire. Clinical and Translational Immunology, 2020, 9, e1096.   | 1.7 | 7         |
| 9  | Mapping the extent of heterogeneity of human CCR5+ CD4+ T cells in peripheral blood and lymph nodes. Aids, 2020, 34, 833-848.  | 1.0 | 17        |
| 10 | Possible clearance of transfusion-acquired nef/LTR-deleted attenuated HIV-1 infection by an elite<br>controller with CCR5 I"32 heterozygous and HLA-B57 genotype. Journal of Virus Eradication, 2019, 5,<br>73-83.                           | 0.3 | 13        |
| 11 | Intersection of immune checkpoints and CD8+ T cell noncytolytic suppression of HIV-1 infection. Aids, 2019, 33, 581-583.   | 1.0 | 0         |
| 12 | HIV latency can be established in proliferating and nonproliferating resting CD4+ T cells in vitro. Aids, 2019, 33, 199-209.   | 1.0 | 8         |
| 13 | HIV-1 DNA Is Maintained in Antigen-Specific CD4+ T Cell Subsets in Patients on Long-Term Antiretroviral<br>Therapy Regardless of Recurrent Antigen Exposure. AIDS Research and Human Retroviruses, 2019, 35,<br>112-120.                     | 0.5 | 16        |
| 14 | Possible clearance of transfusion-acquired /LTR-deleted attenuated HIV-1 infection by an elite<br>controller with CCR5 I"32 heterozygous and HLA-B57 genotype. Journal of Virus Eradication, 2019, 5,<br>73-83.                              | 0.3 | 5         |
| 15 | Memory B cells are reactivated in subcapsular proliferative foci of lymph nodes. Nature<br>Communications, 2018, 9, 3372.  | 5.8 | 88        |
| 16 | Impact of Allogeneic Hematopoietic Stem Cell Transplantation on the HIV Reservoir and Immune<br>Response in 3 HIV-Infected Individuals. Journal of Acquired Immune Deficiency Syndromes (1999), 2017,<br>75, 328-337.                        | 0.9 | 32        |
| 17 | Singleâ€cell profiling of lineage determining transcription factors in antigenâ€specific CD4 + T cells<br>reveals unexpected complexity in recall responses during immune reconstitution. Immunology and<br>Cell Biology, 2017, 95, 640-646. | 1.0 | 6         |
| 18 | Quantification of Residual Germinal Center Activity and HIV-1 DNA and RNA Levels Using Fine Needle<br>Biopsies of Lymph Nodes During Antiretroviral Therapy. AIDS Research and Human Retroviruses, 2017,<br>33, 648-657.                     | 0.5 | 32        |

JOHN JAMES ZAUNDERS

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Cytotoxic CD4 T Cells—Friend or Foe during Viral Infection?. Frontiers in Immunology, 2017, 8, 19.  | 2.2 | 177       |
| 20 | HIV-1 and SIV Predominantly Use CCR5 Expressed on a Precursor Population to Establish Infection in T<br>Follicular Helper Cells. Frontiers in Immunology, 2017, 8, 376.   | 2.2 | 26        |
| 21 | Divergent Expression of CXCR5 and CCR5 on CD4+ T Cells and the Paradoxical Accumulation of T<br>Follicular Helper Cells during HIV Infection. Frontiers in Immunology, 2017, 8, 495.  | 2.2 | 11        |
| 22 | Editorial: Cytotoxic CD4+ T Cells in Viral Infections. Frontiers in Immunology, 2017, 8, 1729.  | 2.2 | 9         |
| 23 | HIV dynamics linked to memory CD4+ T cell homeostasis. PLoS ONE, 2017, 12, e0186101.  | 1.1 | 11        |
| 24 | CD4+ T Follicular Helper and IgA+ B Cell Numbers in Gut Biopsies from HIV-Infected Subjects on<br>Antiretroviral Therapy Are Similar to HIV-Uninfected Individuals. Frontiers in Immunology, 2016, 7, 438.                              | 2.2 | 13        |
| 25 | Nuclear PKC-Î, facilitates rapid transcriptional responses in human memory CD4+ T cells <i>via</i> p65<br>and H2B phosphorylation. Journal of Cell Science, 2016, 129, 2448-61.   | 1.2 | 11        |
| 26 | Computationally efficient multidimensional analysis of complex flow cytometry data using second<br>order polynomial histograms. Cytometry Part A: the Journal of the International Society for<br>Analytical Cytology, 2016, 89, 44-58. | 1.1 | 10        |
| 27 | Hepatitis Câ€specific effector and regulatory <scp>CD</scp> 4 Tâ€cell responses are associated with the outcomes of primary infection. Journal of Viral Hepatitis, 2016, 23, 985-993.   | 1.0 | 13        |
| 28 | Comment on "A Cytokine-Independent Approach To Identify Antigen-Specific Human Germinal Center T<br>Follicular Helper Cells and Rare Antigen-Specific CD4+ T Cells in Blood― Journal of Immunology, 2016,<br>197, 2557-2558.            | 0.4 | 3         |
| 29 | Cellular comparison of sinus mucosa vs polyp tissue from a single sinus cavity in chronic rhinosinusitis. International Forum of Allergy and Rhinology, 2015, 5, 14-27.   | 1.5 | 29        |
| 30 | Detecting Antigen-Specific T Cell Responses: From Bulk Populations to Single Cells. International<br>Journal of Molecular Sciences, 2015, 16, 18878-18893.  | 1.8 | 28        |
| 31 | Human Papillomavirus 16–Specific T-Cell Responses and Spontaneous Regression of Anal High-Grade<br>Squamous Intraepithelial Lesions. Journal of Infectious Diseases, 2015, 211, 405-415.  | 1.9 | 29        |
| 32 | Early antiretroviral therapy with raltegravir generates sustained reductions in HIV reservoirs but not lower T-cell activation levels. Aids, 2015, 29, 911-919.   | 1.0 | 37        |
| 33 | Group 2 innate lymphoid cells ( <scp>ILC</scp> 2s) are increased in chronic rhinosinusitis with nasal polyps or eosinophilia. Clinical and Experimental Allergy, 2015, 45, 394-403.   | 1.4 | 136       |
| 34 | HIV-Infected Spleens Present Altered Follicular Helper T Cell (Tfh) Subsets and Skewed B Cell<br>Maturation. PLoS ONE, 2015, 10, e0140978.  | 1.1 | 49        |
| 35 | Ratios of effector to central memory antigenâ€specific CD4 <sup>+</sup> T cells vary with antigen exposure in HIV+ patients. Immunology and Cell Biology, 2014, 92, 384-388.  | 1.0 | 10        |
| 36 | HIV DNA Subspecies Persist in both Activated and Resting Memory CD4 <sup>+</sup> T Cells during<br>Antiretroviral Therapy. Journal of Virology, 2014, 88, 3516-3526.  | 1.5 | 76        |

| #  | Article   | IF             | CITATIONS |
|----|---|----------------|-----------|
| 37 | Human antigenâ€specific CD4 <sup>+</sup> CD25 <sup>+</sup> CD134 <sup>+</sup> CD39 <sup>+</sup><br>TÂcells are enriched for regulatory TÂcells and comprise a substantial proportion of recall responses.<br>European Journal of Immunology, 2014, 44, 1644-1661. | 1.6            | 58        |
| 38 | Exploiting differential expression of the IL-7 receptor on memory T cells to modulate immune responses. Cytokine and Growth Factor Reviews, 2014, 25, 391-401.  | 3.2            | 31        |
| 39 | Incomplete restoration of Mycobacterium tuberculosis-specific-CD4 T cell responses despite antiretroviral therapy. Journal of Infection, 2014, 68, 344-354.   | 1.7            | 15        |
| 40 | CD4 T Cells Mediate Both Positive and Negative Regulation of the Immune Response to HIV Infection:<br>Complex Role of T Follicular Helper Cells and Regulatory T Cells in Pathogenesis. Frontiers in<br>Immunology, 2014, 5, 681.                                 | 2.2            | 29        |
| 41 | Serial study of lymph node cell subsets using fine needle aspiration in pigtail macaques. Journal of<br>Immunological Methods, 2013, 394, 73-83.  | 0.6            | 22        |
| 42 | HIV integrase and the swan song of the CD4 T cells?. Retrovirology, 2013, 10, 149.  | 0.9            | 6         |
| 43 | Simian Immunodeficiency Virus Infects Follicular Helper CD4 T Cells in Lymphoid Tissues during<br>Pathogenic Infection of Pigtail Macaques. Journal of Virology, 2013, 87, 3760-3773.   | 1.5            | 94        |
| 44 | Innate and Adaptive Immunity in Long-Term Non-Progression in HIV Disease. Frontiers in Immunology, 2013, 4, 95.   | 2.2            | 45        |
| 45 | The micro <scp>RNA</scp> â€9/ <scp>B</scp> ″ymphocyteâ€induced maturation proteinâ€1/ <scp>IL</scp> â€2 a differentially regulated in progressive <scp>HIV</scp> infection. European Journal of Immunology, 2013, 43, 510-520.                                    | axis is<br>1.6 | 48        |
| 46 | The Majority of HIV Type 1 DNA in Circulating CD4+T Lymphocytes Is Present in Non-Gut-Homing Resting Memory CD4+T Cells. AIDS Research and Human Retroviruses, 2013, 29, 1330-1339.   | 0.5            | 18        |
| 47 | Short Communication: HIV Blips While on Antiretroviral Therapy Can Indicate Consistently Detectable<br>Viral Levels Due to Assay Underreporting. AIDS Research and Human Retroviruses, 2013, 29, 1621-1625.   | 0.5            | 7         |
| 48 | Characterization of Transcription Factor Phenotypes within Antigen-Specific CD4+ T Cells Using Qualitative Multiplex Single-Cell RT-PCR. PLoS ONE, 2013, 8, e74946.   | 1.1            | 16        |
| 49 | Restoration of CMV-Specific-CD4 T Cells with ART Occurs Early and Is Greater in Those with More Advanced Immunodeficiency. PLoS ONE, 2013, 8, e77479.   | 1.1            | 17        |
| 50 | Integrated HIV DNA accumulates prior to treatment while episomal HIV DNA records ongoing transmission afterwards. Aids, 2012, 26, 543-550.  | 1.0            | 62        |
| 51 | T-lymphocyte perturbation following large-scale apheresis and hematopoietic stem cell transplantation in HIV-infected individuals. Clinical Immunology, 2012, 144, 159-171.   | 1.4            | 11        |
| 52 | Progressive Activation of CD127+132â^' Recent Thymic Emigrants into Terminally Differentiated CD127â^'132+ T-Cells in HIV-1 Infection. PLoS ONE, 2012, 7, e31148.   | 1.1            | 7         |
| 53 | A novel assay detecting recall response to MycobacteriumÂtuberculosis: Comparison with existing assays. Tuberculosis, 2012, 92, 321-327.  | 0.8            | 25        |
| 54 | A novel assay for detection of hepatitis C virus-specific effector CD4+ T cells via co-expression of CD25 and CD134. Journal of Immunological Methods, 2012, 375, 148-158.  | 0.6            | 29        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | HIV disease progression despite suppression of viral replication is associated with exhaustion of lymphopoiesis. Blood, 2011, 117, 5142-5151.  | 0.6 | 140       |
| 56 | Impact of treatment with raltegravir during primary or chronic HIV infection on RNA decay characteristics and the HIV viral reservoir. Aids, 2011, 25, 2069-2078.  | 1.0 | 69        |
| 57 | The Sydney Blood Bank Cohort: implications for viral fitness as a cause of elite control. Current Opinion in HIV and AIDS, 2011, 6, 151-156.   | 1.5 | 40        |
| 58 | Persistent Survival of Prevalent Clonotypes within an Immunodominant HIV Gag-Specific CD8+ T Cell<br>Response. Journal of Immunology, 2011, 186, 359-371.  | 0.4 | 40        |
| 59 | HIV/SIV Infection Primes Monocytes and Dendritic Cells for Apoptosis. PLoS Pathogens, 2011, 7, e1002087.   | 2.1 | 56        |
| 60 | A Novel Chemokine-Receptor-5 (CCR5) Blocker, SCH532706, Has Differential Effects on CCR5+CD4+and<br>CCR5+CD8+T Cell Numbers in Chronic HIV Infection. AIDS Research and Human Retroviruses, 2010, 26,<br>653-661.  | 0.5 | 14        |
| 61 | AIDS Progression Is Associated with the Emergence of IL-17–Producing Cells Early After Simian<br>Immunodeficiency Virus Infection. Journal of Immunology, 2010, 184, 984-992.  | 0.4 | 53        |
| 62 | Nonpathogenesis of Simian Immunodeficiency Virus Infection Is Associated with Reduced Inflammation<br>and Recruitment of Plasmacytoid Dendritic Cells to Lymph Nodes, Not to Lack of an Interferon Type I<br>Response, during the Acute Phase. Journal of Virology, 2010, 84, 1838-1846. | 1.5 | 58        |
| 63 | IL-7 receptor is expressed on adult pre-B-cell acute lymphoblastic leukemia and other B-cell derived<br>neoplasms and correlates with expression of proliferation and survival markers. Cytokine, 2010, 50,<br>58-68.  | 1.4 | 38        |
| 64 | Cytokines and theÂpathogenesis ofÂHIV infection. European Cytokine Network, 2010, 21, 195-6.   | 1.1 | 2         |
| 65 | IL-17 andÂHIV pathogenesis. European Cytokine Network, 2010, 21, 222-5.  | 1.1 | 1         |
| 66 | High Levels of Human Antigen-Specific CD4+ T Cells in Peripheral Blood Revealed by Stimulated Coexpression of CD25 and CD134 (OX40). Journal of Immunology, 2009, 183, 2827-2836.  | 0.4 | 153       |
| 67 | A culture amplified multi-parametric intracellular cytokine assay (CAMP-ICC) for enhanced detection of antigen specific T-cell responses. Journal of Immunological Methods, 2009, 345, 1-16.   | 0.6 | 18        |
| 68 | Proliferation of weakly suppressive regulatory CD4 <sup>+</sup> T cells is associated with overâ€active<br>CD4 <sup>+</sup> Tâ€cell responses in HIVâ€positive patients with mycobacterial immune restoration<br>disease. European Journal of Immunology, 2009, 39, 391-403.             | 1.6 | 111       |
| 69 | Does the presence of anti-HIV miRNAs in monocytes explain their resistance to HIV-1 infection?. Blood, 2009, 113, 5029-5030.   | 0.6 | 22        |
| 70 | Safety, immunogenicity and efficacy of peptideâ€pulsed cellular immunotherapy in macaques. Journal of<br>Medical Primatology, 2008, 37, 69-78.   | 0.3 | 12        |
| 71 | Mechanisms of HIV non-progression; robust and sustained CD4+ T-cell proliferative responses to p24 antigen correlate with control of viraemia and lack of disease progression after long-term transfusion-acquired HIV-1 infection. Retrovirology, 2008, 5, 112.                         | 0.9 | 68        |
| 72 | Virologic Determinants of Success After Structured Treatment Interruptions of Antiretrovirals in<br>Acute HIV-1 Infection. Journal of Acquired Immune Deficiency Syndromes (1999), 2008, 47, 140-147.  | 0.9 | 38        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Human Mesenchymal Stem Cells Constitutively Express Chemokines and Chemokine Receptors That Can<br>Be Upregulated by Cytokines, IFN-β, and Copaxone. Journal of Interferon and Cytokine Research, 2007, 27,<br>53-64.  | 0.5 | 105       |
| 74 | Pathogenicity and immunogenicity of attenuated, nef-deleted HIV-1 strains in vivo. Retrovirology, 2007, 4, 66.   | 0.9 | 60        |
| 75 | Antibody microarray analysis of cell surface antigens on CD4+ and CD8+ T cells from HIV+ individuals correlates with disease stages. Retrovirology, 2007, 4, 83.   | 0.9 | 20        |
| 76 | Upregulation of CTLA-4 by HIV-specific CD4+ T cells correlates with disease progression and defines a reversible immune dysfunction. Nature Immunology, 2007, 8, 1246-1254.  | 7.0 | 485       |
| 77 | Su.3. Generation In Vitro of T Lineage Cells from Human Adult Haematopoietic Stem Cells. Clinical<br>Immunology, 2006, 119, s160.  | 1.4 | 0         |
| 78 | Expression of interleukin (IL)-2 and IL-7 receptors discriminates between human regulatory and activated T cells. Journal of Experimental Medicine, 2006, 203, 1693-1700.  | 4.2 | 1,354     |
| 79 | The IL-7/IL-7 Receptor Axis: Understanding its Central Role in T-Cell Homeostasis and the Challenges Facing its Utilization as a Novel Therapy. Current Drug Targets, 2006, 7, 1571-1582.  | 1.0 | 58        |
| 80 | Decimated or missing in action: CD4+ T cells as targets and effectors in the pathogenesis of primary HIV infection. Current HIV/AIDS Reports, 2006, 3, 5-12.   | 1.1 | 22        |
| 81 | The Role of Hydroxyurea in Enhancing the Virologic Control Achieved Through Structured Treatment<br>Interruption in Primary HIV Infection. Journal of Acquired Immune Deficiency Syndromes (1999), 2006,<br>42, 192-202.                                     | 0.9 | 26        |
| 82 | CD127 + CCR5 + CD38 +++ CD4 + Th1 Effector Cells Are an Early Component of the Primary Immune<br>Response to Vaccinia Virus and Precede Development of Interleukin-2 + Memory CD4 + T Cells. Journal<br>of Virology, 2006, 80, 10151-10161.                  | 1.5 | 47        |
| 83 | Increased Plasma Interleukinâ€7 Level Correlates with Decreased CD127 and Increased CD132<br>Extracellular Expression on T Cell Subsets in Patients with HIVâ€1 Infection. Journal of Infectious<br>Diseases, 2006, 193, 505-514.                            | 1.9 | 108       |
| 84 | Infection of CD127 + (Interleukin-7 Receptor + ) CD4 + Cells and Overexpression of CTLA-4 Are Linked to<br>Loss of Antigen-Specific CD4 T Cells during Primary Human Immunodeficiency Virus Type 1 Infection.<br>Journal of Virology, 2006, 80, 10162-10172. | 1.5 | 84        |
| 85 | Early proliferation of CCR5+ CD38+++ antigen-specific CD4+ Th1 effector cells during primary HIV-1 infection. Blood, 2005, 106, 1660-1667.   | 0.6 | 77        |
| 86 | A New Variant Cytotoxic T Lymphocyte Escape Mutation in HLA-B27-Positive Individuals Infected with<br>HIV Type 1. AIDS Research and Human Retroviruses, 2005, 21, 395-397.   | 0.5 | 34        |
| 87 | CD8+ T Cell Dynamics during Primary Simian Immunodeficiency Virus Infection in Macaques:<br>Relationship of Effector Cell Differentiation with the Extent of Viral Replication. Journal of<br>Immunology, 2005, 174, 6898-6908.                              | 0.4 | 36        |
| 88 | Prolonged transcriptional silencing and CpG methylation induced by siRNAs targeted to the HIV-1 promoter region. Journal of Rnai and Gene Silencing, 2005, 1, 66-78.   | 1.2 | 76        |
| 89 | Increased Natural Killer Cell Activity in Viremic HIV-1 Infection. Journal of Immunology, 2004, 173, 5305-5311.  | 0.4 | 128       |
| 90 | Phase I clinical trial of a human idiotypic p53 vaccine in patients with advanced malignancy. Annals of Oncology, 2004, 15, 324-329.   | 0.6 | 14        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Identification of circulating antigen-specific CD4+ T lymphocytes with a CCR5+, cytotoxic phenotype in an HIV-1 long-term nonprogressor and in CMV infection. Blood, 2004, 103, 2238-2247.  | 0.6 | 160       |
| 92  | HIV-1–specific cytotoxicity is preferentially mediated by a subset of CD8+ T cells producing both<br>interferon-l̂³ and tumor necrosis factor–α. Blood, 2004, 104, 487-494.   | 0.6 | 124       |
| 93  | First demonstration of a lack of viral sequence evolution in a nonprogressor, defining replication-incompetent HIV-1 infection. Virology, 2003, 312, 135-150.   | 1.1 | 63        |
| 94  | Naive T cells are maintained by thymic output in early ages but by proliferation without phenotypic change after age twenty. Immunology and Cell Biology, 2003, 81, 487-495.  | 1.0 | 99        |
| 95  | Development of real-time detection direct test for hepatitis B virus and comparison with two commercial tests using the WHO international standard. Journal of Gastroenterology and Hepatology (Australia), 2003, 18, 1264-1271.                                      | 1.4 | 19        |
| 96  | Greater Reversal of CD4+ Cell Abnormalities and Viral Load Reduction after Initiation of<br>Antiretroviral Therapy with Zidovudine, Lamivudine, and Nelfinavir before Complete HIV Type 1<br>Seroconversion. AIDS Research and Human Retroviruses, 2003, 19, 189-199. | 0.5 | 12        |
| 97  | Polyclonal Proliferation and Apoptosis of CCR5+T Lymphocytes during Primary Human<br>Immunodeficiency Virus Type 1 Infection: Regulation by Interleukin (IL)–2, ILâ€15, and Bclâ€2. Journal of<br>Infectious Diseases, 2003, 187, 1735-1747.                          | 1.9 | 63        |
| 98  | Macrophage inhibitory cytokine 1 reduces cell adhesion and induces apoptosis in prostate cancer cells. Cancer Research, 2003, 63, 5034-40.  | 0.4 | 136       |
| 99  | Characterization of CD4+ CTLs Ex Vivo. Journal of Immunology, 2002, 168, 5954-5958.   | 0.4 | 491       |
| 100 | Dynamics of T Cells and TCR Excision Circles Differ After Treatment of Acute and Chronic HIV<br>Infection. Journal of Immunology, 2002, 169, 4657-4666.   | 0.4 | 49        |
| 101 | Parallel decline of CD8+/CD38++ T cells and viraemia in response to quadruple highly active antiretroviral therapy in primary HIV infection. Aids, 2002, 16, 589-596.   | 1.0 | 73        |
| 102 | The extent of HIV-1-related immunodeficiency and age predict the long-term CD4 T lymphocyte response to potent antiretroviral therapy. Aids, 2002, 16, 359-367.   | 1.0 | 157       |
| 103 | STI and beyond: the prospects of boosting anti-HIV immune responses. Trends in Immunology, 2002, 23, 456-460.   | 2.9 | 22        |
| 104 | Cell turnover and cell tropism in HIV-1 infection. Trends in Microbiology, 2002, 10, 275-278.   | 3.5 | 29        |
| 105 | Characterization of the phenotypic and lymphokine profile associated with strong CD8 + anti-HIV-1 suppressor activity (CASA). Clinical and Experimental Immunology, 2002, 127, 145-150.   | 1.1 | 7         |
| 106 | Comprehensive Analyses of a Unique HIV-1-Infected Nonprogressor Reveal a Complex Association of<br>Immunobiological Mechanisms in the Context of Replication-Incompetent Infection. Virology, 2002,<br>304, 246-264.  | 1.1 | 41        |
| 107 | Relative Significance of Different Pathways of Immune Reconstitution in HIV Type 1 Infection as<br>Estimated by Mathematical Modeling. AIDS Research and Human Retroviruses, 2001, 17, 147-159.   | 0.5 | 20        |
| 108 | An examination of signs of disease progression in survivors of the Sydney Blood Bank Cohort (SBBC).<br>Journal of Clinical Virology, 2001, 22, 263-270.   | 1.6 | 68        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Increased Turnover of CCR5+and Redistribution of CCR5â^'CD4 T Lymphocytes during Primary Human<br>Immunodeficiency Virus Type 1 Infection. Journal of Infectious Diseases, 2001, 183, 736-743.  | 1.9 | 42        |
| 110 | Novel Deletion of HIV Type 1 Reverse Transcriptase Residue 69 Conferring Selective High-Level Resistance to Nevirapine. AIDS Research and Human Retroviruses, 2001, 17, 1293-1296.  | 0.5 | 10        |
| 111 | Impact of HIV Type 1 Protease, Reverse Transcriptase, Cleavage Site, and p6 Mutations on the Virological<br>Response to Quadruple Therapy with Saquinavir, Ritonavir, and Two Nucleoside Analogs. AIDS<br>Research and Human Retroviruses, 2001, 17, 487-497.                     | 0.5 | 37        |
| 112 | HIV induces lymphocyte apoptosis by a p53â€initiated, mitochondrialâ€mediated mechanism. FASEB Journal,<br>2001, 15, 5-6.   | 0.2 | 114       |
| 113 | Long-term immunological response in HIV-1-infected subjects receiving potent antiretroviral therapy.<br>Aids, 2000, 14, 959-969.  | 1.0 | 85        |
| 114 | Rapid restoration of CD4 T cell subsets in subjects receiving antiretroviral therapy during primary<br>HIV-1 infection. Aids, 2000, 14, 2643-2651.  | 1.0 | 88        |
| 115 | Reply. Journal of Infectious Diseases, 2000, 181, 1519-1520.  | 1.9 | 1         |
| 116 | Potent Antiretroviral Therapy of Primary Human Immunodeficiency Virus Type 1 (HIVâ€1) Infection: Partial<br>Normalization of T Lymphocyte Subsets and Limited Reduction of HIVâ€1 DNA Despite Clearance of Plasma<br>Viremia. Journal of Infectious Diseases, 1999, 180, 320-329. | 1.9 | 110       |
| 117 | Immune reconstitution in HIV-1 infected subjects treated with potent antiretroviral therapy. Sexually Transmitted Infections, 1999, 75, 218-224.  | 0.8 | 28        |
| 118 | Phenotypic Analysis of CD8+ T Lymphocytes in a Cohort of HIV Type 1-Infected Patients Treated with<br>Saquinavir, Ritonavir, and Two Nucleoside Analogs for 1 Year, and Association with Plasma HIV Type 1<br>RNA. AIDS Research and Human Retroviruses, 1999, 15, 963-972.       | 0.5 | 21        |
| 119 | Effect of Long-Term Infection with nef-Defective Attenuated HIV Type 1 on CD4+ and CD8+ T<br>Lymphocytes: Increased CD45RO+ CD4+ T Lymphocytes and Limited Activation of CD8+ T Lymphocytes.<br>AIDS Research and Human Retroviruses, 1999, 15, 1519-1527.                        | 0.5 | 28        |
| 120 | Impact of Early HIV-1 RNA and T-Lymphocyte Dynamics During Primary HIV-1 Infection on the Subsequent<br>Course of HIV-1 RNA Levels and CD4+ T-Lymphocyte Counts in the First Year of HIV-1 Infection. Journal<br>of Acquired Immune Deficiency Syndromes (1999), 1999, 22, 437.   | 0.9 | 25        |
| 121 | Impact of Early HIV-1 RNA and T-Lymphocyte Dynamics During Primary HIV-1 Infection on the Subsequent<br>Course of HIV-1 RNA Levels and CD4+ T-Lymphocyte Counts in the First Year of HIV-1 Infection. Journal<br>of Acquired Immune Deficiency Syndromes (1999), 1999, 22, 437.   | 0.9 | 19        |
| 122 | Composition and function of peripheral blood stem and progenitor cell harvests from patients with severe active rheumatoid arthritis. British Journal of Haematology, 1998, 103, 601-609.   | 1.2 | 21        |
| 123 | Patterns of Viral Dynamics during Primary Human Immunodeficiency Virus Type 1 Infection. Journal of<br>Infectious Diseases, 1998, 178, 1812-1815.   | 1.9 | 85        |
| 124 | Primary HIV-1 Infection: A Review of Clinical Manifestations, Immunologic and Virologic Changes. AIDS Patient Care and STDs, 1998, 12, 759-767.   | 1.1 | 19        |
| 125 | Alterations in the Immune Response of Human Immunodeficiency Virus (HIV)-Infected Subjects Treated with an HIV-Specific Protease Inhibitor, Ritonavir. Journal of Infectious Diseases, 1996, 173, 321-329.  | 1.9 | 332       |
| 126 | Effects of primary HIV-1 infection on subsets of CD4+ and CD8+ T lymphocytes. Aids, 1995, 9, 561-566.   | 1.0 | 68        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Radiation Pneumonitis: A Possible Lymphocyte-mediated Hypersensitivity Reaction. Annals of Internal<br>Medicine, 1993, 118, 696.  | 2.0 | 170       |
| 128 | A Monoclonal Antibody-Based Radioimmunoassay for the in vitro Production of IgE by Lymphocyte<br>Cultures. International Archives of Allergy and Immunology, 1985, 78, 1-8. | 0.9 | 6         |
| 129 | Immunoregulation in Juvenile Chronic Arthritis. International Archives of Allergy and Immunology, 1984, 75, 196-202.  | 0.9 | 3         |
| 130 | Characterization of antigens recognized by natural killer cells in cell-culture supernatants. British<br>Journal of Cancer, 1981, 43, 5-12.                                 | 2.9 | 11        |