
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5227545/publications.pdf Version: 2024-02-01



KEITH A JOHNSON

#	Article	IF	CITATIONS
1	Cortical Hubs Revealed by Intrinsic Functional Connectivity: Mapping, Assessment of Stability, and Relation to Alzheimer's Disease. Journal of Neuroscience, 2009, 29, 1860-1873.	1.7	2,576
2	A/T/N: An unbiased descriptive classification scheme for Alzheimer disease biomarkers. Neurology, 2016, 87, 539-547.	1.5	1,216
3	Amyloid Deposition Is Associated with Impaired Default Network Function in Older Persons without Dementia. Neuron, 2009, 63, 178-188.	3.8	899
4	Tau positron emission tomographic imaging in aging and early <scp>A</scp> lzheimer disease. Annals of Neurology, 2016, 79, 110-119.	2.8	778
5	The Centiloid Project: Standardizing quantitative amyloid plaque estimation by PET. Alzheimer's and Dementia, 2015, 11, 1.	0.4	603
6	The A4 Study: Stopping AD Before Symptoms Begin?. Science Translational Medicine, 2014, 6, 228fs13.	5.8	588
7	The Evolution of Preclinical Alzheimer's Disease: Implications for Prevention Trials. Neuron, 2014, 84, 608-622.	3.8	568
8	Validating novel tau positron emission tomography tracer <scp>[Fâ€18]â€AVâ€1451 (T807)</scp> on postmortem brain tissue. Annals of Neurology, 2015, 78, 787-800.	2.8	535
9	Disruption of Functional Connectivity in Clinically Normal Older Adults Harboring Amyloid Burden. Journal of Neuroscience, 2009, 29, 12686-12694.	1.7	530
10	Association of Amyloid and Tau With Cognition in Preclinical Alzheimer Disease. JAMA Neurology, 2019, 76, 915.	4.5	512
11	Brain Imaging in Alzheimer Disease. Cold Spring Harbor Perspectives in Medicine, 2012, 2, a006213-a006213.	2.9	502
12	Functional Alterations in Memory Networks in Early Alzheimer's Disease. NeuroMolecular Medicine, 2010, 12, 27-43.	1.8	497
13	Imaging of amyloid burden and distribution in cerebral amyloid angiopathy. Annals of Neurology, 2007, 62, 229-234.	2.8	465
14	Appropriate use criteria for amyloid PET: A report of the Amyloid Imaging Task Force, the Society of Nuclear Medicine and Molecular Imaging, and the Alzheimer's Association. Alzheimer's and Dementia, 2013, 9, e-1-16.	0.4	443
15	Subjective cognitive complaints and amyloid burden in cognitively normal older individuals. Neuropsychologia, 2012, 50, 2880-2886.	0.7	379
16	Resistance to autosomal dominant Alzheimer's disease in an APOE3 Christchurch homozygote: a case report. Nature Medicine, 2019, 25, 1680-1683.	15.2	328
17	Amyloidâ€Î² associated cortical thinning in clinically normal elderly. Annals of Neurology, 2011, 69, 1032-1042.	2.8	306
18	Synergistic Effect of β-Amyloid and Neurodegeneration on Cognitive Decline in Clinically Normal Individuals. JAMA Neurology, 2014, 71, 1379.	4.5	273

#	Article	IF	CITATIONS
19	Appropriate Use Criteria for Amyloid PET: A Report of the Amyloid Imaging Task Force, the Society of Nuclear Medicine and Molecular Imaging, and the Alzheimerấ€™s Association. Journal of Nuclear Medicine, 2013, 54, 476-490.	2.8	248
20	Amyloid and <i>APOE ε4</i> interact to influence short-term decline in preclinical Alzheimer disease. Neurology, 2014, 82, 1760-1767.	1.5	246
21	Phases of Hyperconnectivity and Hypoconnectivity in the Default Mode and Salience Networks Track with Amyloid and Tau in Clinically Normal Individuals. Journal of Neuroscience, 2017, 37, 4323-4331.	1.7	237
22	Association of In Vivo [¹⁸ F]AV-1451 Tau PET Imaging Results With Cortical Atrophy and Symptoms in Typical and Atypical Alzheimer Disease. JAMA Neurology, 2017, 74, 427.	4.5	236
23	Different partial volume correction methods lead to different conclusions: An 18F-FDG-PET study of aging. NeuroImage, 2016, 132, 334-343.	2.1	216
24	Amyloid-β deposition in mild cognitive impairment is associated with increased hippocampal activity, atrophy and clinical progression. Brain, 2015, 138, 1023-1035.	3.7	207
25	Sex Differences in the Association of Global Amyloid and Regional Tau Deposition Measured by Positron Emission Tomography in Clinically Normal Older Adults. JAMA Neurology, 2019, 76, 542.	4.5	201
26	Florbetapir (F18â€AVâ€45) PET to assess amyloid burden in Alzheimer's disease dementia, mild cognitive impairment, and normal aging. Alzheimer's and Dementia, 2013, 9, S72-83.	0.4	200
27	Structural tract alterations predict downstream tau accumulation in amyloid-positive older individuals. Nature Neuroscience, 2018, 21, 424-431.	7.1	198
28	Partial volume correction in quantitative amyloid imaging. NeuroImage, 2015, 107, 55-64.	2.1	188
29	Association of Factors With Elevated Amyloid Burden in Clinically Normal Older Individuals. JAMA Neurology, 2020, 77, 735.	4.5	182
30	Longitudinal Association of Amyloid Beta and Anxious-Depressive Symptoms in Cognitively Normal Older Adults. American Journal of Psychiatry, 2018, 175, 530-537.	4.0	175
31	Impaired default network functional connectivity in autosomal dominant Alzheimer disease. Neurology, 2013, 81, 736-744.	1.5	174
32	Pathological correlations of [Fâ€18]â€AVâ€1451 imaging in nonâ€alzheimer tauopathies. Annals of Neurology, 2017, 81, 117-128.	2.8	174
33	The impact of amyloidâ€beta and tau on prospective cognitive decline in older individuals. Annals of Neurology, 2019, 85, 181-193.	2.8	171
34	Subjective Cognitive Concerns and Neuropsychiatric Predictors of ProgressionÂto the Early Clinical Stages ofÂAlzheimer Disease. American Journal of Geriatric Psychiatry, 2014, 22, 1642-1651.	0.6	167
35	Interactive Associations of Vascular Risk and \hat{l}^2 -Amyloid Burden With Cognitive Decline in Clinically Normal Elderly Individuals. JAMA Neurology, 2018, 75, 1124.	4.5	165
36	Association of Higher Cortical Amyloid Burden With Loneliness in Cognitively Normal Older Adults. JAMA Psychiatry, 2016, 73, 1230.	6.0	164

#	Article	IF	CITATIONS
37	In Vivo Tau, Amyloid, and Gray Matter Profiles in the Aging Brain. Journal of Neuroscience, 2016, 36, 7364-7374.	1.7	153
38	¹⁸ Fâ€flortaucipir tau positron emission tomography distinguishes established progressive supranuclear palsy from controls and Parkinson disease: A multicenter study. Annals of Neurology, 2017, 82, 622-634.	2.8	148
39	Multiple Brain Markers are Linked to Age-Related Variation in Cognition. Cerebral Cortex, 2016, 26, 1388-1400.	1.6	146
40	Structural network alterations and neurological dysfunction in cerebral amyloid angiopathy. Brain, 2015, 138, 179-188.	3.7	145
41	Early and late change on the preclinical Alzheimer's cognitive composite in clinically normal older individuals with elevated amyloid β. Alzheimer's and Dementia, 2017, 13, 1004-1012.	0.4	139
42	Association Between Amyloid and Tau Accumulation in Young Adults With Autosomal Dominant Alzheimer Disease. JAMA Neurology, 2018, 75, 548.	4.5	137
43	Neurogenetic contributions to amyloid beta and tau spreading in the human cortex. Nature Medicine, 2018, 24, 1910-1918.	15.2	135
44	CD33 modulates TREM2: convergence of Alzheimer loci. Nature Neuroscience, 2015, 18, 1556-1558.	7.1	134
45	Subjective cognitive concerns, amyloid-β, and neurodegeneration in clinically normal elderly. Neurology, 2015, 85, 56-62.	1.5	127
46	Odor identification and Alzheimer disease biomarkers in clinically normal elderly. Neurology, 2015, 84, 2153-2160.	1.5	120
47	Region-Specific Association of Subjective Cognitive Decline With Tauopathy Independent of Global β-Amyloid Burden. JAMA Neurology, 2017, 74, 1455.	4.5	119
48	The cortical origin and initial spread of medial temporal tauopathy in Alzheimer's disease assessed with positron emission tomography. Science Translational Medicine, 2021, 13, .	5.8	111
49	Fluorodeoxyglucose metabolism associated with tauâ€amyloid interaction predicts memory decline. Annals of Neurology, 2017, 81, 583-596.	2.8	110
50	Harvard Aging Brain Study: Dataset and accessibility. NeuroImage, 2017, 144, 255-258.	2.1	107
51	In vivo and neuropathology data support locus coeruleus integrity as indicator of Alzheimer's disease pathology and cognitive decline. Science Translational Medicine, 2021, 13, eabj2511.	5.8	107
52	Development of a process to disclose amyloid imaging results to cognitively normal older adult research participants. Alzheimer's Research and Therapy, 2015, 7, 26.	3.0	106
53	Functional network integrity presages cognitive decline in preclinical Alzheimer disease. Neurology, 2017, 89, 29-37.	1.5	106
54	Autoradiography validation of novel tau PET tracer [F-18]-MK-6240 on human postmortem brain tissue. Acta Neuropathologica Communications, 2019, 7, 37.	2.4	105

#	Article	IF	CITATIONS
55	Associations of Physical Activity and β-Amyloid With Longitudinal Cognition and Neurodegeneration in Clinically Normal Older Adults. JAMA Neurology, 2019, 76, 1203.	4.5	97
56	Prevalence Estimates of Amyloid Abnormality Across the Alzheimer Disease Clinical Spectrum. JAMA Neurology, 2022, 79, 228.	4.5	97
57	Cortical atrophy in patients with cerebral amyloid angiopathy: a case-control study. Lancet Neurology, The, 2016, 15, 811-819.	4.9	96
58	PET staging of amyloidosis using striatum. Alzheimer's and Dementia, 2018, 14, 1281-1292.	0.4	93
59	Update on appropriate use criteria for amyloid PET imaging: Dementia experts, mild cognitive impairment, and education. Alzheimer's and Dementia, 2013, 9, e106-9.	0.4	90
60	Tau and amyloid β proteins distinctively associate to functional network changes in the aging brain. Alzheimer's and Dementia, 2017, 13, 1261-1269.	0.4	90
61	Depressive Symptoms and Biomarkers of Alzheimer's Disease in Cognitively Normal Older Adults. Journal of Alzheimer's Disease, 2015, 46, 63-73.	1.2	87
62	Regional Cortical Thinning Predicts Worsening Apathy and Hallucinations Across the Alzheimer Disease Spectrum. American Journal of Geriatric Psychiatry, 2014, 22, 1168-1179.	0.6	86
63	Temporal T807 binding correlates with CSF tau and phospho-tau in normal elderly. Neurology, 2016, 87, 920-926.	1.5	86
64	Lessons learned about [F-18]-AV-1451 off-target binding from an autopsy-confirmed Parkinson's case. Acta Neuropathologica Communications, 2017, 5, 75.	2.4	85
65	Alzheimer's Disease Biomarkers and Future Decline in Cognitive Normal Older Adults. Journal of Alzheimer's Disease, 2017, 60, 1451-1459.	1.2	80
66	Flortaucipir tau PET imaging in semantic variant primary progressive aphasia. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, 1024-1031.	0.9	80
67	Florbetapir-PET to diagnose cerebral amyloid angiopathy. Neurology, 2016, 87, 2043-2049.	1.5	79
68	Preferential degradation of cognitive networks differentiates Alzheimer's disease from ageing. Brain, 2018, 141, 1486-1500.	3.7	79
69	Vascular Risk and β â€Amyloid Are Synergistically Associated with Cortical Tau. Annals of Neurology, 2019, 85, 272-279.	2.8	75
70	Tau Accumulation in Clinically Normal Older Adults Is Associated with Hippocampal Hyperactivity. Journal of Neuroscience, 2019, 39, 548-556.	1.7	75
71	The association between tau PET and retrospective cortical thinning in clinically normal elderly. NeuroImage, 2017, 157, 612-622.	2.1	74
72	Pharmacokinetic Evaluation of the Tau PET Radiotracer ¹⁸ F-T807 (¹⁸ F-AV-1451) in Human Subjects. Journal of Nuclear Medicine, 2017, 58, 484-491.	2.8	73

#	Article	IF	CITATIONS
73	Longitudinal Association of Depression Symptoms With Cognition and Cortical Amyloid Among Community-Dwelling Older Adults. JAMA Network Open, 2019, 2, e198964.	2.8	72
74	A concise radiosynthesis of the tau radiopharmaceutical, [¹⁸ F]T807. Journal of Labelled Compounds and Radiopharmaceuticals, 2013, 56, 736-740.	0.5	70
75	Depressive Symptoms and Tau Accumulation in the Inferior Temporal Lobe and Entorhinal Cortex in Cognitively Normal Older Adults: A Pilot Study. Journal of Alzheimer's Disease, 2017, 59, 975-985.	1.2	70
76	In vivo rate-determining steps of tau seed accumulation in Alzheimer's disease. Science Advances, 2021, 7, eabh1448.	4.7	70
77	Memory self-awareness in the preclinical and prodromal stages of Alzheimer's disease. Neuropsychologia, 2017, 99, 343-349.	0.7	67
78	18F-Flortaucipir Binding in Choroid Plexus: Related to Race and Hippocampus Signal. Journal of Alzheimer's Disease, 2018, 62, 1691-1702.	1.2	67
79	Amyloid Deposition Is Linked to Aberrant Entorhinal Activity among Cognitively Normal Older Adults. Journal of Neuroscience, 2014, 34, 5200-5210.	1.7	65
80	The Apathy Evaluation Scale: A Comparison of Subject, Informant, and Clinician Report in Cognitively Normal Elderly and Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2015, 47, 421-432.	1.2	65
81	Sex Mediates Relationships Between Regional Tau Pathology and Cognitive Decline. Annals of Neurology, 2020, 88, 921-932.	2.8	63
82	Update on Appropriate Use Criteria for Amyloid PET Imaging: Dementia Experts, Mild Cognitive Impairment, and Education. Journal of Nuclear Medicine, 2013, 54, 1011-1013.	2.8	61
83	Anosognosia for memory deficits in mild cognitive impairment: Insight into the neural mechanism using functional and molecular imaging. NeuroImage: Clinical, 2017, 15, 408-414.	1.4	61
84	Hierarchical Organization of Tau and Amyloid Deposits in the Cerebral Cortex. JAMA Neurology, 2017, 74, 813.	4.5	61
85	Biomarker validation of a decline in semantic processing in preclinical Alzheimer's disease Neuropsychology, 2016, 30, 624-630.	1.0	60
86	Free and cued memory in relation to biomarker-defined abnormalities in clinically normal older adults and those at risk for Alzheimer's disease. Neuropsychologia, 2015, 73, 169-175.	0.7	57
87	Accelerated decline in white matter integrity in clinically normal individuals at risk for Alzheimer's disease. Neurobiology of Aging, 2016, 42, 177-188.	1.5	57
88	Social Engagement and Amyloid-β-Related Cognitive Decline in Cognitively Normal Older Adults. American Journal of Geriatric Psychiatry, 2019, 27, 1247-1256.	0.6	56
89	Graph Convolutional Neural Networks For Alzheimer's Disease Classification. , 2019, 2019, 414-417.		55
90	Clinical meaningfulness of subtle cognitive decline on longitudinal testing in preclinical AD. Alzheimer's and Dementia, 2020, 16, 552-560.	0.4	55

#	Article	IF	CITATIONS
91	Cognitive resilience in clinical and preclinical Alzheimer's disease: the Association of Amyloid and Tau Burden on cognitive performance. Brain Imaging and Behavior, 2017, 11, 383-390.	1.1	54
92	Associations between baseline amyloid, sex, and APOE on subsequent tau accumulation in cerebrospinal fluid. Neurobiology of Aging, 2019, 78, 178-185.	1.5	54
93	Estimating Total Cerebral Microinfarct Burden From Diffusion-Weighted Imaging. Stroke, 2015, 46, 2129-2135.	1.0	52
94	Heterogeneity in Suspected Non–Alzheimer Disease Pathophysiology Among Clinically Normal Older Individuals. JAMA Neurology, 2016, 73, 1185.	4.5	52
95	Regional Cortical Thinning and Cerebrospinal Biomarkers Predict Worsening Daily Functioning Across the Alzheimer's Disease Spectrum. Journal of Alzheimer's Disease, 2014, 41, 719-728.	1.2	51
96	Amyloidâ€associated increases in longitudinal report of subjective cognitive complaints. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2018, 4, 444-449.	1.8	51
97	White matter hyperintensities and the mediating role of cerebral amyloid angiopathy in dominantly-inherited Alzheimer's disease. PLoS ONE, 2018, 13, e0195838.	1.1	51
98	Hippocampal hypometabolism in older adults with memory complaints and increased amyloid burden. Neurology, 2017, 88, 1759-1767.	1.5	50
99	Dedifferentiation of caudate functional connectivity and striatal dopamine transporter density predict memory change in normal aging. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 10160-10165.	3.3	49
100	Short-term Psychological Outcomes of Disclosing Amyloid Imaging Results to Research Participants Who Do Not Have Cognitive Impairment. JAMA Neurology, 2020, 77, 1504.	4.5	48
101	Global White Matter Diffusion Characteristics Predict Longitudinal Cognitive Change Independently of Amyloid Status in Clinically Normal Older Adults. Cerebral Cortex, 2019, 29, 1251-1262.	1.6	47
102	Cued memory decline in biomarker-defined preclinical Alzheimer disease. Neurology, 2017, 88, 1431-1438.	1.5	46
103	Regional tau pathology and loneliness in cognitively normal older adults. Translational Psychiatry, 2018, 8, 282.	2.4	46
104	Quantitative Amyloid Imaging in Autosomal Dominant Alzheimer's Disease: Results from the DIAN Study Group. PLoS ONE, 2016, 11, e0152082.	1.1	45
105	Defining the Lowest Threshold for Amyloid-PET to Predict Future Cognitive Decline and Amyloid Accumulation. Neurology, 2021, 96, e619-e631.	1.5	45
106	Neuropsychiatric Symptoms and Functional Connectivity in Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2015, 46, 727-735.	1.2	44
107	Lower Late-Life Body-Mass Index is Associated with Higher Cortical Amyloid Burden in Clinically Normal Elderly. Journal of Alzheimer's Disease, 2016, 53, 1097-1105.	1.2	44
108	PET imaging of tau protein targets: a methodology perspective. Brain Imaging and Behavior, 2019, 13, 333-344.	1.1	43

#	Article	IF	CITATIONS
109	Plasma N-terminal tau fragment levels predict future cognitive decline and neurodegeneration in healthy elderly individuals. Nature Communications, 2020, 11, 6024.	5.8	43
110	Current directions in tau research: Highlights from Tau 2020. Alzheimer's and Dementia, 2022, 18, 988-1007.	0.4	42
111	The Ups and Downs of the Posteromedial Cortex: Age- and Amyloid-Related Functional Alterations of the Encoding/Retrieval Flip in Cognitively Normal Older Adults. Cerebral Cortex, 2013, 23, 1317-1328.	1.6	41
112	Association Between Common Variants in <i>RBFOX1</i> , an RNA-Binding Protein, and Brain Amyloidosis in Early and Preclinical Alzheimer Disease. JAMA Neurology, 2020, 77, 1288.	4.5	41
113	Plasma ILâ€12/IFNâ€Î³ axis predicts cognitive trajectories in cognitively unimpaired older adults. Alzheimer's and Dementia, 2022, 18, 645-653.	0.4	39
114	Regional Fluorodeoxyglucose Metabolism and Instrumental Activities of Daily Living across the Alzheimer's Disease Spectrum. Journal of Alzheimer's Disease, 2014, 42, 291-300.	1.2	38
115	Association of Digital Clock Drawing With PET Amyloid and Tau Pathology in Normal Older Adults. Neurology, 2021, 96, e1844-e1854.	1.5	38
116	Microfluidic continuous-flow radiosynthesis of [¹⁸ F]FPEB suitable for human PET imaging. MedChemComm, 2014, 5, 432-435.	3.5	37
117	Regional 18F-Fluorodeoxyglucose Hypometabolism is Associated with Higher Apathy Scores Over Time in Early Alzheimer Disease. American Journal of Geriatric Psychiatry, 2017, 25, 683-693.	0.6	37
118	Partial volume correction for PET quantification and its impact on brain network in Alzheimer's disease. Scientific Reports, 2017, 7, 13035.	1.6	37
119	Cognitive activity relates to cognitive performance but not to Alzheimer disease biomarkers. Neurology, 2015, 85, 48-55.	1.5	36
120	Episodic memory of odors stratifies Alzheimer biomarkers in normal elderly. Annals of Neurology, 2016, 80, 846-857.	2.8	36
121	A Spectral Graph Regression Model for Learning Brain Connectivity of Alzheimer's Disease. PLoS ONE, 2015, 10, e0128136.	1.1	35
122	Neuroimaging markers associated with maintenance of optimal memory performance in late-life. Neuropsychologia, 2017, 100, 164-170.	0.7	35
123	Matched signal detection on graphs: Theory and application to brain imaging data classification. NeuroImage, 2016, 125, 587-600.	2.1	34
124	Longitudinal amyloid and tau accumulation in autosomal dominant Alzheimer's disease: findings from the Colombia-Boston (COLBOS) biomarker study. Alzheimer's Research and Therapy, 2021, 13, 27.	3.0	34
125	Variant-dependent heterogeneity in amyloid β burden in autosomal dominant Alzheimer's disease: cross-sectional and longitudinal analyses of an observational study. Lancet Neurology, The, 2022, 21, 140-152.	4.9	34
126	[18F]-AV-1451 binding profile in chronic traumatic encephalopathy: a postmortem case series. Acta Neuropathologica Communications, 2019, 7, 164.	2.4	33

#	Article	IF	CITATIONS
127	Regional Tau Correlates of Instrumental Activities of Daily Living and Apathy in Mild Cognitive Impairment and Alzheimer's Disease Dementia. Journal of Alzheimer's Disease, 2019, 67, 757-768.	1.2	32
128	Lower novelty-related locus coeruleus function is associated with AÎ ² -related cognitive decline in clinically healthy individuals. Nature Communications, 2022, 13, 1571.	5.8	32
129	Distinct tau neuropathology and cellular profiles of an APOE3 Christchurch homozygote protected against autosomal dominant Alzheimer's dementia. Acta Neuropathologica, 2022, 144, 589-601.	3.9	32
130	<i>Trans</i> -pQTL study identifies immune crosstalk between Parkinson and Alzheimer loci. Neurology: Genetics, 2016, 2, e90.	0.9	31
131	Serum neurofilament light chain levels are associated with white matter integrity in autosomal dominant Alzheimer's disease. Neurobiology of Disease, 2020, 142, 104960.	2.1	31
132	Inferior temporal tau is associated with accelerated prospective cortical thinning in clinically normal older adults. NeuroImage, 2020, 220, 116991.	2.1	31
133	Identifying Sensitive Measures of Cognitive Decline at Different Clinical Stages of Alzheimer's Disease. Journal of the International Neuropsychological Society, 2021, 27, 426-438.	1.2	30
134	Striatal and extrastriatal dopamine transporter levels relate to cognition in Lewy body diseases: an 11C altropane positron emission tomography study. Alzheimer's Research and Therapy, 2014, 6, 52.	3.0	29
135	Divergent Cortical Tau Positron Emission Tomography Patterns Among Patients With Preclinical Alzheimer Disease. JAMA Neurology, 2022, 79, 592.	4.5	29
136	Menopause Status Moderates Sex Differences in Tau Burden: A Framingham <scp>PET</scp> Study. Annals of Neurology, 2022, 92, 11-22.	2.8	29
137	Association of anxiety with subcortical amyloidosis in cognitively normal older adults. Molecular Psychiatry, 2020, 25, 2599-2607.	4.1	28
138	PET Image Deblurring and Super-Resolution With an MR-Based Joint Entropy Prior. IEEE Transactions on Computational Imaging, 2019, 5, 530-539.	2.6	27
139	Associations of Widowhood and β-Amyloid With Cognitive Decline in Cognitively Unimpaired Older Adults. JAMA Network Open, 2020, 3, e200121.	2.8	27
140	Amyloid-beta burden predicts prospective decline in body mass index in clinically normal adults. Neurobiology of Aging, 2020, 93, 124-130.	1.5	27
141	Evaluation of pharmacokinetic modeling strategies for in-vivo quantification of tau with the radiotracer [18F]MK6240 in human subjects. European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 2099-2111.	3.3	26
142	Inferior and medial temporal tau and cortical amyloid are associated with daily functional impairment in Alzheimer's disease. Alzheimer's Research and Therapy, 2019, 11, 14.	3.0	26
143	Striatal amyloid is associated with tauopathy and memory decline in familial Alzheimer's disease. Alzheimer's Research and Therapy, 2019, 11, 17.	3.0	26
144	Amyloid-β and tau pathologies relate to distinctive brain dysconnectomics in preclinical autosomal-dominant Alzheimer's disease. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2113641119.	3.3	26

#	Article	IF	CITATIONS
145	Dopamine transporter availability in clinically normal aging is associated with individual differences in white matter integrity. Human Brain Mapping, 2016, 37, 621-631.	1.9	24
146	Decreased hippocampal metabolism in highâ€amyloid mild cognitiveÂimpairment. Alzheimer's and Dementia, 2016, 12, 1288-1296.	0.4	23
147	Neuropathologic correlates of amyloid and dopamine transporter imaging in Lewy body disease. Neurology, 2019, 93, e476-e484.	1.5	23
148	Resting-state functional connectivity and amyloid burden influence longitudinal cortical thinning in the default mode network in preclinical Alzheimer's disease. NeuroImage: Clinical, 2020, 28, 102407.	1.4	23
149	Amyloid imaging of dutchâ€ŧype hereditary cerebral amyloid angiopathy carriers. Annals of Neurology, 2019, 86, 616-625.	2.8	22
150	Visual short-term memory relates to tau and amyloid burdens in preclinical autosomal dominant Alzheimer's disease. Alzheimer's Research and Therapy, 2020, 12, 99.	3.0	22
151	Impact of 40 Hz Transcranial Alternating Current Stimulation on Cerebral Tau Burden in Patients with Alzheimer's Disease: A Case Series1. Journal of Alzheimer's Disease, 2022, 85, 1667-1676.	1.2	22
152	Amyloid imaging of alzheimer's disease using pittsburgh compound B. Current Neurology and Neuroscience Reports, 2006, 6, 496-503.	2.0	21
153	Multi-Modal Signatures of Tau Pathology, Neuronal Fiber Integrity, and Functional Connectivity in Traumatic Brain Injury. Journal of Neurotrauma, 2019, 36, 3233-3243.	1.7	21
154	Association of Emerging \hat{l}^2 -Amyloid and Tau Pathology With Early Cognitive Changes in Clinically Normal Older Adults. Neurology, 2022, 98, .	1.5	20
155	Using subjective cognitive decline to identify high global amyloid in communityâ€based samples: A crossâ€cohort study. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 670-678.	1.2	19
156	Monthly At-Home Computerized Cognitive Testing to Detect Diminished Practice Effects in Preclinical Alzheimer's Disease. Frontiers in Aging Neuroscience, 2021, 13, 800126.	1.7	19
157	Longitudinal degradation of the default/salience network axis in symptomatic individuals with elevated amyloid burden NeuroImage: Clinical, 2020, 26, 102052.	1.4	18
158	Examining Cognitive Decline Across Black and White Participants in the Harvard Aging Brain Study. Journal of Alzheimer's Disease, 2020, 75, 1437-1446.	1.2	18
159	Comparing PET and MRI Biomarkers Predicting Cognitive Decline in Preclinical Alzheimer Disease. Neurology, 2021, 96, .	1.5	18
160	Non-Alcoholic Fatty Liver Disease, Liver Fibrosis, and Regional Amyloid-Î ² and Tau Pathology in Middle-Aged Adults: The Framingham Study. Journal of Alzheimer's Disease, 2022, 86, 1371-1383.	1.2	18
161	Case 1-2017. New England Journal of Medicine, 2017, 376, 158-167.	13.9	17
162	The influence of demographic factors on subjective cognitive concerns and beta-amyloid. International Psychogeriatrics, 2017, 29, 645-652.	0.6	17

#	Article	IF	CITATIONS
163	Visual cognition in non-amnestic Alzheimer's disease: Relations to tau, amyloid, and cortical atrophy. NeuroImage: Clinical, 2019, 23, 101889.	1.4	17
164	Synergism between fornix microstructure and beta amyloid accelerates memory decline in clinically normal older adults. Neurobiology of Aging, 2019, 81, 38-46.	1.5	17
165	Word retrieval across the biomarker-confirmed Alzheimer's disease syndromic spectrum. Neuropsychologia, 2020, 140, 107391.	0.7	17
166	Association of cortical microstructure with amyloid-β and tau: impact on cognitive decline, neurodegeneration, and clinical progression in older adults. Molecular Psychiatry, 2021, 26, 7813-7822.	4.1	17
167	Linear Regression with a Randomly Censored Covariate: Application to an Alzheimer's Study. Journal of the Royal Statistical Society Series C: Applied Statistics, 2017, 66, 313-328.	0.5	16
168	Nonlinear Distributional Mapping (NoDiM) for harmonization across amyloid-PET radiotracers. NeuroImage, 2019, 186, 446-454.	2.1	16
169	Association of Memory Impairment With Concomitant Tau Pathology in Patients With Cerebral Amyloid Angiopathy. Neurology, 2021, 96, e1975-e1986.	1.5	16
170	Topography of cortical thinning in the Lewy body diseases. NeuroImage: Clinical, 2020, 26, 102196.	1.4	15
171	Decline in cognitively complex everyday activities accelerates along the Alzheimer's disease continuum. Alzheimer's Research and Therapy, 2020, 12, 138.	3.0	14
172	Attenuation correction using deep Learning and integrated UTE/multi-echo Dixon sequence: evaluation in amyloid and tau PET imaging. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48, 1351-1361.	3.3	14
173	The Harvard Automated Phone Task: new performance-based activities of daily living tests for early Alzheimer's disease. journal of prevention of Alzheimer's disease, The, 2015, 2, 242-253.	1.5	14
174	The presubiculum links incipient amyloid and tau pathology to memory function in older persons. Neurology, 2020, 94, e1916-e1928.	1.5	13
175	Anticholinergic Amnesia is Mediated by Alterations in Human Network Connectivity Architecture. Cerebral Cortex, 2019, 29, 3445-3456.	1.6	12
176	MRâ€based PET attenuation correction using a combined ultrashort echo time/multiâ€echo Dixon acquisition. Medical Physics, 2020, 47, 3064-3077.	1.6	12
177	Maternal dementia age at onset in relation to amyloid burden in non-demented elderly offspring. Neurobiology of Aging, 2016, 40, 61-67.	1.5	11
178	The relationship between recall of recently versus remotely encoded famous faces and amyloidosis in clinically normal older adults. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 121-129.	1.2	11
179	Impaired memory is more closely associated with brain beta-amyloid than leukoaraiosis in hypertensive patients with cognitive symptoms. PLoS ONE, 2018, 13, e0191345.	1.1	11
180	Waning locus coeruleus integrity precedes cortical tau accrual in preclinical autosomal dominant Alzheimer's disease. Alzheimer's and Dementia, 2023, 19, 169-180.	0.4	11

#	Article	IF	CITATIONS
181	Associations of Stages of Objective Memory Impairment With Amyloid PET and Structural MRI. Neurology, 2022, 98, .	1.5	10
182	Association of Aortic Stiffness and Pressure Pulsatility With Global Amyloid-β and Regional Tau Burden Among Framingham Heart Study Participants Without Dementia. JAMA Neurology, 2022, 79, 710.	4.5	10
183	Threshold Regression to Accommodate a Censored Covariate. Biometrics, 2018, 74, 1261-1270.	0.8	9
184	Measuring instrumental activities of daily living in non-demented elderly: a comparison of the new performance-based Harvard Automated Phone Task with other functional assessments. Alzheimer's Research and Therapy, 2019, 11, 4.	3.0	9
185	The neurophysiology and seizure outcomes of late onset unexplained epilepsy. Clinical Neurophysiology, 2020, 131, 2667-2672.	0.7	9
186	Association of Midlife Depressive Symptoms with Regional Amyloid-β and Tau in the Framingham Heart Study. Journal of Alzheimer's Disease, 2021, 82, 249-260.	1.2	9
187	Effect of vascular amyloid on white matter disease is mediated by vascular dysfunction in cerebral amyloid angiopathy. Journal of Cerebral Blood Flow and Metabolism, 2022, 42, 1272-1281.	2.4	9
188	Imaging Dementia with SPECT. Annals of the New York Academy of Sciences, 1991, 620, 165-174.	1.8	8
189	Functional Connectivity in Alzheimer's Disease: Measurement and Meaning. Biological Psychiatry, 2013, 74, 318-319.	0.7	8
190	Interactive versus additive relationships between regional cortical thinning and amyloid burden in predicting clinical decline in mild AD and MCI individuals. NeuroImage: Clinical, 2018, 17, 388-396.	1.4	8
191	Multiple markers contribute to risk of progression from normal to mild cognitive impairment. NeuroImage: Clinical, 2020, 28, 102400.	1.4	8
192	Associations between plasma neurofilament light, in vivo brain pathology, and cognition in nonâ€demented individuals with autosomalâ€dominant Alzheimer's disease. Alzheimer's and Dementia, 2021, 17, 813-821.	0.4	8
193	Longitudinal predictive modeling of tau progression along the structural connectome. NeuroImage, 2021, 237, 118126.	2.1	8
194	Activities of daily living measured by the Harvard Automated Phone Task track with cognitive decline over time in non-demented elderly. journal of prevention of Alzheimer's disease, The, 2017, 4, 81-86.	1.5	8
195	Blood Phosphorylated Tau 181 as a Biomarker for Amyloid Burden on Brain PET in Cognitively Healthy Adults. Journal of Alzheimer's Disease, 2022, 87, 1517-1526.	1.2	8
196	Association of β-Amyloid and Vascular Risk on Longitudinal Patterns of Brain Atrophy. Neurology, 2022, 99, .	1.5	8
197	Decreased meta-memory is associated with early tauopathy in cognitively unimpaired older adults. NeuroImage: Clinical, 2019, 24, 102097.	1.4	7
198	Functional and Pathological Correlates of Judgments of Learning in Cognitively Unimpaired Older Adults. Cerebral Cortex, 2020, 30, 1974-1983.	1.6	7

#	Article	IF	CITATIONS
199	Association of subjective cognitive decline with markers of brain pathology in preclinical autosomal dominant Alzheimer's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2020, 91, 330-332.	0.9	7
200	The Latin American Spanish version of the Face-Name Associative Memory Exam is sensitive to cognitive and pathological changes in preclinical autosomal dominant Alzheimer's disease. Alzheimer's Research and Therapy, 2020, 12, 104.	3.0	7
201	Associative memory and in vivo brain pathology in asymptomatic presenilin-1 E280A carriers. Neurology, 2020, 95, e1312-e1321.	1.5	7
202	18F-AV-1451 positron emission tomography in neuropathological substrates of corticobasal syndrome. Brain, 2021, 144, 266-277.	3.7	7
203	Longitudinal Trajectories of Participant- and Study Partner-Rated Cognitive Decline, in Relation to Alzheimer's Disease Biomarkers and Mood Symptoms. Frontiers in Aging Neuroscience, 2021, 13, 806432.	1.7	7
204	Heterogeneity of Tau Deposition and Microvascular Involvement in MCI and AD. Current Alzheimer Research, 2021, 18, 711-720.	0.7	6
205	Multiple imputation of a randomly censored covariate improves logistic regression analysis. Journal of Applied Statistics, 2016, 43, 2886-2896.	0.6	5
206	An UNC5C Allele Predicts Cognitive Decline and Hippocampal Atrophy in Clinically Normal Older Adults. Journal of Alzheimer's Disease, 2019, 68, 1161-1170.	1.2	5
207	Epicenters of dynamic connectivity in the adaptation of the ventral visual system. Human Brain Mapping, 2017, 38, 1965-1976.	1.9	4
208	O1â€02â€01: IMAGING TAU PATHOLOGY <i>IN VIVO</i> IN FTLD: INITIAL EXPERIENCE WITH [18F] T807 PET. Alzheimer's and Dementia, 2014, 10, P131.	0.4	3
209	IC-P-213: IMAGING TAU PATHOLOGY IN VIVO IN FTLD: INITIAL EXPERIENCE WITH [18F] T807 PET. , 2014, 10, P115-P115.		3
210	F2-02-03: TAU AND AB DEPOSITS RELATE TO DISTINCTIVE FUNCTIONAL CONNECTIVITY DISRUPTIONS IN THE ELDERLY BRAIN. , 2014, 10, P159-P160.		3
211	O1â€02â€02: THE ANTIâ€AMYLOID TREATMENT IN ASYMPTOMATIC ALZHEIMER'S DISEASE (A4) STUDY: REPORT SCREENING DATA RESULTS. Alzheimer's and Dementia, 2018, 14, P215.	OF 0.4	3
212	Alzheimer's disease biomarker roadmap 2020: Time for tau. Alzheimer's and Dementia, 2020, 16, e039549.	0.4	3
213	IC-P-162: Entorhinal, parahippocampal, and inferior temporal F18-T807 SUVR correlates with CSF total tau and tau T181P in cognitively normal elderly. , 2015, 11, P109-P109.		2
214	[ICâ€Pâ€181]: LONGITUDINAL TAU ACCUMULATION IS ASSOCIATED WITH COGNITIVE DECLINE IN NORMAL ELDERLY. Alzheimer's and Dementia, 2017, 13, P134.	0.4	2
215	Grip strength and gait speed as early biomarkers of brain amyloid and tau deposition. Alzheimer's and Dementia, 2020, 16, e041178.	0.4	2
216	Hypoconnectivity between locus coeruleus and medial temporal lobe during novelty predicts accelerated Aβâ€related cognitive decline. Alzheimer's and Dementia, 2020, 16, e041323.	0.4	2

#	Article	IF	CITATIONS
217	Blood phosphorylated tau 181 predicts early, preclinical brain amyloid deposition. Alzheimer's and Dementia, 2021, 17, .	0.4	2
218	Amyloidâ€Î² and tau pathologies relate to distinctive brain dysconnectomics in autosomalâ€dominant Alzheimer's disease. Alzheimer's and Dementia, 2021, 17, .	0.4	2
219	Preclinical Prediction of AD: Relation Between Neuropsychological and Neuroimaging Findings. , 0, , 97-110.		1
220	O2â€06â€01: Disrupted functional connectivity in autosomal dominant Alzheimer's disease: Preliminary findings from the DIAN study. Alzheimer's and Dementia, 2012, 8, P244.	0.4	1
221	P1-180: A NEW PERFORMANCE-BASED ACTIVITIES OF DAILY LIVING INSTRUMENT FOR EARLY ALZHEIMER'S DISEASE. , 2014, 10, P365-P365.		1
222	IC-P-087: DETECTING COGNITIVE PROFILES IN THE BIOMARKER STAGES OF PRECLINICAL AD. , 2014, 10, P49-P50.		1
223	P2-246: GREATER SUBJECTIVE COGNITIVE CONCERNS CORRESPOND WITH ADVANCING STAGES OF PRECLINICAL AD. , 2014, 10, P566-P566.		1
224	P4-064: Longitudinal 18 F-T807 PET imaging in a case of nonfluent variant primary progressive aphasia. , 2015, 11, P791-P792.		1
225	O4-01-01: Regional Tau PET measures associated with memory performance in clinically normal older individuals. , 2015, 11, P265-P265.		1
226	F3-03-03: Disclosure of amyloid status in the a4 trial. , 2015, 11, P215-P215.		1
227	IC-P-068: The relationship of cognition, cognitive reserve, and in vivo tau and amyloid burden. , 2015, 11, P51-P51.		1
228	O4-01-04: Entorhinal, parahippocampal, and inferior temporal F18-T807 SUVR correlates with CSF total tau and tau T181P in cognitively normal elderly. , 2015, 11, P267-P267.		1
229	F5-05-02: The Harvard Automated Phone Task (APT): A Novel Performance-Based ADL Instrument for Early Alzheimer's Disease. , 2016, 12, P373-P373.		1
230	ICâ€Pâ€013: Pet Staging of Amyloidosis: Evidence that Amyloid Occurs First in Neocortex and Later in Striatum. Alzheimer's and Dementia, 2016, 12, P20.	0.4	1
231	IC-P-043: Neuroimaging Correlates of Anosognosia in Mild Cognitive Impairment. , 2016, 12, P36-P37.		1
232	[P3–376]: QRISK2 AND FRAMINGHAM CARDIOVASCULAR RISK SCORES SIGNIFICANTLY CORRELATE WITH IMAGING BIOMARKERS OF PRECLINICAL AD: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. Alzheimer's and Dementia, 2017, 13, P1103.	0.4	1
233	[ICâ€02–03]: TAU AND HIPPOCAMPAL VOLUME REFLECT DISTINCT PROCESSES IN PRECLINICAL ALZHEIMER's DISEASE. Alzheimer's and Dementia, 2017, 13, P5.	0.4	1
234	[O1–02–05]: GENOTYPIC VARIANCE MAY EXPLAIN THE BALANCE OF EARLY CORTICAL VERSUS STRIATAL AMYLOID DEPOSITION IN AUTOSOMAL DOMINANT AD. Alzheimer's and Dementia, 2017, 13, P187.	0.4	1

#	Article	IF	CITATIONS
235	[P4–500]: SPATIAL PATTERNS OF FLORTAUCIPIR (FTP) SIGNAL IN COGNITIVELY NORMAL ELDERLY. Alzheimer's and Dementia, 2017, 13, P1530.	0.4	1
236	ICâ€Pâ€041: LONGITUDINAL CHANGE OF FUNCTIONAL CONNECTIVITY IN PRECLINICAL AD: RESULTS FROM THE HARVARD AGING BRAIN STUDY. Alzheimer's and Dementia, 2018, 14, P41.	0.4	1
237	O1â€08â€03: DIGITIZED CLOCK DRAWING (DCTCLOCK TM) PERFORMANCE AND ITS RELATIONSHIP AMYLOID AND TAU PET IMAGING MARKERS IN UNIMPAIRED OLDER ADULTS. Alzheimer's and Dementia, 2018, 14, P236.	TO 0.4	1
238	P1â€480: LOCUS COERULEUS SIGNAL INTENSITY IS ASSOCIATED WITH ENTORHINAL TAU PATHOLOGY AT HIGHE LEVELS OF AMYLOID BURDEN. Alzheimer's and Dementia, 2018, 14, P509.	R 0.4	1
239	ICâ€02â€04: REGIONAL ASYMMETRIES IN AMYLOID AND TAU GO TOGETHER: EVIDENCE FOR LOCAL INTERACTIO Alzheimer's and Dementia, 2018, 14, P4.	N _{0.4}	1
240	ICâ€₽â€147: QUANTIFYING STAGES OF SUBTLE MEMORY IMPAIRMENT IN PRECLINICAL ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P125.	0.4	1
241	Alzheimer's disease biomarker roadmap 2020: Secondâ€generation tau PET tracers. Alzheimer's and Dementia, 2020, 16, e039556.	0.4	1
242	AHEAD 3â€45 study: Preliminary screening and baseline characteristics from a placeboâ€controlled, doubleâ€blind study evaluating lecanemab in participants with preclinical Alzheimer's disease and elevated (A45 trial) and intermediate (A3 trial) amyloid. Alzheimer's and Dementia, 2021, 17, .	0.4	1
243	Extraneous neuroimaging factors do not contribute to sex differences in flortaucipir signal: Analysis of skull binding and partial volume effects. Alzheimer's and Dementia, 2021, 17, .	0.4	1
244	Associations between remote cognitive testing on an individual's own digital device and amyloid burden on neuroimaging in clinically normal older adults: Results from Boston Remote Assessment for Neurocognitive Health (BRANCH). Alzheimer's and Dementia, 2021, 17, .	0.4	1
245	O5-04-01: Pittsburgh compound B binding and MRI findings in nondemented hypertensive patients with cognitive concerns or mild cognitive impairment. , 2013, 9, P835-P835.		0
246	O4-06-03: Genotype-phenotype studies examining the CD33 locus and amyloid biology. , 2013, 9, P692-P693.		0
247	P3-266: NEUROPSYCHIATRIC SYMPTOMS AND FUNCTIONAL CONNECTIVITY IN MILD COGNITIVE IMPAIRMENT AND COGNITIVELY NORMAL ELDERLY. , 2014, 10, P729-P729.		Ο
248	IC-P-152: OLFACTORY IDENTIFICATION AND ALZHEIMER'S DISEASE BIOMARKERS IN CLINICALLY NORMAL ELDERLY. , 2014, 10, P87-P87.		0
249	P1-301: OLFACTORY IDENTIFICATION AND ALZHEIMER'S DISEASE BIOMARKERS IN CLINICALLY NORMAL ELDERLY. , 2014, 10, P422-P422.		0
250	O4-12-04: DETECTING COGNITIVE PROFILES IN THE BIOMARKER STAGES OF PRECLINICAL AD. , 2014, 10, P276-P276.		0
251	IC-P-084: Neurobiological correlates of anosognosia in mild cognitive impairment: A multimodal investigation using FDG-PET, PiB-PET, and volumetric MRI. , 2015, 11, P60-P60.		0
252	IC-P-125: Location, location, location: The distributed effects of amyloid on functional connectivity in the harvard aging brain study. , 2015, 11, P85-P86.		0

#	Article	IF	CITATIONS
253	P4-083: Hippocampal metabolism is decreased in high-amyloid mild cognitive impairment but not in high-amyloid clinically normal elders. , 2015, 11, P802-P803.		0
254	IC-P-071: Instrumental activities of daily living and functional connectivity in mild cognitive impairment. , 2015, 11, P53-P53.		0
255	IC-P-085: Regional Tau PET measures associated with memory performance in clinically normal older individuals. , 2015, 11, P60-P61.		о
256	IC-P-156: Baseline amyloid PET imaging, longitudinal amyloid accumulation, and Tau PET imaging in preclinical Alzheimer's disease. , 2015, 11, P105-P105.		0
257	P3-162: Instrumental activities of daily living and functional connectivity in mild cognitive impairment. , 2015, 11, P690-P691.		0
258	O4-01-03: Entorhinal tau deposition is associated with parietal association cortex hypometabolism in clinically normal older individuals. , 2015, 11, P266-P267.		0
259	F3-02-02: Snap in cognitively normal adults. , 2015, 11, P213-P213.		0
260	P2-141: Neurobiological correlates of anosognosia in mild cognitive impairment: A multi-modal investigation using FDG-PET, PiB-PET, and volumetric MRI. , 2015, 11, P540-P540.		0
261	O3-09-06: Location, location, location: The distributed effects of amyloid on functional connectivity in the harvard aging brain study. , 2015, 11, P240-P240.		0
262	O5-01-01: Tau and amyloid deposits relate to distinctive cortical atrophy patterns in cognitively normal elderly. , 2015, 11, P311-P312.		0
263	P3-135: Clinical and neuroimaging predictors of psychological well-being as measured by the purpose in life scale in cognitively normal older individuals. , 2015, 11, P675-P676.		0
264	IC-P-153: Clinical and neuroimaging predictors of psychological well-being as measured by the purpose in life scale in cognitively normal older individuals. , 2015, 11, P102-P103.		0
265	P2-151: Imaging tau pathology in vivo in ftld with [18F] T807 PET. , 2015, 11, P545-P545.		0
266	O1-06-05: Baseline amyloid PET imaging, longitudinal amyloid accumulation, and Tau PET imaging in preclinical Alzheimer's disease. , 2015, 11, P139-P139.		0
267	O2-02-03: The relationship of cognition, cognitive reserve, and in vivo tau and amyloid burden. , 2015, 11, P175-P175.		0
268	O2-02-05: Differential declines in letter versus category fluency over 4 years in biomarker-defined preclinical Alzheimer's disease. , 2015, 11, P176-P177.		0
269	O4-01-05: The relationship between cortical atrophy and tau pathology measured in vivo with [18F] T807 PET. , 2015, 11, P267-P268.		0
270	P3â€309: Profiles of Cognitive Decline Associated with Biomarkerâ€Defined Preclinical Stages of Alzheimer's Disease. Alzheimer's and Dementia, 2016, 12, P960.	0.4	0

#	Article	IF	CITATIONS
271	P3-275: Increased TAU PET Signal Associated with Longitudinal Mr Atrophy in Cognitively Normal Older Adults. , 2016, 12, P940-P941.		0
272	P4-217: Regional Fluorodeoxyglucose Hypometabolism is Associated With Greater Apathy Over Time in Early Alzheimer's Disease. , 2016, 12, P1111-P1111.		0
273	ICâ€Pâ€053: Regional Fluorodeoxyglucose Hypometabolism is Associated with Greater Apathy Over Time in Early Alzheimer's Disease. Alzheimer's and Dementia, 2016, 12, P43.	0.4	0
274	P2-341: Subjective Cognitive Decline Predicts Longitudinal Decline in those with Both Amyloidosis and Neurodegeneration. , 2016, 12, P773-P774.		0
275	P3-322: Optimal Memory Performance in Older Adults is Associated with Differences in Hippocampal Volume and Amyloid Status at Baseline and Over 3 Years. , 2016, 12, P969-P969.		0
276	ICâ€Pâ€185: The Effect of Tractâ€Specific Loss of White Matter Connectivity on Cognitive Decline in Healthy Older Individuals Depends on Entorhinal T807 Binding. Alzheimer's and Dementia, 2016, 12, P135.	0.4	0
277	ICâ€Pâ€190: Increased TAU PET Signal Associated with Longitudinal Mr Atrophy in Cognitively Normal Older Adults. Alzheimer's and Dementia, 2016, 12, P137.	0.4	0
278	F1â€04â€01: Longitudinal Peformance on the Preclinical Alzheimer's Cognitive Composite (PACC) in Subjects with Biomarkerâ€Defined Preclincal ad. Alzheimer's and Dementia, 2016, 12, P167.	0.4	0
279	O1â€13â€01: Anxiety, Social Activity and Amyloid in Cognitively Normal Older Adults. Alzheimer's and Dementia, 2016, 12, P208.	0.4	0
280	F3-04-01: In Vivo Cortical Distribution of Tau and Amyloid Deposits in Cognitively Normal Elderly. , 2016, 12, P274-P274.		0
281	O3â€08â€03: The Effect of Tractâ€5pecific Loss of White Matter Connectivity on Cognitive Decline in Healthy Older Individuals Depends on Entorhinal T807 Binding. Alzheimer's and Dementia, 2016, 12, P304.	0.4	0
282	O3â€09â€03: Associations between Amyloidosis and Longitudinal Cognitive Decline in Clinically Normal Older Adults. Alzheimer's and Dementia, 2016, 12, P308.	0.4	0
283	O4â€01â€02: Tau and Amyloid Pet Imaging in a Colombian Kindred with Autosomalâ€Đominant Alzheimer's Disease. Alzheimer's and Dementia, 2016, 12, P330.	0.4	0
284	O4â€01â€06: Ab+ Clinically Normal Participants with Elevated Tau Show Greatest Decline in the Preclinical Alzheimer's Disease Cognitive Composite. Alzheimer's and Dementia, 2016, 12, P333.	0.4	0
285	O4-06-04: Neuroimaging Correlates of Anosognosia in Mild Cognitive Impairment. , 2016, 12, P345-P346.		0
286	O4â€07â€05: Pet Staging of Amyloidosis: Evidence that Amyloid Occurs First in Neocortex and Later in Striatum. Alzheimer's and Dementia, 2016, 12, P349.	0.4	0
287	P4-325: TAU BURDEN is Associated with Subjective Cognitive Concerns in the Context of β-Amyloid Burden in Preclinical ad. , 2016, 12, P1158-P1159.		0
288	ICâ€Pâ€198: TAU and Amyloid PET Imaging in a Colombian Kindred with Autosomalâ€Dominant Alzheimer's Disease. Alzheimer's and Dementia, 2016, 12, P143.	0.4	0

#	Article	IF	CITATIONS
289	[S2–01–01]: IMAGING AMYLOID AND TAU PATHOLOGY: LESSONS LEARNED. Alzheimer's and Dementia, 201 13, P541.	7 _{0.4}	0
290	[O4–07–06]: <i>IN VIVO</i> SPREADING PATHWAYS OF TAU AND AMYLOID ACCUMULATION AND ITS GENETIC UNDERPINNINGS. Alzheimer's and Dementia, 2017, 13, P1246.	0.4	0
291	[P4–228]: LONGITUDINAL TAU ACCUMULATION IS ASSOCIATED WITH COGNITIVE DECLINE IN NORMAL ELDERLY. Alzheimer's and Dementia, 2017, 13, P1357.	0.4	0
292	[P4–243]: ANXIETY, SUBJECTIVE COGNITIVE DECLINE, AND CORTICAL AMYLOID IN PRECLINICAL AUTOSOMAL DOMINANT ALZHEIMER'S DISEASE: A PRELIMINARY REPORT. Alzheimer's and Dementia, 2017, 13, P1369.	0.4	0
293	[ICâ€Pâ€041]: SAMPLE SIZES FOR 24â€MONTH ALZHEIMER's PREVENTION TRIALS USING BIOMARKER ENDPOIN COGNITIVELY UNIMPAIRED AMYLOIDâ€POSITIVE ADULTS. Alzheimer's and Dementia, 2017, 13, P36.	rs in 0.4	0
294	[ICâ€₽â€089]: ANXIETY, SUBJECTIVE COGNITIVE DECLINE, AND CORTICAL AMYLOID IN PRECLINICAL AUTOSOMA DOMINANT ALZHEIMER's DISEASE: A PRELIMINARY REPORT. Alzheimer's and Dementia, 2017, 13, P72.	^L 0.4	0
295	[ICâ€Pâ€108]: ASSOCIATIONS BETWEEN MEASURES OF MEDIAL TEMPORAL LOBE NEURODEGENERATION AND ANOSOGNOSIA FOR MEMORY DEFICITS. Alzheimer's and Dementia, 2017, 13, P85.	0.4	0
296	[P1–256]: BASELINE CARDIOVASCULAR RISK AND AMYLOID BURDEN SYNERGISTICALLY PREDICT LONGITUDINAL COGNITIVE DECLINE IN CLINICALLY NORMAL ELDERLY: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. Alzheimer's and Dementia, 2017, 13, P347.	0.4	0
297	[P1–398]: TAU ACCUMULATION IS DETECTABLE AND CORRELATED TO AMYLOID BURDEN IN NORMAL AND IMPAIRED OLDER INDIVIDUALS USING SERIAL PET. Alzheimer's and Dementia, 2017, 13, P423.	0.4	0
298	[P1–434]: RELATIONSHIPS BETWEEN MEMORY FUNCTION, TAU PATHOLOGY AND FUNCTIONAL CONNECTIVIT IN THE DEFAULT MODE NETWORK IN AUTOSOMALâ€ĐOMINANT ALZHEIMER's DISEASE: A PRELIMINARY REPORT Alzheimer's and Dementia, 2017, 13, P448.		0
299	[P2–298]: ASSOCIATIONS BETWEEN MEASURES OF MEDIAL TEMPORAL LOBE NEURODEGENERATION AND ANOSOGNOSIA FOR MEMORY DEFICITS. Alzheimer's and Dementia, 2017, 13, P730.	0.4	0
300	[F1–03–02]: SUBJECTIVE COGNITIVE DECLINE, LONGITUDINAL COGNITIVE PERFORMANCE, AND IMAGING BIOMARKERS IN PRECLINICAL ALZHEIMER's DISEASE. Alzheimer's and Dementia, 2017, 13, P176.	0.4	0
301	[O2–10–03]: SEVERITY OF SUBJECTIVE COGNITIVE DECLINE ALIGNS WITH REGIONAL AMYLOID SEVERITY: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. Alzheimer's and Dementia, 2017, 13, P577.	0.4	0
302	[O2–11–04]: COGNITIVE RESERVE RELATES TO GREATER FUNCTIONAL CONNECTIVITY AND STRONGER INTERCONNECTIVITY WITHIN AND BETWEEN NODES, INDEPENDENT OF βâ€AMYLOID: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. Alzheimer's and Dementia, 2017, 13, P582.	0.4	0
303	[O3–06–02]: SEMANTIC MEMORY AND PET AMYLOID AND TAU DEPOSITION IN PRECLINICAL AND PRODROMAL ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2017, 13, P911.	0.4	0
304	[O3–07–06]: THE RELATIONSHIP BETWEEN RECALL OF RECENTLY VERSUS REMOTELY ENCODED FAMOUS FACES AND AMYLOID AND TAU BURDEN IN CLINICALLY NORMAL OLDER ADULTS. Alzheimer's and Dementia, 2017, 13, P917.	0.4	0
305	[P1–030]: RELATIONSHIPS BETWEEN MEMORY FUNCTION, TAU PATHOLOGY AND FUNCTIONAL CONNECTIVIT IN THE DEFAULT MODE NETWORK IN AUTOSOMALâ€DOMINANT ALZHEIMER'S DISEASE: A PRELIMINARY REPORT Alzheimer's and Dementia, 2017, 13, P245.		0
306	O3â€12â€01: DECREASED METAâ€MEMORY FOR EPISODIC BUT NOT SEMANTIC INFORMATION IS ASSOCIATED EARLY TAUOPATHY IN CLINICALLY NORMAL OLDER ADULTS. Alzheimer's and Dementia, 2018, 14, P1050.	WITH	0

#	Article	IF	CITATIONS
307	P1â€327: LONGITUDINAL DEPRESSIVE SYMPTOMS AND CORTICAL AMYLOID ARE ASSOCIATED WITH COGNITIVE DECLINE IN OLDER ADULTS. Alzheimer's and Dementia, 2018, 14, P417.	0.4	0
308	P3â€090: JOINT DEBLURRING OF LONGITUDINAL DIFFERENTIAL PET IMAGES OF TAU. Alzheimer's and Dementia, 2018, 14, P1100.	0.4	0
309	P3â€370: AN APOEε4 DERIVED STATISTICAL METHOD FOR OPTIMIZING TARGET AND REFERENCE REGIONS FOR AMYLOIDâ€PET IMAGING. Alzheimer's and Dementia, 2018, 14, P1231.	0.4	0
310	P3â€⊋90: AMYLOID PATHOLOGY EXPLAINS UNAWARENESS OF MEMORY DEFICITS ABOVE AND BEYOND CORTICAL THICKNESS IN INDIVIDUALS WITH MILD COGNITIVE IMPAIRMENT. Alzheimer's and Dementia, 2018, 14, P1191.	0.4	0
311	O3â€O4â€O3: AMYLOID IS ASSOCIATED WITH GREATER TAU BURDEN IN CLINICALLY NORMAL FEMALES RELATIVE MALES: FINDINGS FROM TWO INDEPENDENT COHORTS. Alzheimer's and Dementia, 2018, 14, P1019.	- J <u>Q</u>	0
312	O1â€02â€01: IMPACT OF DISCLOSING AMYLOID IMAGING RESULTS TO COGNITIVELY NORMAL RESEARCH PARTICIPANTS: THE A4 EXPERIENCE. Alzheimer's and Dementia, 2018, 14, P215.	0.4	0
313	P1â€443: ASSOCIATION BETWEEN REGIONAL AMYLOID AND REGIONAL TAU IN YOUNGER, NONâ€ÐEMENTED INDIVIDUALS IN THE FRAMINGHAM HEART STUDY. Alzheimer's and Dementia, 2018, 14, P482.	0.4	0
314	ICâ€Pâ€206: QUANTITATIVE SCORING OF [18F] FLORTAUCIPIR PET SCANS IN TYPICAL AND ATYPICAL PHENOTYPI OF ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P170.	<u>-8</u> 0.4	0
315	ICâ€Pâ€159: BRAIN RESILIENCE PROTECTS AGAINST COGNITIVE DECLINE ASSOCIATED WITH ELEVATED AMYLOID BURDEN. Alzheimer's and Dementia, 2018, 14, P134.	0.4	0
316	F4â€08â€02: AMYLOID BURDEN AND VASCULAR RISK ARE INDEPENDENTLY ASSOCIATED WITH SUBJECTIVE COGNITIVE DECLINE IN CLINICALLY NORMAL OLDER ADULTS. Alzheimer's and Dementia, 2018, 14, P1394.	0.4	0
317	ICâ€Pâ€138: ASSOCIATION BETWEEN REGIONAL AMYLOID AND REGIONAL TAU WITHIN YOUNGER, NONâ€DEME INDIVIDUALS OF THE FRAMINGHAM HEART STUDY. Alzheimer's and Dementia, 2018, 14, P115.	NTED	0
318	P2â€452: TAU ACCUMULATION IN RHINAL CORTEX IS ASSOCIATED WITH MEMORY PERFORMANCE IN NONDEMENTED YOUNG ADULTS WITH AUTOSOMAL DOMINANT ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P892.	0.4	0
319	O1â€02â€05: PREDICTING AMYLOID BURDEN IN SCREENING FOR PRECLINICAL AD PREVENTION TRIALS. Alzheime and Dementia, 2018, 14, P217.	er's 0.4	0
320	O1â€10â€03: SEX AND <i>APOE</i> GENOTYPE INFLUENCE THE ASSOCIATION BETWEEN AMYLOID AND LONGITUDINAL TAU PATHOLOGY IN CLINICALLY NORMAL OLDER ADULTS: FINDINGS FROM THE ADNI STUDY. Alzheimer's and Dementia, 2018, 14, P243.	0.4	0
321	ICâ€Pâ€215: TAU ACCUMULATION IN RHINAL CORTEX IS ASSOCIATED WITH MEMORY PERFORMANCE IN NONâ€DEMENTED YOUNG ADULTS WITH AUTOSOMAL DOMINANT ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P176.	0.4	Ο
322	ICâ€Pâ€139: LONGITUDINAL DEPRESSIVE SYMPTOMS AND CORTICAL AMYLOID ARE ASSOCIATED WITH COGNITI DECLINE IN OLDER ADULTS. Alzheimer's and Dementia, 2018, 14, P116.	VE.4	0
323	P4â€118: AV1451 TAU PET, BUT NOT CSF TAU, IS RELATED TO MEMORY DECLINE IN PRECLINICAL AND PRODROMAL ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P1484.	0.4	0
324	P1â€301: CERTAIN PLASMA Nâ€TERMINAL TAU FRAGMENTS ARE ELEVATED IN AD AND ADâ€MCI COMPARED TO CONTROLS. Alzheimer's and Dementia, 2018, 14, P405.	0.4	0

#	Article	IF	CITATIONS
325	ICâ€Pâ€140: TAU ACCUMULATION AND MEMORY DECLINE ARE MORE CLOSELY RELATED TO STRIATAL THAN CORTICAL AMYLOIDOSIS IN INDIVIDUALS WITH EARLYâ€ONSET AUTOSOMAL DOMINANT ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P117.	0.4	0
326	P2â€461: ENTORHINAL TAU PATHOLOGY IS ASSOCIATED WITH WHITE MATTER ABNORMALITIES IN UNCINATE FASCICULUS IN PRECLINICAL AUTOSOMAL DOMINANT ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P897.	0.4	0
327	ICâ€₽â€203: JOINT DEBLURRING OF LONGITUDINAL DIFFERENTIAL PET IMAGES OF TAU. Alzheimer's and Dementi 2018, 14, P167.	^a ò.4	0
328	O2â€08â€06: AMYLOIDâ€Î², COGNITION AND SOCIAL ACTIVITY IN COGNITIVELY NORMAL OLDER ADULTS. Alzhei and Dementia, 2018, 14, P640.	imer's 0.4	0
329	0300 Linking Sleep Disturbances with Amyloid and Tau Imaging. Preliminary Findings from the Harvard Aging Brain Study. Sleep, 2019, 42, A122-A123.	0.6	0
330	ICâ€₽â€178: SEX DIFFERENCES IN TAU PATHOLOGY ACROSS CORTICAL AND SUBCORTICAL REGIONS OF INTERES FINDINGS ACROSS TWO COHORTS. Alzheimer's and Dementia, 2019, 15, P139.	ST: 0.4	0
331	P4â€607: FREE AND CUED MEMORY IS DISTINCTLY RELATED TO PATHOLOGY IN PRECLINICAL AUTOSOMALâ€DOMINANT ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2019, 15, P1557.	0.4	0
332	ICâ€Pâ€037: GERIATRIC DEPRESSION SCALE ITEM‣EVEL ANALYSIS IN RELATION TOÂ <i>IN VIVO</i> CORTICAL AMYLOID AND CEREBRAL REGIONAL TAU IN CLINICALLY NORMAL OLDER ADULTS: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. Alzheimer's and Dementia, 2019, 15, P43.	0.4	0
333	ICâ€Pâ€089: ASSOCIATIONS OF REGIONAL CORTICAL THINNING AND LONGITUDINAL COGNITIVE PERFORMANCE THE CONTEXT OF AMYLOID IN CLINICALLY NORMAL OLDER ADULTS. Alzheimer's and Dementia, 2019, 15, P79.	IN.4	0
334	F2â€03â€01: CLINICAL MEANINGFULNESS OF SHORTâ€TERM COGNITIVE DECLINE ON THE PRECLINICAL ALZHEIN COGNITIVE COMPOSITEâ€5 (PACCâ€5) IN NORMAL OLDER ADULTS WITH ELEVATED βâ€AMYLOID. Alzheimer's a Dementia, 2019, 15, P518.		0
335	ICâ€Pâ€008: ANATOMICAL STAGING OF BETAâ€AMYLOID ACCUMULATION BASED ON LONGITUDINAL ASSESSME OF GLOBALLY PIB NEGATIVE ADULTS. Alzheimer's and Dementia, 2019, 15, P18.	NT ₄	0
336	ICâ€Pâ€067: TOPOGRAPHY OF CORTICAL THINNING IN THE LEWY BODY DEMENTIAS. Alzheimer's and Dementia, 2019, 15, P63.	0.4	0
337	P4â€608: TAU ACCUMULATION AND VISUAL MEMORY IN COGNITIVELY UNIMPAIRED PSEN1 E280A MUTATION CARRIERS. Alzheimer's and Dementia, 2019, 15, P1557.	0.4	0
338	ICâ€Pâ€058: COVARYING SPATIAL PATTERNS OF TAU DEPOSITION AND GRAY MATTER ATROPHY UNEARTHED BY THE INFORMED MULTIMODAL PARTIAL LEAST SQUARES (MMPLS) IN AUTOSOMAL DOMINANT ALZHEIMER'S DISEASE: FINDINGS FROM THE COLBOS PROJECT. Alzheimer's and Dementia, 2019, 15, P58.	0.4	0
339	O3â€09â€01: PROTECTIVE EFFECT OF PHYSICAL ACTIVITY ON LONGITUDINAL COGNITIVE DECLINE AND NEURODEGENERATION IN CLINICALLY NORMAL OLDER ADULTS WITH ELEVATED βâ€AMYLOID BURDEN. Alzheimer's and Dementia, 2019, 15, P903.	0.4	0
340	Tracking the origin of tau spread in the brain. Alzheimer's and Dementia, 2020, 16, e037501.	0.4	0
341	Memory impairment is a clinical marker of tau pathology in cerebral amyloid angiopathy. Alzheimer's and Dementia, 2020, 16, e037524.	0.4	0
342	Alzheimer's disease biomarker roadmap 2020: [18 F]flortaucipir. Alzheimer's and Dementia, 2020, 16, e039550.	0.4	0

#	Article	IF	CITATIONS
343	Sex, tau, and cortical thinning in the temporal lobe: Findings from the Harvard Aging Brain Study. Alzheimer's and Dementia, 2020, 16, e040031.	0.4	0
344	The relationship between cortical microstructural changes and in vivo amyloidâ€Î² and tau in aging and preclinical Alzheimer's disease. Alzheimer's and Dementia, 2020, 16, e041626.	0.4	0
345	Longitudinal inferior temporal FTPâ€PET signal increase is associated with contemporaneous longitudinal temporal lobe cortical thinning in preclinical Alzheimer's disease. Alzheimer's and Dementia, 2020, 16, e043419.	0.4	0
346	Estimating an individual's placement on a theoretical continuum using longitudinal cognitive trajectories: Relationships with longitudinal amyloid and Tauâ€₽ET. Alzheimer's and Dementia, 2020, 16, e043566.	0.4	0
347	Associations of peak width of skeletonized mean diffusivity with cardiovascular disease risk and cognitive decline in clinically normal older adults. Alzheimer's and Dementia, 2020, 16, e043812.	0.4	0
348	Plasma ILâ€12/IFNâ€Î³ axis predicts cognitive trajectories in cognitively normal older adults. Alzheimer's and Dementia, 2020, 16, e045497.	0.4	0
349	Distinct contributions of longitudinal tau and amyloid to decline in various cognitive domains in preclinical AD. Alzheimer's and Dementia, 2020, 16, e046075.	0.4	0
350	P3â€399: ASSOCIATION BETWEEN CORTICAL THINNING AND TAU PATHOLOGY IN PRECLINICAL AUTOSOMAL DOMINANT ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P1253.	0.4	0
351	Brainstem volume is negatively associated with amyloid deposition in the Framingham Heart Study. Alzheimer's and Dementia, 2021, 17, .	0.4	0
352	Cortical microstructure is associated with tau burden and predicts cognitive decline and clinical progression in healthy older adults. Alzheimer's and Dementia, 2021, 17, .	0.4	0
353	Associations between biomarker status (amyloid, tau) and risk for progression to MCI/Dementia in the Harvard Aging Brain Study. Alzheimer's and Dementia, 2021, 17, .	0.4	0
354	Locus coeruleus integrity as a proxy of initial tau burden: in vivo versus ex vivo observations. Alzheimer's and Dementia, 2021, 17, .	0.4	0
355	18Fâ€Flortaucipir PET imaging compared with autopsy in a clinically and pathologically heterogeneous group of patients with neurodegenerative dementias. Alzheimer's and Dementia, 2021, 17, .	0.4	0
356	Sequential early cognitive changes sensitive to rising betaâ€amyloid and tau pathology in preclinical AD. Alzheimer's and Dementia, 2021, 17, .	0.4	0
357	Longitudinal associations between amyloid and tauâ€₽ET: Impact for prevention trials. Alzheimer's and Dementia, 2021, 17, .	0.4	0
358	Associations between plasma pâ€ŧau217, in vivo brain pathology and cognition in individuals with autosomalâ€dominant Alzheimer's disease: Findings from the Colombiaâ€Boston (COLBOS) biomarker study. Alzheimer's and Dementia, 2021, 17, .	0.4	0
359	Selfâ€reported history of estrogen hormone therapy differentiates rates of amyloid accumulation (PiBâ€PET) relative to males: Findings from the Harvard Aging Brain Study. Alzheimer's and Dementia, 2021, 17, .	0.4	0
360	Amygdala tau pathology in preclinical autosomal dominant Alzheimer's disease. Alzheimer's and Dementia, 2021, 17, .	0.4	0

#	Article	IF	CITATIONS
361	The combined influence of betaâ€amyloid and vascular risk on prospective brain atrophy in clinically normal individuals. Alzheimer's and Dementia, 2021, 17, .	0.4	0
362	Longitudinal trajectories of remote assessment of self―and study partnerâ€rated cognitive concerns, mood and Alzheimer's disease biomarkers. Alzheimer's and Dementia, 2021, 17, .	0.4	0
363	Monthly computerized atâ€home assessments to detect cognitive change in preclinical Alzheimer's disease. Alzheimer's and Dementia, 2021, 17, .	0.4	0
364	Regional betaâ€ a myloid and tau deposition: Results from the Framingham Heart Study. Alzheimer's and Dementia, 2021, 17, .	0.4	0
365	Association between the Harvard automated phone task and Alzheimer's disease pathology in clinically normal older adults. Alzheimer's and Dementia, 2021, 17, .	0.4	0
366	Multimodal neuroimaging biomarkers of Alzheimer's disease in older adults with depression: Preliminary findings from a pilot cohort. Alzheimer's and Dementia, 2021, 17, .	0.4	0
367	The location of <i>PSEN1</i> pathogenic variants in transmembrane vs. cytoplasmic domains may alter neurodegenerative and cognitive trajectories: Findings from the DIAN study. Alzheimer's and Dementia, 2021, 17, .	0.4	0
368	Associations Between Brainstem Volume and Alzheimer's Disease Pathology in Middle-Aged Individuals of the Framingham Heart Study. Journal of Alzheimer's Disease, 2022, 86, 1603-1609.	1.2	0
369	Locus coeruleus integrity predicts tau accumulation and memory dysfunction in autosomal dominant Alzheimer's disease Alzheimer's and Dementia, 2021, 17 Suppl 3, e052664.	0.4	0
370	Heterogeneity of tau deposition and microvascular involvement in MCI and AD Alzheimer's and Dementia, 2021, 17 Suppl 3, e054282.	0.4	0