

# Daniel A Foucher

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5228483/publications.pdf>

Version: 2024-02-01

60  
papers

2,673  
citations

279798  
23  
h-index

182427  
51  
g-index

66  
all docs

66  
docs citations

66  
times ranked

1298  
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of virucidal activity of residual quaternary ammonium-treated surfaces on SARS-CoV-2. American Journal of Infection Control, 2022, 50, 325-329.	2.3	11
2	New Hypercoordinating Organostannanes for the Modular Functionalization of Mono- and Polystannanes: Synthetic and Computational Studies**. European Journal of Inorganic Chemistry, 2022, 2022, .	2.0	0
3	Access to thermally robust and abrasion resistant antimicrobial plastics: synthesis of UV-curable phosphonium small molecule coatings and extrudable additives. RSC Advances, 2021, 11, 5548-5555.	3.6	6
4	Site- and Stereoselective C-H Alkylation of Carbohydrates Enabled by Cooperative Photoredox, Hydrogen Atom Transfer, and Organotin Catalysis. Organic Letters, 2021, 23, 5180-5185.	4.6	24
5	A structural, DFT and experimental investigation of the ring stability and ring-opening polymerization behaviour of cyclic thionylphosphazenes in the presence of Lewis acid catalysts. Polymer, 2021, 233, 124196.	3.8	4
6	Preparation and DFT Studies of <sup>19</sup> 2C,N-Hypercoordinated Oxazoline Organotins: Monomer Constructs for Stable Polystannanes. Inorganics, 2020, 8, 35.	2.7	2
7	UV-Curable Surface-Attached Antimicrobial Polymeric Onium Coatings: Designing Effective, Solvent-Resistant Coatings for Plastic Surfaces. ACS Applied Bio Materials, 2020, 3, 4302-4315.	4.6	12
8	Hypercoordinated organotin(IV) compounds containing C,O- and C,N- chelating ligands: Synthesis, characterisation, DFT studies and polymerization behaviour. Journal of Organometallic Chemistry, 2019, 900, 120910.	1.8	10
9	Surface-attached sulfonamide containing quaternary ammonium antimicrobials for textiles and plastics. RSC Advances, 2019, 9, 3140-3150.	3.6	8
10	Synthesis and Characterization of Readily Modified Poly(aryl)(alkoxy)stannanes by use of Hypercoordinated Sn Monomers. Chemistry - A European Journal, 2018, 24, 18762-18771.	3.3	8
11	“Push and push” pull <sup>n</sup> polystannanes. Dalton Transactions, 2018, 47, 14094-14100.	3.3	8
12	Proof of Concept Studies Directed Towards Designed Molecular Wires: Property-Driven Synthesis of Air and Moisture-Stable Polystannanes. Chemistry - A European Journal, 2017, 23, 14367-14374.	3.3	14
13	UV-Curable Contact Active Benzophenone Terminated Quaternary Ammonium Antimicrobials for Applications in Polymer Plastics and Related Devices. ACS Applied Materials & Interfaces, 2017, 9, 27491-27503.	8.0	20
14	Biomass Utilisation Strategies for Applications in Novel Polymer and Polymer Resin Production. Polymers From Renewable Resources, 2017, 8, 1-10.	1.3	2
15	A C18Quaternary Ammonium Library. ChemistrySelect, 2016, 1, 6914-6919.	1.5	1
16	Hypercoordinate compounds of the group 14 elements containing <sup>19</sup> n-C,N-, C,O-, C,S- and C,P-ligands. Coordination Chemistry Reviews, 2016, 312, 41-66.	18.8	21
17	Crystal structure of (E)-(benzylidene)(pyridin-2-ylmethyl)amine. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, o1040-o1040.	0.5	0
18	Rapid Microwave-Assisted Synthesis of -Phosphonic Acid Quaternary Ammonium Antimicrobials for Biomedical Applications. Current Microwave Chemistry, 2015, 2, 69-82.	0.8	2

#	ARTICLE	IF	CITATIONS
19	Linear Oligostannanes: A Synthetic and TD-DFT Study. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2015, 25, 515-528.	3.7	9
20	Reduction of C,O-chelated organotin(IV) dichlorides and dihydrides leading to protected polystannanes. <i>Journal of Organometallic Chemistry</i> , 2015, 776, 180-191.	1.8	17
21	Alternating polystannanes: syntheses and properties. <i>Chemical Communications</i> , 2015, 51, 7120-7123.	4.1	21
22	Synthesis and characterization of a polyferrocenyldistannane. <i>Canadian Journal of Chemistry</i> , 2014, 92, 525-532.	1.1	5
23	Nylon-coated ultra high molecular weight polyethylene fabric for enhanced penetration resistance. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	31
24	Synthesis, structures and properties of self-assembling quaternary ammonium dansyl fluorescent tags for porous and non-porous surfaces. <i>Journal of Materials Chemistry B</i> , 2014, 2, 1509-1520.	5.8	12
25	A new technique to improve the mechanical and biological performance of ultra high molecular weight polyethylene using a nylon coating. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2014, 32, 198-209.	3.1	43
26	Recent advances in the homogeneous polymerisation of olefins mediated by nickel complexes. <i>Comptes Rendus Chimie</i> , 2013, 16, 573-579.	0.5	11
27	Synthesis, Characterization, and Theoretical Analysis of Soluble Poly(oxothiazenes): The Ambient Temperature Lewis Acid Catalyzed <i>&lt; i&gt;in Situ&lt;/i&gt;</i> Polymerization of <i>&lt; i&gt;N&lt;/i&gt;-Silylsulfonimidoyl Chlorides</i> . <i>Macromolecules</i> , 2013, 46, 2562-2568.	4.8	5
28	Pd-catalysed reactions of alkynes with model distannanes and poly[di-(n-butyl)]stannane. <i>Dalton Transactions</i> , 2013, 42, 2469-2476.	3.3	8
29	Synthesis and Spectral Electrochemical Properties of a Symmetrical Tin-Bridged [3.3]Ferrocenophane. <i>Organometallics</i> , 2013, 32, 2893-2901.	2.3	8
30	Assessment of the working range and effect of sodium dichloroisocyanurate on <i>&lt; i&gt;Pseudomonas aeruginosa&lt;/i&gt;</i> biofilms and planktonic cells. <i>Biofouling</i> , 2012, 28, 111-120.	2.2	15
31	Unusual Cationic Trinuclear Nickel Clusters Incorporating Oxazolines or <i>&lt; i&gt;N&lt;/i&gt;, &lt; i&gt;N&lt;/i&gt;, &lt; i&gt;N&lt;/i&gt;â€², &lt; i&gt;N&lt;/i&gt;â€²-Tetramethylethylene-1,2-diamine</i> : Applications in Olefin Polymerization. <i>Inorganic Chemistry</i> , 2011, 50, 9930-9932.	4.0	9
32	Unexpected Synthesis of Oligomeric (Dimethylsilyl)-Bridged Ferrocenes from the Desilylative Coupling of Tertiary 1,1â€²-Bis(dimethylsilyl)ferrocene. <i>Organometallics</i> , 2010, 29, 1057-1060.	2.3	5
33	Wurtz Coupling of Perfluorinated Dichlorostannanes. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2010, 20, 544-553.	3.7	20
34	A convenient route to distannanes, oligostannanes, and polystannanes. <i>Canadian Journal of Chemistry</i> , 2010, 88, 1046-1052.	1.1	23
35	Tetrakis[3,5-bis(trifluoromethyl)phenyl]tin(IV). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, m704-m704.	0.2	1
36	Polyferrocenyldisiloxane from the Platinum-Catalyzed Reactions of Tertiary Bis(dimethylsilyl)ferrocene in a Polar Aprotic Solvent. <i>Macromolecules</i> , 2009, 42, 9199-9203.	4.8	31

#	ARTICLE	IF	CITATIONS
37	Copper-Mediated Polycondensations of Substituted Diiodoferrocenes and Bis(stannyll)ferrocenes: Synthesis and Properties of Soluble Polyferrocenylenes Containing Trimethylsilyl or Methyl Groups. <i>Macromolecules</i> , 2002, 35, 3810-3818.	4.8	20
38	1,1'-Diiodo-3,3'-bis(trimethylsilyl)ferrocene. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1999, 55, 33-35.	0.4	2
39	Synthesis, Reactivity, and Ring-Opening Polymerization (ROP) of Tin-Bridged [1]Ferrocenophanes. <i>Chemistry - A European Journal</i> , 1998, 4, 2117-2128.	3.3	122
40	Thermal and Transition-Metal-Catalyzed Ring-Opening Polymerization (ROP) of [1]Silaferrocenophanes with Chlorine Substituents at Silicon: A Route to Tunable Poly(ferrocenylsilanes). <i>Organometallics</i> , 1996, 15, 1972-1978.	2.3	97
41	Synthesis, Characterization, and Properties of High Molecular Weight Poly(methylated) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Macromolecules, 1996, 29, 1894-1903.	4.8	72
42	Synthesis, Characterization, and Properties of High Molecular Weight Poly(ferrocenylgermanes) and Poly(ferrocenylsilane)-Poly(ferrocenylgermane) Random Copolymers. <i>Macromolecules</i> , 1996, 29, 2396-2403.	4.8	56
43	Synthesis and Properties of Poly(ferrocenyldihydrosilane) Homopolymer and Random Copolymers. <i>Macromolecules</i> , 1995, 28, 7301-7308.	4.8	57
44	Synthesis, Structures, and Properties of Strained, Silicon-Bridged [1]Ferrocenophanes with Methylated Cyclopentadienyl Rings. <i>Organometallics</i> , 1995, 14, 2470-2479.	2.3	71
45	Thermal Ring-Opening Polymerization (ROP) of Strained, Ring-Tilted Phosphorus-Bridged [1]Ferrocenophanes: Synthesis of Poly(ferrocenylphosphines) and Poly(ferrocenylphosphine sulfides). <i>Organometallics</i> , 1995, 14, 5503-5512.	2.3	105
46	Pyrolysis of Poly(ferrocenylsilanes): Synthesis and Characterization of Ferromagnetic Transition-Metal-Containing Ceramics and Molecular Depolymerization Products. <i>Chemistry of Materials</i> , 1995, 7, 2045-2053.	6.7	116
47	The synthesis and polymerization behaviour of silicon-bridged [1]- and [2]ferrocenophanes with sterically demanding trimethylsilyl substituents attached to the cyclopentadienyl rings. <i>Canadian Journal of Chemistry</i> , 1995, 73, 2069-2078.	1.1	25
48	The Pyrolysis of Poly(Ferrocenylsilanes): Metal Containing Ceramics and Small Molecules. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1994, 93, 359-360.	1.6	5
49	Ring-Opening Polymerization of Strained, Ring-Tilted [1]Ferrocenophanes with Germanium in the Bridge: Structures of the [1]Germaferrocenophane Fe(.eta.-C5H4)2GeMe2 and the Ferrocenylgermane Fe(.eta.-C5H4GeEt2Cl)(.eta.-C5H5). <i>Organometallics</i> , 1994, 13, 4959-4966.	2.3	98
50	Synthesis, Structures, and the Redistribution and Skeletal Cleavage Reactions of Siloxane-Bridged Ferrocenophanes. <i>Inorganic Chemistry</i> , 1994, 33, 1709-1718.	4.0	37
51	Synthesis, Characterization, and Properties of High Molecular Weight Unsymmetrically Substituted Poly(ferrocenylsilanes). <i>Macromolecules</i> , 1994, 27, 3992-3999.	4.8	131
52	Organometallic Ferrocenyl Polymers Displaying Tunable Cooperative Interactions between Transition Metal Centers. <i>Angewandte Chemie International Edition in English</i> , 1993, 32, 1709-1711.	4.4	167
53	Title is missing!. <i>Die Makromolekulare Chemie Rapid Communications</i> , 1993, 14, 63-66.	1.1	53
54	Kinetics and mechanism of ligand substitution reactions of pentacyanoferrate(II) complexes with bridging N-heterocyclic dications in aqueous media. <i>Inorganic Chemistry</i> , 1993, 32, 3425-3432.	4.0	20

#	ARTICLE	IF	CITATIONS
55	The polymerization behavior of [1]- and [2]ferrocenophanes containing silicon atoms in the bridge: comparison of the molecular structure of the strained, polymerizable cyclic ferrocenylsilane $\text{Fe}(\text{C}_5\text{H}_4)_2(\text{SiMe}_2)$ with that of the cyclic ferrocenyldisilane $\text{Fe}(\text{C}_5\text{H}_4)_2(\text{SiMe}_2)_2$ . <i>Organometallics</i> , 1993, 12, 823-829.	2.3	153
56	Synthesis, characterization, glass transition behavior, and the electronic structure of high-molecular-weight, symmetrically substituted poly(ferrocenylsilanes) with alkyl or aryl side groups. <i>Macromolecules</i> , 1993, 26, 2878-2884.	4.8	147
57	Synthesis, properties, and the ring-ring transformation reactions of cyclic siloxanes incorporating skeletal boron atoms: x-ray crystal structures of the strained boracyclotrisiloxane $(\text{PhBO})(\text{Ph}_2\text{SiO})_2$ and the boracyclotetrasiloxane $(\text{PhBO})(\text{Ph}_2\text{SiO})_3$ . <i>Inorganic Chemistry</i> , 1992, 31, 3034-3043.	4.0	74
58	Ring-opening polymerization of strained, ring-tilted ferrocenophanes: a route to high-molecular-weight poly(ferrocenylsilanes). <i>Journal of the American Chemical Society</i> , 1992, 114, 6246-6248.	13.7	584
59	A highly strained heterocyclosiloxane: synthesis and X-ray crystal structure of pentaphenylboracyclotrisiloxane $\text{BSi}_2\text{O}_3\text{Ph}_5$ . <i>Journal of Organometallic Chemistry</i> , 1991, 414, C1-C4.	1.8	18
60	Electron-exchange and electron-transfer reactions involving the tetrakis(acetato)bis(acetonitrile)dirhodium(0)/(1+) couple in acetonitrile. <i>Inorganic Chemistry</i> , 1989, 28, 3357-3361.	4.0	4