
Bobo Gu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/522886/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Light amplified oxidative stress in tumor microenvironment by carbonized hemin nanoparticles for boosting photodynamic anticancer therapy. Light: Science and Applications, 2022, 11, 47. | 7.7 | 27 |
| 2 | In Vivo Flow Cytometry. Advances in Experimental Medicine and Biology, 2021, 3233, 289-305. | 0.8 | 1 |
| 3 | Fundamentals of Optical Imaging. Advances in Experimental Medicine and Biology, 2021, 3233, 1-22. | 0.8 | 1 |
| 4 | Near-infrared light excited photodynamic anticancer therapy based on UCNP@AIEgen nanocomposite. Nanoscale Advances, 2021, 3, 2325-2333. | 2.2 | 9 |
| 5 | Noninvasive and real-time monitoring of Au nanoparticle promoted cancer metastasis using in vivo flow cytometry. Biomedical Optics Express, 2021, 12, 1846. | 1.5 | 5 |
| 6 | Rapid exÂvivo assessment of cancer prognosis by fluorescence imaging of nucleolus using nitrogen doped carbon dots. Analytica Chimica Acta, 2021, 1154, 338309. | 2.6 | 11 |
| 7 | Photodynamic therapy reduces metastasis of breast cancer by minimizing circulating tumor cells. Biomedical Optics Express, 2021, 12, 3878. | 1.5 | 7 |
| 8 | Ratiometric Raman nanotags enable intraoperative detection of metastatic sentinel lymph node. Biomaterials, 2021, 276, 121070. | 5.7 | 12 |
| 9 | Noninvasive and early diagnosis of acquired brain injury using fluorescence imaging in the NIR-II window. Biomedical Optics Express, 2021, 12, 6984. | 1.5 | 4 |
| 10 | Binary Organic Nanoparticles with Bright Aggregation-Induced Emission for Three-Photon Brain Vascular Imaging. Chemistry of Materials, 2020, 32, 6437-6443. | 3.2 | 41 |
| 11 | Flexible porphyrin doped polymer optical fibers for rapid and remote detection of trace DNT vapor. Analyst, The, 2020, 145, 5307-5313. | 1.7 | 9 |
| 12 | Nucleolusâ€Targeted Photodynamic Anticancer Therapy Using Renal learable Carbon Dots. Advanced Healthcare Materials, 2020, 9, e2000607. | 3.9 | 61 |
| 13 | <i>In vitro</i> anticancer activity of AlEgens. Biomaterials Science, 2019, 7, 3855-3865. | 2.6 | 10 |
| 14 | Recent advances in copper sulphide-based nanoheterostructures. Chemical Society Reviews, 2019, 48, 4950-4965. | 18.7 | 85 |
| 15 | Tunable hybridization induced transparency for efficient terahertz sensing. Optics Express, 2019, 27, 9032. | 1.7 | 10 |
| 16 | Reversible and Fast Responsive Optical Fiber Relative Humidity Sensor Based on Polyelectrolyte Self-Assembly Multilayer Film. IEEE Sensors Journal, 2018, 18, 1081-1086. | 2.4 | 16 |
| 17 | Strategies to Overcome the Limitations of AlEgens in Biomedical Applications. Small Methods, 2018, 2, 1700392. | 4.6 | 37 |
| 18 | Recent development of fiber-optic chemical sensors and biosensors: Mechanisms, materials, micro/nano-fabrications and applications. Coordination Chemistry Reviews, 2018, 376, 348-392. | 9.5 | 179 |

Вово Gu

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Precise Twoâ€Photon Photodynamic Therapy using an Efficient Photosensitizer with Aggregationâ€Induced Emission Characteristics. Advanced Materials, 2017, 29, 1701076. | 11.1 | 258 |
| 20 | Optical trapping-assisted SERS platform for chemical and biosensing applications: Design perspectives. Coordination Chemistry Reviews, 2017, 339, 138-152. | 9.5 | 58 |
| 21 | Functionalized 2D nanomaterials for gene delivery applications. Coordination Chemistry Reviews, 2017, 347, 77-97. | 9.5 | 73 |
| 22 | Resonance Raman Probes for Organelle-Specific Labeling in Live Cells. Scientific Reports, 2016, 6, 28483. | 1.6 | 33 |
| 23 | Fiber Loop Laser Stabilized by Fano Resonance in Metallic Grating Coupled Resonator. IEEE Photonics Technology Letters, 2016, 28, 1597-1600. | 1.3 | 1 |
| 24 | In-situ second harmonic generation by cancer cell targeting ZnO nanocrystals to effect photodynamic action in subcellular space. Biomaterials, 2016, 104, 78-86. | 5.7 | 25 |
| 25 | Molecular nonlinear optics: recent advances and applications. Advances in Optics and Photonics, 2016, 8, 328. | 12.1 | 100 |
| 26 | Optimal coupling to high-Q whispering gallery modes with a sub-wavelength metallic grating coupler. Proceedings of SPIE, 2015, , . | 0.8 | 0 |
| 27 | Lasing in nanocomposite random media. Nano Today, 2015, 10, 168-192. | 6.2 | 239 |
| 28 | Controlled excitation of higher radial order whispering gallery modes with metallic diffraction grating. Optics Express, 2015, 23, 4991. | 1.7 | 4 |
| 29 | Power transfer mechanism of metallic grating coupled whispering gallery microsphere resonator. Optics Letters, 2015, 40, 1908. | 1.7 | 4 |
| 30 | Fiber-integrated 780 nm source for visible parametric generation. Optics Express, 2014, 22, 29726. | 1.7 | 7 |
| 31 | Reflective liquid level sensor based on modes conversion in thin-core fiber incorporating titled fiber Bragg grating. Optics Express, 2014, 22, 11834. | 1.7 | 55 |
| 32 | High-performance reflective liquid level sensor based on titled fiber Bragg grating inscribed in the thin-core fiber. , 2014, , . | | 2 |
| 33 | Simple and compact reflective refractometer based on tilted fiber Bragg grating inscribed in thin-core fiber. Optics Letters, 2014, 39, 22. | 1.7 | 48 |
| 34 | Fiber-optic chemical probe based on titled fiber Bragg grating inscribed in the thin-core fiber. , 2013, , . | | 0 |
| 35 | Nonlinear fiber-optic strain sensor based on four-wave mixing in microstructured optical fiber. Optics Letters, 2012, 37, 794. | 1.7 | 46 |
| 36 | Highly sensitive and selective fiber-optic modal interferometric sensor for detecting trace mercury ion in aqueous solution. Analytical Methods, 2012, 4, 1292. | 1.3 | 18 |

Вово Gu

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Temperature Compensated Strain Sensor Based on Cascaded Sagnac Interferometers and All-Solid Birefringent Hybrid Photonic Crystal Fibers. IEEE Sensors Journal, 2012, 12, 1641-1646. | 2.4 | 26 |
| 38 | Biocompatible Fiber-Optic pH Sensor Based on Optical Fiber Modal Interferometer Self-Assembled With Sodium Alginate/Polyethylenimine Coating. IEEE Sensors Journal, 2012, 12, 1477-1482. | 2.4 | 39 |
| 39 | Optical fiber relative humidity sensor based on FBG incorporated thin-core fiber â€ʿmodal interferometer. Optics Express, 2011, 19, 4140. | 1.7 | 110 |
| 40 | Fiber-optic metal ion sensor based on thin-core fiber modal interferometer with nanocoating self-assembled via hydrogen bonding. Sensors and Actuators B: Chemical, 2011, 160, 1174-1179. | 4.0 | 24 |
| 41 | Highly sensitive and fast responsive fiber-optic modal interferometric pH sensor based on polyelectrolyte complex and polyelectrolyte self-assembled nanocoating. Analytical and Bioanalytical Chemistry, 2011, 399, 3623-3631. | 1.9 | 49 |
| 42 | All-solid birefringent hybrid photonic crystal fiber based interferometric sensor for measurement of strain and temperature. , 2011, , . | | 3 |
| 43 | Quasi-distributed sensing network based on coherence multiplexing and spatial division multiplexing for coal mine security monitoring. Journal of Zhejiang University: Science C, 2010, 11, 762-766. | 0.7 | Ο |
| 44 | Fiber-optic refractive-index sensors based on transmissive and reflective thin-core fiber modal interferometers. Optics Communications, 2010, 283, 2136-2139. | 1.0 | 95 |
| 45 | Core mode scatterer and fibre end-face mirror incorporated reflective long-period grating sensors. Electronics Letters, 2010, 46, 710. | 0.5 | 2 |
| 46 | Cladding-Mode-Recoupling-Based Tilted Fiber Bragg Grating Sensor With a Core-Diameter-Mismatched Fiber Section. IEEE Photonics Journal, 2010, 2, 152-157. | 1.0 | 36 |
| 47 | A novel fast response fiber-optic pH sensor based on nanoporous self-assembled multilayer films. Journal of Materials Chemistry, 2010, 20, 7754. | 6.7 | 26 |
| 48 | Low-cost high-performance fiber-optic pH sensor based on thin-core fiber modal interferometer. Optics Express, 2009, 17, 22296. | 1.7 | 146 |
| 49 | A Novel Fiber Length Measurement Technology Based on an Asymmetric Interferometer Incorporating an Electron-Optic Modulator. , 2008, , . | | 0 |