

Eleonora Dal Grande

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5228898/publications.pdf>

Version: 2024-02-01

68
papers

2,273
citations

186265

28
h-index

223800

46
g-index

68
all docs

68
docs citations

68
times ranked

3518
citing authors

#	ARTICLE	IF	CITATIONS
1	How valid are self-reported height and weight? A comparison between CATI self-report and clinic measurements using a large cohort study. <i>Australian and New Zealand Journal of Public Health</i> , 2006, 30, 238-246.	1.8	158
2	Suicidal Ideation in a Random Community Sample: Attributable Risk Due to Depression and Psychosocial and Traumatic Events. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, 98-106.	2.3	148
3	The North West Adelaide Health Study: detailed methods and baseline segmentation of a cohort for selected chronic diseases. <i>Epidemiologic Perspectives and Innovations</i> , 2006, 3, 4.	7.0	130
4	Subsyndromal depression: prevalence, use of health services and quality of life in an Australian population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 293-298.	3.1	126
5	Population Comparison of Two Clinical Approaches to the Metabolic Syndrome: Implications of the new International Diabetes Federation consensus definition. <i>Diabetes Care</i> , 2005, 28, 2777-2779.	8.6	107
6	Coexistent Chronic Conditions and Asthma Quality of Life. <i>Chest</i> , 2006, 129, 285-291.	0.8	81
7	Risk Factors, Health Effects and Behaviour in Older People during Extreme Heat: A Survey in South Australia. <i>International Journal of Environmental Research and Public Health</i> , 2013, 10, 6721-6733.	2.6	69
8	Population attributable risk of major depression for suicidal ideation in a random and representative community sample. <i>Journal of Affective Disorders</i> , 2003, 74, 267-272.	4.1	63
9	Uncovering an invisible network of direct caregivers at the end of life: A population study. <i>Palliative Medicine</i> , 2013, 27, 608-615.	3.1	60
10	Sampling and coverage issues of telephone surveys used for collecting health information in Australia: results from a face-to-face survey from 1999 to 2008. <i>BMC Medical Research Methodology</i> , 2010, 10, 77.	3.1	57
11	Changes in mental health literacy about depression: South Australia, 1998 to 2004. <i>Medical Journal of Australia</i> , 2005, 183, 134-137.	1.7	56
12	Random digit dialling and Electronic White Pages samples compared: demographic profiles and health estimates. <i>Australian and New Zealand Journal of Public Health</i> , 1999, 23, 627-633.	1.8	52
13	Burden and trend of diet-related non-communicable diseases in Australia and comparison with 34 OECD countries, 1990 to 2015: findings from the Global Burden of Disease Study 2015. <i>European Journal of Nutrition</i> , 2019, 58, 1299-1313.	3.9	49
14	Psychological factors and quality of life in arthritis: a population-based study. <i>Clinical Rheumatology</i> , 2007, 26, 1049-1054.	2.2	47
15	Reliability of self-reported health risk factors and chronic conditions questions collected using the telephone in South Australia, Australia. <i>BMC Medical Research Methodology</i> , 2012, 12, 108.	3.1	44
16	Comparing self-reported and measured high blood pressure and high cholesterol status using data from a large representative cohort study. <i>Australian and New Zealand Journal of Public Health</i> , 2010, 34, 394-400.	1.8	43
17	Association between soft drink consumption and asthma and chronic obstructive pulmonary disease among adults in Australia. <i>Respirology</i> , 2012, 17, 363-369.	2.3	41
18	Health Estimates Using Survey Raked-Weighting Techniques in an Australian Population Health Surveillance System. <i>American Journal of Epidemiology</i> , 2015, 182, 544-556.	3.4	39

#	ARTICLE	IF	CITATIONS
19	Do people with risky behaviours participate in biomedical cohort studies?. BMC Public Health, 2006, 6, 11.	2.9	37
20	Relationships Between Body Mass Index, Mental Health, and Suicidal Ideation: Population Perspective Using Two Methods. Australian and New Zealand Journal of Psychiatry, 2009, 43, 652-658.	2.3	37
21	Ten-year trends in major lifestyle risk factors using an ongoing population surveillance system in Australia. Population Health Metrics, 2014, 12, 31.	2.7	37
22	Gout prevalence and predictors of urate-lowering therapy use: results from a population-based study. Arthritis Research and Therapy, 2018, 20, 143.	3.5	37
23	Detecting determinants of suicidal ideation: South Australian surveillance system results. International Journal of Public Health, 2007, 52, 142-152.	2.6	35
24	Tracking Depression-Related Mental Health Literacy Across South Australia: A Decade of Change. Australian and New Zealand Journal of Psychiatry, 2009, 43, 476-483.	2.3	35
25	Mental ill-health across the continuum of body mass index. BMC Public Health, 2011, 11, 765.	2.9	35
26	Obesity in South Australian adults - prevalence, projections and generational assessment over 13 years. Australian and New Zealand Journal of Public Health, 2005, 29, 343-348.	1.8	33
27	Factors Associated with Gamblers: A Population-based Cross-sectional Study of South Australian Adults. Journal of Gambling Studies, 2006, 22, 143-164.	1.6	33
28	Heat-health behaviours of older people in two Australian states. Australasian Journal on Ageing, 2015, 34, E19-E25.	0.9	30
29	Frailty and usage of health care systems: Results from the South Australian Monitoring and Surveillance System (SAMSS). Maturitas, 2017, 104, 36-43.	2.4	30
30	Domestic violence in South Australia: a population survey of males and females. Australian and New Zealand Journal of Public Health, 2003, 27, 543-550.	1.8	29
31	A survey of retirement intentions of baby boomers: an overview of health, social and economic determinants. BMC Public Health, 2014, 14, 355.	2.9	29
32	Is there a difference in health estimates between people with listed and unlisted telephone numbers?. Australian and New Zealand Journal of Public Health, 2005, 29, 448-456.	1.8	27
33	Pre-Survey Text Messages (SMS) Improve Participation Rate in an Australian Mobile Telephone Survey: An Experimental Study. PLoS ONE, 2016, 11, e0150231.	2.5	27
34	Reliability of self-reported behavioural health risk factors in a South Australian telephone survey. Australian and New Zealand Journal of Public Health, 1999, 23, 528-530.	1.8	25
35	Bipolar I and II Disorders in a Random and Representative Australian Population. Australian and New Zealand Journal of Psychiatry, 2005, 39, 726-729.	2.3	25
36	A Population-Based Cross-Sectional Study That Defined Normative Population Data for the Life-Space Mobility Assessment-Composite Score. Journal of Pain and Symptom Management, 2015, 49, 885-893.	1.2	24

#	ARTICLE	IF	CITATIONS
37	Two colliding epidemics – obesity is independently associated with chronic pain interfering with activities of daily living in adults 18 years and over; a cross-sectional, population-based study. BMC Public Health, 2016, 16, 1034.	2.9	22
38	Bipolar disorders in Australia. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 105-109.	3.1	20
39	The independent association of overweight and obesity with breathlessness in adults: a cross-sectional, population-based study. European Respiratory Journal, 2017, 50, 1700558.	6.7	20
40	Monosodium glutamate intake increases hemoglobin level over 5 years among Chinese adults. Amino Acids, 2012, 43, 1389-1397.	2.7	19
41	Lower educational level and unemployment increase the impact of cardiometabolic conditions on the quality of life: results of a population-based study in South Australia. Quality of Life Research, 2017, 26, 1521-1530.	3.1	19
42	Quantification and examination of depression-related mental health literacy. Journal of Evaluation in Clinical Practice, 2009, 15, 650-653.	1.8	18
43	Measuring Physical Inactivity: Do Current Measures Provide an Accurate View of ‘Sedentary’ Video Game Time?. Journal of Obesity, 2014, 2014, 1-5.	2.7	18
44	Soft drink consumption and multimorbidity among adults. Clinical Nutrition ESPEN, 2015, 10, e71-e76.	1.2	18
45	Gender differences in asthma prevalence: Variations with socioeconomic disadvantage. Respiriology, 2010, 15, 107-114.	2.3	17
46	Bias of health estimates obtained from chronic disease and risk factor surveillance systems using telephone population surveys in Australia: results from a representative face-to-face survey in Australia from 2010 to 2013. BMC Medical Research Methodology, 2016, 16, 44.	3.1	17
47	Have Education and Publicity about Depression Made a Difference? Comparison of Prevalence, Service use and Excess Costs in South Australia: 1998 and 2004. Australian and New Zealand Journal of Psychiatry, 2007, 41, 38-53.	2.3	16
48	Population attributable risk (PAR) of overweight and obesity on chronic diseases: South Australian representative, cross-sectional data, 2004-2006. Obesity Research and Clinical Practice, 2009, 3, 159-168.	1.8	16
49	Who provides care for people dying of cancer? A comparison of a rural and metropolitan cohort in a South Australian bereaved population study. Australian Journal of Rural Health, 2015, 23, 24-31.	1.5	15
50	Prevalence of influenza immunisation in Australia and suggestions for future targeting of campaigns. International Journal of Public Health, 2002, 47, 91-99.	2.6	12
51	Associations between School Readiness and Student Wellbeing: A Six-Year Follow Up Study. Child Indicators Research, 2021, 14, 369-390.	2.3	11
52	Methodological issues associated with collecting sensitive information over the telephone - experience from an Australian non-suicidal self-injury (NSSI) prevalence study. BMC Medical Research Methodology, 2011, 11, 20.	3.1	10
53	Increasing gaps in health inequalities related to non-communicable diseases in South Australia; implications towards behavioural risk factor surveillance systems to provide evidence for action. BMC Public Health, 2019, 19, 37.	2.9	10
54	Weighting of the data and analytical approaches may account for differences in overcoming the inadequate representativeness of the respondents to the third wave of a cohort study. Journal of Clinical Epidemiology, 2013, 66, 461-464.	5.0	9

#	ARTICLE	IF	CITATIONS
55	The Use of a Chronic Disease and Risk Factor Surveillance System to Determine the Age, Period and Cohort Effects on the Prevalence of Obesity and Diabetes in South Australian Adults - 2003-2013. PLoS ONE, 2015, 10, e0125233.	2.5	9
56	Are baby boomers booming too much?. Obesity Research and Clinical Practice, 2008, 2, 203-214.	1.8	8
57	The use of chronic disease risk factor surveillance systems for evidence-based decision-making: physical activity and nutrition as examples. International Journal of Public Health, 2010, 55, 243-249.	2.3	7
58	Population-attributable risk of childhood sexual abuse for symptoms of depression and suicidal ideation in adulthood. International Journal of Psychiatry in Clinical Practice, 2009, 13, 285-291.	2.4	5
59	Health and welfare profile of Australian baby boomers who live in rented accommodation – implications for the future. Ageing and Society, 2019, 39, 685-702.	1.7	5
60	Self reported overall health status: Implications for intervention strategies. Australasian Medical Journal, 2008, , 44-57.	0.1	4
61	Effect of social mobility in family financial situation and housing tenure on mental health conditions among South Australian adults: results from a population health surveillance system, 2009 to 2011. BMC Public Health, 2015, 15, 675.	2.9	3
62	Measuring social capital in a known disadvantaged urban community--health policy implications. Australia and New Zealand Health Policy, 2006, 3, 2.	2.2	2
63	Assessing Heavy Episodic Drinking: A Random Survey of 18 to 34-Year-Olds in Four Cities in Four Different Continents. International Journal of Environmental Research and Public Health, 2019, 16, 706.	2.6	2
64	Clusters of alcohol abstainers and drinkers incorporating motives against drinking: a random survey of 18 to 30 year olds in four cities in four different continents. AIMS Public Health, 2018, 6, 15-33.	2.6	2
65	Beware the pitfalls of ill-placed questions – revisiting questionnaire ordering. International Journal of Public Health, 2006, 51, 43-44.	2.6	1
66	Impacts of major health conditions affecting the Australian sheepmeat value chain: a review. Australian Veterinary Journal, 2021, 99, 32-39.	1.1	1
67	Do trial-and-error practices and the use of the internet influence how medicines are used?. Australian Journal of Primary Health, 2014, 20, 228.	0.9	1
68	Parent-reported Mental Health Problems and Mental Health Services Use in South Australian School-aged Children. AIMS Public Health, 2016, 3, 750-768.	2.6	1