

Moon Jae Chung

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5229605/moon-jae-chung-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

1,250
citations

21
h-index

30
g-index

102
ext. papers

1,527
ext. citations

3.5
avg, IF

4.22
L-index

#	Paper	IF	Citations
92	Impact of pancreatic fat on the risk of post-endoscopic retrograde cholangiopancreatography pancreatitis.. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022 , 1	5.2	0
91	The Effect of Omega-3 Enriched Oral Nutrition Supplement on Nutritional Indices and Quality of Life in Gastrointestinal Cancer Patients: A Randomized Clinical Trial.. <i>Asian Pacific Journal of Cancer Prevention</i> , 2022 , 23, 485-494	1.7	
90	GLRX3, a novel cancer stem cell-related secretory biomarker of pancreatic ductal adenocarcinoma. <i>BMC Cancer</i> , 2021 , 21, 1241	4.8	0
89	Clinical and Technical Guideline for Endoscopic Ultrasound (EUS)-Guided Tissue Acquisition of Pancreatic Solid Tumor: Korean Society of Gastrointestinal Endoscopy (KSGE). <i>Clinical Endoscopy</i> , 2021 , 54, 161-181	2.5	2
88	Optimal drainage of anastomosis stricture after living donor liver transplantation. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 6307-6317	5.2	0
87	Clinical and Technical Guideline for Endoscopic Ultrasound (EUS)-Guided Tissue Acquisition of Pancreatic Solid Tumor: Korean Society of Gastrointestinal Endoscopy (KSGE). <i>Gut and Liver</i> , 2021 , 15, 354-374	4.8	2
86	Initial experience of irreversible electroporation for locally advanced pancreatic cancer in a Korean population. <i>Acta Radiologica</i> , 2021 , 62, 164-171	2	3
85	Efficacy and safety of palliative endobiliary radiofrequency ablation using a novel temperature-controlled catheter for malignant biliary stricture: a single-center prospective randomized phase II TRIAL. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 63-73	5.2	8
84	Peripheral natural killer cell activity is associated with poor clinical outcomes in pancreatic ductal adenocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 516-522	4	8
83	Current Paradigm of Treatment for Pancreatic Neuroendocrine Tumor. <i>The Korean Journal of Pancreas and Biliary Tract</i> , 2021 , 26, 24-32	0.2	
82	Profiling of conditionally reprogrammed cell lines for in vitro chemotherapy response prediction of pancreatic cancer. <i>EBioMedicine</i> , 2021 , 65, 103218	8.8	1
81	Clinical and Technical Guideline for Endoscopic Ultrasound-Guided Tissue Acquisition of Pancreatic Solid Tumor: Korean Society of Gastrointestinal Endoscopy. <i>The Korean Journal of Pancreas and Biliary Tract</i> , 2021 , 26, 125-147	0.2	
80	Usefulness of Smartphone Apps for Improving Nutritional Status of Pancreatic Cancer Patients: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e21088	5.5	1
79	Single-center risk factor analysis for FOLFIRINOX associated febrile neutropenia in patients with pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2020 , 85, 651-659	3.5	4
78	FOLFIRINOX gemcitabine/nab-paclitaxel for treatment of metastatic pancreatic cancer: Single-center cohort study. <i>World Journal of Gastrointestinal Oncology</i> , 2020 , 12, 182-194	3.4	23
77	Analysis of Clinical Predictive Factors Affecting the Outcome of Second-Line Chemotherapy for Gemcitabine-Refractory Advanced Pancreatic Cancer. <i>Gut and Liver</i> , 2020 , 14, 135-143	4.8	3
76	Radiographic portal or superior mesenteric vein invasion is an independent prognostic factor in non-metastatic pancreatic ductal adenocarcinoma: A missing block of clinical T staging?. <i>Pancreatology</i> , 2020 , 20, 952-959	3.8	1

75	Lewis Antigen Phenotype and Survival of Patients With Pancreatic Cancer. <i>Pancreas</i> , 2020 , 49, 1348-1354.6	1
74	Preoperative prediction of futile surgery in patients with radiologically resectable or borderline resectable pancreatic adenocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 499-507	4 2
73	A novel lumen-apposing metal stent with an anti-reflux valve for endoscopic ultrasound-guided drainage of pseudocysts and walled-off necrosis: A pilot study. <i>PLoS ONE</i> , 2019 , 14, e0221812	3.7 7
72	Establishment of pancreatic cancer cell lines with endoscopic ultrasound-guided biopsy via conditionally reprogrammed cell culture. <i>Cancer Medicine</i> , 2019 , 8, 3339-3348	4.8 7
71	Skeletal Muscle Mass Predicts Poor Prognosis in Patients with Advanced Pancreatic Cancer Undergoing Second-Line FOLFIRINOX Chemotherapy. <i>Nutrition and Cancer</i> , 2019 , 71, 1100-1107	2.8 6
70	Bleeding Complications and Clinical Safety of Endoscopic Retrograde Cholangiopancreatography in Patients with Liver Cirrhosis. <i>Yonsei Medical Journal</i> , 2019 , 60, 440-445	3 7
69	Dose perturbation by metallic biliary stent in external beam radiotherapy of pancreato-biliary cancers. <i>Australasian Physical and Engineering Sciences in Medicine</i> , 2019 , 42, 745-756	1.9 3
68	KML001, an arsenic compound, as salvage chemotherapy in refractory biliary tract cancers: A prospective study. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2019 , 18, 62-66	2.1 2
67	Same-session endoscopic ultrasound-guided fine needle aspiration and endoscopic retrograde cholangiopancreatography-based tissue sampling in suspected malignant biliary obstruction: A multicenter experience. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 799-805	4 21
66	Combined use of CEMIP and CA 19-9 enhances diagnostic accuracy for pancreatic cancer. <i>Scientific Reports</i> , 2018 , 8, 3383	4.9 18
65	Safety and efficacy of early feeding based on clinical assessment at 4 hours after ERCP: a prospective randomized-controlled trial. <i>Gastrointestinal Endoscopy</i> , 2018 , 87, 1040-1049.e1	5.2 10
64	Urgent endoscopic retrograde cholangiopancreatography is not superior to early ERCP in acute biliary pancreatitis with biliary obstruction without cholangitis. <i>PLoS ONE</i> , 2018 , 13, e0190835	3.7 17
63	Multicenter phase II trial of modified FOLFIRINOX in gemcitabine-refractory pancreatic cancer. <i>World Journal of Gastrointestinal Oncology</i> , 2018 , 10, 505-515	3.4 18
62	Clinical Value of Contrast-Enhanced Harmonic Endoscopic Ultrasonography in the Differential Diagnosis of Pancreatic and Gallbladder Masses. <i>Clinical Endoscopy</i> , 2018 , 51, 80-88	2.5 20
61	Long-term patterns of fasting blood glucose levels and pancreatic cancer incidence. <i>Cancer Causes and Control</i> , 2018 , 29, 135-142	2.8 3
60	Comparison of efficacy and safety between standard-dose and modified-dose FOLFIRINOX as a first-line treatment of pancreatic cancer. <i>World Journal of Gastrointestinal Oncology</i> , 2018 , 10, 421-430	3.4 18
59	Oncologic outcomes after radical surgery for periampullary cancer in octogenarians. <i>Annals of Hepato-biliary-pancreatic Surgery</i> , 2018 , 22, 128-135	1.5 1
58	Best options for preoperative biliary drainage in patients with Klatskin tumors. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 422-429	5.2 30

57	A randomized, multicenter, phase III study of gemcitabine combined with capecitabine versus gemcitabine alone as first-line chemotherapy for advanced pancreatic cancer in South Korea. <i>Medicine (United States)</i> , 2017 , 96, e5702	1.8	13
56	The Significance of the Prognostic Nutritional Index for All Stages of Pancreatic Cancer. <i>Nutrition and Cancer</i> , 2017 , 69, 512-519	2.8	36
55	Benefit of neoadjuvant concurrent chemoradiotherapy for locally advanced perihilar cholangiocarcinoma. <i>World Journal of Gastroenterology</i> , 2017 , 23, 3301-3308	5.6	23
54	Clinical characteristics of second primary pancreatic cancer. <i>PLoS ONE</i> , 2017 , 12, e0179784	3.7	5
53	Combination Therapy with Capecitabine and Cisplatin as Second-Line Chemotherapy for Advanced Biliary Tract Cancer. <i>Chemotherapy</i> , 2017 , 62, 361-366	3.2	6
52	A prospective randomized study for efficacy of an uncovered double bare metal stent compared to a single bare metal stent in malignant biliary obstruction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 3159-3167	5.2	4
51	Efficacy and treatment-related adverse events of gemcitabine plus nab-paclitaxel for treatment of metastatic pancreatic cancer "in a Korean" population: A single-center cohort study. <i>Seminars in Oncology</i> , 2017 , 44, 420-427	5.5	12
50	Assessment of the Risk of Colorectal Cancer Survivors Developing a Second Primary Pancreatic Cancer. <i>Gut and Liver</i> , 2017 , 11, 728-732	4.8	4
49	Efficacy of Adjuvant Chemotherapy and Prognostic Factors for Patients with Extrahepatic Bile Duct Cancer. <i>Chemotherapy</i> , 2016 , 61, 152-8	3.2	5
48	Visceral Obesity is Associated with Poor Prognosis in Pancreatic Adenocarcinoma. <i>Nutrition and Cancer</i> , 2016 , 68, 201-7	2.8	7
47	Can metformin change the prognosis of pancreatic cancer? Retrospective study for pancreatic cancer patients with pre-existing diabetes mellitus type 2. <i>Digestive and Liver Disease</i> , 2016 , 48, 435-40	3.3	25
46	Prospective Study for Comparison of Endoscopic Ultrasound-Guided Tissue Acquisition Using 25- and 22-Gauge Core Biopsy Needles in Solid Pancreatic Masses. <i>PLoS ONE</i> , 2016 , 11, e0154401	3.7	32
45	A Comparison of Gastrointestinal Toxicities between Intensity-Modulated Radiotherapy and Three-Dimensional Conformal Radiotherapy for Pancreatic Cancer. <i>Gut and Liver</i> , 2016 , 10, 303-9	4.8	8
44	Past, Present, and Future of Gastrointestinal Stents: New Endoscopic Ultrasonography-Guided Metal Stents and Future Developments. <i>Clinical Endoscopy</i> , 2016 , 49, 131-8	2.5	10
43	Cholecystectomy for Prevention of Recurrence after Endoscopic Clearance of Bile Duct Stones in Korea. <i>Yonsei Medical Journal</i> , 2016 , 57, 132-7	3	17
42	Concomitant Statin Use Has a Favorable Effect on Gemcitabine-Erlotinib Combination Chemotherapy for Advanced Pancreatic Cancer. <i>Yonsei Medical Journal</i> , 2016 , 57, 1124-30	3	16
41	Statin Use and Its Impact on Survival in Pancreatic Cancer Patients. <i>Medicine (United States)</i> , 2016 , 95, e3607	1.8	36
40	Conventional versus Analgesia-Oriented Combination Sedation on Recovery Profiles and Satisfaction after ERCP: A Randomized Trial. <i>PLoS ONE</i> , 2015 , 10, e0138422	3.7	7

39	Intramuscular diclofenac for the prevention of post-ERCP pancreatitis: a randomized trial. <i>Endoscopy</i> , 2015 , 47, 33-9	3.4	19
38	Phase II clinical trial of ex vivo-expanded cytokine-induced killer cells therapy in advanced pancreatic cancer. <i>Cancer Immunology, Immunotherapy</i> , 2014 , 63, 939-46	7.4	57
37	Gastrojejunostomy by pure natural orifice transluminal endoscopic surgery using a newly designed anastomosing metal stent in a porcine model. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 1439-46	5.2	10
36	Clinicopathologic characteristics associated with complications and long-term outcomes of endoscopic papillectomy for adenoma. <i>Yonsei Medical Journal</i> , 2014 , 55, 644-50	3	6
35	The efficacy of endoscopic palliation of obstructive jaundice in hepatocellular carcinoma. <i>Yonsei Medical Journal</i> , 2014 , 55, 1267-72	3	6
34	Full-dose gemcitabine is a more effective chemotherapeutic agent than 5-fluorouracil for concurrent chemoradiotherapy as first-line treatment in locally advanced pancreatic cancer. <i>Chemotherapy</i> , 2014 , 60, 191-9	3.2	4
33	Clinical characteristics of long-term survivors of inoperable pancreatic cancer: an 8-year cohort analysis in Korea. <i>Pancreas</i> , 2014 , 43, 1022-31	2.6	8
32	A pilot study of S-1-based concurrent chemoradiotherapy in patients with biliary tract cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 74, 861-5	3.5	2
31	Duodenal adenocarcinoma following a neuroendocrine tumor in the duodenum. <i>Korean Journal of Internal Medicine</i> , 2014 , 29, 96-100	2.5	1
30	Gemcitabine-induced hemolytic uremic syndrome in pancreatic cancer: a case report and review of the literature. <i>Gut and Liver</i> , 2014 , 8, 109-12	4.8	21
29	Validation of group B borderline resectable pancreatic cancer: retrospective analysis. <i>Gut and Liver</i> , 2014 , 8, 557-62	4.8	4
28	High serum CA19-9 levels are associated with an increased risk of cholangiocarcinoma in patients with intrahepatic duct stones: a case-control study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 4210-6	5.2	9
27	Differential diagnosis between gallbladder adenomas and cholesterol polyps on contrast-enhanced harmonic endoscopic ultrasonography. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 1414-21	5.2	57
26	Gemcitabine based neoadjuvant chemoradiotherapy therapy in patients with borderline resectable pancreatic cancer. <i>Pancreatology</i> , 2013 , 13, 539-43	3.8	17
25	Clinical advantages of a metal stent with an S-shaped anti-reflux valve in malignant biliary obstruction. <i>Digestive Endoscopy</i> , 2013 , 25, 308-12	3.7	23
24	Comparison of the sixth and seventh editions of the AJCC TNM classification for gallbladder cancer. <i>Journal of Gastrointestinal Surgery</i> , 2013 , 17, 925-30	3.3	23
23	Clinicopathologic features and outcomes of pancreatic cysts during a 12-year period. <i>Pancreas</i> , 2013 , 42, 230-8	2.6	22
22	Serum CA 19-9 and CEA levels as a prognostic factor in pancreatic adenocarcinoma. <i>Yonsei Medical Journal</i> , 2013 , 54, 643-9	3	51

21	The use of health functional foods in gastrointestinal cancer patients. <i>Clinical Nutrition Research</i> , 2013 , 2, 19-25	1.7	4
20	Gastrointestinal hemorrhage after concurrent chemoradiotherapy in locally advanced pancreatic cancer. <i>Gut and Liver</i> , 2013 , 7, 106-11	4.8	6
19	Phase II Trial of Erlotinib Plus Gemcitabine Chemotherapy in Korean Patients with Advanced Pancreatic Cancer and Prognostic Factors for Chemotherapeutic Response. <i>Gut and Liver</i> , 2013 , 7, 611-5	4.8	12
18	Folfox4 as a rescue chemotherapy for gemcitabine-refractory pancreatic cancer. <i>Hepato-Gastroenterology</i> , 2013 , 60, 363-7		8
17	A pilot study for preoperative concurrent chemoradiotherapy with S-1 and cisplatin for locally advanced gastric cancer. <i>Hepato-Gastroenterology</i> , 2013 , 60, 382-6		2
16	Clinical features and outcomes of primary hepatic neuroendocrine carcinomas. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1306-11	4	59
15	Prognostic factors and characteristics of pancreatic neuroendocrine tumors: single center experience. <i>Yonsei Medical Journal</i> , 2012 , 53, 944-51	3	15
14	Safety of capsule endoscopy using human body communication in patients with cardiac devices. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 1719-23	4	17
13	Safety evaluation of self-expanding metallic biliary stents eluting gemcitabine in a porcine model. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 261-7	4	37
12	Acoustic radiation force impulse elastography: a better option for patients with extrahepatic cholestasis. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 215-6	2.2	5
11	Preoperative serum CA 19-9 level as a predictive factor for recurrence after curative resection in biliary tract cancer. <i>Annals of Surgical Oncology</i> , 2011 , 18, 1651-6	3.1	24
10	Early gastric cancer of signet ring cell carcinoma is more amenable to endoscopic treatment than is early gastric cancer of poorly differentiated tubular adenocarcinoma in select tumor conditions. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 3087-93	5.2	46
9	Prospective phase II trial of gemcitabine in combination with irinotecan as first-line chemotherapy in patients with advanced biliary tract cancer. <i>Chemotherapy</i> , 2011 , 57, 236-43	3.2	21
8	Response rates to medical treatments and long-term clinical outcomes of nonsurgical patients with intestinal Behçt disease. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, e116-22	3	29
7	Remission and relapse of autoimmune pancreatitis: focusing on corticosteroid treatment. <i>Pancreas</i> , 2010 , 39, 555-60	2.6	25
6	The prevalence and clinical significance of perinuclear anti-neutrophil cytoplasmic antibody in Korean patients with ulcerative colitis. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 1406-12	4	12
5	Liver stiffness measurement using FibroScan is influenced by serum total bilirubin in acute hepatitis. <i>Liver International</i> , 2009 , 29, 810-5	7.9	41
4	A Case of X-Linked Agammaglobulinemia with Btk Gene Intron 2 Mutation. <i>Tuberculosis and Respiratory Diseases</i> , 2008 , 65, 207	3.2	

- 3 Pleural epithelioid hemangioendothelioma. *Yonsei Medical Journal*, **2008**, 49, 1036-40 3 31
- 2 A Case of Graves Disease Presenting with Chorea. *Journal of Korean Endocrine Society*, **2008**, 23, 342 1
- 1 A Case of Endobronchial Lipoma Causing Right Middle and Lower Lobes Collapse and Bronchiolitis Obliterans-organizing Pneumonia. *Tuberculosis and Respiratory Diseases*, **2008**, 65, 313 3-2