
Denis-Claude Roy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5229756/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Haploinsufficiency of CBFA2 causes familial thrombocytopenia with propensity to develop acute myelogenous leukaemia. Nature Genetics, 1999, 23, 166-175. | 9.4 | 1,036 |
| 2 | Pyrimidoindole derivatives are agonists of human hematopoietic stem cell self-renewal. Science, 2014, 345, 1509-1512. | 6.0 | 470 |
| 3 | PP2A-activating drugs selectively eradicate TKI-resistant chronic myeloid leukemic stem cells. Journal of Clinical Investigation, 2013, 123, 4144-4157. | 3.9 | 192 |
| 4 | Adoptive transfer of minor histocompatibility antigen-specific T lymphocytes eradicates leukemia cells without causing graft-versus-host disease. Nature Medicine, 2001, 7, 789-794. | 15.2 | 173 |
| 5 | The European Society for Blood and Marrow Transplantation (EBMT) Consensus Guidelines for the Detection and Treatment of Donor-specific Anti-HLA Antibodies (DSA) in Haploidentical Hematopoietic Cell Transplantation. Bone Marrow Transplantation, 2018, 53, 521-534. | 1.3 | 168 |
| 6 | Hematopoietic stem cell transplantation using single UM171-expanded cord blood: a single-arm, phase 1–2 safety and feasibility study. Lancet Haematology,the, 2020, 7, e134-e145. | 2.2 | 138 |
| 7 | Transplantation of Mesenchymal Stem Cells Promotes Tissue Regeneration in a Glaucoma Model Through Laser-Induced Paracrine Factor Secretion and Progenitor Cell Recruitment. Stem Cells, 2013, 31, 1136-1148. | 1.4 | 115 |
| 8 | Prediction of Graft-Versus-Host Disease in Humans by Donor Gene-Expression Profiling. PLoS Medicine, 2007, 4, e23. | 3.9 | 99 |
| 9 | The Effect of Graft-versus-Host Disease on T Cell Production and Homeostasis. Journal of Experimental Medicine, 1999, 189, 1329-1342. | 4.2 | 98 |
| 10 | Skewing of X-inactivation ratios in blood cells of aging women is confirmed by independent methodologies. Blood, 2009, 113, 3472-3474. | 0.6 | 90 |
| 11 | P-glycoprotein targeting: a unique strategy to selectively eliminate immunoreactive T cells. Blood, 2002, 100, 375-382. | 0.6 | 79 |
| 12 | Evidence for adequate thymic function but impaired naive T-cell survival following allogeneic hematopoietic stem cell transplantation in the absence of chronic graft-versus-host disease. Blood, 2003, 102, 4600-4607. | 0.6 | 79 |
| 13 | High Incidence of Invasive Aspergillosis Associated with Intestinal Graft-versus-Host Disease following Nonmyeloablative Transplantation. Biology of Blood and Marrow Transplantation, 2007, 13, 1192-1200. | 2.0 | 66 |
| 14 | Next-generation leukemia immunotherapy. Blood, 2011, 118, 2951-2959. | 0.6 | 65 |
| 15 | Flow cytometric evaluation of leukocyte subpopulations in the follicular fluids of infertile patients. Fertility and Sterility, 1996, 65, 1135-1140. | 0.5 | 62 |
| 16 | Safety and Cost-Effectiveness of Outpatient AutologousÂStem Cell Transplantation in Patients with Multiple Myeloma. Biology of Blood and Marrow Transplantation, 2013, 19, 547-551. | 2.0 | 60 |
| 17 | COMPARE-AMI Trial: Comparison of Intracoronary Injection of CD133+ Bone Marrow Stem Cells to Placebo in Patients After Acute Myocardial Infarction and Left Ventricular Dysfunction: Study Rationale and Design. Journal of Cardiovascular Translational Research, 2010, 3, 153-159. | 1.1 | 55 |
| 18 | Membrane permeabilizing amphiphilic peptide delivers recombinant transcription factor and CRISPR-Cas9/Cpf1 ribonucleoproteins in bard-to-modify cells. PLoS ONF, 2018, 13, e0195558 | 1.1 | 53 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Selective T-Cell Depletion for Haplotype-Mismatched Allogeneic Stem Cell Transplantation. Seminars in Oncology, 2012, 39, 674-682. | 0.8 | 52 |
| 20 | Clinical applications of donor lymphocyte infusion from an HLA-haploidentical donor: consensus recommendations from the Acute Leukemia Working Party of the EBMT. Haematologica, 2020, 105, 47-58. | 1.7 | 51 |
| 21 | Oncogenic interaction between BCR-ABL andNUP98-HOXA9 demonstrated by the use of an in vitro purging culture system. Blood, 2002, 100, 4177-4184. | 0.6 | 50 |
| 22 | Graft-versus-Host Disease Prophylaxis with Tacrolimus and Mycophenolate Mofetil in HLA-Matched Nonmyeloablative Transplant Recipients Is Associated with Very Low Incidence of GVHD and Nonrelapse Mortality. Biology of Blood and Marrow Transplantation, 2009, 15, 919-929. | 2.0 | 40 |
| 23 | Individual and synergistic cytokine effects controlling the expansion of cord blood CD34+ cells and megakaryocyte progenitors in culture. Cytotherapy, 2011, 13, 467-480. | 0.3 | 37 |
| 24 | Implantation of CD133+ Stem Cells in Patients Undergoing Coronary Bypass Surgery: IMPACT-CABG Pilot Trial. Canadian Journal of Cardiology, 2013, 29, 441-447. | 0.8 | 29 |
| 25 | Donor Lymphocytes Depleted of Alloreactive T-Cells (ATIR101) Improve Event-Free Survival (GRFS) and Overall Survival in a T-Cell Depleted Haploidentical HSCT: Phase 2 Trial in Patients with AML and ALL. Blood, 2016, 128, 1226-1226. | 0.6 | 29 |
| 26 | Incidence and Prognostic Value of Eosinophilia in Chronic Graft-versus-Host Disease after Nonmyeloablative Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2011, 17, 1673-1678. | 2.0 | 27 |
| 27 | Distinct but phenotypically heterogeneous human cell populations produce rapid recovery of platelets and neutrophils after transplantation. Blood, 2012, 119, 3431-3439. | 0.6 | 23 |
| 28 | Tandem Autologous–Allogeneic Nonmyeloablative Sibling Transplantation in Relapsed Follicular Lymphoma Leads to Impressive Progression-Free Survival with Minimal Toxicity. Biology of Blood and Marrow Transplantation, 2012, 18, 951-957. | 2.0 | 23 |
| 29 | Allodepleted Tâ€cell immunotherapy after haploidentical haematopoietic stem cell transplantation without severe acute graftâ€versusâ€host disease (<scp>GVHD</scp>) in the absence of <scp>GVHD</scp> prophylaxis. British Journal of Haematology, 2019, 186, 754-766. | 1.2 | 20 |
| 30 | ATIR101 administered after T-cell-depleted haploidentical HSCT reduces NRM and improves overall survival in acute leukemia. Leukemia, 2020, 34, 1907-1923. | 3.3 | 20 |
| 31 | Cellular therapy approaches harnessing the power of the immune system for personalized cancer treatment. Seminars in Immunology, 2019, 42, 101306. | 2.7 | 17 |
| 32 | Harnessing the power of alloreactivity without triggering graft-versus-host disease: how non-engrafting alloreactive cellular therapy might change the landscape of acute myeloid leukemia treatment. Blood Reviews, 2014, 28, 249-261. | 2.8 | 16 |
| 33 | Early exposure to interleukin-21 limits rapidly generated anti–Epstein-Barr virus T-cell line differentiation. Cytotherapy, 2015, 17, 496-508. | 0.3 | 16 |
| 34 | Double-Negative T Cell Levels Correlate with Chronic Graft-versus-Host Disease Severity. Biology of Blood and Marrow Transplantation, 2019, 25, 19-25. | 2.0 | 16 |
| 35 | Relapse after bone marrow transplantation: evidence for distinct immunological mechanisms between adult and paediatric populations. British Journal of Haematology, 2000, 109, 130-137. | 1.2 | 14 |
| 36 | Endothelial-like Vascular Progenitor Cells (VPCs) from Allogeneic and Autologous Donors: Mobilization Features Distinct from Hematopoietic Progenitors. Biology of Blood and Marrow Transplantation, 2007, 13, 433-439. | 2.0 | 14 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | BCR-ABL1 Kinase Activity but Not Its Expression Is Dispensable for Ph+ Quiescent Stem Cell Survival Which Depends on the PP2A-Controlled Jak2 Activation and Is Sensitive to FTY720 Treatment. Blood, 2010, 116, 515-515. | 0.6 | 14 |
| 38 | Evidence that donor intrinsic response to G-CSF is the best predictor of acute graft-vs-host disease following allogeneic peripheral blood stem cell transplantation. Experimental Hematology, 2006, 34, 107-114. | 0.2 | 13 |
| 39 | Evaluation of the Impact of Autologous Hematopoietic Stem Cell Transplantation on the Quality of Life of Older Patients with Lymphoma. Biology of Blood and Marrow Transplantation, 2020, 26, 157-161. | 2.0 | 13 |
| 40 | Allogeneic bone marrow transplantation following busulfan yclophosphamide with or without etoposide conditioning regimen for patients with acute lymphoblastic leukaemia. British Journal of Haematology, 1993, 85, 706-713. | 1.2 | 12 |
| 41 | Synthetic 15-mer Peptide (PCK3145) Derived from Prostate Secretory Protein with In Vitro and In Vivo Activity Against Non-Hodgkin's Lymphoma and Other Hematologic Malignancies Blood, 2007, 110, 1388-1388. | 0.6 | 12 |
| 42 | An automated system for delivery of an unstable transcription factor to hematopoietic stem cell cultures. Biotechnology and Bioengineering, 2009, 103, 402-412. | 1.7 | 11 |
| 43 | Impact of intracoronary injection of CD133+ bone marrow stem cells on coronary atherosclerotic progression in patients with STEMI. Coronary Artery Disease, 2016, 27, 5-12. | 0.3 | 11 |
| 44 | Activation of PP2A by FTY720 Inhibits Survival and Self-Renewal of the Ph(+) Chronic Myelogenous Leukemia (CML) CD34+/CD38â^' Stem Cell through the Simultaneous Suppression of BCR/ABL and BCR/ABL– independent Signals. Blood, 2008, 112, 189-189. | 0.6 | 10 |
| 45 | Haploidentical Stem Cell Transplantation: High Doses of Alloreactive-T Cell Depleted Donor Lymphocytes Administered Post-Transplant Decrease Infections and Improve Survival without Causing Severe Gvhd Blood, 2009, 114, 512-512. | 0.6 | 9 |
| 46 | Cytogenetic characterization of primary refractory anemia. American Journal of Hematology, 1992, 41, 241-248. | 2.0 | 8 |
| 47 | Outcome of autologous hematopoietic stem cell transplant in older patients with B cell lymphoma when selected for fitness and chemosensitive disease. Leukemia Research, 2019, 79, 75-80. | 0.4 | 8 |
| 48 | Graft-Versus-Host Disease (Gvhd) Prophylaxis with Tacrolimus and Mycophenolate Mofetil (MMF) in 131 Matched Sibling Nonmyeloablative (NMA) Transplant Recipients: Long-Term Follow-up Confirms Extremely Low Incidence of Acute (a) Gvhd, High Incidence of Extensive Chronic (c) Gvhd and Favorable Disease Outcome Blood, 2008, 112, 1176-1176. | 0.6 | 8 |
| 49 | Major vs minor histocompatibility antigens. Blood, 2017, 129, 664-666. | 0.6 | 7 |
| 50 | Phase I Clinical Study of Donor Lymphocyte Infusion Depleted of Alloreactive T Cells after Haplotype Mismatched Myeloablative Stem Cell Transplantation To Limit Infections and Malignant Relapse without Causing GVHD Blood, 2006, 108, 309-309. | 0.6 | 6 |
| 51 | Critical Role for TCR Signal Strength and MHC Specificity in ThPOK-Induced CD4 Helper Lineage Choice. Journal of Immunology, 2019, 202, 3211-3225. | 0.4 | 5 |
| 52 | Reduction in Incidence of Severe Infections by Transplantation of High Doses of Haploidentical T Cells Selectively Depleted of Alloreactive Units. Blood, 2011, 118, 3020-3020. | 0.6 | 5 |
| 53 | Newly diagnosed multiple myeloma patients treated with tandem autoâ€allogeneic stem cell transplant have better overall survival with similar outcomes at time of relapse compared to patients who received autologous transplant only. Clinical Transplantation, 2020, 34, e14099. | 0.8 | 4 |
| 54 | Profound MRD negativity rates after frontline tandem autologous-allogeneic stem cell transplantation followed by bortezomib maintenance in high-risk or young myeloma patients. Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, e41-e42. | 0.2 | 3 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Single UM171â€expanded cord blood transplant can cure severe idiopathic aplastic anemia in absence of suitable donors. European Journal of Haematology, 2020, 105, 808-811. | 1.1 | 3 |
| 56 | Stigma associated with parental depression or cancer: Impact on spouse and offspring's cortisol levels and socioemotional functioning. Development and Psychopathology, 2020, 32, 1822-1837. | 1.4 | 3 |
| 57 | Single UM171 Expanded Cord Blood Permits Transplantation of Better HLA Matched Cords with Excellent Gvhd Relapse Free Survival. Blood, 2018, 132, 4658-4658. | 0.6 | 3 |
| 58 | FTY720 but Not Its Immunosuppressive Phosphorylated Form FTY720-P Exerts Anti-Leukemic Activity towards Ph(+) and Ph(â^') Myeloproliferative Disorders through Reactivation of the PP2A Tumor Suppressor Blood, 2009, 114, 3259-3259. | 0.6 | 3 |
| 59 | Selective Photodepletion of Recipient-Alloreactive T-Cells Enables Safe and Efficacious Haploidentical HSCT: Initial Results from a Phase 2 Trial in Patients with AML, ALL, and MDS. Blood, 2014, 124, 314-314. | 0.6 | 3 |
| 60 | Donor Lymphocytes Depleted of Alloreactive T-Cells (ATIR101) Reduce Transplant Related Mortality and Improve Overall Survival in Haploidentical HSCT for Patients with AML and ALL, Using an Immunosuppressant-Free Transplant Regimen. Blood, 2015, 126, 4391-4391. | 0.6 | 3 |
| 61 | Deletion of HoxA Genes Inhibits Proliferation and Differentiation of Myeloid Progenitors Blood, 2007, 110, 1271-1271. | 0.6 | 3 |
| 62 | Purging of Leukemia Cells with a Photodynamic. Leukemia and Lymphoma, 1998, 30, 50-50. | 0.6 | 2 |
| 63 | Analysis of the COMPARE-AMI trial: First report of long-term safety of CD133+ cells. International Journal of Cardiology, 2020, 319, 32-35. | 0.8 | 2 |
| 64 | FTY720, a New and Alternative Strategy for Treating Blast Crisis CML and Ph1 ALL Patients Blood, 2006, 108, 288-288. | 0.6 | 2 |
| 65 | PBI-1402: A Low Molecular Weight Synthetic Hematopoietic Growth Stimulant Blood, 2006, 108, 4222-4222. | 0.6 | 2 |
| 66 | Oral Treatment with PBI-1402 Increases Hemoglobin Level and Red Blood Cell Count: A Novel Approach to Treating Chemotherapy-Induced Anemia Blood, 2007, 110, 2211-2211. | 0.6 | 2 |
| 67 | First Line Allogeneic Stem Cell Transplantation in Mantle Cell Lymphoma (MCL) Blood, 2009, 114, 3366-3366. | 0.6 | 2 |
| 68 | Single UM171 Expanded Cord Blood Transplant Is Feasible, Safe, and Permits Transplantation of Better HLA Matched Cords with Very Low Transplant Related Mortality. Blood, 2017, 130, 658-658. | 0.6 | 2 |
| 69 | PBI-1402: A New Candidate for the Treatment of Anemia Blood, 2006, 108, 4223-4223. | 0.6 | 2 |
| 70 | Potential Targeting Ph+ Acute Lymphoblastic Leukemia Stem and Progenitor Cells By Modulating the CIP2A-SET-SETBP1 -Mediated Suppression of PP2A Activity. Blood, 2016, 128, 2909-2909. | 0.6 | 2 |
| 71 | Hb Montreal II: A Novel Elongated β-Globin Variant Caused by a Frameshift Mutation [β142 (â^'C)]. Hemoglobin, 2008, 32, 351-359. | 0.4 | 1 |
| 72 | Pneumatosis Coli Associated to Severe Intestinal Graft Versus Host Disease Following Hematopoietic Cell Transplantation: Risk Factors and Dismal Outcome. Biology of Blood and Marrow Transplantation, 2013, 19, S333. | 2.0 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Persistence of Drug-Resistant Leukemic Stem Cells and Impaired NK Cell Immunity in CML Patients Depend on <i>MIR300</i> Antiproliferative and PP2A-Activating Functions. Blood Cancer Discovery, 2020, 1, 48-67. | 2.6 | 1 |
| 74 | Efficacy and Safety of a Single Dose of Donor Lymphocytes Depleted of Alloreactive T-Cells (ATIR101) Following T-Cell-Depleted Haploidentical HSCT: A Pooled Analysis of Two Phase II Studies. Blood, 2018, 132, 120-120. | 0.6 | 1 |
| 75 | Ex Vivo Expansion of Human SCID-Repopulating Cells Using Recombinant TAT-HOXB4 Protein Blood, 2005, 106, 3159-3159. | 0.6 | 1 |
| 76 | Oral Administration of PBI-1402 Significantly Reduces Erythropenia and Accelerates Peripheral Blood Recovery in Myeloablated Mice Post Transplantation Blood, 2006, 108, 3201-3201. | 0.6 | 1 |
| 77 | PBI-1402: A Non-Toxic Immunorestorative Small Molecule for the Treatment of Anemia Blood, 2006, 108, 4224-4224. | 0.6 | 1 |
| 78 | Tandem Autologous-Allogeneic Nonmyeloablative Sibling Transplant in Relapsed Follicular Lymphoma Leads to Impressive Progression Free Survival with Minimal Toxicity Blood, 2009, 114, 50-50. | 0.6 | 1 |
| 79 | High Progression-Free Survival At 10 Years After Tandem Autologous/Nonmyeloablative Allogeneic Transplants For Multiple Myeloma In a Cohort Of 93 Patients: Impact Of Disease Remission Status At Transplant and Chronic Graft-Versus-Host Disease. Blood, 2013, 122, 3353-3353. | 0.6 | 1 |
| 80 | Bortezomib Consolidation after Nonmyeloablative Allogeneic Stem Cell Transplantation Leads to a High Incidence of Immunophenotypic Complete Response in Young and/or High-Risk Multiple Myeloma Patients. Blood, 2016, 128, 2306-2306. | 0.6 | 1 |
| 81 | Targeting the Oncogene elF4E with Ribavirin: A Novel Therapeutic Avenue in Acute Myeloid Leukemia Blood, 2009, 114, 2085-2085. | 0.6 | 1 |
| 82 | Phase I Study of Non-Engrafting Allogeneic, Mismatched, Unmanipulated Peripheral Blood Mononuclear Cell Infusions to Treat Poor-Prognosis Acute Myeloid Leukemia. Blood, 2015, 126, 2562-2562. | 0.6 | 1 |
| 83 | Negative Regulation of Zap70 by Lck Forms the Mechanistic Basis of Differential Expression in CD4 and CD8 T Cells. Frontiers in Immunology, 0, 13, . | 2.2 | 1 |
| 84 | Endogenous growth factors secreted by mesenchymal stromal cells can be used to guide tissue regeneration. Experimental Hematology, 2014, 42, S48. | 0.2 | 0 |
| 85 | Favorable Long-Term Survival of Newly Diagnosed Multiple Myeloma Patients Using a Frontline Outpatient Tandem Approach. Biology of Blood and Marrow Transplantation, 2016, 22, S353-S354. | 2.0 | 0 |
| 86 | Bortezomib Consolidation after Allogeneic Nonmyeloablative Transplantation to Improve Outcome in Poor Prognosis Multiple Myeloma Patients: A Preliminary Safety Report. Biology of Blood and Marrow Transplantation, 2016, 22, S352-S353. | 2.0 | 0 |
| 87 | Add back of selectively depleted alloreactive T-cells retaining the full immune repertoire of mature T-cells improves event-free survival (GRFS) and overall survival in a T-cell depleted haploidentical HSCT. Cytotherapy, 2017, 19, e2-e3. | 0.3 | 0 |
| 88 | Bortezomib Consolidation after Frontline Auto-Allogeneic Transplant: Low Toxicity and Frequent Immunophenotypic Complete Responses in High-Risk or Young Myeloma Patients. Biology of Blood and Marrow Transplantation, 2018, 24, S250-S251. | 2.0 | 0 |
| 89 | Single UM171â€Expanded Cord Blood Transplants Support Robust Tâ€Cell Reconstitution with Low Rates of Severe Infections. Stem Cells Translational Medicine, 2020, 9, S8. | 1.6 | 0 |
| 90 | UM171 Expansion Overcomes Shortcomings of Cord Blood Transplantation While Maintaining Benefits. Biology of Blood and Marrow Transplantation, 2020, 26, S294-S295. | 2.0 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Myeloma Patients Relapsing after First Line Treatment with Tandem Auto/Allo Transplant or Auto Transplant Only Have Similar Outcomes Biology of Blood and Marrow Transplantation, 2020, 26, S228-S229. | 2.0 | 0 |
| 92 | Specific Elimination of Alloreactive T Lymphocytes Using Photodynamic Therapy Prevents GVHD and Enables Rapid Immune Reconstitution Blood, 2004, 104, 4987-4987. | 0.6 | 0 |
| 93 | Defective Production of Myeloid Dendritic Cells Results from Skewing of Chronic Myelogenous Leukemia Progenitors Blood, 2004, 104, 4700-4700. | 0.6 | 0 |
| 94 | Potential TH9402-Based ECP Treatment for cGvHD Patients Blood, 2004, 104, 5119-5119. | 0.6 | 0 |
| 95 | Preferential Induction of B Cell Apoptosis Using Photodynamic Therapy Blood, 2004, 104, 4643-4643. | 0.6 | 0 |
| 96 | Recombinant TAT-HOXB4 Protein Promotes Ex Vivo Expansion of Primitive Human Hematopoietic Cells Blood, 2004, 104, 2855-2855. | 0.6 | 0 |
| 97 | A Phase I Study with Long-Term Follow-Up of Autologous Stem Cell Transplantation Using Photodynamic Treatment of Marrow Grafts for Relapsed/Refractory Acute Leukemia Blood, 2005, 106, 2201-2201. | 0.6 | Ο |
| 98 | Control of Cell Death Levels Using Th9402-Based PDT Treatment on Fresh PBMC, and Potential Application to Patients with cGvHD Blood, 2005, 106, 5258-5258. | 0.6 | 0 |
| 99 | Mobilization of Endothelial Progenitor Cells in Autologous and Allogeneic Peripheral Blood Stem Cell Grafts Blood, 2005, 106, 4231-4231. | 0.6 | Ο |
| 100 | Molecular and Pharmacologic Suppression of MAPK Activity Rescues Differentiation of BCR/ABL+ Myeloid Progenitors by Releasing C/EBPa from the Inhibitory Effect of hnRNP E2 Blood, 2006, 108, 2240-2240. | 0.6 | 0 |
| 101 | Ectopic Expression of Mutated HOXB4 Proteins with Increased Intracellular Stability Affects Both Long and Short Term Hematopoietic Reconstitution Blood, 2006, 108, 3183-3183. | 0.6 | 0 |
| 102 | Anti-Chronic Graft Versus Host Disease Activity Though a Regulatory T Cell Dependent Mechanism after Photodynamic Therapy Blood, 2007, 110, 3280-3280. | 0.6 | 0 |
| 103 | Phase I Clinical Trial of Haplotype Mismatched Myeloablative Stem Cell Transplantation: Higher Doses of Donor Lymphocyte Infusions Depleted of Alloreactive Cells Using ATIR May Improve Outcome without Causing GVHD Blood, 2007, 110, 2976-2976. | 0.6 | Ο |
| 104 | Assessment of Individual Characteristics on the Pharmacokinetics of Oral Busulfan in Adults Patients Undergoing Hematopoietic Stem-Cell Transplantation Blood, 2007, 110, 1993-1993. | 0.6 | 0 |
| 105 | Tandem Autologous-Nonmyeloablative (NMA) Allogeneic(Allo) Transplant (Tx) in Newly Diagnosed Multiple Myeloma (MM) Leads to Improved Survival When Compared to Conventional Allogeneic Transplant. Blood, 2008, 112, 3299-3299. | 0.6 | 0 |
| 106 | Collagen and Elastin Degradation Products as Potential Biomarkers for Chronic Graft-Versus-Host Disease (cGVHD) Blood, 2009, 114, 1156-1156. | 0.6 | 0 |
| 107 | Suppression of RISC-Independent Decoy and RISC-Mediated mRNA Base-Pairing Activities of MicroRNA-328 Is Required for Differentiation-Arrest and Enhanced Survival of Blast Crisis CML Progenitors Blood, 2009, 114, 855-855. | 0.6 | 0 |
| 108 | High Dose Valacyclovir Is Highly Effective to Prevent Cytomegalovirus and Other Herpes Viruses Viremia After Allogeneic Stem Cell Transplantation Blood, 2009, 114, 1140-1140. | 0.6 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | The BCR-ABL1-Regulated hnRNP A1, hnRNP E2, and hnRNP K Are Differentially Expressed Between CD34+ and CD34+/CD38- Ph+ Cells, and After Blastic Transformation of CML Blood, 2010, 116, 1222-1222. | 0.6 | Ο |
| 110 | Novel Photodepletion Strategy to Preserve and Expand Tregs While Eliminating CD4+ Effector T Cells From Patients with Chronic Graft-Versus-Host Disease. Blood, 2010, 116, 353-353. | 0.6 | 0 |
| 111 | Screen for Small Molecules Capable of Expanding Human Hematopoietic Stem Cell Ex Vivo. Blood, 2011, 118, 1919-1919. | 0.6 | 0 |
| 112 | A Canadian Expanded Access Trial of Oral Nilotinb in Adult Patients with Imatinib-Resistant or -Intolerant Chronic Myeloid Leukemia in Blast Crisis, Accelerated Phase or Chronic Phase. Blood, 2011, 118, 4437-4437. | 0.6 | 0 |
| 113 | Pre-Transplant Remission Status and Peripheral Blood Stem Cell Graft Contribute To Long-Term Outcome After Myeloablative Sibling-Donor Allogeneic Transplant For Multiple Myeloma. Blood, 2013, 122, 5541-5541. | 0.6 | 0 |
| 114 | Selective Depletion of Recipient-Alloreactive T-Cells While Retaining Viral-Specific and Memory T-Cells Enables Safe and Efficacious Haplo-Identical HSCT. Blood, 2014, 124, 2490-2490. | 0.6 | 0 |
| 115 | MiR-300 Acts As a Tumor Supressor in Ph+ Progenitors By Modulating the JAK2-SET/PP2A/β-Catenin Interplay. Blood, 2014, 124, 4529-4529. | 0.6 | 0 |
| 116 | Disruption of the Peripheral Lymphoid Niche Contributes to Lymphopenia in CML Patients Undergoing Imatinib Treatments. Blood, 2015, 126, 5165-5165. | 0.6 | 0 |
| 117 | The Impact of Graft-Versus-Host Disease on Dendritic Cell Homeostasis and Their Potential Use As Biomarker to Predict the Severity of Chronic Graft-Versus-Host Disease. Blood, 2015, 126, 3149-3149. | 0.6 | 0 |
| 118 | Role of the MSC-Derived Exosomal and Endogenous JAK2-SET/PP2A-Beta Catenin-Modulator Mir-300 in Leukemic Stem/Progenitor Proliferation and Survival in CML. Blood, 2015, 126, 53-53. | 0.6 | 0 |
| 119 | Tandem Autologous Followed By Nonmyeloablative Allogeneic Transplantation in Relapsed High Risk Follicular Lymphoma Leads to Excellent Long Term Progression-Free Survival after 8 Years of Follow-up. Blood, 2016, 128, 4677-4677. | 0.6 | 0 |
| 120 | Minimal Residual Disease Evaluation Using 8-Color Flow Cytometry Predicts Risk of Relapse in High-Risk and/or Young Myeloma Patients Who Receive Bortezomib Consolidation after Frontline Tandem Transplantation. Blood, 2018, 132, 4666-4666. | 0.6 | 0 |
| 121 | Depletion of Alloreactive T Cells after Haploidentical HSCT: Comparison of Outcomes for Ex Vivo Versus In Vivo Treatment Strategies. Blood, 2018, 132, 3474-3474. | 0.6 | 0 |
| 122 | Head-to-Head Comparison of Haploidentical HSCT Strategies for Hematologic Malignancies: Phase III Hatcy Study of T-Cell-Depleted HSCT with Adjunctive ATIR101 Versus T-Cell-Replete HSCT with Postâ€Transplant Cyclophosphamide. Blood, 2019, 134, 4464-4464. | 0.6 | 0 |
| 123 | Addition of ATIR101, an Adjunctive Treatment Following T-Cell-Depleted Haploidentical HSCT, May Decrease Non-Relapse Mortality and May Improve Survival of Patients with Hematologic Malignancies, Irrespective of Prognostic Risk Factors. Blood, 2019, 134, 592-592. | 0.6 | 0 |
| 124 | UM171 Modified Cord Blood Achieves Excellent Survival and Disease Control after 2 Years of Follow-up in High and Very High Risk Malignancies. Blood, 2019, 134, 3245-3245. | 0.6 | 0 |