

Roberto Antonicelli

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5229764/roberto-antoniceili-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers

3,177
citations

27
h-index

55
g-index

106
ext. papers

3,668
ext. citations

4.9
avg, IF

4.44
L-index

#	Paper	IF	Citations
100	The Association between Single Nucleotide Polymorphisms, including miR-499a Genetic Variants, and Dyslipidemia in Subjects Treated with Pharmacological or Phytochemical Lipid-Lowering Agents. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 5617	6.3	0
99	Prognostic relevance of normocytic anemia in elderly patients affected by cardiovascular disease. <i>Journal of Geriatric Cardiology</i> , 2021 , 18, 654-662	1.7	
98	Effect of SACubitril/Valsartan on left vEntricular ejection fraction and on the potential indication for Implantable Cardioverter Defibrillator in primary prevention: the SAVE-ICD study. <i>European Journal of Clinical Pharmacology</i> , 2021 , 77, 1835-1842	2.8	2
97	Association of Sex with Outcome in Elderly Patients with Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>American Journal of Medicine</i> , 2021 , 134, 1135-1141.e1	2.4	2
96	Impact of diabetes on clinical outcome among elderly patients with acute coronary syndrome treated with percutaneous coronary intervention: insights from the ELDERLY ACS 2 trial. <i>Journal of Cardiovascular Medicine</i> , 2020 , 21, 453-459	1.9	4
95	Effects of a novel nutraceutical combination (BruMeChol) in subjects with mild hypercholesterolemia: study protocol of a randomized, double-blind, controlled trial. <i>Trials</i> , 2020 , 21, 616	2.8	5
94	Impact of body mass index on clinical outcome among elderly patients with acute coronary syndrome treated with percutaneous coronary intervention: Insights from the ELDERLY ACS 2 trial. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 730-737	4.5	1
93	Ubiquinol Ameliorates Endothelial Dysfunction in Subjects with Mild-to-Moderate Dyslipidemia: A Randomized Clinical Trial. <i>Nutrients</i> , 2020 , 12,	6.7	13
92	Is dual therapy the correct strategy in frail elderly patients with atrial fibrillation and acute coronary syndrome?. <i>Journal of Geriatric Cardiology</i> , 2020 , 17, 51-57	1.7	3
91	Characteristics and Outcome of Patients \geq 75 Years of Age With Prior Coronary Artery Bypass Grafting Admitted for an Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2020 , 125, 1788-1793	3.3	1
90	How do cardiologists select patients for dual antiplatelet therapy continuation beyond 1 year after a myocardial infarction? Insights from the EYESHOT Post-MI Study. <i>Clinical Cardiology</i> , 2019 , 42, 1113-1120	3.2	4
89	Three Months Monitored Metabolic Fitness Modulates Cardiovascular Risk Factors in Diabetic Patients. <i>Diabetes and Metabolism Journal</i> , 2019 , 43, 893-897	5	5
88	Outcomes of Elderly Patients with ST-Elevation or Non-ST-Elevation Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>American Journal of Medicine</i> , 2019 , 132, 209-216	2.4	18
87	Comparison of Reduced-Dose Prasugrel and Standard-Dose Clopidogrel in Elderly Patients With Acute Coronary Syndromes Undergoing Early Percutaneous Revascularization. <i>Circulation</i> , 2018 , 137, 2435-2445	16.7	72
86	Inflammageing and metaflammation: The yin and yang of type 2 diabetes. <i>Ageing Research Reviews</i> , 2018 , 41, 1-17	12	117
85	Effect of ubiquinol supplementation on biochemical and oxidative stress indexes after intense exercise in young athletes. <i>Redox Report</i> , 2018 , 23, 136-145	5.9	29
84	Rivaroxaban for Thromboprophylaxis after Hospitalization for Medical Illness. <i>New England Journal of Medicine</i> , 2018 , 379, 1118-1127	59.2	143

83	Age-related M1/M2 phenotype changes in circulating monocytes from healthy/unhealthy individuals. <i>Aging</i> , 2018 , 10, 1268-1280	5.6	24
82	Clustering of ABCB1 and CYP2C19 Genetic Variants Predicts Risk of Major Bleeding and Thrombotic Events in Elderly Patients with Acute Coronary Syndrome Receiving Dual Antiplatelet Therapy with Aspirin and Clopidogrel. <i>Drugs and Aging</i> , 2018 , 35, 649-656	4.7	9
81	Cardiovascular Efficacy and Safety of Bococizumab in High-Risk Patients. <i>New England Journal of Medicine</i> , 2017 , 376, 1527-1539	59.2	390
80	Epigenetic effects of physical activity in elderly patients with cardiovascular disease. <i>Experimental Gerontology</i> , 2017 , 100, 17-27	4.5	10
79	Reliability of eWLB (Embedded Wafer Level BGA) for Automotive Radar Applications 2017 ,		8
78	New challenges of geriatric cardiology: from clinical to preclinical research. <i>Journal of Geriatric Cardiology</i> , 2017 , 14, 223-232	1.7	6
77	Age-related modulation of plasmatic beta-Galactosidase activity in healthy subjects and in patients affected by T2DM. <i>Oncotarget</i> , 2017 , 8, 93338-93348	3.3	13
76	Physical activity and progenitor cell-mediated endothelial repair in chronic heart failure: Is there a role for epigenetics?. <i>Mechanisms of Ageing and Development</i> , 2016 , 159, 71-80	5.6	17
75	Endothelial Cell Senescence and Inflammaging: MicroRNAs as Biomarkers and Innovative Therapeutic Tools. <i>Current Drug Targets</i> , 2016 , 17, 388-97	3	20
74	Evaluation of motivation and attitude for Telehomecare among caregivers of elderly patients affected with congestive heart failure. <i>Digital Medicine</i> , 2016 , 2, 149	0.3	1
73	Exercise: a "new drug" for elderly patients with chronic heart failure. <i>Aging</i> , 2016 , 8, 860-72	5.6	25
72	Board level reliability of automotive eWLB (embedded wafer level BGA) FOWLP 2016 ,		3
71	A risk score for predicting 1-year mortality in patients ≥5 years of age presenting with non-ST-elevation acute coronary syndrome. <i>American Journal of Cardiology</i> , 2015 , 116, 208-13	3	18
70	Renal dysfunction, coronary revascularization and mortality among elderly patients with non ST elevation acute coronary syndrome. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2015 , 4, 453-60	4.3	10
69	Acute Kidney Injury in Elderly Patients With Non-ST Elevation Acute Coronary Syndrome: Insights From the Italian Elderly: ACS Study. <i>Angiology</i> , 2015 , 66, 826-30	2.1	6
68	MiR-21-5p and miR-126a-3p levels in plasma and circulating angiogenic cells: relationship with type 2 diabetes complications. <i>Oncotarget</i> , 2015 , 6, 35372-82	3.3	79
67	Anemia in octogenarians with non-ST elevation acute coronary syndrome: aging or disease?. <i>International Journal of Cardiology</i> , 2014 , 176, 1147-9	3.2	10
66	One-year mortality in elderly adults with non-ST-elevation acute coronary syndrome: effect of diabetic status and admission hyperglycemia. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1297-303	5.6	23

65	Renal function estimation and one-year mortality in elderly patients with non-ST-segment elevation acute coronary syndromes. <i>International Journal of Cardiology</i> , 2014 , 174, 127-8	3.2	9
64	Admission levels of circulating miR-499-5p and risk of death in elderly patients after acute non-ST elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2014 , 172, e276-8	3.2	41
63	Circulating microRNAs (miRs) for diagnosing acute myocardial infarction: an exciting challenge. <i>International Journal of Cardiology</i> , 2013 , 167, 3028-9	3.2	17
62	Telomere/telomerase system impairment in circulating angiogenic cells of geriatric patients with heart failure. <i>International Journal of Cardiology</i> , 2013 , 164, 99-105	3.2	15
61	Conventional and novel diagnostic biomarkers of acute myocardial infarction: a promising role for circulating microRNAs. <i>Biomarkers</i> , 2013 , 18, 547-58	2.6	26
60	Diagnostic potential of circulating miR-499-5p in elderly patients with acute non ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2013 , 167, 531-6	3.2	179
59	MiR-146a as marker of senescence-associated pro-inflammatory status in cells involved in vascular remodelling. <i>Age</i> , 2013 , 35, 1157-72		155
58	Causes of death in patients \geq 5 years of age with non-ST-segment elevation acute coronary syndrome. <i>American Journal of Cardiology</i> , 2013 , 112, 1-7	3	29
57	Cellular Senescence in Cardiovascular Diseases: Potential Age-Related Mechanisms and Implications for Treatment. <i>Current Pharmaceutical Design</i> , 2013 , 19, 1710-1719	3.3	25
56	E-Health and Telemedicine in the Elderly 2013 , 33-43		
55	Cellular Senescence in Cardiovascular Diseases: Potential Age-Related Mechanisms and Implications for Treatment. <i>Current Pharmaceutical Design</i> , 2013 , 19, 1710-1719	3.3	3
54	Cellular senescence in cardiovascular diseases: potential age-related mechanisms and implications for treatment. <i>Current Pharmaceutical Design</i> , 2013 , 19, 1710-9	3.3	35
53	Aged-related increase of high sensitive Troponin T and its implication in acute myocardial infarction diagnosis of elderly patients. <i>Mechanisms of Ageing and Development</i> , 2012 , 133, 300-5	5.6	50
52	Early aggressive versus initially conservative treatment in elderly patients with non-ST-segment elevation acute coronary syndrome: a randomized controlled trial. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 906-16	5	154
51	Age-related differences in the expression of circulating microRNAs: miR-21 as a new circulating marker of inflammaging. <i>Mechanisms of Ageing and Development</i> , 2012 , 133, 675-85	5.6	189
50	Technological approaches to remote monitoring of elderly people in cardiology: a usability perspective. <i>International Journal of Telemedicine and Applications</i> , 2012 , 2012, 104561	2.6	15
49	Paraoxonase-1 55 LL Genotype Is Associated with No ST-Elevation Myocardial Infarction and with High Levels of Myoglobin. <i>Journal of Lipids</i> , 2012 , 2012, 601796	2.7	4
48	Validation of the 3-lead tele-ECG versus the 12-lead tele-ECG and the conventional 12-lead ECG method in older people. <i>Journal of Telemedicine and Telecare</i> , 2012 , 18, 104-8	6.8	14

47	Telomere/Telomerase system: a new target of statins pleiotropic effect?. <i>Current Vascular Pharmacology</i> , 2012 , 10, 216-24	3.3	36
46	Leukocyte telomere length is associated with complications of type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2011 , 28, 1388-94	3.5	71
45	Genome-wide association studies: is there a genotype for cognitive decline in older persons with type 2 diabetes?. <i>Current Pharmaceutical Design</i> , 2011 , 17, 347-56	3.3	10
44	Impact of home patient telemonitoring on use of β blockers in congestive heart failure. <i>Drugs and Aging</i> , 2010 , 27, 801-5	4.7	30
43	Ivabradine use in refractory unstable angina: a case report. <i>International Journal of Immunopathology and Pharmacology</i> , 2009 , 22, 849-52	3	4
42	Tako-tsubo-like syndrome with atypical clinical presentation: case report and literature review. <i>Angiology</i> , 2009 , 60, 513-7	2.1	2
41	Paraoxonase2 C311S polymorphism and low levels of HDL contribute to a higher mortality risk after acute myocardial infarction in elderly patients. <i>Molecular Genetics and Metabolism</i> , 2009 , 98, 314-8	3.7	15
40	Leukocyte telomere shortening in elderly Type2DM patients with previous myocardial infarction. <i>Atherosclerosis</i> , 2009 , 206, 588-93	3.1	67
39	Combination of biomarkers to predict mortality in elderly patients with myocardial infarction. <i>Mechanisms of Ageing and Development</i> , 2008 , 129, 231-7	5.6	6
38	Prevention of cardiovascular events in early menopause: a possible role for hormone replacement therapy. <i>International Journal of Cardiology</i> , 2008 , 130, 140-6	3.2	18
37	Impact of telemonitoring at home on the management of elderly patients with congestive heart failure. <i>Journal of Telemedicine and Telecare</i> , 2008 , 14, 300-5	6.8	110
36	Myocardial bridging: A forgotten cause of acute coronary syndrome - a case report. <i>International Journal of Angiology</i> , 2007 , 16, 115-8	1.1	11
35	Genetic polymorphisms of inflammatory cytokines and myocardial infarction in the elderly. <i>Mechanisms of Ageing and Development</i> , 2006 , 127, 552-9	5.6	33
34	Interleukin-6-174 G > C polymorphism affects the association between IL-6 plasma levels and insulin resistance in type 2 diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 2006 , 71, 299-305	7.4	38
33	The PON1192RR genotype is associated with a higher prevalence of arterial hypertension. <i>Journal of Hypertension</i> , 2006 , 24, 1293-8	1.9	13
32	The interleukin-6 -174 G>C promoter polymorphism is associated with a higher risk of death after an acute coronary syndrome in male elderly patients. <i>International Journal of Cardiology</i> , 2005 , 103, 266-71	3.7	61
31	Tumor necrosis factor-alpha gene -308G>A polymorphism is associated with ST-elevation myocardial infarction and with high plasma levels of biochemical ischemia markers. <i>Coronary Artery Disease</i> , 2005 , 16, 489-93	1.4	33
30	The different apoptotic potential of the p53 codon 72 alleles increases with age and modulates in vivo ischaemia-induced cell death. <i>Cell Death and Differentiation</i> , 2004 , 11, 962-73	12.7	71

29	Genetic analysis of Paraoxonase (PON1) locus reveals an increased frequency of Arg192 allele in centenarians. <i>European Journal of Human Genetics</i> , 2002 , 10, 292-6	5.3	56
28	Ibutilide in rapid conversion of atrial flutter in octogenarians. <i>Drugs and Aging</i> , 2002 , 19, 787-91	4.7	6
27	Smooth blood pressure control obtained with extended-release felodipine in elderly patients with hypertension: evaluation by 24-hour ambulatory blood pressure monitoring. <i>Drugs and Aging</i> , 2002 , 19, 541-51	4.7	7
26	Relationship between lipoprotein(a) levels, oxidative stress, and blood pressure levels in patients with essential hypertension. <i>Clinical and Experimental Medicine</i> , 2001 , 1, 145-50	4.9	14
25	A gender-dependent genetic predisposition to produce high levels of IL-6 is detrimental for longevity. <i>European Journal of Immunology</i> , 2001 , 31, 2357-2361	6.1	262
24	Random fasting hyperglycemia as cardiovascular risk factor in the elderly: a 6-year longitudinal study. <i>Clinical Cardiology</i> , 2001 , 24, 341-4	3.3	6
23	Cardiovascular effects of an earthquake: direct evidence by ambulatory blood pressure monitoring. <i>Hypertension</i> , 2001 , 38, 1093-5	8.5	44
22	Sexual dimorphism in arterial hypertension: an age-related phenomenon. <i>Archives of Gerontology and Geriatrics</i> , 1999 , 29, 283-9	4	9
21	Therapeutic organizer (TH.OR.): a new tool in critical patient management. <i>Cardiovascular Drugs and Therapy</i> , 1999 , 13, 173-6	3.9	
20	Randomized trial of the effects of low-dose calcium-heparin in patients with peripheral arterial disease and claudication. Italian CAP Study Group. <i>American Journal of Medicine</i> , 1999 , 107, 234-9	2.4	9
19	Is aging a risk factor for silent ischemic cardiopathy?. <i>Chest</i> , 1997 , 111, 527-8	5.3	
18	Haemodynamic Effects of Amlodipine in Elderly Patients with Arterial Hypertension. <i>Clinical Drug Investigation</i> , 1997 , 13, 12-16	3.2	
17	Arterial hypertension in the elderly: a review. <i>Archives of Gerontology and Geriatrics</i> , 1996 , 23, 257-64	4	1
16	Epidemiological aspects of isolated systolic hypertension in the elderly population as cerebrovascular risk factor. <i>Archives of Gerontology and Geriatrics</i> , 1995 , 20, 87-91	4	
15	Treatment and liver transplantation for cholesterol ester storage disease. <i>Journal of Pediatrics</i> , 1995 , 127, 509-10	3.6	17
14	A Paediatric Clinical Phenotype Variant of Lysosomal Acid Lipase Deficiency Responsive to an HMG CoA Reductase Inhibitor (Simvastatin) plus Cholestyramine. <i>Drug Investigation</i> , 1993 , 5, 35-38		1
13	Left ventricular diastolic abnormalities in diabetes mellitus I in relation to cardiovascular autonomic neuropathy and retinopathy. <i>International Journal of Angiology</i> , 1993 , 2, 33-37	1.1	
12	Isolated systolic hypertension in the elderly: Results of the camerano study on hypertension. <i>International Journal of Angiology</i> , 1993 , 2, 102-104	1.1	

11	Aging impairs membrane potential responsiveness as well as opening of voltage and ligand gated Na ⁺ channels in human lymphocytes. <i>Archives of Gerontology and Geriatrics</i> , 1992 , 14, 145-54	4	3
10	The Camerano study on hypertension: the problem of arterial hypertension in the elderly. <i>Archives of Gerontology and Geriatrics</i> , 1992 , 15 Suppl 1, 17-26	4	4
9	Clinical and electromyographic evidence of carpal tunnel syndrome in a hypertensive patient with chronic beta-blocker treatment. <i>Italian Journal of Neurological Sciences</i> , 1992 , 13, 157-9		2
8	Impedance cardiography for repeated determination of stroke volume in elderly hypertensives: correlation with pulsed Doppler echocardiography. <i>Angiology</i> , 1991 , 42, 648-53	2.1	17
7	Biochemical effects of urapidil on red cell membrane ion transport systems in a population of elderly essential hypertensives. <i>Postgraduate Medical Journal</i> , 1991 , 67, 252-5	2	
6	Use of simvastatin plus cholestyramine in the treatment of lysosomal acid lipase deficiency. <i>Journal of Pediatrics</i> , 1991 , 119, 1008-9	3.6	23
5	The mild hypertension enigma. <i>Medical Hypotheses</i> , 1991 , 36, 216-20	3.8	1
4	Age-related antihypertensive and haemodynamic effects of verapamil SR: Clinical results and effects on atrial natriuretic peptide. <i>European Journal of Clinical Pharmacology</i> , 1990 , 39, S29-S33	2.8	3
3	Vasopressin, prolactin and growth hormone in Alzheimer's disease: their evaluation after metoclopramide stimulation. <i>Archives of Gerontology and Geriatrics</i> , 1990 , 10, 269-78	4	6
2	Evaluation of plasmatic ANP levels in subjects affected by essential arterial hypertension and in a group of patients undergoing dialysis. <i>International Journal of Cardiology</i> , 1989 , 25 Suppl 1, S17-23	3.2	2
1	E-Health and Telemedicine in the Elderly 693-704		