

Zhi-hong Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/523006/publications.pdf>

Version: 2024-02-01

387
papers

19,501
citations

27035

58
h-index

18400

124
g-index

390
all docs

390
docs citations

390
times ranked

18302
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk Assessment for Longitudinal Trajectories of Modifiable Lifestyle Factors on Chronic Kidney Disease Burden in China: A Population-based Study. <i>Journal of Epidemiology</i> , 2022, 32, 449-455.	1.1	2
2	miR-125b Disrupts Mitochondrial Dynamics via Targeting Mitofusin 1 in Cisplatin-Induced Acute Kidney Injury. <i>Kidney Diseases (Basel, Switzerland)</i> , 2022, 8, 137-147.	1.2	7
3	Establishment of the induced pluripotent stem cell line (NCKDi005-A) from a male patient with Alport syndrome carrying a homozygous frameshift mutation in the COL4A4 gene. <i>Stem Cell Research</i> , 2022, 58, 102628.	0.3	0
4	cAMP-response element binding protein mediates podocyte injury in diabetic nephropathy by targeting lncRNA DLX6-AS1. <i>Metabolism: Clinical and Experimental</i> , 2022, 129, 155155.	1.5	19
5	Dissecting the genotype-phenotype correlation of <i>COL4A5</i> gene mutation and its response to renin-angiotensin-aldosterone system blockers in Chinese male patients with Alport syndrome. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 2487-2495.	0.4	8
6	Single-cell chromatin accessibility landscape in kidney identifies additional cell-of-origin in heterogenous papillary renal cell carcinoma. <i>Nature Communications</i> , 2022, 13, 31.	5.8	20
7	Peptide Self-assembly into stable Capsid-Like nanospheres and Co-assembly with DNA to produce smart artificial viruses. <i>Journal of Colloid and Interface Science</i> , 2022, 615, 395-407.	5.0	9
8	Body Mass Index and Risk of Diabetic Nephropathy: A Mendelian Randomization Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 1599-1608.	1.8	8
9	Effect of Tacrolimus vs Intravenous Cyclophosphamide on Complete or Partial Response in Patients With Lupus Nephritis. <i>JAMA Network Open</i> , 2022, 5, e224492.	2.8	12
10	Complement induces podocyte pyroptosis in membranous nephropathy by mediating mitochondrial dysfunction. <i>Cell Death and Disease</i> , 2022, 13, 281.	2.7	20
11	SSBP1 drives high fructose-induced glomerular podocyte ferroptosis via activating DNA-PK/p53 pathway. <i>Redox Biology</i> , 2022, 52, 102303.	3.9	13
12	Automatic fine-grained glomerular lesion recognition in kidney pathology. <i>Pattern Recognition</i> , 2022, 127, 108648.	5.1	4
13	Association of Serum Hepatitis B Virus RNA With Hepatocellular Carcinoma Risk in Chronic Hepatitis B Patients Under Nucleos(t)ide Analogues Therapy. <i>Journal of Infectious Diseases</i> , 2022, 226, 881-890.	1.9	12
14	Clinical Acute Kidney Injury and Histologic Acute Tubular-Interstitial Injury and Their Prognosis in Diabetic Nephropathy. <i>Nephron</i> , 2022, 146, 351-359.	0.9	3
15	Editorial: the three tenors in HBV—TDF, TAF and now TMF. Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 121-121.	1.9	0
16	Application of the International IgA Nephropathy Prediction Tool one or two years post-biopsy. <i>Kidney International</i> , 2022, 102, 160-172.	2.6	25
17	Novel loss-of-function mutations in <i>TNFAIP3</i> gene in patients with lupus nephritis. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 2027-2038.	1.4	9
18	Effect of Oral Methylprednisolone on Decline in Kidney Function or Kidney Failure in Patients With IgA Nephropathy. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 1888.	3.8	103

#	ARTICLE	IF	CITATIONS
19	Non-diabetic urine glucose in idiopathic membranous nephropathy. <i>Renal Failure</i> , 2022, 44, 1105-1112.	0.8	3
20	The role of induction therapy before autologous stem cell transplantation in low disease burden AL amyloidosis patients. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2021, 28, 75-83.	1.4	7
21	Updating the International IgA Nephropathy Prediction Tool for use in children. <i>Kidney International</i> , 2021, 99, 1439-1450.	2.6	26
22	Predicative value of IFITM2 in renal clear cell carcinoma: IFITM2 is associated with lymphatic metastasis and poor clinical outcome. <i>Biochemical and Biophysical Research Communications</i> , 2021, 534, 157-164.	1.0	11
23	Air Pollution and Kidney Diseases: PM _{2.5} as an Emerging Culprit. <i>Contributions To Nephrology</i> , 2021, 199, 274-284.	1.1	8
24	Nephrology in China. , 2021, , 251-290.		1
25	Evaluation of Renal Fibrosis by Mapping Histology and Magnetic Resonance Imaging. <i>Kidney Diseases (Basel, Switzerland)</i> , 2021, 7, 131-142.	1.2	16
26	Chromatin architecture reveals cell type-specific target genes for kidney disease risk variants. <i>BMC Biology</i> , 2021, 19, 38.	1.7	12
27	Super-Enhancer-Associated Transcription Factors Maintain Transcriptional Regulation in Mature Podocytes. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 1323-1337.	3.0	4
28	Chromatin accessibility of kidney tubular cells under stress reveals key transcription factor mediating acute and chronic kidney disease. <i>FEBS Journal</i> , 2021, 288, 5446-5458.	2.2	1
29	Effects of posterior tibial slope on the mid-term results of medial unicompartmental knee arthroplasty. <i>Arthroplasty</i> , 2021, 3, 11.	0.9	2
30	IL-6 Promotes the Proliferation and Immunosuppressive Function of Myeloid-Derived Suppressor Cells via the MAPK Signaling Pathway in Bladder Cancer. <i>BioMed Research International</i> , 2021, 2021, 1-18.	0.9	10
31	DACH1 protects podocytes from experimental diabetic injury and modulates PTIP-H3K4Me3 activity. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	23
32	Generation of the induced pluripotent stem cell line (NCKDi002-A) from a 22-year-old patient with Focal Segmental Glomerular Sclerosis carrying a heterozygous mutation in WT1 gene. <i>Stem Cell Research</i> , 2021, 53, 102293.	0.3	0
33	Accumulation of CD45RO+CD8+ T cells is a diagnostic and prognostic biomarker for clear cell renal cell carcinoma. <i>Aging</i> , 2021, 13, 14304-14321.	1.4	7
34	MicroRNA-30 regulates left ventricular hypertrophy in chronic kidney disease. <i>JCI Insight</i> , 2021, 6, .	2.3	12
35	Glucocorticoid receptor wields chromatin interactions to tune transcription for cytoskeleton stabilization in podocytes. <i>Communications Biology</i> , 2021, 4, 675.	2.0	5
36	Fructose drives mitochondrial metabolic reprogramming in podocytes via Hmgcs2-stimulated fatty acid degradation. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 253.	7.1	12

#	ARTICLE	IF	CITATIONS
37	Generation of an induced pluripotent stem cell line (ZJUi007-A) from a 11-year-old patient of Fabry disease. <i>Stem Cell Research</i> , 2021, 55, 102475.	0.3	2
38	Intra-arterial infusion chemotherapy utilizing cisplatin inhibits bladder cancer by decreasing the i-brocytic myeloid-derived suppressor cells in an m6A-dependent manner. <i>Molecular Immunology</i> , 2021, 137, 28-40.	1.0	17
39	A novel approach to identify the mechanism of miR-145-5p toxicity to podocytes based on the essential genes targeting analysis. <i>Molecular Therapy - Nucleic Acids</i> , 2021, 26, 749-759.	2.3	6
40	Generation of the induced pluripotent stem cell line (NCKDi004-A) from a 17-year-old patient with Alport syndrome carrying a homozygous mutation in COL4A3 gene. <i>Stem Cell Research</i> , 2021, 56, 102557.	0.3	0
41	KDIGO 2021 Clinical Practice Guideline for the Management of Glomerular Diseases. <i>Kidney International</i> , 2021, 100, S1-S276.	2.6	782
42	Establishment of an induced pluripotent stem cell line (NCKDi003-A) from a patient with X-linked Dent disease (X-Dent) carrying the hemizygote mutation p. T277P (c. 829AA>AC) in the CLCN5 gene. <i>Stem Cell Research</i> , 2021, 56, 102538.	0.3	2
43	Executive summary of the KDIGO 2021 Guideline for the Management of Glomerular Diseases. <i>Kidney International</i> , 2021, 100, 753-779.	2.6	325
44	Malalignment and distal contact of short tapered stems could be associated with postoperative thigh pain in primary total hip arthroplasty. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 67.	0.9	8
45	Machine Learning for Prediction and Risk Stratification of Lupus Nephritis Renal Flare. <i>American Journal of Nephrology</i> , 2021, 52, 152-160.	1.4	29
46	Tackling Dialysis Burden around the World: A Global Challenge. <i>Kidney Diseases (Basel, Switzerland)</i> , 2021, 7, 167-175.	1.2	17
47	Quantifying Duration of Proteinuria Remission and Association with Clinical Outcome in IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 436-447.	3.0	34
48	Upregulated LRRC55 promotes BK channel activation and aggravates cell injury in podocytes. <i>Journal of Experimental Medicine</i> , 2021, 218, .	4.2	7
49	The Therapeutic Evaluation of Steroids in IgA Nephropathy Global (TESTING) Study: Trial Design and Baseline Characteristics. <i>American Journal of Nephrology</i> , 2021, 52, 827-836.	1.4	15
50	Integrin β 3 Induction Promotes Tubular Cell Senescence and Kidney Fibrosis. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 733831.	1.8	11
51	MCC Regulator of WNT Signaling Pathway (MCC) Is a Podocyte Essential Gene. <i>Frontiers in Medicine</i> , 2021, 8, 777563.	1.2	3
52	Attractylodin inhibits fructose-induced human podocyte hypermotility via anti-oxidant to down-regulate TRPC6/p-CaMK4 signaling. <i>European Journal of Pharmacology</i> , 2021, 913, 174616.	1.7	3
53	Nuclear Receptor Interacting Protein-2 Mediates the Stabilization and Activation of β 2-Catenin During Podocyte Injury. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 781792.	1.8	1
54	External Validation of the Prognostic Value of an Immune-Associated Gene Panel for Clear Cell Renal Cell Carcinomas. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 794840.	1.8	2

#	ARTICLE	IF	CITATIONS
55	Distinct effects of ANGPT2 on gene expression of glomerular podocytes and mesangial cells.. American Journal of Translational Research (discontinued), 2021, 13, 12249-12263.	0.0	0
56	Increased urinary miR-196a level predicts the progression of renal injury in patients with diabetic nephropathy. Nephrology Dialysis Transplantation, 2020, 35, 1009-1016.	0.4	17
57	Treatment of nephrotic syndrome: going beyond immunosuppressive therapy. Pediatric Nephrology, 2020, 35, 569-579.	0.9	8
58	Heavy Chain Deposition Disease: Clinicopathologic Characteristics of a Chinese Case Series. American Journal of Kidney Diseases, 2020, 75, 736-743.	2.1	6
59	A Novel <i>COL4A5</i> Splicing Mutation Causes Skipping of Exon 14 in a Chinese Family with Alport Syndrome. Kidney Diseases (Basel, Switzerland), 2020, 6, 43-49.	1.2	8
60	Artificial Intelligence in Nephrology: How Can Artificial Intelligence Augment Nephrologists' Intelligence?. Kidney Diseases (Basel, Switzerland), 2020, 6, 1-6.	1.2	29
61	G-MDSCs-Derived Exosomal miRNA-143-3p Promotes Proliferation via Targeting of ITM2B in Lung Cancer. OncoTargets and Therapy, 2020, Volume 13, 9701-9719.	1.0	24
62	Case Report: Identification of a Novel Variant (m.8909T>C) of Human Mitochondrial ATP6 Gene and Its Functional Consequences on Yeast ATP Synthase. Life, 2020, 10, 215.	1.1	7
63	Influence of guideline adherence and parameter control on the clinical outcomes in patients with diabetic nephropathy. BMJ Open Diabetes Research and Care, 2020, 8, e001166.	1.2	6
64	Podocytes present antigen to activate specific T cell immune responses in inflammatory renal disease. Journal of Pathology, 2020, 252, 165-177.	2.1	18
65	Comparative Functional Analysis in vitro of 2 COL4A5 Splicing Mutations at the Same Site in 2 Unrelated Alport Syndrome Chinese Families. Cytogenetic and Genome Research, 2020, 160, 238-244.	0.6	1
66	Long Noncoding RNA PVT1 Promotes Prostate Cancer Metastasis by Increasing NOP2 Expression via Targeting Tumor Suppressor MicroRNAs. OncoTargets and Therapy, 2020, Volume 13, 6755-6765.	1.0	26
67	Types of M protein and clinicopathological profiles in patients with monoclonal gammopathy of renal significance. Journal of Nephrology, 2020, 34, 1137-1146.	0.9	2
68	Generation of induced pluripotent stem cell line (NCKDi001-A) from a 19-year-old patient with a novel COL4A5 gene mutation in Alport syndrome. Stem Cell Research, 2020, 49, 102023.	0.3	0
69	Genome-Wide Meta-Analysis Identifies Three Novel Susceptibility Loci and Reveals Ethnic Heterogeneity of Genetic Susceptibility for IgA Nephropathy. Journal of the American Society of Nephrology: JASN, 2020, 31, 2949-2963.	3.0	42
70	Podocyte-Released Migrasomes in Urine Serve as an Indicator for Early Podocyte Injury. Kidney Diseases (Basel, Switzerland), 2020, 6, 422-433.	1.2	30
71	Viral and Antibody Kinetics of COVID-19 Patients with Different Disease Severities in Acute and Convalescent Phases: A 6-Month Follow-Up Study. Virologica Sinica, 2020, 35, 820-829.	1.2	58
72	Injectable Polypeptide-Protein Hydrogels for Promoting Infected Wound Healing. Advanced Functional Materials, 2020, 30, 2001196.	7.8	186

#	ARTICLE	IF	CITATIONS
73	SNPs in PRKCA and HIF1A and GLUT1 are associated with diabetic kidney disease in a Chinese Han population with type 2 diabetes. <i>European Journal of Clinical Investigation</i> , 2020, 50, e13264.	1.7	9
74	P1391 PROGRESSION OF CALCIFICATION AND ITS RISK FACTORS IN CHINESE DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0
75	Identification of glomerular lesions and intrinsic glomerular cell types in kidney diseases via deep learning. <i>Journal of Pathology</i> , 2020, 252, 53-64.	2.1	46
76	Localization of Cell Receptor-Related Genes of SARS-CoV-2 in the Kidney through Single-Cell Transcriptome Analysis. <i>Kidney Diseases (Basel, Switzerland)</i> , 2020, 6, 258-270.	1.2	19
77	Zebrafish GSDMEb Cleavage-Gated Pyroptosis Drives Septic Acute Kidney Injury In Vivo. <i>Journal of Immunology</i> , 2020, 204, 1929-1942.	0.4	63
78	Nocardiosis in patients with nephrotic syndrome: a retrospective analysis of 11 cases and a literature review. <i>International Urology and Nephrology</i> , 2020, 52, 731-738.	0.6	8
79	Factors associated with the biphasic kinetics of serum HBV RNA in patients with HBeAg-positive chronic hepatitis B treated with nucleos(t)ide analogues. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 692-700.	1.9	22
80	Hyperprogressive disease in patients with advanced renal cell carcinoma: a new pattern of post-treatment cancer behavior. <i>Immunologic Research</i> , 2020, 68, 204-212.	1.3	5
81	Identification and external validation of IgA nephropathy patients benefiting from immunosuppression therapy. <i>EBioMedicine</i> , 2020, 52, 102657.	2.7	8
82	Cationic nanoemulsions with prolonged retention time as promising carriers for ophthalmic delivery of tacrolimus. <i>European Journal of Pharmaceutical Sciences</i> , 2020, 144, 105229.	1.9	30
83	Improving treatment decisions using personalized risk assessment from the International IgA Nephropathy Prediction Tool. <i>Kidney International</i> , 2020, 98, 1009-1019.	2.6	35
84	A Real-world Prospective Study of Mother-to-child Transmission of HBV in China Using a Mobile Health Application (Shield 01). <i>Journal of Clinical and Translational Hepatology</i> , 2020, 8, 1-8.	0.7	32
85	Long noncoding RNA LINC00963 induces NOP2 expression by sponging tumor suppressor miR-542-3p to promote metastasis in prostate cancer. <i>Aging</i> , 2020, 12, 11500-11516.	1.4	27
86	POFUT1 is dispensable for structure, function and survival of mouse podocytes. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 2212-2224.	0.0	1
87	An Interpretable Machine Learning Survival Model for Predicting Long-term Kidney Outcomes in IgA Nephropathy. <i>AMIA ... Annual Symposium proceedings</i> , 2020, 2020, 737-746.	0.2	2
88	Combination of Functional Magnetic Resonance Imaging and Histopathologic Analysis to Evaluate Interstitial Fibrosis in Kidney Allografts. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 1372-1380.	2.2	47
89	The analysis of risk factors for diabetic nephropathy progression and the construction of a prognostic database for chronic kidney diseases. <i>Journal of Translational Medicine</i> , 2019, 17, 264.	1.8	59
90	Longitudinal Change of Body Mass Index Is Associated With Alanine Aminotransferase Elevation After Complete Viral Suppression in Chronic Hepatitis B Patients. <i>Journal of Infectious Diseases</i> , 2019, 220, 1469-1476.	1.9	7

#	ARTICLE	IF	CITATIONS
91	Triptolide preserves glomerular barrier function via the inhibition of p53-mediated increase of GADD45B. <i>Archives of Biochemistry and Biophysics</i> , 2019, 671, 210-217.	1.4	11
92	Roxadustat Treatment for Anemia in Patients Undergoing Long-Term Dialysis. <i>New England Journal of Medicine</i> , 2019, 381, 1011-1022.	13.9	411
93	A risk stratification for systemic immunoglobulin light chain amyloidosis with renal involvement. <i>British Journal of Haematology</i> , 2019, 187, 459-469.	1.2	7
94	Features of phospholipase A2 receptor and thrombospondin type-1 domain-containing 7A in malignancy-associated membranous nephropathy. <i>Journal of Clinical Pathology</i> , 2019, 72, 705-711.	1.0	20
95	Preoperative CD4+CD25+/CD4+ and tumor diameter predict prognosis in male patients with bladder cancer. <i>Biomarkers in Medicine</i> , 2019, 13, 1387-1397.	0.6	2
96	Individualizing Therapy in Lupus Nephritis. <i>Kidney International Reports</i> , 2019, 4, 1366-1372.	0.4	7
97	ECM1 Prevents Activation of Transforming Growth Factor β 2, Hepatic Stellate Cells, and Fibrogenesis in Mice. <i>Gastroenterology</i> , 2019, 157, 1352-1367.e13.	0.6	65
98	Upregulated long noncoding RNA LOC105375913 induces tubulointerstitial fibrosis in focal segmental glomerulosclerosis. <i>Scientific Reports</i> , 2019, 9, 716.	1.6	28
99	Combination of bortezomib in the induction, conditioning and consolidation with autologous hematopoietic stem cell transplantation in patients with immunoglobulin light chain amyloidosis. <i>American Journal of Hematology</i> , 2019, 94, E101-E104.	2.0	4
100	MiR-30 family prevents uPAR-ITGB3 signaling activation through calcineurin-NFATC pathway to protect podocytes. <i>Cell Death and Disease</i> , 2019, 10, 401.	2.7	13
101	Lower Risk of Hepatocellular Carcinoma With Tenofovir vs Entecavir in Patients With Chronic Hepatitis B. <i>JAMA Oncology</i> , 2019, 5, 915.	3.4	0
102	Prediction and Risk Stratification of Kidney Outcomes in IgA Nephropathy. <i>American Journal of Kidney Diseases</i> , 2019, 74, 300-309.	2.1	120
103	Single-Cell RNA Profiling of Glomerular Cells Shows Dynamic Changes in Experimental Diabetic Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 533-545.	3.0	133
104	Improvement of Outcomes in Patients with Lupus Nephritis: Management Evolution in Chinese Patients from 1994 to 2010. <i>Journal of Rheumatology</i> , 2019, 46, 912-919.	1.0	11
105	Vascular Access in Patients Treated with Continuous Renal Replacement Therapy: A Report from a Single Center in China. <i>Therapeutic Apheresis and Dialysis</i> , 2019, 23, 562-569.	0.4	1
106	Evaluating a New International Risk-Prediction Tool in IgA Nephropathy. <i>JAMA Internal Medicine</i> , 2019, 179, 942.	2.6	266
107	Autologous Hematopoietic Stem Cell Transplantation for Refractory Lupus Nephritis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 719-727.	2.2	20
108	RS 504393 inhibits M-MDSCs recruiting in immune microenvironment of bladder cancer after gemcitabine treatment. <i>Molecular Immunology</i> , 2019, 109, 140-148.	1.0	36

#	ARTICLE	IF	CITATIONS
109	Executive Summary: Clinical Practice Guideline of Chronic Kidney Disease “Mineral and Bone Disorder (CKD-MBD) in China. <i>Kidney Diseases (Basel, Switzerland)</i> , 2019, 5, 197-203.	1.2	16
110	First line nucleos(t)ide analog monotherapy is more cost-effective than combination strategies in hepatitis B e antigen-positive chronic hepatitis B patients in China. <i>Chinese Medical Journal</i> , 2019, 132, 2315-2324.	0.9	7
111	Prognostic nomogram for bladder cancer with brain metastases: a National Cancer Database analysis. <i>Journal of Translational Medicine</i> , 2019, 17, 411.	1.8	16
112	Clinicopathological features and outcome of antibody-negative anti-glomerular basement membrane disease. <i>Journal of Clinical Pathology</i> , 2019, 72, 31-37.	1.0	19
113	Risk Factors of Central Venous Catheter-Related Bloodstream Infection for Continuous Renal Replacement Therapy in Kidney Intensive Care Unit Patients. <i>Blood Purification</i> , 2019, 48, 175-182.	0.9	15
114	Differential toxicities of triptolide to immortalized podocytes and the podocytes in vivo. <i>Biomedicine and Pharmacotherapy</i> , 2019, 109, 2375-2386.	2.5	7
115	C3a and suPAR drive versican V1 expression in tubular cells of focal segmental glomerulosclerosis. <i>JCI Insight</i> , 2019, 4, .	2.3	25
116	Signal regulatory protein β protects podocytes through promotion of autophagic activity. <i>JCI Insight</i> , 2019, 4, .	2.3	12
117	Rivaroxaban for the treatment of venous thromboembolism in patients with nephrotic syndrome and low AT β : A pilot study. <i>Experimental and Therapeutic Medicine</i> , 2018, 15, 739-744.	0.8	14
118	What We Do and Do Not Know about Women and Kidney Diseases; Questions Unanswered and Answers Unquestioned: Reflection on World Kidney Day and International Women’s Day. <i>American Journal of Nephrology</i> , 2018, 47, 103-114.	1.4	4
119	Three Novel Heterozygous COL4A4 Mutations Result in Three Different Collagen Type IV Kidney Disease Phenotypes. <i>Cytogenetic and Genome Research</i> , 2018, 154, 30-36.	0.6	2
120	What we do and do not know about women and kidney diseases; questions unanswered and answers unquestioned: reflection on World Kidney Day and International Women’s Day. <i>Journal of Nephrology</i> , 2018, 31, 173-184.	0.9	7
121	What we do and do not know about women and kidney diseases: Questions unanswered and answers unquestioned. <i>Pediatric Nephrology</i> , 2018, 33, 529-540.	0.9	1
122	What We Do and Do Not Know About Women and Kidney Diseases; Questions Unanswered and Answers Unquestioned: Reflection on World Kidney Day and International Woman’s Day. <i>American Journal of Hypertension</i> , 2018, 31, 375-384.	1.0	0
123	What We Do and Do Not Know about Women and Kidney Diseases; Questions Unanswered and Answers Unquestioned: Reflection on World Kidney Day and International Woman’s Day. <i>Blood Purification</i> , 2018, 45, 364-375.	0.9	5
124	Prognostic value of PIVKA-II in hepatocellular carcinoma patients receiving curative ablation: A systematic review and meta-analysis. <i>International Journal of Biological Markers</i> , 2018, 33, 266-274.	0.7	12
125	Prevalence and risk factors for vascular calcification in Chinese patients receiving dialysis: baseline results from a prospective cohort study. <i>Current Medical Research and Opinion</i> , 2018, 34, 1491-1500.	0.9	39
126	Recruited T cells promote the bladder cancer metastasis via up-regulation of the estrogen receptor β /IL-1/c-MET signals. <i>Cancer Letters</i> , 2018, 430, 215-223.	3.2	29

#	ARTICLE	IF	CITATIONS
127	Women and kidney disease: reflections on World Kidney Day 2018. <i>Nephrologie Et Therapeutique</i> , 2018, 14, 67-70.	0.2	2
128	Renal Prognosis and Related Risk Factors for Henoch-Schönlein Purpura Nephritis: A Chinese Adult Patient Cohort. <i>Scientific Reports</i> , 2018, 8, 5585.	1.6	21
129	What We Do and Do Not Know about Women and Kidney Diseases; Questions Unanswered and Answers Unquestioned: Reflection on World Kidney Day and International Women's Day. <i>Nephron</i> , 2018, 138, 249-260.	0.9	6
130	Cisplatin inhibits the progression of bladder cancer by selectively depleting G-MDSCs: A novel chemoimmunomodulating strategy. <i>Clinical Immunology</i> , 2018, 193, 60-69.	1.4	42
131	Women and kidney disease: reflections on World Kidney Day 2018. <i>CKJ: Clinical Kidney Journal</i> , 2018, 11, 7-11.	1.4	13
132	Women and Kidney Disease. <i>Journal of Hypertension</i> , 2018, 36, 705-708.	0.3	1
133	Women and kidney disease: reflections on World Kidney Day 2018. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 189-193.	0.4	13
134	Women and kidney disease: reflections on World Kidney Day 2018. <i>Kidney International</i> , 2018, 93, 278-283.	2.6	38
135	What we know and do not know about women and kidney diseases: questions unanswered and answers unquestioned: reflection on World Kidney Day and International Women's Day. <i>Internal Medicine Journal</i> , 2018, 48, 113-123.	0.5	0
136	Women and kidney disease: Reflections on world kidney day 2018. <i>Journal of Renal Care</i> , 2018, 44, 3-11.	0.6	6
137	What we do and do not know about women and kidney diseases; questions unanswered and answers unquestioned: Reflection on World Kidney Day and International Woman's Day. <i>Nefrologia</i> , 2018, 38, 114-124.	0.2	2
138	Global glomerulosclerosis with nephrotic syndrome; the clinical importance of age adjustment. <i>Kidney International</i> , 2018, 93, 1175-1182.	2.6	39
139	What we do and do not know about women and kidney diseases; questions unanswered and answers unquestioned: reflection on World Kidney Day and International Woman's Day. <i>BMC Nephrology</i> , 2018, 19, 66.	0.8	27
140	Urinary miR-196a predicts disease progression in patients with chronic kidney disease. <i>Journal of Translational Medicine</i> , 2018, 16, 91.	1.8	29
141	Changes in the Spectrum of Kidney Diseases: An Analysis of 40,759 Biopsy-Proven Cases from 2003 to 2014 in China. <i>Kidney Diseases (Basel, Switzerland)</i> , 2018, 4, 10-19.	1.2	113
142	What We Do and Do Not Know about Women and Kidney Diseases; Questions Unanswered and Answers Unquestioned: Reflection on World Kidney Day and International Women's Day. <i>Kidney Diseases (Basel, Switzerland)</i> , 2018, 4, 10-19.	1.2	113
143	What We Do and Do Not Know About Women and Kidney Diseases; Questions Unanswered and Answers Unquestioned: Reflection on World Kidney Day and International Woman's Day. <i>Canadian Journal of Kidney Health and Disease</i> , 2018, 5, 205435811876165.	0.6	3
144	Genetic analysis of the complement pathway in C3 glomerulopathy. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1919-1927.	0.4	11

#	ARTICLE	IF	CITATIONS
145	Women and Kidney Diseases: Questions Unanswered and Answers Unquestioned. <i>Kidney International Reports</i> , 2018, 3, 225-235.	0.4	6
146	Fibrinogen links podocyte injury with Toll-like receptor 4 and is associated with disease activity in FSGS patients. <i>Nephrology</i> , 2018, 23, 418-429.	0.7	11
147	Dissection of Glomerular Transcriptional Profile in Patients With Diabetic Nephropathy: SRGAP2a Protects Podocyte Structure and Function. <i>Diabetes</i> , 2018, 67, 717-730.	0.3	62
148	Evaluation of Intradialytic Hypertension Using Bioelectrical Impedance Combined With Echocardiography in Maintenance Hemodialysis Patients. <i>Therapeutic Apheresis and Dialysis</i> , 2018, 22, 22-30.	0.4	5
149	Preparation and comparison of tacrolimus-loaded solid dispersion and self-microemulsifying drug delivery system by in vitro/in vivo evaluation. <i>European Journal of Pharmaceutical Sciences</i> , 2018, 114, 74-83.	1.9	22
150	Transcriptomic analysis uncovers novel synergistic mechanisms in combination therapy for lupus nephritis. <i>Kidney International</i> , 2018, 93, 416-429.	2.6	26
151	What we do and do not know about women and kidney diseases – questions unanswered and answers unquestioned: Reflection on World Kidney Day and International Woman’s Day. <i>Nephrology</i> , 2018, 23, 199-209.	0.7	9
152	What we do and do not know about women and kidney diseases; questions unanswered and answers unquestioned: Reflection on World Kidney Day and International Woman’s Day. <i>Nephrology @ Point of Care</i> , 2018, 4, 205930071775305.	0.2	0
153	FP026MIR-30 FAMILY REGULATES LMX1B-FOXC MOTIF TRANSCRIPTIONAL ACTIVITY BY TARGETING HDAC4/5/9 IN PODOCYTES. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i57-i57.	0.4	0
154	Sa0052MIR-30 FAMILY PREVENTS UPAR-INTEGRIN β 3 SIGNALING ACTIVATION TO PROTECT PODOCYTES. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i337-i337.	0.4	0
155	FP585PROGRESSIONS OF CALCIFICATIONS IN CHINESE CHRONIC KIDNEY DISEASES PATIENTS ON DIALYSIS AFTER 24 MONTHS: INTERIM RESULTS FROM THE CDCS STUDY. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i238-i239.	0.4	0
156	Significance of histological crescent formation in patients with IgA vasculitis (Henoch-Schönlein) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.8	10
157	Pregnancy in Chronic Kidney Disease: Need for Higher Awareness. A Pragmatic Review Focused on What Could Be Improved in the Different CKD Stages and Phases. <i>Journal of Clinical Medicine</i> , 2018, 7, 415.	1.0	38
158	The long noncoding RNA LOC105374325 causes podocyte injury in individuals with focal segmental glomerulosclerosis. <i>Journal of Biological Chemistry</i> , 2018, 293, 20227-20239.	1.6	29
159	Renal tubules transcriptome reveals metabolic maladaptation during the progression of ischemia-induced acute kidney injury. <i>Biochemical and Biophysical Research Communications</i> , 2018, 505, 432-438.	1.0	11
160	Is topical or intravenous tranexamic acid preferred in total hip arthroplasty? A randomized, controlled, noninferiority clinical trial. <i>PLoS ONE</i> , 2018, 13, e0204551.	1.1	12
161	Acute Kidney Injury in Pregnancy: The Need for Higher Awareness. A Pragmatic Review Focused on What Could Be Improved in the Prevention and Care of Pregnancy-Related AKI, in the Year Dedicated to Women and Kidney Diseases. <i>Journal of Clinical Medicine</i> , 2018, 7, 318.	1.0	28
162	miRNA-26a-5p and miR-26b-5p inhibit the proliferation of bladder cancer cells by regulating PDCD10. <i>Oncology Reports</i> , 2018, 40, 3523-3532.	1.2	30

#	ARTICLE	IF	CITATIONS
163	Women and kidney diseases: reflection on World Kidney Day and International Woman's Day. Archivos Argentinos De Pediatría, 2018, 116, e273-e278.	0.3	1
164	SP120LONG-TERM OUTCOME OF CHINESE PATIENTS WITH MESANGIAL PROLIFERATION LUPUS NEPHRITIS. Nephrology Dialysis Transplantation, 2018, 33, i384-i384.	0.4	0
165	Gene expression profiles of glomerular endothelial cells support their role in the glomerulopathy of diabetic mice. Kidney International, 2018, 94, 326-345.	2.6	55
166	Rhein protects the myocardial cells against hypoxia/reoxygenation-induced injury by suppressing GSK3 β activity. Phytomedicine, 2018, 51, 1-6.	2.3	26
167	FP587PRESENCE OF BASELINE VASCULAR CALCIFICATION ASSOCIATED WITH INCREASED MORTALITY IN CHINESE CHRONIC KIDNEY DISEASES PATIENTS ON DIALYSIS: INTERIM RESULTS FROM THE CDCS STUDY. Nephrology Dialysis Transplantation, 2018, 33, i239-i240.	0.4	0
168	Clinicopathological analysis of proliferative glomerulonephritis with monoclonal IgG deposits in 5 renal allografts. BMC Nephrology, 2018, 19, 173.	0.8	9
169	Triptolide attenuates proteinuria and podocyte apoptosis via inhibition of NF- κ B/GADD45B. Scientific Reports, 2018, 8, 10843.	1.6	28
170	Clinic-Pathologic Features and Renal Outcome of Fabry Disease: Data from a Chinese Cohort. American Journal of Nephrology, 2018, 48, 137-146.	1.4	4
171	What we know and do not know about women and kidney diseases; Questions unanswered and answers unquestioned: Reflection on World Kidney Day and International Woman's Day. Brazilian Journal of Medical and Biological Research, 2018, 51, e7315.	0.7	5
172	Tyrosinase is a podocyte protective factor in glomerular disease. JCI Insight, 2018, 3, .	2.3	14
173	Phosphorus is an independent risk factor for the progression of diabetic nephropathy. Advances in Clinical and Experimental Medicine, 2018, 27, 1239-1245.	0.6	7
174	What We Do and Do not Know About Women and Kidney Diseases; Questions Unanswered and Answers Unquestioned: Reflection on World Kidney Day and International Woman's Day. Turkish Nephrology, Dialysis and Transplantation Journal, 2018, 27, 1-13.	0.0	1
175	What we do and do not know about women and kidney diseases; Questions unanswered and answers unquestioned: Reflection on World Kidney Day and International Woman's Day. Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia, 2018, 29, 261.	0.4	1
176	Clinicopathologic characteristics of light chain proximal tubulopathy with light chain inclusions involving multiple renal cell types. Clinical Nephrology, 2018, 89, 83-92.	0.4	0
177	What we do and do not know about women and kidney diseases; questions unanswered and answers unquestioned: Reflection on World Kidney Day and International Women's Day. Clinical Nephrology, 2018, 89, 135-148.	0.4	1
178	Long-term renal outcomes and related risk factors of familial systemic lupus erythematosus patients with lupus nephritis. Clinical Nephrology, 2018, 90, 262-269.	0.4	1
179	Women and Kidney Disease: Reflections on World Kidney Day 2018. Nephrology Nursing Journal, 2018, 45, 65-70.	0.1	0
180	What we do and do not know about women and kidney diseases; Questions unanswered and answers unquestioned: Reflection on World Kidney Day and International Woman's Day. Terapevticheski Arkhiv, 2018, 90, 4-14.	0.2	8

#	ARTICLE	IF	CITATIONS
181	Clinical and morphologic spectrum of renal involvement in patients with HBV-associated cryoglobulinaemia. <i>Nephrology</i> , 2017, 22, 449-455.	0.7	25
182	Risk Factors for Renal Survival in Chinese Patients with Myeloperoxidase-ANCA-Associated GN. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 417-425.	2.2	21
183	Kidney disease and obesity: epidemiology, mechanisms and treatment. <i>Nature Reviews Nephrology</i> , 2017, 13, 181-190.	4.1	143
184	Mycophenolate Mofetil Combined With Prednisone Versus Full-Dose Prednisone in IgA Nephropathy With Active Proliferative Lesions: A Randomized Controlled Trial. <i>American Journal of Kidney Diseases</i> , 2017, 69, 788-795.	2.1	115
185	Global kidney health 2017 and beyond: a roadmap for closing gaps in care, research, and policy. <i>Lancet, The</i> , 2017, 390, 1888-1917.	6.3	662
186	RNA Extracted from Formalin-Fixed, Paraffin-Embedded Renal Biopsy Biospecimens: An Evaluation of Alternative Extraction Kits and the Effects of Storage Time. <i>Biopreservation and Biobanking</i> , 2017, 15, 396-398.	0.5	0
187	Klotho restoration via acetylation of Peroxisome Proliferation-Activated Receptor β reduces the progression of chronic kidney disease. <i>Kidney International</i> , 2017, 92, 669-679.	2.6	55
188	Digital pathology imaging as a novel platform for standardization and globalization of quantitative nephropathology. <i>CKJ: Clinical Kidney Journal</i> , 2017, 10, 176-187.	1.4	45
189	Evidence from the Oxford Classification cohort supports the clinical value of subclassification of focal segmental glomerulosclerosis in IgA nephropathy. <i>Kidney International</i> , 2017, 91, 235-243.	2.6	62
190	Therapeutic Mechanism of Glucocorticoids on Cellular Crescent Formation in Patients With Antiglomerular Basement Membrane Disease. <i>American Journal of the Medical Sciences</i> , 2017, 354, 145-151.	0.4	4
191	Angiotensin II induces calcium/calcineurin signaling and podocyte injury by downregulating microRNA-30 family members. <i>Journal of Molecular Medicine</i> , 2017, 95, 887-898.	1.7	27
192	SENP2 suppresses epithelial-mesenchymal transition of bladder cancer cells through deSUMOylation of TGF β RI. <i>Molecular Carcinogenesis</i> , 2017, 56, 2332-2341.	1.3	21
193	Klotho preservation via histone deacetylase inhibition attenuates chronic kidney disease-associated bone injury in mice. <i>Scientific Reports</i> , 2017, 7, 46195.	1.6	39
194	Oxford Classification of IgA nephropathy 2016: an update from the IgA Nephropathy Classification Working Group. <i>Kidney International</i> , 2017, 91, 1014-1021.	2.6	748
195	HLA-DRB1*15:01 and HLA-DRB3*02:02 in PLA2R-Related Membranous Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 1642-1650.	3.0	60
196	Reducing major risk factors for chronic kidney disease. <i>Kidney International Supplements</i> , 2017, 7, 71-87.	4.6	155
197	Strategies to improve monitoring disease progression, assessing cardiovascular risk, and defining prognostic biomarkers in chronic kidney disease. <i>Kidney International Supplements</i> , 2017, 7, 107-113.	4.6	19
198	Urinary Fibrinogen as a Predictor of Progression of CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 1922-1929.	2.2	28

#	ARTICLE	IF	CITATIONS
199	Multitarget Therapy for Maintenance Treatment of Lupus Nephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 3671-3678.	3.0	93
200	Effect of Oral Methylprednisolone on Clinical Outcomes in Patients With IgA Nephropathy. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 432.	3.8	376
201	Treatment and clinicopathological characteristics of lupus nephritis with anti-neutrophil cytoplasmic antibody positivity: a case-control study. <i>BMJ Open</i> , 2017, 7, e015668.	0.8	19
202	A haplotype in CFH family genes confers high risk of rare glomerular nephropathies. <i>Scientific Reports</i> , 2017, 7, 6004.	1.6	6
203	Genome-wide identification of genes essential for podocyte cytoskeletons based on single-cell RNA sequencing. <i>Kidney International</i> , 2017, 92, 1119-1129.	2.6	62
204	Rhein reverses Klotho repression via promoter demethylation and protects against kidney and bone injuries in mice with chronic kidney disease. <i>Kidney International</i> , 2017, 91, 144-156.	2.6	100
205	A Multicenter Study of the Predictive Value of Crescents in IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 691-701.	3.0	228
206	The Association of a Genetic Variant in <i>SCAF8-CNKS3</i> with Diabetic Kidney Disease and Diabetic Retinopathy in a Chinese Population. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-6.	1.0	10
207	Proteomic profile-based screening of potential protein biomarkers in the urine of patients with nephrotic syndrome. <i>Molecular Medicine Reports</i> , 2017, 16, 6276-6284.	1.1	12
208	MP398 STEROID INDUCED DIABETIC MELLITUS AND RELATED RISK FACTORS IN PATIENTS WITH PRIMARY NEPHROTIC SYNDROME. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, iii574-iii574.	0.4	0
209	Novel mutations in COL4A3, COL4A4, and COL4A5 in Chinese patients with Alport Syndrome. <i>PLoS ONE</i> , 2017, 12, e0177685.	1.1	19
210	Utility of abdominal skin plus subcutaneous fat and rectal mucosal biopsy in the diagnosis of AL amyloidosis with renal involvement. <i>PLoS ONE</i> , 2017, 12, e0185078.	1.1	18
211	Bevacizumab significantly increases the risks of hypertension and proteinuria in cancer patients: A systematic review and comprehensive meta-analysis. <i>Oncotarget</i> , 2017, 8, 51492-51506.	0.8	38
212	Preparation and Characterization of Silymarin Synchronized and Sustained Release Dropping Pill. <i>Current Drug Delivery</i> , 2017, 14, 650-657.	0.8	3
213	Membranous nephropathy occurring with type 2 diabetes mellitus. <i>Clinical Nephrology</i> , 2017, 87, 140-146.	0.4	5
214	Clinical and pathological characteristics of Fabry disease combined with IgA nephropathy in Chinese patients. <i>Clinical Nephrology</i> , 2017, 87, 188-195.	0.4	10
215	<i>Yorkie</i> Facilitates Organ Growth and Metamorphosis in Bombyx. <i>International Journal of Biological Sciences</i> , 2016, 12, 917-930.	2.6	15
216	Rapid Identification of Potential Drugs for Diabetic Nephropathy Using Whole-Genome Expression Profiles of Glomeruli. <i>BioMed Research International</i> , 2016, 2016, 1-13.	0.9	6

#	ARTICLE	IF	CITATIONS
217	Long-term outcomes in antineutrophil cytoplasmic autoantibody- positive eosinophilic granulomatosis with polyangiitis patients with renal involvement: a retrospective study of 14 Chinese patients. BMC Nephrology, 2016, 17, 101.	0.8	8
218	Preparation and characterization of silymarin synchronized-release microporous osmotic pump tablets. Drug Design, Development and Therapy, 2016, 10, 519.	2.0	9
219	MP335HYPERPHOSPHATEMIA: A MARKER OF RENAL INJURY AND OUTCOME IN PATIETS WITH EARLY STAGE DIABETIC NEPHROPATHY. Nephrology Dialysis Transplantation, 2016, 31, i450-i450.	0.4	0
220	Double Filtration Plasmapheresis in the Treatment of Antineutrophil Cytoplasmic Autoantibody Associated Vasculitis With Severe Renal Failure: A Preliminary Study of 15 Patients. Therapeutic Apheresis and Dialysis, 2016, 20, 183-188.	0.4	10
221	Identification of G8969>A in mitochondrial ATP6 gene that severely compromises ATP synthase function in a patient with IgA nephropathy. Scientific Reports, 2016, 6, 36313.	1.6	28
222	Toll-like Receptor 9 Can be Activated by Endogenous Mitochondrial DNA to Induce Podocyte Apoptosis. Scientific Reports, 2016, 6, 22579.	1.6	90
223	Comprehensive Analysis of Complement Genes in Patients with Atypical Hemolytic Uremic Syndrome. American Journal of Nephrology, 2016, 43, 160-169.	1.4	34
224	Maternal exposure to di-n-butyl phthalate (DBP) induces combined anorectal and urogenital malformations in male rat offspring. Reproductive Toxicology, 2016, 61, 169-176.	1.3	26
225	Significance of mast cell renal infiltration in patients with anti-GBM nephritis. Renal Failure, 2016, 38, 906-913.	0.8	4
226	Long-term outcome of mycophenolate mofetil treatment for patients with microscopic polyangiitis: an observational study in Chinese patients. Rheumatology International, 2016, 36, 967-974.	1.5	4
227	Time to Strengthen Our Knowledge in the Areas of Acid-Base and Electrolytes. Kidney Diseases (Basel, Tj ETQq1 1 0.784314 ggBT /Over	1.2	0
228	Summary of ISN Forefronts Symposium 2015: â€˜Immunomodulation of Cardio-Renal Functionâ€™. Kidney International Reports, 2016, 1, 156-165.	0.4	0
229	CPAP for Prevention of Cardiovascular Events in Obstructive Sleep Apnea. New England Journal of Medicine, 2016, 375, 919-931.	13.9	1,544
230	The Clinical Presentation and Management of Systemic Light-Chain Amyloidosis in China. Kidney Diseases (Basel, Switzerland), 2016, 2, 1-9.	1.2	24
231	Urinary fibrinogen and renal tubulointerstitial fibrinogen deposition: Discriminating between primary FSGS and minimal change disease. Biochemical and Biophysical Research Communications, 2016, 478, 1147-1152.	1.0	11
232	A hepatitis B-free generation in China: from dream to reality. Lancet Infectious Diseases, The, 2016, 16, 1103-1105.	4.6	13
233	Development of solidified self-microemulsifying delivery systems with enhanced stability of sirolimus and extended release. International Journal of Pharmaceutics, 2016, 513, 255-261.	2.6	17
234	Comparing the GFR estimation equations using both creatinine and cystatin c to predict the long-term renal outcome in type 2 diabetic nephropathy patients. Journal of Diabetes and Its Complications, 2016, 30, 1478-1487.	1.2	8

#	ARTICLE	IF	CITATIONS
235	Rhein reversal of DNA hypermethylation-associated Klotho suppression ameliorates renal fibrosis in mice. <i>Scientific Reports</i> , 2016, 6, 34597.	1.6	52
236	C3 glomerulonephritis in multiple myeloma. <i>Medicine (United States)</i> , 2016, 95, e4843.	0.4	6
237	HLA-DR, and not PLA2R, is expressed on the podocytes in kidney allografts in de novo membranous nephropathy. <i>Medicine (United States)</i> , 2016, 95, e4809.	0.4	10
238	Clinico-pathological characteristics and outcomes of patients with biopsy-proven hypertensive nephrosclerosis: a retrospective cohort study. <i>BMC Nephrology</i> , 2016, 17, 42.	0.8	30
239	Ultrastructural characterization of the pronephric glomerulus development in zebrafish. <i>Journal of Morphology</i> , 2016, 277, 1104-1112.	0.6	16
240	The evolution of morphological variants of focal segmental glomerulosclerosis: a repeat biopsy-based observation. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 87-95.	0.4	10
241	Combined Assessment of Phospholipase A2 Receptor Autoantibodies and Glomerular Deposits in Membranous Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 3195-3203.	3.0	67
242	Clinical Morphological Features and Outcomes of Lupus Podocytopathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 585-592.	2.2	95
243	Bortezomib with dexamethasone as first-line treatment for AL amyloidosis with renal involvement. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2016, 23, 51-57.	1.4	14
244	Asparaginase-associated concurrence of hyperlipidemia, hyperglobulinemia, and thrombocytosis was successfully treated by centrifuge/membrane hybrid double-filtration plasmapheresis. <i>Journal of Clinical Lipidology</i> , 2016, 10, 646-649.	0.6	3
245	MicroRNA-196a/b Mitigate Renal Fibrosis by Targeting TGF- β 2 Receptor 2. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 3006-3021.	3.0	61
246	Sarcopenia in patients undergoing maintenance hemodialysis: incidence rate, risk factors and its effect on survival risk. <i>Renal Failure</i> , 2016, 38, 364-371.	0.8	101
247	Long-term outcome of IgA nephropathy with minimal change disease: a comparison between patients with and without minimal change disease. <i>Journal of Nephrology</i> , 2016, 29, 567-573.	0.9	11
248	Etiology and Outcome of Crescentic Glomerulonephritis From a Single Center in China: A 10-Year Review. <i>American Journal of Kidney Diseases</i> , 2016, 67, 376-383.	2.1	43
249	TGF- β 2 induces miR-30d down-regulation and podocyte injury through Smad2/3 and HDAC3-associated transcriptional repression. <i>Journal of Molecular Medicine</i> , 2016, 94, 291-300.	1.7	36
250	Comparison of Glomerular and Podocyte mRNA Profiles in Streptozotocin-Induced Diabetes. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 1006-1014.	3.0	37
251	Risk factors of venous thromboembolism in focal segmental glomerulosclerosis with nephrotic syndrome. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 212-217.	0.7	25
252	Comparison between patients with IgA nephropathy with minimal change disease and patients with minimal change disease. <i>Clinical Nephrology</i> , 2016, 85 (2016), 273-281.	0.4	6

#	ARTICLE	IF	CITATIONS
253	Clinicopathological features and prognosis of Kimura's disease with renal involvement in Chinese patients. <i>Clinical Nephrology</i> , 2016, 85 (2016), 332-339.	0.4	16
254	Peritoneal dialysis treatment for severe lupus nephritis patients complicated with essential organ dysfunction. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 2253-2258.	0.8	1
255	CD47 deficiency ameliorates autoimmune nephritis in Fas ^{lpr} mice by suppressing IgG autoantibody production. <i>Journal of Pathology</i> , 2015, 237, 285-295.	2.1	18
256	Increased miR-374b promotes cell proliferation and the production of aberrant glycosylated IgA1 in B cells of IgA nephropathy. <i>FEBS Letters</i> , 2015, 589, 4019-4025.	1.3	48
257	Clinical and morphological features of collagen type III glomerulopathy: a report of nine cases from a single institution. <i>Histopathology</i> , 2015, 67, 568-576.	1.6	6
258	MicroRNA-30 family members regulate calcium/calcineurin signaling in podocytes. <i>Journal of Clinical Investigation</i> , 2015, 125, 4091-4106.	3.9	112
259	East Meets West: Harmony but Not Uniformity. <i>Kidney Diseases (Basel, Switzerland)</i> , 2015, 1, 1-3.	1.2	1
260	Regulation of MUTYH, a DNA Repair Enzyme, in Renal Proximal Tubular Epithelial Cells. <i>Oxidative Medicine and Cellular Longevity</i> , 2015, 2015, 1-9.	1.9	7
261	SP464RENAL HISTOLOGICAL INJURY AND THE PROGRESSION IN NORMOALBUMINURIA TYPE 2 DIABETIC PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii533-iii533.	0.4	0
262	Current Clinical Research of Acute Kidney Injury in China. <i>Chinese Medical Journal</i> , 2015, 128, 1268-1271.	0.9	5
263	SP037MITOCHONDRIAL DNA HETEROPLASMY OF THE M.8969G>A: A NOVEL ATPASE 6 MUTATION CONTRIBUTES TO KIDNEY DISEASE. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii392-iii392.	0.4	0
264	Renal histologic changes and the outcome in patients with diabetic nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 257-266.	0.4	170
265	Glycogen Synthase Kinase 3 ^β Orchestrates Microtubule Remodeling in Compensatory Glomerular Adaptation to Podocyte Depletion. <i>Journal of Biological Chemistry</i> , 2015, 290, 1348-1363.	1.6	34
266	Identification of new susceptibility loci for IgA nephropathy in Han Chinese. <i>Nature Communications</i> , 2015, 6, 7270.	5.8	109
267	CYP3A4 ^{*18B} and CYP3A5 ^{*3} polymorphisms contribute to pharmacokinetic variability of cyclosporine among healthy Chinese subjects. <i>European Journal of Pharmaceutical Sciences</i> , 2015, 76, 238-244.	1.9	10
268	Circulating Mitochondrial DAMPs Are Not Effective Inducers of Proteinuria and Kidney Injury in Rodents. <i>PLoS ONE</i> , 2015, 10, e0124469.	1.1	24
269	Differential microRNA expression in aristolochic acid-induced upper urothelial tract cancers ex vivo. <i>Molecular Medicine Reports</i> , 2015, 12, 6533-6546.	1.1	21
270	Role of Myeloid-Derived Suppressor Cells in Glucocorticoid-Mediated Amelioration of FSGS. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 2183-2197.	3.0	31

#	ARTICLE	IF	CITATIONS
271	The clinical features and outcomes of systemic AL amyloidosis: a cohort of 231 Chinese patients. <i>CKJ: Clinical Kidney Journal</i> , 2015, 8, 120-126.	1.4	46
272	A Prospective International Multicenter Study of AKI in the Intensive Care Unit. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 1324-1331.	2.2	206
273	Randomized Controlled Trial to Evaluate Regional Citrate Anticoagulation Plus Low-Dose of Dalteparin in Continuous Veno-Venous Hemofiltration. <i>Blood Purification</i> , 2015, 39, 306-312.	0.9	14
274	Pathological spectrums and renal prognosis of severe lupus patients with rapidly progressive glomerulonephritis. <i>Rheumatology International</i> , 2015, 35, 709-717.	1.5	11
275	Reversal of active glomerular lesions after immunosuppressive therapy in patients with IgA nephropathy: a repeat-biopsy based observation. <i>Journal of Nephrology</i> , 2015, 28, 441-449.	0.9	70
276	Fluid overload at start of continuous renal replacement therapy is associated with poorer clinical condition and outcome: a prospective observational study on the combined use of bioimpedance vector analysis and serum N-terminal pro-B-type natriuretic peptide measurement. <i>Critical Care</i> , 2015, 19, 135.	2.5	46
277	The Application of Urinary Proteomics for the Detection of Biomarkers of Kidney Diseases. <i>Advances in Experimental Medicine and Biology</i> , 2015, 845, 151-165.	0.8	10
278	Prediction of Renal Outcomes in Patients With Crescentic Lupus Nephritis. <i>American Journal of the Medical Sciences</i> , 2015, 349, 298-305.	0.4	12
279	Vascular calcification burden of Chinese patients with chronic kidney disease: methodology of a cohort study. <i>BMC Nephrology</i> , 2015, 16, 129.	0.8	13
280	Multitarget Therapy for Induction Treatment of Lupus Nephritis. <i>Annals of Internal Medicine</i> , 2015, 162, 18-26.	2.0	308
281	ACE-inhibition increases podocyte number in experimental glomerular disease independent of proliferation. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015, 16, 234-248.	1.0	31
282	Plasma MicroRNA-186 and Proteinuria in Focal Segmental Glomerulosclerosis. <i>American Journal of Kidney Diseases</i> , 2015, 65, 223-232.	2.1	38
283	Glomerular endothelial cell injury and cross talk in diabetic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, F287-F297.	1.3	200
284	Hemolytic uremic syndrome complicated with IgA nephropathy: a case report and literature review. <i>Clinical Nephrology</i> , 2015, 83 (2015), 36-40.	0.4	5
285	Clinical and morphological features of fibronectin glomerulopathy: a report of ten patients from a single institution. <i>Clinical Nephrology</i> , 2015, 83 (2015), 93-99.	0.4	12
286	BK Virus-Associated Nephropathy with Plasma Cell-Rich Infiltrates Treated by Bortezomib-Based Regimen. <i>Experimental and Clinical Transplantation</i> , 2015, 13, 603-6.	0.2	1
287	Renal Involvement in Non-Hodgkin Lymphoma: Proven by Renal Biopsy. <i>PLoS ONE</i> , 2014, 9, e95190.	1.1	51
288	Long-Term Outcome of IgA Nephropathy Patients with Recurrent Macroscopic Hematuria. <i>American Journal of Nephrology</i> , 2014, 40, 43-50.	1.4	29

#	ARTICLE	IF	CITATIONS
289	MiR-223 downregulation promotes glomerular endothelial cell activation by upregulating importin β 4 and β 5 in IgA nephropathy. <i>Kidney International</i> , 2014, 85, 624-635.	2.6	59
290	Acute kidney injury induced by aristolochic acid in patients with primary glomerular nephritis. <i>Renal Failure</i> , 2014, 36, 367-371.	0.8	2
291	Relationship between Serum Soluble Urokinase Plasminogen Activator Receptor Level and Steroid Responsiveness in FSGS. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 1903-1911.	2.2	33
292	Evaluation of MicroRNAs miR-196a, miR-30a-5P, and miR-490 as Biomarkers of Disease Activity among Patients with FSGS. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 1545-1552.	2.2	75
293	Impact of Continuous Quality Improvement Initiatives on Clinical Outcomes in Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2014, 34, 43-48.	1.1	23
294	Clinicopathological characteristics and outcomes of pediatric patients with systemic small blood vessel vasculitis. <i>Pediatric Nephrology</i> , 2014, 29, 2365-2371.	0.9	5
295	The spectrum of biopsy-proven kidney diseases in elderly Chinese patients. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 2251-2259.	0.4	37
296	Capillary Dilation and Rarefaction Are Correlated with Intracapillary Inflammation in Antibody-Mediated Rejection. <i>Journal of Immunology Research</i> , 2014, 2014, 1-10.	0.9	10
297	Overview of lupus nephritis management guidelines and perspective from Asia. <i>Nephrology</i> , 2014, 19, 11-20.	0.7	59
298	Induction therapy with bortezomib and dexamethasone followed by autologous stem cell transplantation versus autologous stem cell transplantation alone in the treatment of renal AL amyloidosis: a randomized controlled trial. <i>BMC Medicine</i> , 2014, 12, 2.	2.3	69
299	Clinico-pathological features and outcomes of patients with propylthiouracil-associated ANCA vasculitis with renal involvement. <i>Journal of Nephrology</i> , 2014, 27, 159-164.	0.9	13
300	Podocyte autophagic activity plays a protective role in renal injury and delays the progression of podocytopathies. <i>Journal of Pathology</i> , 2014, 234, 203-213.	2.1	63
301	Downregulation of MicroRNA-30 Facilitates Podocyte Injury and Is Prevented by Glucocorticoids. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 92-104.	3.0	156
302	Glycogen Synthase Kinase β 2 Dictates Podocyte Motility and Focal Adhesion Turnover by Modulating Paxillin Activity. <i>American Journal of Pathology</i> , 2014, 184, 2742-2756.	1.9	50
303	Inhibition of miRNA-21 prevents fibrogenic activation in podocytes and tubular cells in IgA nephropathy. <i>Biochemical and Biophysical Research Communications</i> , 2014, 444, 455-460.	1.0	58
304	A Unique Case of λ 3-heavy Chain Deposition Disease Characterized by Concomitant Deposition of λ 32 and λ 34 Subclasses. <i>Internal Medicine</i> , 2014, 53, 2615-2618.	0.3	3
305	Decreased Platelet Count in Patients Receiving Continuous Veno-Venous Hemofiltration: A Single-Center Retrospective Study. <i>PLoS ONE</i> , 2014, 9, e97286.	1.1	16
306	A Non-Invasive Laboratory Panel as a Diagnostic and Prognostic Biomarker for Thrombotic Microangiopathy: Development and Application in a Chinese Cohort Study. <i>PLoS ONE</i> , 2014, 9, e111992.	1.1	9

#	ARTICLE	IF	CITATIONS
307	Clinical value of optimized magnetic resonance imaging for evaluation of patients with painful hip arthroplasty. Chinese Medical Journal, 2014, 127, 3876-80.	0.9	5
308	Endotoxemia after high cutoff hemodialysis for treatment of patient with multiple myeloma can be prevented by using ultrapure dialysate: A case report. Hemodialysis International, 2013, 17, 618-623.	0.4	6
309	Treatment of diabetic nephropathy with Tripterygium wilfordii Hook F extract: a prospective, randomized, controlled clinical trial. Journal of Translational Medicine, 2013, 11, 134.	1.8	54
310	The primary glomerulonephritides: a systems biology approach. Nature Reviews Nephrology, 2013, 9, 500-512.	4.1	21
311	Nephrology in China. Nature Reviews Nephrology, 2013, 9, 523-528.	4.1	239
312	The relationship between obesity and diabetic nephropathy in China. BMC Nephrology, 2013, 14, 69.	0.8	14
313	Significance of Histological Crescent Formation in Patients with Diffuse Proliferative Lupus Nephritis. American Journal of Nephrology, 2013, 38, 445-452.	1.4	23
314	Corticosteroid therapy in IgA nephropathy with minimal change-like lesions: a single-centre cohort study. Nephrology Dialysis Transplantation, 2013, 28, 2339-2345.	0.4	25
315	Anthropometry of the Proximal Tibia of Patients With Knee Arthritis in Shanghai. Journal of Arthroplasty, 2013, 28, 778-783.	1.5	18
316	Kidney failure: aims for the next 10 years and barriers to success. Lancet, The, 2013, 382, 353-362.	6.3	50
317	Detection of Anti-PLA2R Autoantibodies and IgG Subclasses in Post-allogeneic Hematopoietic Stem Cell Transplantation Membranous Nephropathy. American Journal of the Medical Sciences, 2013, 346, 32-37.	0.4	38
318	Podocyte repopulation by renal progenitor cells following glucocorticoids treatment in experimental FSGS. American Journal of Physiology - Renal Physiology, 2013, 304, F1375-F1389.	1.3	97
319	Roles of Mast Cells and Monocyte Chemoattractant Protein-1 in the Renal Injury of Obesity-related Glomerulopathy. American Journal of the Medical Sciences, 2013, 346, 295-301.	0.4	15
320	More Selective Removal of Myeloperoxidase Anti-Neutrophil Cytoplasmic Antibody From the Circulation of Patients With Vasculitides Using a Novel Double Filtration Plasmapheresis Therapy. Therapeutic Apheresis and Dialysis, 2013, 17, 93-98.	0.4	11
321	Rhein Protects Pancreatic Î²-Cells From Dynamin-Related Protein-1 Mediated Mitochondrial Fission and Cell Apoptosis Under Hyperglycemia. Diabetes, 2013, 62, 3927-3935.	0.3	63
322	The Diagnostic Value of Transcription Factors T-bet/GATA3 Ratio in Predicting Antibody-Mediated Rejection. Clinical and Developmental Immunology, 2013, 2013, 1-6.	3.3	3
323	Immunophenotyping in BK Virus Allograft Nephropathy Distinct from Acute Rejection. Clinical and Developmental Immunology, 2013, 2013, 1-8.	3.3	7
324	The clinical course and long-term outcome of primary focal segmental glomerulosclerosis in Chinese adults. Clinical Nephrology, 2013, 80, 130-139.	0.4	21

#	ARTICLE	IF	CITATIONS
325	Long-term outcome and prognostic factors of idiopathic membranous nephropathy in the Chinese population. <i>Clinical Nephrology</i> , 2013, 79, 445-453.	0.4	36
326	The role of renal damage on cardiac remodeling in patients with diabetic nephropathy. <i>Clinical Nephrology</i> , 2013, 80, 249-255.	0.4	6
327	HLA-DR Overexpression in Tubules of Renal Allografts During Early and Late Renal Allograft Injuries. <i>Experimental and Clinical Transplantation</i> , 2013, 11, 499-506.	0.2	6
328	De novo expression of podocyte proteins in parietal epithelial cells in experimental aging nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, F571-F580.	1.3	67
329	Long-term renal survival and related risk factors in patients with IgA nephropathy: results from a cohort of 1155 cases in a Chinese adult population. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1479-1485.	0.4	269
330	Endothelial injury in transplant glomerulopathy is correlated with transcription factor T-bet expression. <i>Kidney International</i> , 2012, 82, 321-329.	2.6	20
331	A genome-wide association study in Han Chinese identifies multiple susceptibility loci for IgA nephropathy. <i>Nature Genetics</i> , 2012, 44, 178-182.	9.4	256
332	Retinoids Augment the Expression of Podocyte Proteins by Glomerular Parietal Epithelial Cells in Experimental Glomerular Disease. <i>Nephron Experimental Nephrology</i> , 2012, 121, e23-e37.	2.4	76
333	Delayed Renal Function Recovery From Drug-Induced Acute Interstitial Nephritis. <i>American Journal of the Medical Sciences</i> , 2012, 343, 36-39.	0.4	6
334	Inhibition of glycogen synthase kinase-3 β prevents NSAID-induced acute kidney injury. <i>Kidney International</i> , 2012, 81, 662-673.	2.6	63
335	Picking transplant glomerulopathy out of the CAN: evidence from a clinico-pathological evaluation. <i>BMC Nephrology</i> , 2012, 13, 128.	0.8	6
336	Validation of the Oxford classification of IgA nephropathy for pediatric patients from China. <i>BMC Nephrology</i> , 2012, 13, 158.	0.8	70
337	Thromboembolic complications in membranous nephropathy patients with nephrotic syndrome-a prospective study. <i>Thrombosis Research</i> , 2012, 130, 501-505.	0.8	42
338	A Multicenter Application and Evaluation of the Oxford Classification of IgA Nephropathy in Adult Chinese Patients. <i>American Journal of Kidney Diseases</i> , 2012, 60, 812-820.	2.1	135
339	The Prevalence of Immunologic Injury in Renal Allograft Recipients with De Novo Proteinuria. <i>PLoS ONE</i> , 2012, 7, e36654.	1.1	8
340	Mixed Organic Solvents Induce Renal Injury in Rats. <i>PLoS ONE</i> , 2012, 7, e45873.	1.1	13
341	Evaluation of vascular lesions using circulating endothelial cells in renal transplant patients. <i>Clinical Transplantation</i> , 2012, 26, E344-50.	0.8	6
342	Biomarkers of endothelial dysfunction in patients with primary focal segmental glomerulosclerosis. <i>Nephrology</i> , 2012, 17, 338-345.	0.7	31

#	ARTICLE	IF	CITATIONS
343	Heart-Type Fatty Acid Binding Protein Is Associated with Proteinuria in Obesity. <i>PLoS ONE</i> , 2012, 7, e45691.	1.1	17
344	Primary focal segmental glomerulosclerosis in nephrotic patients: common complications and risk factors. <i>Journal of Nephrology</i> , 2012, 25, 679-688.	0.9	11
345	Clinical and pathological features of dense deposit disease in Chinese patients. <i>Clinical Nephrology</i> , 2012, 78, 207-215.	0.4	4
346	Clinical and pathological spectrums of aristolochic acid nephropathy. <i>Clinical Nephrology</i> , 2012, 78, 54-60.	0.4	28
347	Evaluation of Metabolic Risk Marker in Obesity-related Glomerulopathy. , 2011, 21, 309-315.		16
348	Renal biopsy in type 2 diabetes: Timing of complications and evaluating of safety in Chinese patients. <i>Nephrology</i> , 2011, 16, 100-105.	0.7	22
349	Predominance of Intraglomerular T-bet or GATA3 May Determine Mechanism of Transplant Rejection. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 246-252.	3.0	21
350	Anti-Phospholipase A2 Receptor Antibody in Membranous Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 1137-1143.	3.0	366
351	De novo development of circulating anti-endothelial cell antibodies rather than pre-existing antibodies is associated with post-transplant allograft rejection. <i>Kidney International</i> , 2011, 79, 655-662.	2.6	60
352	Improvement of Immune Dysfunction in Patients with Severe Acute Pancreatitis by High-Volume Hemofiltration: A Preliminary Report. <i>International Journal of Artificial Organs</i> , 2010, 33, 22-29.	0.7	24
353	Crush Syndrome after the Wenchuan Earthquake: New Experience with Regional Citrate Anticoagulation Continuous Veno-Venous Hemofiltration. <i>International Journal of Artificial Organs</i> , 2010, 33, 114-122.	0.7	2
354	Obesity-Related Glomerulopathy. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 1401-1409.	2.2	80
355	Triptolide reduces proteinuria in experimental membranous nephropathy and protects against C5b-9-induced podocyte injury in vitro. <i>Kidney International</i> , 2010, 77, 974-988.	2.6	107
356	Treatment of db/db diabetic mice with triptolide: a novel therapy for diabetic nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3539-3547.	0.4	77
357	Lei-Shi Li: a giant in international nephrology. <i>Kidney International</i> , 2010, 77, 1051-1052.	2.6	0
358	Evaluation of podocyte lesion in patients with diabetic nephropathy: Wilms's tumor-1 protein used as a podocyte marker. <i>Diabetes Research and Clinical Practice</i> , 2010, 87, 167-175.	1.1	74
359	The Oxford classification of IgA nephropathy: pathology definitions, correlations, and reproducibility. <i>Kidney International</i> , 2009, 76, 546-556.	2.6	892
360	Clinical features and renal outcome in lupus patients with diffuse crescentic glomerulonephritis. <i>Rheumatology International</i> , 2009, 30, 45-49.	1.5	16

#	ARTICLE	IF	CITATIONS
361	Ultrastructural changes in the glomerular filtration barrier and occurrence of proteinuria in Chinese patients with type 2 diabetic nephropathy. <i>Diabetes Research and Clinical Practice</i> , 2009, 86, 199-207.	1.1	19
362	The Oxford classification of IgA nephropathy: rationale, clinicopathological correlations, and classification. <i>Kidney International</i> , 2009, 76, 534-545.	2.6	1,028
363	Criteria of human-computer interface design for computer assisted surgery systems. <i>Journal of Shanghai Jiaotong University (Science)</i> , 2008, 13, 538-541.	0.5	1
364	Effects of mycophenolate mofetil for patients with crescentic lupus nephritis. <i>Nephrology</i> , 2008, 13, 702-707.	0.7	32
365	Obesity-Related Glomerulopathy in China: A Case Series of 90 Patients. <i>American Journal of Kidney Diseases</i> , 2008, 52, 58-65.	2.1	86
366	Etiology and Clinical Characteristics of Membranous Nephropathy in Chinese Patients. <i>American Journal of Kidney Diseases</i> , 2008, 52, 691-698.	2.1	53
367	Successful Treatment of Class V+IV Lupus Nephritis with Multitarget Therapy. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 2001-2010.	3.0	263
368	Circulating Anti-endothelial Cell Antibodies Are Associated with Poor Outcome in Renal Allograft Recipients with Acute Rejection. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 1479-1486.	2.2	31
369	Triptolide protects podocytes from puromycin aminonucleoside induced injury in vivo and in vitro. <i>Kidney International</i> , 2008, 74, 596-612.	2.6	117
370	Mycophenolate mofetil versus cyclophosphamide for inducing remission of ANCA vasculitis with moderate renal involvement. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 1307-1312.	0.4	146
371	Podocyte Lesions in Patients With Obesity-Related Glomerulopathy. <i>American Journal of Kidney Diseases</i> , 2006, 48, 772-779.	2.1	164
372	Tacrolimus combined with mycophenolate mofetil can effectively reverse C4d-positive steroid-resistant acute rejection in Chinese renal allograft recipients. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 510-517.	0.4	29
373	Obesity-Related Glomerulopathy: Insights from Gene Expression Profiles of the Glomeruli Derived from Renal Biopsy Samples. <i>Endocrinology</i> , 2006, 147, 44-50.	1.4	149
374	Staphylococcal protein A immunoadsorption for Goodpasture's syndrome in four Chinese patients. <i>Journal of Nephrology</i> , 2006, 19, 312-7.	0.9	16
375	Detectable Circulating Antiendothelial Cell Antibodies in Renal Allograft Recipients with C4d-Positive Acute Rejection: A Report of Three Cases. <i>Transplantation</i> , 2005, 79, 1759-1762.	0.5	24
376	Tumour induction in rats following exposure to short-term high dose aristolochic acid I. <i>Mutagenesis</i> , 2005, 20, 45-49.	1.0	32
377	Effects of mycophenolic acid on endothelial cells. <i>International Immunopharmacology</i> , 2005, 5, 1029-1039.	1.7	53
378	Prognosis of microscopic polyangiitis with renal involvement: report of 60 Chinese patients. <i>Chinese Medical Journal</i> , 2005, 118, 2089-92.	0.9	6

#	ARTICLE	IF	CITATIONS
379	Epidemiologic data of renal diseases from a single unit in China: Analysis based on 13,519 renal biopsies. <i>Kidney International</i> , 2004, 66, 920-923.	2.6	383
380	Glomerular expression of C-C chemokines in different types of human crescentic glomerulonephritis. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 1526-1534.	0.4	33
381	Pathological demography of native patients in a nephrology center in China. <i>Chinese Medical Journal</i> , 2003, 116, 1377-81.	0.9	20
382	Clinical spectrum of diffuse crescentic glomerulonephritis in Chinese patients. <i>Chinese Medical Journal</i> , 2003, 116, 1737-40.	0.9	11
383	Idiopathic IgA Nephropathy with Diffuse Crescent Formation. <i>American Journal of Nephrology</i> , 2002, 22, 480-486.	1.4	42
384	Sex Differences in Estrogen Receptor Gene Polymorphism and Its Association with Lupus Nephritis in Chinese. <i>Nephron</i> , 2002, 90, 174-180.	0.9	53
385	Mycophenolate mofetil vs cyclophosphamide therapy for patients with diffuse proliferative lupus nephritis. <i>Chinese Medical Journal</i> , 2002, 115, 705-9.	0.9	45
386	Glucose transporter (GLUT1) allele (XbaI ⁺) associated with nephropathy in non-insulin-dependent diabetes mellitus. <i>Kidney International</i> , 1999, 55, 1843-1848.	2.6	57
387	Polymorphism in IgA nephropathy. <i>Nephrology</i> , 1997, 3, 63-66.	0.7	4