Bengü Å**ž**ylan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5230178/publications.pdf

Version: 2024-02-01

1162889 996849 22 249 8 15 citations g-index h-index papers 25 25 25 580 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Factors associated with mortality in younger and older (≥75 years) hospitalized patients with community-acquired pneumonia. Annals of Saudi Medicine, 2022, 42, 45-51.	0.5	4
2	Tracheal Stenosis After Prolonged Intubation Due to COVID-19. Journal of Cardiothoracic and Vascular Anesthesia, 2022, 36, 2948-2953.	0.6	7
3	The Effects of Immunosuppressive Therapy on Mortality in Patients Followed in Intensive Care Units with the Diagnosis of Critical Coronavirus Disease-2019 Pneumonia. İstanbul Medical Journal:, 2022, 23, 113-118.	0.1	0
4	The Comparison Between Non-High Risk Patients with and Without Cancer Diagnosed with Pulmonary Embolism. Medeniyet Medical Journal, 2021, 36, 30-35.	0.4	1
5	CT visual quantitative evaluation of hypertensive patients with coronavirus disease (COVID-19): Potential influence of angiotensin converting enzyme inhibitors / angiotensin receptor blockers on severity of lung involvement. Clinical and Experimental Hypertension, 2021, 43, 341-348.	0.5	0
6	Analysis of Severe and Critical COVID-19 Patients Treated With Favipiravir: A Retrospective Cohort Study. The Journal of Pediatric Academy, 2021, 2, 43-49.	0.1	0
7	Evaluation of the effectiveness and safety of adding ivermectin to treatment in severe COVID-19 patients. BMC Infectious Diseases, 2021, 21, 411.	1.3	71
8	Comparative assessment of outcomes of smoking cessation therapies and role of free medications in successful long-term abstinence. Tobacco Induced Diseases, 2021, 19, 1-9.	0.3	4
9	COVID-19 and thrombosis: Prophylaxis and management. Tuberkuloz Ve Toraks, 2021, 69, 269-278.	0.2	6
10	Patients with hypertension hospitalized with COVID-19 pneumonia using angiotensinconverting enzyme inhibitors and angiotensin II receptor blockers or other antihypertensives: retrospective analysis of 435 patients. Annals of Saudi Medicine, 2021, 41, 268-273.	0.5	0
11	Patients with hypertension hospitalized with COVID-19 pneumonia using angiotensinconverting enzyme inhibitors and angiotensin II receptor blockers or other antihypertensives: retrospective analysis of 435 patients. Annals of Saudi Medicine, 2021, 41, 268-273.	0.5	O
12	Smoking and comorbidities are associated with COVID-19 severity and mortality in 565 patients treated in Turkey: a retrospective observational study. Revista Da Associação Médica Brasileira, 2020, 66, 1679-1684.	0.3	24
13	Therapeutic dosing of low-molecular-weight heparin may decrease mortality in patients with severe COVID-19 infection. Annals of Saudi Medicine, 2020, 40, 462-468.	0.5	22
14	Analysis of pulmonary embolism patients treated with EkoSonicTM endovascular system. Turkish Journal of Thoracic and Cardiovascular Surgery, 2020, 28, 301-307.	0.2	0
15	Retrospective analysis of severe COVID-19 pneumonia patients treated with lopinavir/ritonavir: A comparison with survivor and non-survivor patients. Southern African Journal of Infectious Diseases, 2020, 35, 233.	0.3	2
16	Bronchopulmonary 'Pseudo' Sequestration. Respiratory Case Reports, 2019, 8, 119-122.	0.0	0
17	Analysis of prognosis in hospitalized elderly patients with pneumonia according to age groups. Týrkiye Aile Hekimliği Dergisi, 2017, 21, 109-117.	0.4	O
18	Importance of Inhaler Device Use Status in the Control of Asthma in Adults: The Asthma Inhaler Treatment Study. Respiratory Care, 2014, 59, 223-230.	0.8	33

#	Article	IF	CITATIONS
19	Combination and comparison of two models in prognosis of pulmonary embolism: Results from TUrkey Pulmonary Embolism Group (TUPEG) study. Thrombosis Research, 2014, 133, 1006-1010.	0.8	10
20	A cross sectional observational study on the influence of chronic obstructive pulmonary disease on activities of daily living: the COPD-Life study. Tuberkuloz Ve Toraks, 2012, 60, 1-12.	0.2	19
21	Evaluation of inhaler technique and patient satisfaction with fixed-combination budesonide/formoterol dry-powder inhaler in chronic obstructive pulmonary disease (COPD): data on real-life clinical practice in Turkey. Tuberkuloz Ve Toraks, 2012, 60, 301-313.	0.2	16
22	A cross-sectional observational study to investigate daily symptom variability, effects of symptom on morning activities and therapeutic expectations of patients and physicians in COPD-SUNRISE study. Tuberkuloz Ve Toraks, 2011, 59, 328-339.	0.2	25