

Srikanth Bellary

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5231363/publications.pdf>

Version: 2024-02-01

67
papers

2,504
citations

331670
21
h-index

214800
47
g-index

68
all docs

68
docs citations

68
times ranked

5019
citing authors

#	ARTICLE	IF	CITATIONS
1	Type 2 diabetes in adolescents and young adults. Lancet Diabetes and Endocrinology, 2018, 6, 69-80.	11.4	493
2	Health and population effects of rare gene knockouts in adult humans with related parents. Science, 2016, 352, 474-477.	12.6	272
3	Type 2 diabetes and cardiovascular risk in the UK south Asian community. Diabetologia, 2006, 49, 2234-2246.	6.3	188
4	Type 2 diabetes mellitus in older adults: clinical considerations and management. Nature Reviews Endocrinology, 2021, 17, 534-548.	9.6	186
5	Higher Prevalence of Retinopathy in Diabetic Patients of South Asian Ethnicity Compared With White Europeans in the Community. Diabetes Care, 2009, 32, 410-415.	8.6	125
6	Enhanced diabetes care to patients of south Asian ethnic origin (the United Kingdom Asian Diabetes) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	18.7	124
7	An <i>FTO</i> variant is associated with Type 2 diabetes in South Asian populations after accounting for body mass index and waist circumference. Diabetic Medicine, 2011, 28, 673-680.	2.3	77
8	Premature cardiovascular events and mortality in south Asians with type 2 diabetes in the United Kingdom Asian Diabetes Study – effect of ethnicity on risk. Current Medical Research and Opinion, 2010, 26, 1873-1879.	1.9	73
9	Impact of bariatric surgery on cardiovascular outcomes and mortality: a population-based cohort study. British Journal of Surgery, 2020, 107, 432-442.	0.3	59
10	Plasma irisin levels predict telomere length in healthy adults. Age, 2014, 36, 995-1001.	3.0	58
11	Telomere Length Attrition, a Marker of Biological Senescence, Is Inversely Correlated with Triglycerides and Cholesterol in South Asian Males with Type 2 Diabetes Mellitus. Experimental Diabetes Research, 2012, 2012, 1-7.	3.8	56
12	Renal Protection with SGLT2 Inhibitors: Effects in Acute and Chronic Kidney Disease. Current Diabetes Reports, 2022, 22, 39-52.	4.2	55
13	Circadian Gene Variants and Susceptibility to Type 2 Diabetes: A Pilot Study. PLoS ONE, 2012, 7, e32670.	2.5	52
14	Plasma irisin is elevated in type 2 diabetes and is associated with increased E-selectin levels. Cardiovascular Diabetology, 2017, 16, 147.	6.8	46
15	Comparison of body mass index at diagnosis of diabetes in a multi-ethnic population: a case-control study with matched non-diabetic controls. Diabetes, Obesity and Metabolism, 2017, 19, 1014-1023.	4.4	45
16	Dietary antioxidant interventions in type 2 diabetes patients: a meta-analysis. British Journal of Diabetes and Vascular Disease, 2011, 11, 62-68.	0.6	40
17	Common variants of the TCF7L2 gene are associated with increased risk of type 2 diabetes mellitus in a UK-resident South Asian population. BMC Medical Genetics, 2008, 9, 8.	2.1	36
18	Clinical guidelines for type 1 diabetes mellitus with an emphasis on older adults: an Executive Summary. Diabetic Medicine, 2020, 37, 53-70.	2.3	30

#	ARTICLE	IF	CITATIONS
19	The promoter polymorphism -232C/G of the PCK1 gene is associated with type 2 diabetes in a UK-resident South Asian population. BMC Medical Genetics, 2009, 10, 83.	2.1	28
20	Overweight status is associated with extensive signs of microvascular dysfunction and cardiovascular risk. Scientific Reports, 2016, 6, 32282.	3.3	25
21	Prevalence and incidence of complications at diagnosis of T2DM and during follow-up by BMI and ethnicity: a matched caseâ€“control analysis. Cardiovascular Diabetology, 2018, 17, 70.	6.8	24
22	Sensor and software use for the glycaemic management of insulin-treated type 1 and type 2 diabetes patients. Diabetes and Vascular Disease Research, 2016, 13, 211-219.	2.0	23
23	Effect of COVID-19 on the clinical course of diabetic ketoacidosis (DKA) in people with type 1 and type 2 diabetes. Endocrine Connections, 2021, 10, 371-377.	1.9	22
24	Inhaled insulin: new technology, new possibilities. International Journal of Clinical Practice, 2006, 60, 728-734.	1.7	21
25	Abnormal retinal vascular function and lipid levels in a sample of healthy UK South Asians. British Journal of Ophthalmology, 2011, 95, 1573-1576.	3.9	21
26	Comparative risk of microalbuminuria and proteinuria in UK residents of south Asian and white European ethnic background with type 2 diabetes: a report from UKADS. Current Medical Research and Opinion, 2011, 27, 47-55.	1.9	20
27	Inhaled insulin (Exubera®): combining efficacy and convenience. Diabetes and Vascular Disease Research, 2006, 3, 179-185.	2.0	19
28	Ethnic differences in health related quality of life for patients with type 2 diabetes. Health and Quality of Life Outcomes, 2014, 12, 83.	2.4	19
29	Description and preliminary results from a structured specialist behavioural weight management group intervention: Specialist Lifestyle Management (SLiM) programme. BMJ Open, 2015, 5, e007217-e007217.	1.9	19
30	Insights for Care: The Healthcare Utilisation and Cost Impact of Managing Type 2 Diabetes-Associated Microvascular Complications. Diabetes Therapy, 2019, 10, 575-585.	2.5	19
31	Prognostic Models for Predicting Remission of Diabetes Following Bariatric Surgery: A Systematic Review and Meta-analysis. Diabetes Care, 2021, 44, 2626-2641.	8.6	19
32	The impact of bariatric surgery on estimated glomerular filtration rate in patients with type 2 diabetes: a retrospective cohort study. Surgery for Obesity and Related Diseases, 2016, 12, 1883-1889.	1.2	18
33	Elevated Serum Free Light Chains Predict Cardiovascular Events in Type 2 Diabetes. Diabetes Care, 2014, 37, 2028-2030.	8.6	16
34	Abnormal Retinal Vascular Reactivity in Individuals with Impaired Glucose Tolerance: A Preliminary Study. , 2012, 53, 5102.		15
35	The Impact of Bariatric Surgery on Incident Microvascular Complications in Patients With Type 2 Diabetes: A Matched Controlled Population-Based Retrospective Cohort Study. Diabetes Care, 2021, 44, 116-124.	8.6	13
36	Pharmacological management of South Asians with type 2 diabetes: Consensus recommendations from the South Asian Health Foundation. Diabetic Medicine, 2021, 38, e14497.	2.3	13

#	ARTICLE	IF	CITATIONS
37	Preoperative weight loss with glucagon-like peptide-1 receptor agonist treatment predicts greater weight loss achieved by the combination of medical weight management and bariatric surgery in patients with type 2 diabetes: <sc>A</sc> longitudinal analysis. Diabetes, Obesity and Metabolism, 2018, 20, 745-748.	4.4	12
38	Achieving glycaemic control without weight gain, hypoglycaemia, or gastrointestinal adverse events in type 2 diabetes in the SUSTAIN clinical trial programme. Diabetes, Obesity and Metabolism, 2018, 20, 2426-2434.	4.4	11
39	Greater Combined Reductions in HbA1C \approx 1.0% and Weight \approx 5.0% with Semaglutide Versus Comparators in type 2 Diabetes. Endocrine Practice, 2019, 25, 589-597.	2.1	10
40	Phenotypic characteristics and risk factors in a multi-ethnic cohort of young adults with type 2 diabetes. Current Medical Research and Opinion, 2019, 35, 1893-1900.	1.9	9
41	Impact of Bariatric Surgery-Induced Weight Loss on Anterior Eye Health in Patients with Obesity. Nutrients, 2022, 14, 2462.	4.1	9
42	Clinical evaluation of a novel test strip technology for blood glucose monitoring: Accuracy at hypoglycaemic glucose levels. Diabetes Research and Clinical Practice, 2012, 98, 430-435.	2.8	7
43	Clinical and Cost Implications of Insulin Degludec in Patients with Type 1 Diabetes and Problematic Hypoglycemia: A Quality Improvement Project. Diabetes Therapy, 2018, 9, 839-849.	2.5	7
44	Inhaled human insulin (Exubera): clinical profile and patient considerations. Vascular Health and Risk Management, 2007, 3, 83-91.	2.3	7
45	Review: Inhaled insulin: overcoming barriers to insulin therapy?. British Journal of Diabetes and Vascular Disease, 2006, 6, 103-108.	0.6	6
46	Microvascular and cardiovascular disease in South Asians: the emerging challenge. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2007, 24, 328-332.	0.2	5
47	What factors influence concordance with medications? Findings from the <sc>UK</sc> Asian Diabetes study. Diabetic Medicine, 2014, 31, 1600-1609.	2.3	5
48	Preventing hypoglycaemia: an elusive quest. Lancet Diabetes and Endocrinology,the, 2016, 4, 635-636.	11.4	5
49	Novel metabolic drugs for the management of type 2 diabetes. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2006, 23, 129-134.	0.2	4
50	The emergence of frailty and sarcopaenia in diabetes mellitus: description of inter-relationships and clinical importance. Cardiovascular Endocrinology, 2016, 5, 40-50.	0.8	4
51	CHD Risk Minimization through Lifestyle Control: Machine Learning Gateway. Scientific Reports, 2020, 10, 4090.	3.3	4
52	Differences in presentation, severity and management of DKA in type 1 and type 2 diabetes during the COVID-19 pandemic. Clinical Medicine, 2021, 21, 1-2.	1.9	4
53	Innovative biomarkers for predicting type 2 diabetes mellitus: relevance to dietary management of frailty in older adults. Biogerontology, 2016, 17, 511-527.	3.9	3
54	Improving management of diabetic kidney disease: will GLP-1 receptor agonists have a role?. Lancet Diabetes and Endocrinology,the, 2020, 8, 870-871.	11.4	3

#	ARTICLE	IF	CITATIONS
55	Evidence-based prescribing of diabetes medications: are we getting closer?. Lancet Diabetes and Endocrinology,the, 2020, 8, 176-177.	11.4	3
56	The changing character of diabetes complications. Lancet Diabetes and Endocrinology,the, 2022, 10, 5-6.	11.4	3
57	Selection and education of patients for inhaled insulin. Current Diabetes Reports, 2007, 7, 363-368.	4.2	2
58	For type 2 diabetes poorly controlled by metformin monotherapy, the addition of any non-insulin antidiabetic drug reduces HbA1c to a similar extent, but with differing effects on weight and hypoglycaemic risk. Evidence-Based Medicine, 2011, 16, 39-40.	0.6	2
59	Temporal and external validation of a prediction model for adverse outcomes among inpatients with diabetes. Diabetic Medicine, 2018, 35, 798-806.	2.3	2
60	Once-weekly GLP-1R agonists: moving the goal posts. Lancet Diabetes and Endocrinology,the, 2018, 6, 260-261.	11.4	2
61	The clinical profile and associated mortality in people with and without diabetes with Coronavirus disease 2019 on admission to acute hospital services. Endocrinology, Diabetes and Metabolism, 2021, , e00309.	2.4	2
62	Suppression of Anti-Inflammatory Mediators in Metabolic Disease May Be Driven by Overwhelming Pro-Inflammatory Drivers. Nutrients, 2022, 14, 2360.	4.1	2
63	Needle-free insulin: from dreams to reality. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2006, 23, 47-48.	0.2	1
64	Inhaled human insulin: a clinical perspective. Therapy: Open Access in Clinical Medicine, 2006, 3, 339-348.	0.2	1
65	Exercise consultation in diabetes. Diabetic Medicine, 2002, 19, 886-886.	2.3	0
66	Bicarbonate treatment in patients with diabetic ketoacidosis. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2005, 22, 260a-260a.	0.2	0
67	IDegLira: combining efficacy, durability, and convenience?. Lancet Diabetes and Endocrinology,the, 2019, 7, 584-585.	11.4	0