

# Srikanth Bellary

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5231363/publications.pdf>

Version: 2024-02-01

67  
papers

2,504  
citations

377584

21  
h-index

242451

47  
g-index

68  
all docs

68  
docs citations

68  
times ranked

5444  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Type 2 diabetes in adolescents and young adults. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 69-80.   | 5.5 | 493       |
| 2  | Health and population effects of rare gene knockouts in adult humans with related parents. <i>Science</i> , 2016, 352, 474-477.   | 6.0 | 272       |
| 3  | Type 2 diabetes and cardiovascular risk in the UK south Asian community. <i>Diabetologia</i> , 2006, 49, 2234-2246.   | 2.9 | 188       |
| 4  | Type 2 diabetes mellitus in older adults: clinical considerations and management. <i>Nature Reviews Endocrinology</i> , 2021, 17, 534-548.  | 4.3 | 186       |
| 5  | Higher Prevalence of Retinopathy in Diabetic Patients of South Asian Ethnicity Compared With White Europeans in the Community. <i>Diabetes Care</i> , 2009, 32, 410-415.  | 4.3 | 125       |
| 6  | Enhanced diabetes care to patients of south Asian ethnic origin (the United Kingdom Asian Diabetes) Tj ETQq0 0 0 rgBT /Overlock 10 Tf   | 6.8 | 124       |
| 7  | An <i>FTO</i> variant is associated with Type 2 diabetes in South Asian populations after accounting for body mass index and waist circumference. <i>Diabetic Medicine</i> , 2011, 28, 673-680.                                       | 1.2 | 77        |
| 8  | Premature cardiovascular events and mortality in south Asians with type 2 diabetes in the United Kingdom Asian Diabetes Study – effect of ethnicity on risk. <i>Current Medical Research and Opinion</i> , 2010, 26, 1873-1879.       | 0.9 | 73        |
| 9  | Impact of bariatric surgery on cardiovascular outcomes and mortality: a population-based cohort study. <i>British Journal of Surgery</i> , 2020, 107, 432-442.  | 0.1 | 59        |
| 10 | Plasma irisin levels predict telomere length in healthy adults. <i>Age</i> , 2014, 36, 995-1001.  | 3.0 | 58        |
| 11 | Telomere Length Attrition, a Marker of Biological Senescence, Is Inversely Correlated with Triglycerides and Cholesterol in South Asian Males with Type 2 Diabetes Mellitus. <i>Experimental Diabetes Research</i> , 2012, 2012, 1-7. | 3.8 | 56        |
| 12 | Renal Protection with SGLT2 Inhibitors: Effects in Acute and Chronic Kidney Disease. <i>Current Diabetes Reports</i> , 2022, 22, 39-52.   | 1.7 | 55        |
| 13 | Circadian Gene Variants and Susceptibility to Type 2 Diabetes: A Pilot Study. <i>PLoS ONE</i> , 2012, 7, e32670.  | 1.1 | 52        |
| 14 | Plasma irisin is elevated in type 2 diabetes and is associated with increased E-selectin levels. <i>Cardiovascular Diabetology</i> , 2017, 16, 147.   | 2.7 | 46        |
| 15 | Comparison of body mass index at diagnosis of diabetes in a multi-ethnic population: a case-control study with matched non-diabetic controls. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1014-1023.                          | 2.2 | 45        |
| 16 | Dietary antioxidant interventions in type 2 diabetes patients: a meta-analysis. <i>British Journal of Diabetes and Vascular Disease</i> , 2011, 11, 62-68.  | 0.6 | 40        |
| 17 | Common variants of the TCF7L2 gene are associated with increased risk of type 2 diabetes mellitus in a UK-resident South Asian population. <i>BMC Medical Genetics</i> , 2008, 9, 8.  | 2.1 | 36        |
| 18 | Clinical guidelines for type 1 diabetes mellitus with an emphasis on older adults: an Executive Summary. <i>Diabetic Medicine</i> , 2020, 37, 53-70.  | 1.2 | 30        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | The promoter polymorphism -232C/G of the PCK1 gene is associated with type 2 diabetes in a UK-resident South Asian population. BMC Medical Genetics, 2009, 10, 83.   | 2.1 | 28        |
| 20 | Overweight status is associated with extensive signs of microvascular dysfunction and cardiovascular risk. Scientific Reports, 2016, 6, 32282.   | 1.6 | 25        |
| 21 | Prevalence and incidence of complications at diagnosis of T2DM and during follow-up by BMI and ethnicity: a matched caseâ€“control analysis. Cardiovascular Diabetology, 2018, 17, 70.                                     | 2.7 | 24        |
| 22 | Sensor and software use for the glycaemic management of insulin-treated type 1 and type 2 diabetes patients. Diabetes and Vascular Disease Research, 2016, 13, 211-219.  | 0.9 | 23        |
| 23 | Effect of COVID-19 on the clinical course of diabetic ketoacidosis (DKA) in people with type 1 and type 2 diabetes. Endocrine Connections, 2021, 10, 371-377.  | 0.8 | 22        |
| 24 | Inhaled insulin: new technology, new possibilities. International Journal of Clinical Practice, 2006, 60, 728-734.   | 0.8 | 21        |
| 25 | Abnormal retinal vascular function and lipid levels in a sample of healthy UK South Asians. British Journal of Ophthalmology, 2011, 95, 1573-1576.   | 2.1 | 21        |
| 26 | Comparative risk of microalbuminuria and proteinuria in UK residents of south Asian and white European ethnic background with type 2 diabetes: a report from UKADS. Current Medical Research and Opinion, 2011, 27, 47-55. | 0.9 | 20        |
| 27 | Inhaled insulin (ExuberaÂ®): combining efficacy and convenience. Diabetes and Vascular Disease Research, 2006, 3, 179-185.   | 0.9 | 19        |
| 28 | Ethnic differences in health related quality of life for patients with type 2 diabetes. Health and Quality of Life Outcomes, 2014, 12, 83.   | 1.0 | 19        |
| 29 | Description and preliminary results from a structured specialist behavioural weight management group intervention: Specialist Lifestyle Management (SLiM) programme. BMJ Open, 2015, 5, e007217-e007217.                   | 0.8 | 19        |
| 30 | Insights for Care: The Healthcare Utilisation and Cost Impact of Managing Type 2 Diabetes-Associated Microvascular Complications. Diabetes Therapy, 2019, 10, 575-585.   | 1.2 | 19        |
| 31 | Prognostic Models for Predicting Remission of Diabetes Following Bariatric Surgery: A Systematic Review and Meta-analysis. Diabetes Care, 2021, 44, 2626-2641.   | 4.3 | 19        |
| 32 | The impact of bariatric surgery on estimated glomerular filtration rate in patients with type 2 diabetes: a retrospective cohort study. Surgery for Obesity and Related Diseases, 2016, 12, 1883-1889.                     | 1.0 | 18        |
| 33 | Elevated Serum Free Light Chains Predict Cardiovascular Events in Type 2 Diabetes. Diabetes Care, 2014, 37, 2028-2030.   | 4.3 | 16        |
| 34 | Abnormal Retinal Vascular Reactivity in Individuals with Impaired Glucose Tolerance: A Preliminary Study. , 2012, 53, 5102.  |     | 15        |
| 35 | The Impact of Bariatric Surgery on Incident Microvascular Complications in Patients With Type 2 Diabetes: A Matched Controlled Population-Based Retrospective Cohort Study. Diabetes Care, 2021, 44, 116-124.              | 4.3 | 13        |
| 36 | Pharmacological management of South Asians with type 2 diabetes: Consensus recommendations from the South Asian Health Foundation. Diabetic Medicine, 2021, 38, e14497.  | 1.2 | 13        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Preoperative weight loss with glucagon-like peptide-1 receptor agonist treatment predicts greater weight loss achieved by the combination of medical weight management and bariatric surgery in patients with type 2 diabetes: <sc>A</sc> longitudinal analysis. Diabetes, Obesity and Metabolism, 2018, 20, 745-748. | 2.2 | 12        |
| 38 | Achieving glycaemic control without weight gain, hypoglycaemia, or gastrointestinal adverse events in type 2 diabetes in the SUSTAIN clinical trial programme. Diabetes, Obesity and Metabolism, 2018, 20, 2426-2434.   | 2.2 | 11        |
| 39 | Greater Combined Reductions in HbA1C $\approx$ 1.0% and Weight $\approx$ 5.0% with Semaglutide Versus Comparators in type 2 Diabetes. Endocrine Practice, 2019, 25, 589-597.  | 1.1 | 10        |
| 40 | Phenotypic characteristics and risk factors in a multi-ethnic cohort of young adults with type 2 diabetes. Current Medical Research and Opinion, 2019, 35, 1893-1900.   | 0.9 | 9         |
| 41 | Impact of Bariatric Surgery-Induced Weight Loss on Anterior Eye Health in Patients with Obesity. Nutrients, 2022, 14, 2462.   | 1.7 | 9         |
| 42 | Clinical evaluation of a novel test strip technology for blood glucose monitoring: Accuracy at hypoglycaemic glucose levels. Diabetes Research and Clinical Practice, 2012, 98, 430-435.  | 1.1 | 7         |
| 43 | Clinical and Cost Implications of Insulin Degludec in Patients with Type 1 Diabetes and Problematic Hypoglycemia: A Quality Improvement Project. Diabetes Therapy, 2018, 9, 839-849.  | 1.2 | 7         |
| 44 | Inhaled human insulin (Exubera): clinical profile and patient considerations. Vascular Health and Risk Management, 2007, 3, 83-91.  | 1.0 | 7         |
| 45 | Review: Inhaled insulin: overcoming barriers to insulin therapy?. British Journal of Diabetes and Vascular Disease, 2006, 6, 103-108.   | 0.6 | 6         |
| 46 | Microvascular and cardiovascular disease in South Asians: the emerging challenge. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2007, 24, 328-332.   | 0.2 | 5         |
| 47 | What factors influence concordance with medications? Findings from the <sc>UK</sc> Asian Diabetes study. Diabetic Medicine, 2014, 31, 1600-1609.  | 1.2 | 5         |
| 48 | Preventing hypoglycaemia: an elusive quest. Lancet Diabetes and Endocrinology, the, 2016, 4, 635-636.   | 5.5 | 5         |
| 49 | Novel metabolic drugs for the management of type 2 diabetes. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2006, 23, 129-134.  | 0.2 | 4         |
| 50 | The emergence of frailty and sarcopaenia in diabetes mellitus: description of inter-relationships and clinical importance. Cardiovascular Endocrinology, 2016, 5, 40-50.  | 0.8 | 4         |
| 51 | CHD Risk Minimization through Lifestyle Control: Machine Learning Gateway. Scientific Reports, 2020, 10, 4090.  | 1.6 | 4         |
| 52 | Differences in presentation, severity and management of DKA in type 1 and type 2 diabetes during the COVID-19 pandemic. Clinical Medicine, 2021, 21, 1-2.   | 0.8 | 4         |
| 53 | Innovative biomarkers for predicting type 2 diabetes mellitus: relevance to dietary management of frailty in older adults. Biogerontology, 2016, 17, 511-527.   | 2.0 | 3         |
| 54 | Improving management of diabetic kidney disease: will GLP-1 receptor agonists have a role?. Lancet Diabetes and Endocrinology, the, 2020, 8, 870-871.   | 5.5 | 3         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Evidence-based prescribing of diabetes medications: are we getting closer?. Lancet Diabetes and Endocrinology,the, 2020, 8, 176-177.  | 5.5 | 3         |
| 56 | The changing character of diabetes complications. Lancet Diabetes and Endocrinology,the, 2022, 10, 5-6.   | 5.5 | 3         |
| 57 | Selection and education of patients for inhaled insulin. Current Diabetes Reports, 2007, 7, 363-368.  | 1.7 | 2         |
| 58 | For type 2 diabetes poorly controlled by metformin monotherapy, the addition of any non-insulin antidiabetic drug reduces HbA1c to a similar extent, but with differing effects on weight and hypoglycaemic risk. Evidence-Based Medicine, 2011, 16, 39-40. | 0.6 | 2         |
| 59 | Temporal and external validation of a prediction model for adverse outcomes among inpatients with diabetes. Diabetic Medicine, 2018, 35, 798-806.   | 1.2 | 2         |
| 60 | Once-weekly GLP-1R agonists: moving the goal posts. Lancet Diabetes and Endocrinology,the, 2018, 6, 260-261.  | 5.5 | 2         |
| 61 | The clinical profile and associated mortality in people with and without diabetes with Coronavirus disease 2019 on admission to acute hospital services. Endocrinology, Diabetes and Metabolism, 2021, , e00309.  | 1.0 | 2         |
| 62 | Suppression of Anti-Inflammatory Mediators in Metabolic Disease May Be Driven by Overwhelming Pro-Inflammatory Drivers. Nutrients, 2022, 14, 2360.  | 1.7 | 2         |
| 63 | Needle-free insulin: from dreams to reality. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2006, 23, 47-48.  | 0.2 | 1         |
| 64 | Inhaled human insulin: a clinical perspective. Therapy: Open Access in Clinical Medicine, 2006, 3, 339-348.   | 0.2 | 1         |
| 65 | Exercise consultation in diabetes. Diabetic Medicine, 2002, 19, 886-886.  | 1.2 | 0         |
| 66 | Bicarbonate treatment in patients with diabetic ketoacidosis. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2005, 22, 260a-260a.   | 0.2 | 0         |
| 67 | IDegLira: combining efficacy, durability, and convenience?. Lancet Diabetes and Endocrinology,the, 2019, 7, 584-585.  | 5.5 | 0         |