

Marina N Miroshnichenko

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5231824/publications.pdf>

Version: 2024-02-01

12
papers

34
citations

2258059

3
h-index

1872680

6
g-index

12
all docs

12
docs citations

12
times ranked

14
citing authors

#	ARTICLE	IF	CITATIONS
1	Preparation of high-purity tantalum powders by sodium-thermal reduction. <i>Inorganic Materials</i> , 2012, 48, 903-907.	0.8	11
2	Influence of the chemical composition of precursors and reduction conditions on the properties of magnesian tungsten powders. <i>Inorganic Materials</i> , 2016, 52, 783-790.	0.8	7
3	X-ray diffraction study of sodium metal reduction tantalum powders. <i>Inorganic Materials</i> , 2014, 50, 46-51.	0.8	4
4	Effect of tantalum capacitor powder preparation conditions on the dielectric loss tangent of anodes. <i>Inorganic Materials</i> , 2014, 50, 145-149.	0.8	4
5	Preparation of tantalum powders by the reduction of complex oxyfluoride compounds with sodium. <i>Russian Journal of Non-Ferrous Metals</i> , 2016, 57, 599-603.	0.6	4
6	Production of tantalum capacitor powders with a large specific surface area. <i>Theoretical Foundations of Chemical Engineering</i> , 2007, 41, 585-588.	0.7	2
7	Sodium-reduced tantalum powders produced from plumbomicrolite raw materials. <i>Russian Journal of Applied Chemistry</i> , 2012, 85, 1025-1028.	0.5	1
8	Production of tungsten powders with highly developed surface. <i>Chemical Engineering</i> , 2021, 2021, 153-160.	0.2	1
9	Potassium-Reduced Tantalum Powders. <i>Russian Journal of Applied Chemistry</i> , 2005, 78, 538-540.	0.5	0
10	Heterogeneous reduction of potassium heptafluorotantalate. <i>Russian Journal of Applied Chemistry</i> , 2006, 79, 1215-1219.	0.5	0
11	Influence of the particle size distribution of potassium heptafluorotantalate on the characteristics of sodium-reduced tantalum powders. <i>Russian Journal of Applied Chemistry</i> , 2009, 82, 1338-1341.	0.5	0
12	Dependence of characteristics of tantalum powders on the type of the extractant used in preparation of raw material. <i>Russian Journal of Applied Chemistry</i> , 2011, 84, 572-576.	0.5	0