## Kaili Zhang

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5232171/kaili-zhang-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

8,401 88 158 50 h-index g-index citations papers 8.6 167 6.44 9,931 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
158	Research progress and future aspects: Metal selenides as effective electrodes. <i>Energy Storage Materials</i> , <b>2022</b> , 47, 13-43	19.4	8
157	Modified KBBF-like Material for Energy Storage Applications: ZnNiBO(OH) with Enhanced Cycle Life ACS Applied Materials & amp; Interfaces, 2022,	9.5	5
156	Hollow nano- and microstructures: Mechanism, composition, applications, and factors affecting morphology and performance. <i>Coordination Chemistry Reviews</i> , <b>2022</b> , 458, 214429	23.2	7
155	Recent progress in trimetallic/ternary-metal oxides nanostructures: Misinterpretation/misconception of electrochemical data and devices. <i>Applied Materials Today</i> , <b>2022</b> , 26, 101297	6.6	11
154	Highly stable 3D hierarchical manganese sulfide multi-layer nanoflakes with excellent electrochemical performances for supercapacitor electrodes. <i>Journal of Alloys and Compounds</i> , <b>2022</b> , 894, 162390	5.7	9
153	Znto-MOF on solution-free CuO nanowires for flexible hybrid energy storage devices. <i>Materials Today Physics</i> , <b>2022</b> , 23, 100655	8	10
152	Comparative study of ternary metal chalcogenides (MX; M= Zntoli; X= S, Se, Te): Formation process, charge storage mechanism and hybrid supercapacitor. <i>Journal of Power Sources</i> , <b>2022</b> , 534, 231	1414	4
151	Glycerol-mediated synthesis of copper-doped zinc sulfide with ultrathin nanoflakes for flexible energy electrode materials. <i>Journal of Alloys and Compounds</i> , <b>2022</b> , 165701	5.7	1
150	Phosphorus containing layered quadruple hydroxide electrode materials on lab waste recycled flexible current collector. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 609, 566-566	9.3	8
149	Revealing the catalytic pathway of a quinone-mediated oxygen reduction reaction in aprotic Li-O batteries <i>Chemical Communications</i> , <b>2021</b> ,	5.8	1
148	High entropy alloys as electrode material for supercapacitors: A review. <i>Journal of Energy Storage</i> , <b>2021</b> , 44, 103405	7.8	13
147	Extra Sodiation Sites in Hard Carbon for High Performance Sodium Ion Batteries <i>Small Methods</i> , <b>2021</b> , 5, e2100580	12.8	6
146	Development of vertically aligned trimetallic Mg-Ni-Co oxide grass-like nanostructure for high-performance energy storage applications. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 582, 782-7	,92 <sup>3</sup>	29
145	Redox of Dual-Radical Intermediates in a Methylene-Linked Covalent Triazine Framework for High-Performance Lithium-Ion Batteries. <i>ACS Applied Materials &amp; District Action Section</i> , 13, 514-521	9.5	20
144	Integration of CuO nanosheets to Zn-Ni-Co oxide nanowire arrays for energy storage applications. <i>Chemical Engineering Journal</i> , <b>2021</b> , 413, 127570	14.7	24
143	An oriented Nito-MOF anchored on solution-free 1D CuO: a pt heterojunction for supercapacitive energy storage. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 17790-17800	13	28
142	Boron-Doped Trimetallic Cu-Ni-Co Oxide Nanoneedles for Supercapacitor Application. <i>ACS Applied Nano Materials</i> , <b>2021</b> , 4, 129-141	5.6	22

### (2020-2021)

141	Redox of naphthalenediimide radicals in a 3D polyimide for stable Li-ion batteries. <i>Chemical Communications</i> , <b>2021</b> , 57, 7810-7813	5.8	4
140	Single copper sites dispersed on defective TiO as a synergistic oxygen reduction reaction catalyst. Journal of Chemical Physics, <b>2021</b> , 154, 034705	3.9	1
139	Aluminized Energetic Coordination Polymers Constructed from Transition Metal Centers (Co, Ni, and Cu). <i>Propellants, Explosives, Pyrotechnics</i> , <b>2021</b> , 46, 1598	1.7	1
138	Additive-Free Energetic Film Based on Graphene Oxide and Nanoscale Energetic Coordination Polymer for Transient Microchip. <i>Advanced Functional Materials</i> , <b>2021</b> , 31, 2103199	15.6	5
137	Dilute Aqueous-Aprotic Hybrid Electrolyte Enabling a Wide Electrochemical Window through Solvation Structure Engineering. <i>Advanced Materials</i> , <b>2021</b> , 33, e2102390	24	11
136	Coupling a Three-Dimensional Nanopillar and Robust Film to Guide Li-Ion Flux for Dendrite-Free Lithium Metal Anodes. <i>ACS Applied Materials &amp; Samp; Interfaces</i> , <b>2021</b> , 13, 45416-45425	9.5	2
135	Binder-free trimetallic phosphate nanosheets as an electrode: Theoretical and experimental investigation. <i>Journal of Power Sources</i> , <b>2021</b> , 513, 230556	8.9	18
134	Fluorinated Carbonate Electrolyte with Superior Oxidative Stability Enables Long-Term Cycle Stability of Na2/3Ni1/3Mn2/3O2 Cathodes in Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , <b>2021</b> , 11, 2002737	21.8	10
133	Core-Shell Structured Nanoenergetic Materials: Preparation and Fundamental Properties. <i>Advanced Materials</i> , <b>2020</b> , 32, e2001291	24	57
132	In Situ Synthesized MEMS Compatible Energetic Arrays Based on Energetic Coordination Polymer and Nano-Al with Tunable Properties. <i>ACS Applied Materials &amp; Discrete Amplied </i>	9.5	8
131	Oxygen redox activity with small voltage hysteresis in Na0.67Cu0.28Mn0.72O2 for sodium-ion batteries. <i>Energy Storage Materials</i> , <b>2020</b> , 28, 300-306	19.4	46
130	Comparison study of carbon clusters formation during thermal decomposition of 1,3,5-triamino-2,4,6-trinitrobenzene and benzotrifuroxan: a ReaxFF based sequential molecular dynamics simulation. <i>Physical Chemistry Chemical Physics</i> , <b>2020</b> , 22, 5154-5162	3.6	5
129	Lithiophilicity conversion of carbon paper with uniform Cu2+1O coating: Boosting stable Li-Cu2+1O-CP composite anode through melting infusion. <i>Chemical Engineering Journal</i> , <b>2020</b> , 388, 1242	2 <del>14</del> 7	2
128	Preparation and Energetic Properties of Nanothermites Based on CoreBhell Structure <b>2020</b> , 45-65		
127	Energetic composites based on nano-Al and energetic coordination polymers (ECPs): The Bather-sonleffect of ECPs. <i>Chemical Engineering Journal</i> , <b>2020</b> , 392, 123719	14.7	16
126	Graphene oxide induced nanoscale energetic coordination polymer with self-sustaining combustion ability. <i>Energetic Materials Frontiers</i> , <b>2020</b> , 1, 51-58	3.3	2
125	Turning indium oxide into high-performing electrode materials via cation substitution strategy: Preserving single crystalline cubic structure of 2D nanoflakes towards energy storage devices. <i>Journal of Power Sources</i> , <b>2020</b> , 480, 228873	8.9	33
124	Reaction violence difference revealed by reactive molecular dynamics: Comparison of the thermal decomposition of hexahydro-1, 3, 5-trinitro-1, 3, 5-triazine and benzotrifuroxan. <i>Chemical Physics Letters</i> , <b>2020</b> , 739, 136861	2.5	1

123	YolkBhell structured metal oxide@carbon nanoring anode boosting performance of lithium-ion batteries. <i>New Journal of Chemistry</i> , <b>2019</b> , 43, 16148-16155	3.6	7
122	Stabilizing the oxygen lattice and reversible oxygen redox in Na-deficient cathode oxides. <i>Journal of Power Sources</i> , <b>2019</b> , 439, 227086	8.9	17
121	Theoretical and experimental studies of impacts of heat shields on heat pipe evacuated tube solar collector. <i>Renewable Energy</i> , <b>2019</b> , 138, 999-1009	8.1	28
120	Surface-Engineered Black Niobium Oxide@Graphene Nanosheets for High-Performance Sodium-/Potassium-Ion Full Batteries. <i>Small</i> , <b>2019</b> , 15, e1901272	11	54
119	Effects of different types of defects on ignition mechanisms in shocked Eyclotetramethylene tetranitramine crystals: A molecular dynamics study based on ReaxFF-lg force field. <i>Journal of Applied Physics</i> , <b>2019</b> , 125, 195101	2.5	9
118	High-Temperature Oxidation Behavior of a Single-Layer IrAl Intermetallic Coating. <i>Oxidation of Metals</i> , <b>2019</b> , 91, 749-766	1.6	
117	Nitrogen-Doped Sponge Ni Fibers as Highly Efficient Electrocatalysts for Oxygen Evolution Reaction. <i>Nano-Micro Letters</i> , <b>2019</b> , 11, 21	19.5	46
116	Polyvinylpyrrolidone-Induced Uniform Surface-Conductive Polymer Coating Endows Ni-Rich LiNiCoMnO with Enhanced Cyclability for Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 12594-12604	9.5	94
115	Design and understanding of dendritic mixed-metal hydroxide nanosheets@N-doped carbon nanotube array electrode for high-performance asymmetric supercapacitors. <i>Energy Storage Materials</i> , <b>2019</b> , 16, 632-645	19.4	170
114	Defect-engineered vanadium trioxide nanofiber bundle@graphene hybrids for high-performance all-vanadate Na-ion and K-ion full batteries. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 19581-19588	13	21
113	Preparation of Cyclotrimethylenetrinitramine-Copper Oxide Core-Shell Particles and Their Thermal Decomposition Kinetics. <i>Propellants, Explosives, Pyrotechnics</i> , <b>2019</b> , 44, 1368-1374	1.7	4
112	Mesoporous aluminium manganese cobalt oxide with pentahedron structures for energy storage devices. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 18417-18427	13	36
111	An Aqueous Zn-Ion Hybrid Supercapacitor with High Energy Density and Ultrastability up to 80 000 Cycles. <i>Advanced Energy Materials</i> , <b>2019</b> , 9, 1902915	21.8	137
110	Lithiophilicity conversion of the Cu surface through facile thermal oxidation: boosting a stable Litu composite anode through melt infusion. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 5726-5732	13	22
109	Exploring the solid-state interfacial reaction of Al/Fe2O3 nanothermites by thermal analysis. Journal of Materials Science, <b>2019</b> , 54, 4115-4123	4.3	7
108	A Scalable Approach for Dendrite-Free Alkali Metal Anodes via Room-Temperature Facile Surface Fluorination. <i>ACS Applied Materials &amp; Samp; Interfaces</i> , <b>2019</b> , 11, 4962-4968	9.5	32
107	Self-conversion templated fabrication of sulfur encapsulated inside the N-doped hollow carbon sphere and 3D graphene frameworks for high-performance lithium Bulfur batteries. <i>Electrochimica Acta</i> , <b>2019</b> , 295, 900-909	6.7	22
106	Anion and cation substitution in transition-metal oxides nanosheets for high-performance hybrid supercapacitors. <i>Nano Energy</i> , <b>2019</b> , 57, 22-33	17.1	193

### (2016-2018)

105	Robust erythrocyte-like Fe2O3@carbon with yolk-shell structures as high-performance anode for lithium ion batteries. <i>Chemical Engineering Journal</i> , <b>2018</b> , 347, 563-573	14.7	131
104	Lithiophilic Cu-CuO-Ni Hybrid Structure: Advanced Current Collectors Toward Stable Lithium Metal Anodes. <i>Advanced Materials</i> , <b>2018</b> , 30, 1705830	24	176
103	Converting Corncob to Activated Porous Carbon for Supercapacitor Application. <i>Nanomaterials</i> , <b>2018</b> , 8,	5.4	40
102	In situ preparation of explosive embedded CuO/Al/CL20 nanoenergetic composite with enhanced reactivity. <i>Chemical Engineering Journal</i> , <b>2018</b> , 354, 885-895	14.7	35
101	Fabrication of plate-like MnO2 with excellent cycle stability for supercapacitor electrodes. <i>Electrochimica Acta</i> , <b>2018</b> , 291, 249-255	6.7	89
100	Fabrication and understanding of CuSi-Si@carbon@graphene nanocomposites as high-performance anodes for lithium-ion batteries. <i>Nanoscale</i> , <b>2018</b> , 10, 22203-22214	7.7	72
99	Formation mechanism of overlapping grain boundaries in graphene chemical vapor deposition growth. <i>Chemical Science</i> , <b>2017</b> , 8, 2209-2214	9.4	31
98	Hybrid Reduced Graphene Oxide Nanosheet Supported Mn-Ni-Co Ternary Oxides for Aqueous Asymmetric Supercapacitors. <i>ACS Applied Materials &amp; District Supercapacitors</i> 19114-19123	9.5	81
97	Sulfur impregnated N, P co-doped hierarchical porous carbon as cathode for high performance Li-S batteries. <i>Journal of Power Sources</i> , <b>2017</b> , 341, 165-174	8.9	125
96	Templated and Catalytic Fabrication of N-Doped Hierarchical Porous Carbon-Carbon Nanotube Hybrids as Host for Lithium-Sulfur Batteries. <i>ACS Applied Materials &amp; Diterfaces</i> , <b>2017</b> , 9, 33876-338	<b>86</b> 5	54
95	Controlling the size of silver nanowires through one-pot polyol method with trace halide and its effect on kinetic process. <i>Materials Research Express</i> , <b>2017</b> , 4, 075052	1.7	5
94	Si Wire Supported MnO/Al/Fluorocarbon 3D Core/Shell Nanoenergetic Arrays with Long-Term Storage Stability. <i>Scientific Reports</i> , <b>2017</b> , 7, 6678	4.9	7
93	Seed-assisted smart construction of high mass loading NitoMn hydroxide nanoflakes for supercapacitor applications. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 16776-16785	13	69
92	High-performance hybrid supercapacitors based on self-supported 3D ultrathin porous quaternary Zn-Ni-Al-Co oxide nanosheets. <i>Nano Energy</i> , <b>2016</b> , 28, 475-485	17.1	143
91	Approaching the ideal elastic strain limit in silicon nanowires. <i>Science Advances</i> , <b>2016</b> , 2, e1501382	14.3	116
90	Activated Microporous Carbon Derived from Almond Shells for High Energy Density Asymmetric Supercapacitors. <i>ACS Applied Materials &amp; Amp; Interfaces</i> , <b>2016</b> , 8, 15288-96	9.5	68
89	Generation of entropy and forced convection of heat in a conduit partially filled with porous media Local thermal non-equilibrium and exothermicity effects. <i>Applied Thermal Engineering</i> , <b>2016</b> , 106, 518-5	5 <b>5</b> €	48
88	Nanoforest of hierarchical core/shell CuO@NiCo2O4 nanowire heterostructure arrays on nickel foam for high-performance supercapacitors. <i>RSC Advances</i> , <b>2016</b> , 6, 63905-63914	3.7	15

87	Entropy generation in thermal systems with solid structures [A concise review. <i>International Journal of Heat and Mass Transfer</i> , <b>2016</b> , 97, 917-931	4.9	51
86	Analytical solution for transient temperature and thermal stresses within convective multilayer disks with time-dependent internal heat generation, Part I: Methodology. <i>Journal of Thermal Stresses</i> , <b>2016</b> , 39, 398-413	2.2	9
85	Hierarchical Porous Acetylene Black/ZnFe2O4@Carbon Hybrid Materials with High Capacity and Robust Cycling Performance for Li-ion Batteries. <i>Electrochimica Acta</i> , <b>2016</b> , 187, 584-592	6.7	42
84	Graphene-Encapsulated Nanosheet-Assembled Zinc-Nickel-Cobalt Oxide Microspheres for Enhanced Lithium Storage. <i>ChemSusChem</i> , <b>2016</b> , 9, 186-96	8.3	28
83	Analytical solution for transient temperature and thermal stresses within convective multilayer disks with time-dependent internal heat generation, Part II: Applications. <i>Journal of Thermal Stresses</i> , <b>2016</b> , 39, 414-436	2.2	5
82	Graphene-Encapsulated Nanosheet-Assembled ZincNickelDobalt Oxide Microspheres for Enhanced Lithium Storage. <i>ChemSusChem</i> , <b>2016</b> , 9, 128	8.3	
81	Heat transfer and entropy generation analyses in a channel partially filled with porous media using local thermal non-equilibrium model. <i>Energy</i> , <b>2015</b> , 82, 922-938	7.9	76
80	High-performance lithium-rich layered oxide materials: Effects of chelating agents on microstructure and electrochemical properties. <i>Electrochimica Acta</i> , <b>2015</b> , 174, 446-455	6.7	51
79	First and second thermodynamic laws analyses between and inside two rotating solid cylindrical geometries with magnetohydrodynamic flow. <i>International Journal of Heat and Mass Transfer</i> , <b>2015</b> , 89, 760-769	4.9	8
78	Characterization and electrochemical performance of lithium-active titanium dioxide inlaid LiNi0.5Co0.2Mn0.3O2 material prepared by lithium residue-assisted method. <i>Journal of Alloys and Compounds</i> , <b>2015</b> , 638, 77-82	5.7	49
77	Direct growth of urchin-like ZnCo2O4 microspheres assembled from nanowires on nickel foam as high-performance electrodes for supercapacitors. <i>Electrochimica Acta</i> , <b>2015</b> , 169, 202-209	6.7	120
76	Sub 30 nm silver nanowire synthesized using KBr as co-nucleant through one-pot polyol method for optoelectronic applications. <i>Organic Electronics</i> , <b>2015</b> , 26, 380-385	3.5	39
75	3D hierarchically porous zinclickellobalt oxide nanosheets grown on Ni foam as binder-free electrodes for electrochemical energy storage. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 24022-24032	13	53
74	Effects of lithium-active manganese trioxide coating on the structural and electrochemical characteristics of LiNi0.5Co0.2Mn0.3O2 as cathode materials for lithium ion battery. <i>Journal of Alloys and Compounds</i> , <b>2015</b> , 650, 684-691	5.7	19
73	Heat transfer and second law analyses of forced convection in a channel partially filled by porous media and featuring internal heat sources. <i>Energy</i> , <b>2015</b> , 93, 106-127	7.9	49
72	Hierarchical Mesoporous Zinc-Nickel-Cobalt Ternary Oxide Nanowire Arrays on Nickel Foam as High-Performance Electrodes for Supercapacitors. <i>ACS Applied Materials &amp; District Mat</i>	12-21	189
71	A hydrolysis-hydrothermal route for the synthesis of ultrathin LiAlO2-inlaid LiNi0.5Co0.2Mn0.3O2 as a high-performance cathode material for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 894-904	13	251
70	Heat transfer and thermodynamic performance of convective diative cooling double layer walls with temperature-dependent thermal conductivity and internal heat generation. <i>Energy Conversion and Management</i> , <b>2015</b> , 89, 12-23	10.6	22

### (2014-2015)

69	An extremely superhydrophobic and intrinsically stable Si/fluorocarbon energetic composite based on upright nano/submicron-sized Si wire arrays. <i>RSC Advances</i> , <b>2015</b> , 5, 106098-106106	3.7	13
68	Temperature and Entropy Generation Analyses Between and Inside Rotating Cylinders Using Copper Water Nanofluid. <i>Journal of Heat Transfer</i> , <b>2015</b> , 137,	1.8	12
67	Temperature distribution, local and total entropy generation analyses in MHD porous channels with thick walls. <i>Energy</i> , <b>2015</b> , 87, 540-554	7.9	33
66	Hydrogenation of bilayer graphene: A small twist makes a big difference. <i>Nano Research</i> , <b>2015</b> , 8, 3887-	3 <u>8</u> 97	7
65	Fast deflagration to detonation transition of energetic material based on a quasi-core/shell structured nanothermite composite. <i>Composites Science and Technology</i> , <b>2015</b> , 107, 113-119	8.6	36
64	Facile general strategy toward hierarchical mesoporous transition metal oxides arrays on three-dimensional macroporous foam with superior lithium storage properties. <i>Nano Energy</i> , <b>2015</b> , 13, 77-91	17.1	154
63	CuO/Mg/fluorocarbon sandwich-structure superhydrophobic nanoenergetic composite with anti-humidity property. <i>Chemical Engineering Journal</i> , <b>2015</b> , 266, 163-170	14.7	46
62	Smart construction of three-dimensional hierarchical tubular transition metal oxide core/shell heterostructures with high-capacity and long-cycle-life lithium storage. <i>Nano Energy</i> , <b>2015</b> , 12, 437-446	17.1	200
61	Effects of nano-Ag on the combustion process of AlūuO metastable intermolecular composite. <i>Applied Thermal Engineering</i> , <b>2014</b> , 62, 732-737	5.8	36
60	Classical entropy generation analysis in cooled homogenous and functionally graded material slabs with variation of internal heat generation with temperature, and convective Endiative boundary conditions. <i>Energy</i> , <b>2014</b> , 65, 387-397	7.9	26
59	Three-dimensional hierarchical Co3O4/CuO nanowire heterostructure arrays on nickel foam for high-performance lithium ion batteries. <i>Nano Energy</i> , <b>2014</b> , 6, 19-26	17.1	206
58	Interfacial intermetallic growth and mechanical properties of carbon nanotubes reinforced Sn3.5Ag0.5Cu solder joint under current stressing. <i>Journal of Alloys and Compounds</i> , <b>2014</b> , 595, 92-102	5.7	89
57	Nanostructured energetic composites: synthesis, ignition/combustion modeling, and applications. <i>ACS Applied Materials &amp; amp; Interfaces</i> , <b>2014</b> , 6, 3058-74	9.5	202
56	Improved lithium ion battery performance by mesoporous Co3O4 nanosheets grown on self-standing NiSix nanowires on nickel foam. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 8483	13	46
55	CuO nanostructures: Synthesis, characterization, growth mechanisms, fundamental properties, and applications. <i>Progress in Materials Science</i> , <b>2014</b> , 60, 208-337	42.2	852
54	Sputtering graphite coating to improve the elevated-temperature cycling ability of the LiMn2O4 electrode. <i>Physical Chemistry Chemical Physics</i> , <b>2014</b> , 16, 16021-9	3.6	41
53	In situ synthesis of CuO and Cu nanostructures with promising electrochemical and wettability properties. <i>Small</i> , <b>2014</b> , 10, 935-43	11	30
52	Facile large-scale synthesis of vertically aligned CuO nanowires on nickel foam: growth mechanism and remarkable electrochemical performance. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 3865	13	87

51	Mesoporous ZnCo2O4 microspheres composed of ultrathin nanosheets cross-linked with metallic NiSix nanowires on Ni foam as anodes for lithium ion batteries. <i>Nano Energy</i> , <b>2014</b> , 10, 245-258	17.1	66
50	Precise determination of the threshold diameter for a single-walled carbon nanotube to collapse. <i>ACS Nano</i> , <b>2014</b> , 8, 9657-63	16.7	35
49	Temperature distribution and classical entropy generation analyses in an asymmetric cooling composite hollow cylinder with temperature-dependent thermal conductivity and internal heat generation. <i>Energy</i> , <b>2014</b> , 73, 484-496	7.9	18
48	Highly exothermic and superhydrophobic Mg/fluorocarbon core/shell nanoenergetic arrays. <i>ACS Applied Materials &amp; District Applied &amp; District Ap</i>	9.5	61
47	Multi-dimensional dual-phase-lag heat conduction in cylindrical coordinates: Analytical and numerical solutions. <i>International Journal of Heat and Mass Transfer</i> , <b>2014</b> , 78, 960-966	4.9	13
46	Growth of hierarchical 3D mesoporous NiSix /NiCo2 O4 core/shell heterostructures on nickel foam for lithium-ion batteries. <i>ChemSusChem</i> , <b>2014</b> , 7, 2325-34	8.3	53
45	Study of microstructure evolution in novel SnIn/Cu bi-layer and Cu/SnIn/Cu sandwich structures with nanoscale thickness for 3D packaging interconnection. <i>Microelectronic Engineering</i> , <b>2014</b> , 122, 52-5	5 <del>8</del> ·5	7
44	Pressure loss and compensation in the combustion process of AltuO nanoenergetics on a microheater chip. <i>Combustion and Flame</i> , <b>2014</b> , 161, 2975-2981	5.3	29
43	Solar Hydrogen Generation from Water Splitting Using ZnO/CuO Hetero Nanostructures. <i>Energy Procedia</i> , <b>2014</b> , 61, 345-348	2.3	5
42	Entropy Generation Analysis in Convective-radiative Cooling Composite Walls with Temperature-dependent Thermal Conductivity and Internal Heat Generation. <i>Energy Procedia</i> , <b>2014</b> , 61, 463-467	2.3	3
41	Temperature distribution, local and total entropy generation analyses in asymmetric cooling composite geometries with multiple nonlinearities: Effect of imperfect thermal contact. <i>Energy</i> , <b>2014</b> , 78, 218-234	7.9	11
40	Comment on Beries solution of convective radiative conduction equation of the nonlinear fin with temperature dependent thermal conductivity by Sobhan Mosayebidorcheh and Taha Mosayebidorcheh, [Int. J. Heat Mass Transfer] 55 (2012) 6589 B594. <i>International Journal of Heat</i>	4.9	3
39	Facile synthesis, growth mechanism and reversible superhydrophobic and superhydrophilic properties of non-flaking CuO nanowires grown from porous copper substrates. <i>Nanotechnology</i> , <b>2013</b> , 24, 065602	3.4	36
38	Thermoelastic analysis for freestanding micro-hotplates for micro/nano gas sensors 2013,		2
37	ConvectiveEndiative radial fins with convective base heating and convectiveEndiative tip cooling: Homogeneous and functionally graded materials. <i>Energy Conversion and Management</i> , <b>2013</b> , 74, 366-37	610.6	42
36	A graphite functional layer covering the surface of LiMn2O4 electrode to improve its electrochemical performance. <i>Electrochemistry Communications</i> , <b>2013</b> , 36, 6-9	5.1	38
35	Effect of graphene doping on microstructural and mechanical properties of SnBZnBBi solder joints together with electromigration analysis. <i>Journal of Alloys and Compounds</i> , <b>2013</b> , 580, 162-171	5.7	66
34	A comparative study of longitudinal fins of rectangular, trapezoidal and concave parabolic profiles with multiple nonlinearities. <i>Energy</i> , <b>2013</b> , 51, 243-256	7.9	62

#### (2008-2013)

33	heat-release property and long-term storage stability. <i>ACS Applied Materials &amp; Design Research</i> , 2013, 5, 7641-6	9.5	44
32	Synthesis of CuO nanowires from porous copper with promising application for nanoenergetic materials <b>2013</b> ,		1
31	Effect of nanostructures on the exothermic reaction and ignition of Al/CuOx based energetic materials. <i>Journal of Materials Science</i> , <b>2012</b> , 47, 1296-1305	4.3	51
30	Integration of nano-Al with Co3O4 nanorods to realize high-exothermic coreEhell nanoenergetic materials on a silicon substrate. <i>Combustion and Flame</i> , <b>2012</b> , 159, 2202-2209	5.3	74
29	Controlled facile synthesis, growth mechanism, and exothermic properties of large-area Co3O4 nanowalls and nanowires on silicon substrates. <i>Journal of Applied Physics</i> , <b>2012</b> , 112, 014310	2.5	12
28	Development of micro power generators [A review. <i>Applied Energy</i> , <b>2011</b> , 88, 1-16	10.7	271
27	Fast response resistive humidity sensitivity of polyimide/multiwall carbon nanotube composite films. <i>Sensors and Actuators B: Chemical</i> , <b>2011</b> , 152, 99-106	8.5	94
26	Micro/Nano Functional Manufacturing: From Microthruster to Nano Energetic Material to Micro/Nano Initiator. <i>Key Engineering Materials</i> , <b>2010</b> , 426-427, 240-244	0.4	1
25	Local and CMOS-compatible synthesis of CuO nanowires on a suspended microheater on a silicon substrate. <i>Nanotechnology</i> , <b>2010</b> , 21, 235602	3.4	44
24	Realization of aligned three-dimensional single-crystal chromium nanostructures by thermal evaporation. <i>Applied Physics A: Materials Science and Processing</i> , <b>2010</b> , 100, 1049-1055	2.6	4
23	A facile method to improve the high rate capability of Co3O4 nanowire array electrodes. <i>Nano Research</i> , <b>2010</b> , 3, 895-901	10	153
22	CuO nanowires grown from Cu film heated under a N2/O2 flow. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2009</b> , 9, 1418-22	1.3	3
21	Integrating Al with NiO nano honeycomb to realize an energetic material on silicon substrate. <i>Applied Physics A: Materials Science and Processing</i> , <b>2009</b> , 94, 957-962	2.6	53
20	A Nano Initiator Realized by Integrating Al/CuO-Based Nanoenergetic Materials With a Au/Pt/Cr Microheater. <i>Journal of Microelectromechanical Systems</i> , <b>2008</b> , 17, 832-836	2.5	133
19	Synthesis of NiO nanowalls by thermal treatment of Ni film deposited onto a stainless steel substrate. <i>Nanotechnology</i> , <b>2008</b> , 19, 155605	3.4	26
18	Aligned three-dimensional prismlike magnesium nanostructures realized onto silicon substrate. <i>Applied Physics Letters</i> , <b>2008</b> , 92, 063123	3.4	10
17	NiO nanostructured honeycomb realized by annealing Ni film deposited on silicon. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2008</b> , 8, 5903-7	1.3	4
16	Multi-physics system modeling of a pneumatic micro actuator. <i>Sensors and Actuators A: Physical</i> , <b>2008</b> , 141, 489-498	3.9	7

15	Synthesis of large-area and aligned copper oxide nanowires from copper thin film on silicon substrate. <i>Nanotechnology</i> , <b>2007</b> , 18, 275607	3.4	114
14	Investigation on the ignition of a MEMS solid propellant microthruster before propellant combustion. <i>Journal of Micromechanics and Microengineering</i> , <b>2007</b> , 17, 322-332	2	24
13	Nanoenergetic Materials for MEMS: A Review. <i>Journal of Microelectromechanical Systems</i> , <b>2007</b> , 16, 919	9-93 <sub>5</sub> 1	354
12	Fabrication, modeling and testing of a thin film Au/Ti microheater. <i>International Journal of Thermal Sciences</i> , <b>2007</b> , 46, 580-588	4.1	62
11	Theoretical study on photocatalytic oxidation of VOCs using nano-TiO2 photocatalyst. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , <b>2007</b> , 188, 65-73	4.7	68
10	Development of a nano-Al <b>©</b> uO based energetic material on silicon substrate. <i>Applied Physics Letters</i> , <b>2007</b> , 91, 113117	3.4	102
9	Study of formaldehyde photocatalytic degradation using nano TiO 2 2007,		1
8	A wireless addressing interface circuitry for microthruster array applications. <i>Aircraft Engineering and Aerospace Technology</i> , <b>2007</b> , 79, 628-634	5	2
7	Performance Prediction of a Novel Solid-Propellant Microthruster. <i>Journal of Propulsion and Power</i> , <b>2006</b> , 22, 56-63	1.8	21
6	A MEMS-based solid propellant microthruster with Au/Ti igniter. <i>Sensors and Actuators A: Physical</i> , <b>2005</b> , 122, 113-123	3.9	94
5	Development of a low-temperature co-fired ceramic solid propellant microthruster. <i>Journal of Micromechanics and Microengineering</i> , <b>2005</b> , 15, 944-952	2	55
4	Development of a solid propellant microthruster with chamber and nozzle etched on a wafer surface. <i>Journal of Micromechanics and Microengineering</i> , <b>2004</b> , 14, 785-792	2	45
3	MEMS-based solid propellant microthruster design, simulation, fabrication, and testing. <i>Journal of Microelectromechanical Systems</i> , <b>2004</b> , 13, 165-175	2.5	40
2	Oxidation State as a Descriptor in Oxygen Reduction Electrocatalysis. <i>CCS Chemistry</i> ,1-12	7.2	1
1	Recent advances in oriented metalorganic frameworks for supercapacitive energy storage. <i>Journal of Materials Chemistry A</i> ,	13	8