

Raymond K Wong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5233003/publications.pdf>

Version: 2024-02-01

13
papers

125
citations

1307594

7
h-index

1281871

11
g-index

13
all docs

13
docs citations

13
times ranked

169
citing authors

#	ARTICLE	IF	CITATIONS
1	Surgery for Pulmonary Coccidioidomycosis: A 10-Year Experience. <i>Annals of Thoracic Surgery</i> , 2009, 88, 1765-1772.	1.3	41
2	Hemolysate-mediated platelet aggregation: an additional risk mechanism contributing to thrombosis of continuous flow ventricular assist devices. <i>Perfusion (United Kingdom)</i> , 2016, 31, 401-408.	1.0	20
3	Flow Rate and Raspberry Pi-Based Paper Microfluidic Blood Coagulation Assay Device. <i>IEEE Sensors Journal</i> , 2019, 19, 4743-4751.	4.7	14
4	Successive Circulatory Support Stages: A Triple Bridge to Recovery from Fulminant Myocarditis. <i>Journal of Heart and Lung Transplantation</i> , 2009, 28, 984-986.	0.6	12
5	An unusual presentation of left ventricular assist device thrombus. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 532-532.	1.2	8
6	Left Ventricular Assist Devices: Physiologic Assessment using Echocardiography for Management and Optimization. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 335-345.	1.5	7
7	Clinical outcomes meta-analysis: measuring subendocardial perfusion and efficacy of transmyocardial laser revascularization with nuclear imaging. <i>Journal of Cardiothoracic Surgery</i> , 2017, 12, 37.	1.1	7
8	Minimally invasive insertion of off-pump central extracorporeal membrane oxygenation. <i>Journal of Cardiac Surgery</i> , 2017, 32, 738-740.	0.7	6
9	Remodeling an infarcted heart: novel hybrid treatment with transmyocardial revascularization and stem cell therapy. <i>SpringerPlus</i> , 2016, 5, 738.	1.2	4
10	Novel method using rotational thromboelastography analysis for intraoperative management of device patient with heparin-induced thrombocytopenia. <i>Blood Coagulation and Fibrinolysis</i> , 2016, 27, 943-947.	1.0	2
11	Complete antithrombin replacement for anticoagulation for cardiopulmonary bypass to repair severe infective mitral valve endocarditis. <i>Blood Coagulation and Fibrinolysis</i> , 2018, 29, 123-125.	1.0	2
12	Microfluidic Point-of-Care Ecarin-Based Clotting and Chromogenic Assays for Monitoring Direct Thrombin Inhibitors. <i>Journal of Extra-Corporeal Technology</i> , 2019, 51, 29-37.	0.4	2
13	Case Report: Disparate flow in HeartMate II patient with extensive left ventricle repair. <i>Perfusion (United Kingdom)</i> , 2016, 31, 349-352.	1.0	0