

Yue Zhao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/523658/yue-zhao-publications-by-year.pdf>

Version: 2023-12-07

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

210
papers

5,600
citations

40
h-index

65
g-index

236
ext. papers

6,978
ext. citations

7.7
avg, IF

6.34
L-index

#	Paper	IF	Citations
210	Fluorescent Zn(II) frameworks with multicarboxylate and pyridyl N-donor ligands for sensing specific anions and organic molecules.. <i>Dalton Transactions</i> , 2022 ,	4.3	6
209	Modulating the Structures and Magnetic Properties of Dy(III) Single-Molecule Magnets through Acid-Base Regulation.. <i>Inorganic Chemistry</i> , 2022 ,	5.1	2
208	Coordination Polymers with 2,2':6',2''-Terpyridine Earth-Abundant Metal Complex Units for Selective CO Photoreduction.. <i>Inorganic Chemistry</i> , 2022 , 61, 1590-1596	5.1	2
207	A cationic sulfur-hydrocarbon triradical with an excited quartet state.. <i>Chemical Communications</i> , 2022 ,	5.8	1
206	Regio- and enantioselective nucleophilic addition to gem-difluoroallenes 2022 , 1, 227-234		1
205	Cd(II) frameworks with tetracarboxylate and imidazole-containing ligands: Syntheses, structures, adsorption and sensing properties. <i>Journal of Solid State Chemistry</i> , 2022 , 123243	3.3	1
204	Redox-induced reversible P-P coupling in a uranium complex. <i>Chemical Communications</i> , 2021 , 57, 12175-12178	5.1	1
203	Controlling the unpaired electron by electrostatic attraction in the solid state. <i>Chemical Communications</i> , 2021 , 57, 13345-13348	5.8	
202	A stable triplet diradical emitter.. <i>Chemical Science</i> , 2021 , 12, 15151-15156	9.4	2
201	Construction and second-order nonlinear optical properties of two 1D zigzag chains with crisscross and parallel arrangements. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2021 , 647, 2189	1.3	
200	A Photoluminescent Cd(II) Coordination Polymer with Potential Active Sites Exhibiting Multiresponsive Fluorescence Sensing for Trace Amounts of NACs and Fe and Al Ions. <i>Inorganic Chemistry</i> , 2021 , 60, 4945-4956	5.1	21
199	Metal-Free Directed C-H Borylation of Pyrroles. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 8500-8504	16.4	12
198	A novel copper framework with amino tridentate N-donor ligand as heterogeneous catalyst for ring opening of epoxides. <i>Applied Organometallic Chemistry</i> , 2021 , 35, e6262	3.1	0
197	Stable Boron-Containing Blue-Photoluminescent Radicals. <i>Chinese Journal of Chemistry</i> , 2021 , 39, 1297-1302	4.9	3
196	Heterometallic Clusters with Multiple Rare Earth Metal-Transition Metal Bonding. <i>Journal of the American Chemical Society</i> , 2021 , 143, 5998-6005	16.4	8
195	Ligand Non-innocence and Single Molecular Spintronic Properties of AgII Dibenzoacorrole Radical on Ag(111). <i>Angewandte Chemie</i> , 2021 , 133, 11808-11812	3.6	
194	Ligand Non-innocence and Single Molecular Spintronic Properties of Ag Dibenzoacorrole Radical on Ag(111). <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 11702-11706	16.4	0

193	Anthracene-induced formation of highly twisted metallacycle and its crystal structure and tunable assembly behaviors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	2
192	Generation of non-stabilized alkyl radicals from thianthrenium salts for C-B and C-C bond formation. <i>Nature Communications</i> , 2021 , 12, 4526	17.4	17
191	A cationic benzocorrole Cu(II) complex as a highly stable antiaromatic system. <i>Chemical Communications</i> , 2021 , 57, 383-386	5.8	6
190	Rational design and syntheses of aniline-based diradical dications: isolable congeners of quinodimethane diradicals. <i>Organic Chemistry Frontiers</i> , 2021 , 8, 891-900	5.2	0
189	Facile Dinitrogen and Dioxygen Cleavage by a Uranium(III) Complex: Cooperativity Between the Non-Innocent Ligand and the Uranium Center. <i>Angewandte Chemie</i> , 2021 , 133, 477-483	3.6	3
188	Facile Dinitrogen and Dioxygen Cleavage by a Uranium(III) Complex: Cooperativity Between the Non-Innocent Ligand and the Uranium Center. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 473-479	16.4	11
187	Rhodium-catalysed selective C-C bond activation and borylation of cyclopropanes. <i>Chemical Science</i> , 2021 , 12, 3599-3607	9.4	5
186	Highly regioselective palladium-catalyzed domino reaction for post-functionalization of BODIPY. <i>Chemical Communications</i> , 2021 , 57, 1758-1761	5.8	3
185	Phosphorus(III)-assisted regioselective C-H silylation of heteroarenes. <i>Nature Communications</i> , 2021 , 12, 524	17.4	12
184	A high-spin diradical dianion and its bridged chemically switchable single-molecule magnet. <i>Chemical Science</i> , 2021 , 12, 9998-10004	9.4	0
183	Cobalt-Based Metal-Organic Frameworks for Adsorption of CO and C Hydrocarbons: Effect of Auxiliary Ligands with Different Functional Groups. <i>Inorganic Chemistry</i> , 2021 , 60, 2563-2572	5.1	2
182	Thermal switches between delayed fluorescence and persistent phosphorescence based on a keto-BODIPY electron acceptor. <i>Organic and Biomolecular Chemistry</i> , 2021 , 19, 2030-2037	3.9	0
181	Palladium-Catalyzed Silacyclization of (Hetero)Arenes with a Tetrasilane Reagent through Twofold C-H Activation. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 7066-7071	16.4	11
180	Palladium-Catalyzed Silacyclization of (Hetero)Arenes with a Tetrasilane Reagent through Twofold C-H Activation. <i>Angewandte Chemie</i> , 2021 , 133, 7142-7147	3.6	3
179	Synthesis, structure and properties of luminescent Cd(II) coordination polymers based on imidazole-decorated tetraphenylethylene. <i>Journal of Coordination Chemistry</i> , 2021 , 74, 294-305	1.6	4
178	Metal-Free Directed C-H Borylation of Pyrroles. <i>Angewandte Chemie</i> , 2021 , 133, 8581-8585	3.6	3
177	Orthogonal Design of a Water-Soluble -Tetraphenylethene-Functionalized Pillar[5]arene with Aggregation-Induced Emission Property and Its Therapeutic Application. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 37466-37474	9.5	14
176	Crystal Structures and Luminescent Probe Behaviors of Three-Dimensional Zn(II) Frameworks with Multicarboxylate and Tetradentate Imidazole-Containing Ligands. <i>Crystal Growth and Design</i> , 2021 , 21, 5306-5316	3.5	13

175	Luminescent silver(I) complexes with pyrazole-tetraphenylethene ligands: turn-on fluorescence due to the coordination-driven rigidification and solvent-oriented structural transformation. <i>Dalton Transactions</i> , 2021 , 50, 2183-2191	4.3	6
174	A single-crystal to single-crystal transition from a 7-fold interpenetrated coordination polymer to a non-interpenetrated one by photochemical [2 + 2] polymerization and their sensing properties. <i>Dalton Transactions</i> , 2021 , 50, 4408-4414	4.3	3
173	A Series of Metal-Organic Frameworks: Syntheses, Structures and Luminescent Detection, Gas Adsorption, Magnetic Properties. <i>Crystal Growth and Design</i> , 2021 , 21, 869-885	3.5	16
172	Photoredox-Controlled Regioselective Radical Hydroboration of Activated Alkenes with NHC-Boranes. <i>Angewandte Chemie</i> , 2020 , 132, 12917-12921	3.6	6
171	Regulation of an Ambient-Light-Induced Photocyclization Pathway (Norrish-Yang Versus 6J) by Substituent Choice. <i>Chemistry - A European Journal</i> , 2020 , 26, 12418-12430	4.8	2
170	Bioinspired design of a robust -methylating agent. <i>Science Advances</i> , 2020 , 6, eaba0946	14.3	15
169	Construction of efficient Mn-N-C oxygen reduction electrocatalyst from a Mn(II)-based MOF with N-rich organic linker. <i>Inorganic Chemistry Communication</i> , 2020 , 118, 107982	3.1	7
168	Stable Radical Cation and Dication of an N-Heterocyclic Carbene Stabilized Digallene: Synthesis, Characterization and Reactivity. <i>Angewandte Chemie</i> , 2020 , 132, 6835-6840	3.6	4
167	Revealing Silylation of C(sp ²)/C(sp ³)-H Bonds in Arylphosphines by Ruthenium Catalysis. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 10909-10912	16.4	21
166	Efficient red phosphorescent Ir(III) complexes based on rigid ligands with high external quantum efficiency and low efficiency roll-off. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 6168-6175	7.1	4
165	Coordination polymers with a pyridyl-salen ligand for photocatalytic carbon dioxide reduction. <i>Chemical Communications</i> , 2020 , 56, 4110-4113	5.8	15
164	De novo design of Au(SR) nanoclusters. <i>Nature Communications</i> , 2020 , 11, 3349	17.4	21
163	Iridium complex of porphycene: a new member of metalloporphycene. <i>Science China Chemistry</i> , 2020 , 63, 682-686	7.9	3
162	Exploring Efficient Fe/N/C Electrocatalysts for Oxygen Reduction from Nonporous Interpenetrated Metal-Organic Framework Involving in Situ Formation of ZnO Templates. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 3208-3217	8.3	13
161	Tuning the Single-Molecule Magnetism of Dysprosium Complexes by a Redox-Noninnocent Diborane Ligand. <i>Organometallics</i> , 2020 , 39, 4143-4148	3.8	2
160	Stable, yet "naked", azo radical anion Ar ⁻ NNAr and dianion Ar ²⁻ NNAr (Ar = 4-CN-2,6-Pr-CH) with selective CO activation. <i>Chemical Communications</i> , 2020 , 56, 3285-3288	5.8	3
159	Isolable cyclic radical cations of heavy main-group elements. <i>Chemical Communications</i> , 2020 , 56, 2167-2170	3.7	8
158	Zig-Zag Diphosphene Oligomers Linked by Silver(I) Cation. <i>Chinese Journal of Chemistry</i> , 2020 , 38, 351-359	3.7	2

157	Stable Radical Cation and Dication of an N-Heterocyclic Carbene Stabilized Digallene: Synthesis, Characterization and Reactivity. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 6769-6774	16.4	4
156	Revealing Silylation of C(sp ²)/C(sp ³) σ Bonds in Arylphosphines by Ruthenium Catalysis. <i>Angewandte Chemie</i> , 2020 , 132, 11001-11004	3.6	3
155	Potential effect of herbal antidepressants on cognitive deficit: Pharmacological activity and possible molecular mechanism. <i>Journal of Ethnopharmacology</i> , 2020 , 257, 112830	5	5
154	A Magnetically Robust Triplet Ground State Sulfur-Hydrocarbon Diradical Dication. <i>Journal of the American Chemical Society</i> , 2020 , 142, 7340-7344	16.4	13
153	Photoredox-Controlled β Regioselective Radical Hydroboration of Activated Alkenes with NHC-Boranes. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 12817-12821	16.4	24
152	Crystalline Diradical Dianions of Pyrene-Fused Azaacenes. <i>Angewandte Chemie</i> , 2020 , 132, 11892-11897	3.6	0
151	Coordination polymers with salicylaldehyde ligands: structural diversity, selective sorption and luminescence sensing properties. <i>CrystEngComm</i> , 2020 , 22, 304-310	3.3	8
150	Cucurbit[7]uril-Based Metal-Organic Rotaxane Framework for Dual-Capture of Molecular Iodine and Cationic Potassium Ion. <i>Chemistry - A European Journal</i> , 2020 , 26, 2154-2158	4.8	7
149	Isomorphic Cd(II)/Zn(II)-MOFs as bifunctional chemosensors for anion (CrO ₇ ²⁻) and cation (Fe ³⁺) detection in aqueous solution. <i>Inorganic Chemistry Communication</i> , 2020 , 121, 108259	3.1	7
148	A new two-fold interpenetrated Cd(II)-based metal-organic framework as a fluorescent probe for nitro-aromatic compounds. <i>Journal of Coordination Chemistry</i> , 2020 , 73, 2728-2739	1.6	12
147	Dual Functionalization of Electron Transport Layer Tailoring Molecular Structure for High-Performance Perovskite Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 37346-37353	9.5	10
146	A diradical based on odd-electron σ bonds. <i>Nature Communications</i> , 2020 , 11, 3441	17.4	5
145	Dinitrogen Cleavage by a Heterometallic Cluster Featuring Multiple Uranium-Rhodium Bonds. <i>Journal of the American Chemical Society</i> , 2020 , 142, 15004-15011	16.4	19
144	Efficient methanol carbonylation to methyl acetate catalyzed by a cyclic(alkyl)(amino)carbene iridium complex. <i>Catalysis Science and Technology</i> , 2020 , 10, 6045-6049	5.5	3
143	A CTV Analogue: Arene-Persubstituted Cyclotrixylohydroquinoylene and Its Derivatives. <i>Organic Letters</i> , 2020 , 22, 8984-8988	6.2	2
142	External oxidant-compatible phosphorus(III)-directed site-selective C-H carbonylation. <i>Science Advances</i> , 2020 , 6,	14.3	7
141	Isolable Lanthanide Metal Complexes of a Phosphorus-Centered Radical. <i>Inorganic Chemistry</i> , 2020 , 59, 2111-2115	5.1	11
140	Crystalline Diradical Dianions of Pyrene-Fused Azaacenes. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 11794-11799	16.4	7

139	Tunable Reduction of 2,4,6-Tri(4-pyridyl)-1,3,5-Triazine: From Radical Anion to Diradical Dianion to Radical Metal-Organic Framework. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 18224-18229	16.4	15
138	Syntheses, Crystal Structures, and Photoluminescence of a Series of Iridium(III) Complexes Containing the Pentafluorosulfanyl Group. <i>Organometallics</i> , 2019 , 38, 3553-3559	3.8	9
137	Two platinum(ii) complexes with a 4-phenyl-4H-1,2,4-triazole derivative as an ancillary ligand for efficient green OLEDs. <i>Dalton Transactions</i> , 2019 , 48, 1892-1899	4.3	6
136	Fabrication of Desired Metal-Organic Frameworks via Postsynthetic Exchange and Sequential Linker Installation. <i>Crystal Growth and Design</i> , 2019 , 19, 1454-1470	3.5	45
135	Cooperative Au/Ag Dual-Catalyzed Cross-Dehydrogenative Biaryl Coupling: Reaction Development and Mechanistic Insight. <i>Journal of the American Chemical Society</i> , 2019 , 141, 3187-3197	16.4	55
134	Adjustable chiral self-sorting and self-discriminating behaviour between diamond-like Tröger's base-linked cryptands. <i>Chemical Communications</i> , 2019 , 55, 8072-8075	5.8	3
133	Polygonum cuspidatum extract attenuates fructose-induced liver lipid accumulation through inhibiting Keap1 and activating Nrf2 antioxidant pathway. <i>Phytomedicine</i> , 2019 , 63, 152986	6.5	13
132	Water-Stable Coordination Polymers as Dual Fluorescent Sensors for Highly Oxidizing Anions CrO ₄ ²⁻ and MnO ₄ ⁻ . <i>Chemistry - an Asian Journal</i> , 2019 , 14, 3620-3626	4.5	26
131	Synthesis, crystal structure and fluorescent sensing property of metal-organic frameworks with 1,3-di(1H-imidazol-4-yl)benzene and 1,4-phenylenediacetate. <i>Polyhedron</i> , 2019 , 167, 33-38	2.7	15
130	A Main-Group Element Radical Based One-Dimensional Magnetic Chain. <i>Angewandte Chemie</i> , 2019 , 131, 6145-6149	3.6	6
129	Orthogonal Oriented Bisanthracene-Bridged Bis(Triarylamine) Diradical Dications: Isolation, Characterizations and Crystal Structures. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 1708-1711	4.5	2
128	Efficient Fe-Co-N-C Electrocatalyst Towards Oxygen Reduction Derived from a Cationic Co ^{II} -based Metal-Organic Framework Modified by Anion-Exchange with Potassium Ferricyanide. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 995-1003	4.5	18
127	Rhodium-catalysed direct hydroarylation of alkenes and alkynes with phosphines through phosphorous-assisted C-H activation. <i>Nature Communications</i> , 2019 , 10, 3539	17.4	28
126	Rhodium(II)-Catalyzed Dehydrogenative Silylation of Biaryl-Type Monophosphines with Hydrosilanes. <i>Angewandte Chemie</i> , 2019 , 131, 12659-12663	3.6	2
125	Rhodium(II)-Catalyzed Dehydrogenative Silylation of Biaryl-Type Monophosphines with Hydrosilanes. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 12529-12533	16.4	25
124	Series of Cadmium(II) Coordination Polymers Based on a Versatile Multi-N-Donor Tecton or Mixed Carboxylate Ligands: Synthesis, Structure, and Selectively Sensing Property. <i>ACS Omega</i> , 2019 , 4, 11540-11553 ¹³	3.9	13
123	Tricoordinate Nontrigonal Pnictogen-Centered Radical Anions: Isolation, Characterization, and Reactivity. <i>Angewandte Chemie</i> , 2019 , 131, 15976-15980	3.6	6
122	Tricoordinate Nontrigonal Pnictogen-Centered Radical Anions: Isolation, Characterization, and Reactivity. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 15829-15833	16.4	24

121	Tunable Reduction of 2,4,6-Tri(4-pyridyl)-1,3,5-Triazine: From Radical Anion to Diradical Dianion to Radical Metal-Organic Framework. <i>Angewandte Chemie</i> , 2019 , 131, 18392-18397	3.6	4
120	Transition Metal-free Trifluoroethoxylation of Diaryliodonium Salts and Fluoro Alcohols. <i>Letters in Organic Chemistry</i> , 2019 , 16, 485-490	0.6	0
119	A Main-Group Element Radical Based One-Dimensional Magnetic Chain. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 6084-6088	16.4	9
118	Isolable diboryl radicals acting as highly efficient reaction intermediates under mild conditions. <i>Chemical Communications</i> , 2019 , 55, 12908-12911	5.8	7
117	A diamidinatogermylene as a Z-type ligand in a nickel(0) complex. <i>Dalton Transactions</i> , 2019 , 48, 14975-14978	14.9	11
116	Metal-free directed sp-C-H borylation. <i>Nature</i> , 2019 , 575, 336-340	50.4	93
115	Rhodium-Catalyzed PIII-Directed ortho-C-H Borylation of Arylphosphines. <i>Angewandte Chemie</i> , 2019 , 131, 2100-2104	3.6	10
114	Rhodium-Catalyzed P-Directed ortho-C-H Borylation of Arylphosphines. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 2078-2082	16.4	49
113	Cucurbit[6]uril-based supramolecular assemblies incorporating metal complexes with multiaromatic ligands as structure-directing agent for detection of aromatic amines and nitroaromatic compounds. <i>Sensors and Actuators B: Chemical</i> , 2019 , 282, 844-853	8.5	36
112	Synthesis, Structure and Sensing Property of Novel Zinc(II) Framework with Mixed 3,3',5,5'-Tetra(1H-imidazol-1-yl)biphenyl and 2,6-Naphthalenedicarboxylate Ligands. <i>Israel Journal of Chemistry</i> , 2019 , 59, 267-272	3.4	5
111	Reversible Self-Assembling of Boryl Radical Anions to Their Diradicals with Tunable Singlet Ground States. <i>Chemistry - A European Journal</i> , 2019 , 25, 4031-4035	4.8	11
110	Metal-Organic frameworks with catalytic centers: From synthesis to catalytic application. <i>Coordination Chemistry Reviews</i> , 2019 , 378, 262-280	23.2	259
109	Studies on the Bridge Dependence of Bis(triarylamine) Diradical Dications: Long-Range π -Conjugation and π -Coupling Systems. <i>Journal of Organic Chemistry</i> , 2018 , 83, 3651-3656	4.2	11
108	Synergistic Photoredox Catalysis and Organocatalysis for Inverse Hydroboration of Imines. <i>Angewandte Chemie</i> , 2018 , 130, 4054-4058	3.6	37
107	A robust polyoxometalate-templated four-fold interpenetrating metal-organic framework showing efficient organic dye photodegradation in various pH aqueous solutions. <i>Dalton Transactions</i> , 2018 , 47, 5245-5251	4.3	14
106	Bottom-up Construction of π -Extended Arenes by a Palladium-Catalyzed Annulative Dimerization of o-Iodobiphenyl Compounds. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 8848-8853	16.4	45
105	Synergistic Photoredox Catalysis and Organocatalysis for Inverse Hydroboration of Imines. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 3990-3994	16.4	88
104	Porous Metal-Organic Frameworks with Chelating Multiamine Sites for Selective Adsorption and Chemical Conversion of Carbon Dioxide. <i>Inorganic Chemistry</i> , 2018 , 57, 2695-2704	5.1	74

103	Experimental Observation of Thermally Excited Triplet States of Heavier Group 15 Element Centered Diradical Dianions. <i>Chemistry - A European Journal</i> , 2018 , 24, 3156-3160	4.8	10
102	Spirobi[dibenzo[b,e][1,4]azasiline]: a novel platform for host materials in highly efficient organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 1023-1030	7.1	17
101	Structural Diversity and Sensing Properties of Metal-Organic Frameworks with Multicarboxylate and 1H-Imidazol-4-yl-Containing Ligands. <i>Crystal Growth and Design</i> , 2018 , 18, 1136-1146	3.5	51
100	Dispiro and Propellane: Novel Molecular Platforms for Highly Efficient Organic Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 1925-1932	9.5	18
99	Syntheses, structures and theoretical calculations of stable triarylsarsine radical cations. <i>Chemical Communications</i> , 2018 , 54, 1493-1496	5.8	11
98	Bottom-up Construction of π -Extended Arenes by a Palladium-Catalyzed Annulative Dimerization of o-Iodobiaryl Compounds. <i>Angewandte Chemie</i> , 2018 , 130, 8986-8991	3.6	18
97	Novel carbazole derivatives designed by an ortho-linkage strategy for efficient phosphorescent organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 4300-4307	7.1	12
96	Iridium(III) phosphors with bis(diphenylphosphorothioyl)amide ligand for efficient green and sky-blue OLEDs with EQE of nearly 28%. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 9010-9016	7.1	18
95	Copper-Catalyzed Asymmetric Defluoroborylation of 1-(Trifluoromethyl)Alkenes. <i>Chem</i> , 2018 , 4, 2201-2211	11.1	84
94	Selective Hydroarylation of 1,3-Diynes Using a Dimeric Manganese Catalyst: Modular Synthesis of Z-Enynes. <i>Angewandte Chemie</i> , 2018 , 130, 13088-13092	3.6	11
93	Selective Hydroarylation of 1,3-Diynes Using a Dimeric Manganese Catalyst: Modular Synthesis of Z-Enynes. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 12906-12910	16.4	41
92	An Isolable Diphosphene Radical Cation Stabilized by Three-Center Three-Electron π -Bonding with Chromium: End-On versus Side-On Coordination. <i>Angewandte Chemie</i> , 2018 , 130, 9563-9568	3.6	9
91	Synthesis and photophysical properties of cyclometalated heteroleptic iridium(III) complexes containing pyridyl/isoquinolyl-imino-isoindoline ancillary ligand. <i>Supramolecular Chemistry</i> , 2018 , 30, 328-335	1.8	2
90	Efficient green photoluminescence and electroluminescence of iridium complexes with high electron mobility. <i>Dalton Transactions</i> , 2018 , 47, 16543-16550	4.3	7
89	Cadmium(II) coordination polymers based on 2-(4-((E)-2-(pyridine-2-yl)vinyl)styryl)pyridine and dicarboxylate ligands as fluorescent sensors for TNP. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 12623-12630	7.1	29
88	Novel metal-organic frameworks with high stability for selectively sensing nitroaromatics. <i>Dalton Transactions</i> , 2018 , 47, 15399-15404	4.3	22
87	Magnetic on-off switching in redox non-innocent ligand bridged binuclear cobalt complexes. <i>Dalton Transactions</i> , 2018 , 47, 17211-17215	4.3	12
86	Rhodium-catalyzed, P-directed selective C7 arylation of indoles. <i>Science Advances</i> , 2018 , 4, eaau6468	14.3	57

85	Highly tunable multi-borylation of gem-difluoroalkenes via copper catalysis. <i>Nature Catalysis</i> , 2018 , 1, 860-869	36.5	56
84	Novel cadmium(II) frameworks with mixed carboxylate and imidazole-containing ligands for selective detection of antibiotics. <i>Polyhedron</i> , 2018 , 154, 350-356	2.7	26
83	An Isolable Diphosphene Radical Cation Stabilized by Three-Center Three-Electron π -Bonding with Chromium: End-On versus Side-On Coordination. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 9419-9424	16.4	19
82	Elusive Antimony-Centered Radical Cations: Isolation, Characterization, Crystal Structures, and Reactivity Studies. <i>Angewandte Chemie</i> , 2017 , 129, 647-651	3.6	12
81	Phosphorescent platinum(II) complexes based on spiro linkage-containing ligands. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 1944-1951	7.1	13
80	Regiocontrolled Direct C-H Arylation of Indoles at the C4 and C5 Positions. <i>Angewandte Chemie</i> , 2017 , 129, 4024-4029	3.6	31
79	Regiocontrolled Direct C-H Arylation of Indoles at the C4 and C5 Positions. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 3966-3971	16.4	118
78	Rhodium(I)-Catalyzed Tertiary Phosphine Directed C-H Arylation: Rapid Construction of Ligand Libraries. <i>Angewandte Chemie</i> , 2017 , 129, 7339-7343	3.6	24
77	Rhodium(I)-Catalyzed Tertiary Phosphine Directed C-H Arylation: Rapid Construction of Ligand Libraries. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 7233-7237	16.4	62
76	Selectively sensing and adsorption properties of nickel(II) and cadmium(II) architectures with rigid 1H-imidazol-4-yl containing ligands and 1,3,5-tri(4-carboxyphenyl)benzene. <i>Sensors and Actuators B: Chemical</i> , 2017 , 250, 179-188	8.5	43
75	Coordination polymers with 1,3-bis(1-imidazolyl)-5-(imidazol-1-ylmethyl)benzene and biphenyl-4,4'-dicarboxylate ligands: Selective adsorption of gas and dye molecules. <i>Microporous and Mesoporous Materials</i> , 2017 , 241, 192-201	5.3	26
74	Highly phosphorescent cyclometalated platinum(II) complexes based on 2-phenylbenzimidazole-containing ligands. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 6202-6209	7.1	24
73	One-dimensional alkylate-bridged W ^{VI} -based blue-based diradical dications. <i>Science China Chemistry</i> , 2017 , 60, 602-606	7.9	5
72	Elusive Antimony-Centered Radical Cations: Isolation, Characterization, Crystal Structures, and Reactivity Studies. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 632-636	16.4	27
71	Photoluminescence and electroluminescence of iridium(III) complexes with 2',6'-bis(trifluoromethyl)-2,4'-bipyridine and 1,3,4-oxadiazole/1,3,4-thiadiazole derivative ligands. <i>Dalton Transactions</i> , 2017 , 46, 845-853	4.3	22
70	Metal organic frameworks with 1,3-bis(1-imidazolyl)-5-(imidazol-1-ylmethyl)benzene and 3,3'-disulfobiphenyl-4,4'-dicarboxylate ligands: Synthesis, structure and selectively sensing property. <i>Sensors and Actuators B: Chemical</i> , 2017 , 244, 114-123	8.5	30
69	Zinc(II) and Copper(II) Hybrid Frameworks via Metal-Ion Metathesis with Enhanced Gas Uptake and Photoluminescence Properties. <i>Inorganic Chemistry</i> , 2017 , 56, 14157-14163	5.1	29
68	Pseudopolymorphism based on 1D metallacyclic chains constructed from an angular zwitterionic ditopic diacid organic linker. <i>CrystEngComm</i> , 2017 , 19, 6686-6693	3.3	4

- 67 Metal-organic frameworks with 1,4-di(1H-imidazol-4-yl)benzene and varied carboxylate ligands for selectively sensing Fe(III) ions and ketone molecules. *Dalton Transactions*, **2017**, 46, 13943-13951 4.3 95
- 66 Sorption and sensing properties of coordination polymers with mixed 1,3,5-tris(1-imidazolyl)benzene and 2,6-naphthalenedicarboxylate ligands. *RSC Advances*, **2017**, 7, 44639-44646 2.7 12
- 65 The Charge Transfer Approach to Heavier Main-Group Element Radicals in Transition-Metal Complexes. *Angewandte Chemie*, **2017**, 129, 12915-12919 3.6 6
- 64 Luminescent Cd(II) organic frameworks with chelating NH₂ sites for selective detection of Fe(III) and antibiotics. *Journal of Materials Chemistry A*, **2017**, 5, 15797-15807 13 239
- 63 The Charge Transfer Approach to Heavier Main-Group Element Radicals in Transition-Metal Complexes. *Angewandte Chemie - International Edition*, **2017**, 56, 12741-12745 16.4 17
- 62 Half-Sandwich Metal Carbonyl Complexes as Precursors to Functional Materials: From a Near-Infrared-Absorbing Dye to a Single-Molecule Magnet. *Journal of the American Chemical Society*, **2017**, 139, 12069-12075 16.4 8
- 61 Isolable Borane-Based Diradical and Triradical Fused by a Diamagnetic Transition Metal Ion. *Journal of the American Chemical Society*, **2017**, 139, 17723-17726 16.4 15
- 60 Syntheses, structures, and magnetic properties of two unique Cu(II)-based coordination polymers involving a crystal-to-crystal structural transformation from a 1D chain to a 3D network. *Dalton Transactions*, **2017**, 46, 17025-17031 4.3 11
- 59 Enantioselective Palladium-Catalyzed Intramolecular Arylative Desymmetrization of 1,3-Diketones. *Journal of the American Chemical Society*, **2017**, 139, 16486-16489 16.4 55
- 58 Bis(boryl anion)-Substituted Pyrenes: Syntheses, Characterizations, and Crystal Structures. *Organometallics*, **2017**, 36, 2498-2501 3.8 21
- 57 Nickel-Catalyzed Decarbonylative Borylation and Silylation of Esters. *ACS Catalysis*, **2016**, 6, 6692-6698 13.1 133
- 56 Construction of Noninterpenetrating and Interpenetrating (4-Fold and 8-Fold) 3-D Cd(II) Networks with Tris(1,2,4-triazol-4-yl)phenyl)amine Modulated by Aromatic Dicarboxylate Coligands. *Crystal Growth and Design*, **2016**, 16, 5859-5868 3.5 35
- 55 Syntheses, Structures, and Sorption Properties of Metal-Organic Frameworks with 1,3,5-Tris(1-imidazolyl)benzene and Tricarboxylate Ligands. *Crystal Growth and Design*, **2016**, 16, 7112-7123 3.5 39
- 54 Two Green-Phosphorescent Iridium Complexes with 2-Phenylpyrimidine Derivatives and Tetraphenylimidodiphosphate for Efficient Organic Light-Emitting Diodes. *European Journal of Inorganic Chemistry*, **2016**, 2016, 2556-2561 2.3 11
- 53 Multifunctional Metal-Organic Frameworks with Fluorescent Sensing and Selective Adsorption Properties. *Inorganic Chemistry*, **2016**, 55, 11821-11830 5.1 90
- 52 Formation of a series of stable pillar[5]arene-based pseudo[1]-rotaxanes and their [1]rotaxanes in the crystal state. *Scientific Reports*, **2016**, 6, 28748 4.9 30
- 51 Differentiation of volatile aromatic isomers and structural elucidation of volatile compounds in essential oils by combination of HPLC separation and crystalline sponge method. *Journal of Chromatography A*, **2016**, 1474, 130-137 4.5 23
- 50 Palladium-catalyzed direct arylation and cyclization of o-iodobiaryls to a library of tetraphenylenes. *Scientific Reports*, **2016**, 6, 33131 4.9 29

49	An anionic zeolite-like metal-organic framework (AZMOF) with a Moravia network for organic dye absorption through cation-exchange. <i>Dalton Transactions</i> , 2016 , 45, 10909-15	4.3	30
48	Cu-Catalyzed Direct C6-Arylation of Indoles. <i>Journal of the American Chemical Society</i> , 2016 , 138, 8734-7	16.4	166
47	Syntheses, Structures, and Properties of a Series of Polyazaheteroaromatic Core-Based Zn(II) Coordination Polymers Together with Carboxylate Auxiliary Ligands. <i>Crystal Growth and Design</i> , 2016 , 16, 229-241	3.5	58
46	Synthesis and properties of azulene-functionalized BODIPYs. <i>RSC Advances</i> , 2016 , 6, 32124-32129	3.7	15
45	Crystal structure, photoluminescence and electroluminescence of three bluish green light-emitting iridium complexes. <i>Dalton Transactions</i> , 2016 , 45, 7366-72	4.3	23
44	Bisthienylethene Th ₂ im and its complex (Th ₂ imH) ₂ [ReCl ₆]: crystalline-phase photochromism, and photochemical regulation of luminescence and magnetic properties. <i>Dalton Transactions</i> , 2016 , 45, 3443-9	4.3	8
43	Palladium-Catalyzed C-H Arylation of Indoles at the C7 Position. <i>Journal of the American Chemical Society</i> , 2016 , 138, 495-8	16.4	188
42	Construction of metal-organic coordination networks with various metal-linker secondary building units: structures and properties. <i>New Journal of Chemistry</i> , 2016 , 40, 7587-7595	3.6	25
41	Nickel-Catalyzed Decarbonylative Borylation of Amides: Evidence for Acyl C-N Bond Activation. <i>Angewandte Chemie</i> , 2016 , 128, 8860-8864	3.6	57
40	Nickel-Catalyzed Decarbonylative Borylation of Amides: Evidence for Acyl C-N Bond Activation. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 8718-22	16.4	181
39	Isolable Diphosphorus-Centered Radical Anion and Diradical Dianion. <i>Journal of the American Chemical Society</i> , 2016 , 138, 6735-8	16.4	40
38	Chiral copper(II) complex based on natural product rosin derivative as promising antitumour agent. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2016 , 160, 43-52	6.7	12
37	Three powerful dinuclear metal-organic catalysts for converting CO ₂ into organic carbonates. <i>Dalton Transactions</i> , 2016 , 45, 14184-90	4.3	23
36	Rational Design of Emissive NIR-Absorbing Chromophores: Rh(III) Porphyrin-Aza-BODIPY Conjugates with Orthogonal Metal-Carbon Bonds. <i>Chemistry - A European Journal</i> , 2016 , 22, 13201-9	4.8	15
35	Highly Efficient Organic Light-Emitting Diodes with Low Efficiency Roll-Off Based on Iridium Complexes Containing Pinene Sterically Hindered Spacer. <i>Advanced Optical Materials</i> , 2016 , 4, 1726-1731	8.1	28
34	Structural diversity in coordination polymers with a semirigid Lewis acidity ligand: structures and properties. <i>CrystEngComm</i> , 2015 , 17, 5690-5701	3.3	20
33	Syntheses, structures, and magnetic properties of homodinuclear lanthanide complexes based on dinucleating Schiff base ligands. <i>Dalton Transactions</i> , 2015 , 44, 20232-41	4.3	12
32	Isolation and structural characterization of a mainly ligand-based dimetallic radical. <i>Dalton Transactions</i> , 2015 , 44, 19754-7	4.3	7

31	Two blue iridium complexes for efficient electroluminescence with low efficiency roll-off. <i>RSC Advances</i> , 2015 , 5, 89218-89225	3.7	14
30	Functional group effects on structure and topology of cadmium(II) frameworks with mixed organic ligands. <i>RSC Advances</i> , 2015 , 5, 43268-43278	3.7	16
29	Iridium(III)-catalyzed direct arylation of C-H bonds with diaryliodonium salts. <i>Journal of the American Chemical Society</i> , 2015 , 137, 12231-40	16.4	129
28	DNA binding and cytotoxicity activity of a chiral iron(III) triangle complex based on a natural rosin product. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2015 , 142, 77-85	6.7	23
27	Circularly polarised phosphorescent photoluminescence and electroluminescence of iridium complexes. <i>Scientific Reports</i> , 2015 , 5, 14912	4.9	118
26	Solvent-dependent zinc(II) coordination polymers with mixed ligands: selective sorption and fluorescence sensing. <i>Dalton Transactions</i> , 2015 , 44, 11524-32	4.3	81
25	Construction of a metal-organic framework by octuple intercatenation of discrete icosahedral coordination cages. <i>CrystEngComm</i> , 2015 , 17, 2080-2082	3.3	9
24	Crystal Structures, Gas Adsorption, and Electrochemical Properties of Electroactive Coordination Polymers Based on the Tetrathiafulvalene-Tetrabenzoate Ligand. <i>Crystal Growth and Design</i> , 2015 , 15, 1861-1870	3.5	36
23	A pillar[5]arene-fused cryptand: from orthogonal self-assembly to supramolecular polymer. <i>Chemical Communications</i> , 2015 , 51, 3623-6	5.8	30
22	Rh(III)-catalyzed C-H olefination of <i>p</i> -pentafluoroaryl benzamides using air as the sole oxidant. <i>Chemical Science</i> , 2015 , 6, 1923-1927	9.4	92
21	Synthesis, characterization and selective hysteretic sorption property of metal-organic frameworks with 3,5-di(pyridine-4-yl)benzoate. <i>CrystEngComm</i> , 2014 , 16, 6300	3.3	22
20	A mononuclear Dy(III) complex incorporating the dithienylethene unit: crystalline-phase photochromism, magnetic and luminescent properties. <i>RSC Advances</i> , 2014 , 4, 43064-43069	3.7	6
19	Structural modulation of silver complexes and their distinctive catalytic properties. <i>Dalton Transactions</i> , 2014 , 43, 2252-8	4.3	24
18	New Metal-Organic Frameworks Constructed from the 4-Imidazole-Carboxylate Ligand: Structural Diversities, Luminescence, and Gas Adsorption Properties. <i>Crystal Growth and Design</i> , 2014 , 14, 3727-3741	4.5	57
17	Synthesis, structure and magnetic property of cobalt(II) and manganese(II) complexes with mixed organic ligands. <i>Inorganic Chemistry Communication</i> , 2014 , 39, 126-130	3.1	6
16	A crystalline phosphalkene radical anion. <i>Journal of the American Chemical Society</i> , 2014 , 136, 9834-7	16.4	49
15	Zinc(II) coordination polymers with substituted benzenedicarboxylate and tripodal imidazole ligands: syntheses, structures and properties. <i>CrystEngComm</i> , 2014 , 16, 7536	3.3	56
14	Synthesis, structure and property of Ni(II) coordination polymers with mixed dicarboxylate and benzoimidazol-containing ligands. <i>Microporous and Mesoporous Materials</i> , 2014 , 187, 86-93	5.3	10

13	Stable tetraaryldiphosphine radical cation and dication. <i>Journal of the American Chemical Society</i> , 2013 , 135, 5561-4	16.4	60
12	Zinc(II) and Cadmium(II) Complexes with 1,3,5-Benzenetricarboxylate and Imidazole-Containing Ligands: Structural Variation via Reaction Temperature and Solvent. <i>Crystal Growth and Design</i> , 2013 , 13, 2312-2321	3.5	114
11	Cadmium(II) and zinc(II) complexes with rigid 1-(1H-imidazol-4-yl)-3-(4H-tetrazol-5-yl)benzene and varied carboxylate ligands. <i>CrystEngComm</i> , 2013 , 15, 5713	3.3	33
10	Propargylamines formed from three-component coupling reactions catalyzed by silver oxide nanoparticles. <i>RSC Advances</i> , 2013 , 3, 1732-1734	3.7	41
9	Syntheses, structures, and properties of CdII and CoII complexes with 5-(pyridin-4-yl)isophthalate. <i>Journal of Coordination Chemistry</i> , 2012 , 65, 4409-4418	1.6	11
8	High structural diversity controlled by temperature and induction agent. <i>CrystEngComm</i> , 2012 , 14, 2015	3.3	40
7	Construction of coordination frameworks based on 4-imidazolyl tecton 1,4-di(1H-imidazol-4-yl)benzene and varied carboxylic acids. <i>CrystEngComm</i> , 2012 , 14, 3564	3.3	70
6	Syntheses, crystal structures, and properties of silver(I) complexes with oxazoline-containing bidentate ligand. <i>Journal of Coordination Chemistry</i> , 2012 , 65, 165-175	1.6	5
5	Silver supramolecule catalyzed multicomponent reactions under mild conditions. <i>Dalton Transactions</i> , 2012 , 41, 5889-96	4.3	46
4	Anion- and auxiliary ligand-directed synthesis of cadmium(II) complexes with 3,5-di(1H-imidazol-1-yl)benzoate. <i>CrystEngComm</i> , 2011 , 13, 1539-1549	3.3	44
3	Three-dimensional 3d-4f heterometallic coordination polymers: syntheses, structures and properties. <i>Supramolecular Chemistry</i> , 2011 , 23, 117-124	1.8	6
2	Variable Metal Chelation Modes and Activation Sequence in Pd-Catalyzed B ₁₀ H Poly-arylation of Carboranes. <i>ACS Catalysis</i> , 14047-14057	13.1	10
1	An Underwater Long-Term Strong Adhesive Based on Boronic Esters with Enhanced Hydrolytic Stability. <i>Advanced Functional Materials</i> , 2201959	15.6	2