Jerzy P Szaflarski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5237136/publications.pdf

Version: 2024-02-01

44069 60623 8,272 190 48 81 citations h-index g-index papers 190 190 190 8353 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Operationalising treatment success in aphasia rehabilitation. Aphasiology, 2023, 37, 1693-1732.	2.2	9
2	Utilising a systematic review-based approach to create a database of individual participant data for meta- and network meta-analyses: the RELEASE database of aphasia after stroke. Aphasiology, 2022, 36, 513-533.	2,2	3
3	Regional brain atrophy and aberrant cortical folding relate to anxiety and depression in patients with traumatic brain injury and psychogenic nonepileptic seizures. Epilepsia, 2022, 63, 222-236.	5.1	17
4	Dosage, Intensity, and Frequency of Language Therapy for Aphasia: A Systematic Review–Based, Individual Participant Data Network Meta-Analysis. Stroke, 2022, 53, 956-967.	2.0	44
5	Not a Slam-Dunk: Assessing the Role of EEG/fMRI in the Presurgical Evaluation. Epilepsy Currents, 2022, 22, 153575972110730.	0.8	O
6	Lesion correlates of auditory sentence comprehension deficits in post-stroke aphasia. Neurolmage Reports, 2022, 2, 100076.	1.0	3
7	Special issue on the intersection between functional seizures and other functional neurological disorders. Epilepsy and Behavior Reports, 2022, 18, 100523.	1.0	O
8	Precentral gyrus and insula responses to stress vary with duration to diagnosis in functional seizures. Epilepsia, 2022, 63, 865-879.	5.1	9
9	Visually sensitive seizures: An updated review by the Epilepsy Foundation. Epilepsia, 2022, 63, 739-768.	5.1	31
10	Sense of control, selective attention and cognitive inhibition in pediatric functional seizures: A prospective case-control study. Seizure: the Journal of the British Epilepsy Association, 2022, 98, 79-86.	2.0	11
11	Precision rehabilitation for aphasia by patient age, sex, aphasia severity, and time since stroke? A prespecified, systematic review-based, individual participant data, network, subgroup meta-analysis. International Journal of Stroke, 2022, 17, 1067-1077.	5.9	12
12	Prediction of Naming Outcome With fMRI Language Lateralization in Left Temporal Epilepsy Surgery. Neurology, 2022, 98, .	1.1	12
13	Psychiatric and personality factors in pediatric functional seizures: A prospective case-control study. Seizure: the Journal of the British Epilepsy Association, 2022, 98, 105-112.	2.0	5
14	Diagnostic delay in functional seizures is associated with abnormal processing of facial emotions. Epilepsy and Behavior, 2022, 131, 108712.	1.7	2
15	Shared lesion correlates of semantic and letter fluency in postâ€stroke aphasia. Journal of Neuropsychology, 2021, 15, 143-150.	1.4	12
16	Relationship between neural responses to stress and mental health symptoms in psychogenic nonepileptic seizures after traumatic brain injury. Epilepsia, 2021, 62, 107-119.	5.1	21
17	Identifying and evaluating novel treatment targets for the development of evidence-based interventions for functional neurological disorder. Epilepsy and Behavior Reports, 2021, 16, 100479.	1.0	12
18	Clear and Consistent Imaging of Hippocampal Internal Architecture With High Resolution Multiple Image Co-registration and Averaging (HR-MICRA). Frontiers in Neuroscience, 2021, 15, 546312.	2.8	6

#	Article	IF	CITATIONS
19	Epilepsy and Neurodegeneration: A Bidirectional Relationship. Epilepsy Currents, 2021, 21, 102-104.	0.8	3
20	Coffee and cigarette smoking interactions with lamotrigine. Epilepsy and Behavior, 2021, 116, 107741.	1.7	4
21	Functional Magnetic Resonance Imaging of Language Following Constraint-Induced Aphasia Therapy Primed with Intermittent Theta Burst Stimulation in 13 Patients with Post-Stroke Aphasia. Medical Science Monitor, 2021, 27, e930100.	1.1	11
22	Thalamus and Seizures—Here We Come Again…. Epilepsy Currents, 2021, 21, 154-156.	0.8	0
23	The Molecular Dichotomy Between Epileptic and Functional Seizures. Epilepsy Currents, 2021, 21, 258-260.	0.8	3
24	Recent Advances in Neuroimaging of Epilepsy. Neurotherapeutics, 2021, 18, 811-826.	4.4	21
25	Long-term safety and efficacy of highly purified cannabidiol for treatment refractory epilepsy. Epilepsy and Behavior, 2021, 117, 107862.	1.7	27
26	Intermittent Theta Burst Stimulation (iTBS) for Treatment of Chronic Post-Stroke Aphasia: Results of a Pilot Randomized, Double-Blind, Sham-Controlled Trial. Medical Science Monitor, 2021, 27, e931468.	1.1	12
27	Relationships between cognitive function, seizure control, and self-reported leisure-time exercise in epilepsy. Epilepsy and Behavior, 2021, 118, 107900.	1.7	7
28	White matter integrity after cannabidiol administration for treatment resistant epilepsy. Epilepsy Research, 2021, 172, 106603.	1.6	5
29	Predictors of Poststroke Aphasia Recovery. Stroke, 2021, 52, 1778-1787.	2.0	46
30	A "Sodium Drug―for Generalized Epilepsy? A Mystery That Still Needs to be Solved. Epilepsy Currents, 2021, 21, 153575972110251.	0.8	0
31	Intracranial EEG evidence of functional specialization for taxonomic and thematic relations. Cortex, 2021, 140, 40-50.	2.4	11
32	Longitudinal impact of cannabidiol on EEG measures in subjects with treatment-resistant epilepsy. Epilepsy and Behavior, 2021, 122, 108190.	1.7	9
33	Safety and Efficacy of Natalizumab as Adjunctive Therapy for People With Drug-Resistant Epilepsy. Neurology, 2021, 97, e1757-e1767.	1.1	15
34	Pharmacogenetic Predictors of Cannabidiol Response and Tolerability in Treatmentâ€Resistant Epilepsy. Clinical Pharmacology and Therapeutics, 2021, 110, 1368-1380.	4.7	22
35	Letter to the Editor: Retraining and Control Therapy (ReACT) is a bottom-up, body-oriented intervention. Seizure: the Journal of the British Epilepsy Association, 2021, 92, 236-237.	2.0	2
36	Cannabidiol (CBD) and cognition in epilepsy. Epilepsy and Behavior, 2021, 124, 108316.	1.7	9

#	Article	IF	CITATIONS
37	A feasibility study to assess social stress and social support in patients enrolled in a cannabidiol (CBD) compassionate access program. Epilepsy and Behavior, 2021, 124, 108322.	1.7	1
38	A systematic review of seizure clusters: Prevalence, risk factors, burden of disease and treatment patterns. Epilepsy Research, 2021, 177, 106748.	1.6	12
39	Neuroimaging in Functional Neurological Disorder: State of the Field and Research Agenda. Neurolmage: Clinical, 2021, 30, 102623.	2.7	79
40	The role of evidence-based guidelines in the diagnosis and treatment of functional neurological disorder. Epilepsy and Behavior Reports, 2021, 16, 100494.	1.0	5
41	Neuroinflammation as a pathophysiological factor in the development and maintenance of functional seizures: A hypothesis. Epilepsy and Behavior Reports, 2021, 16, 100496.	1.0	10
42	A Pilot Randomized Controlled Trial of Intermittent Theta Burst Stimulation as Stand-Alone Treatment for Post-Stroke Aphasia: Effects on Language and Verbal Functional Magnetic Resonance Imaging (fMRI). Medical Science Monitor, 2021, 28, e934818.	1.1	2
43	One-year follow-up of treatment outcomes and patient opinions of Retraining and Control Therapy (ReACT) for pediatric functional seizures. Epilepsy and Behavior Reports, 2021, 16, 100503.	1.0	9
44	Responsive neurostimulation for regional neocortical epilepsy. Epilepsia, 2020, 61, 96-106.	5.1	52
45	Is fMRI Ready to Replace IAP? Wait, Wait,… We Are Not There Yet!. Epilepsy Currents, 2020, 20, 6S-8S.	0.8	7
46	White matter and neurite morphology differ in psychogenic nonepileptic seizures. Annals of Clinical and Translational Neurology, 2020, 7, 1973-1984.	3.7	22
47	Driving a motor vehicle and psychogenic nonepileptic seizures: ILAE Report by the Task Force on Psychogenic Nonepileptic Seizures. Epilepsia Open, 2020, 5, 371-385.	2.4	13
48	Response to Letter to the Editor "Intravenous brivaracetam and lorazepam for acute seizure control: Are they equally effective?― Epilepsy and Behavior, 2020, 113, 107512.	1.7	1
49	Retraining and control therapy for pediatric psychogenic nonâ€epileptic seizures. Annals of Clinical and Translational Neurology, 2020, 7, 1410-1419.	3.7	49
50	Cognitive function and adaptive skills after a one-year trial of cannabidiol (CBD) in a pediatric sample with treatment-resistant epilepsy. Epilepsy and Behavior, 2020, 111, 107299.	1.7	24
51	Cannabidiol normalizes resting-state functional connectivity in treatment-resistant epilepsy. Epilepsy and Behavior, 2020, 112, 107297.	1.7	17
52	Temporal lobe regions essential for preserved picture naming after left temporal epilepsy surgery. Epilepsia, 2020, 61, 1939-1948.	5.1	34
53	Effects of highly purified cannabidiol (CBD) on fMRI of working memory in treatment-resistant epilepsy. Epilepsy and Behavior, 2020, 112, 107358.	1.7	10
54	Clinical implications of trials investigating drugâ€drug interactions between cannabidiol and enzyme inducers or inhibitors or common antiseizure drugs. Epilepsia, 2020, 61, 1854-1868.	5.1	45

#	Article	lF	CITATIONS
55	Repeatability and Reproducibility of in-vivo Brain Temperature Measurements. Frontiers in Human Neuroscience, 2020, 14, 598435.	2.0	14
56	Repeatability of Neural and Autonomic Responses to Acute Psychosocial Stress. Frontiers in Neuroscience, 2020, 14, 585509.	2.8	4
57	Randomized open-label trial of intravenous brivaracetam versus lorazepam for acute treatment of increased seizure activity. Epilepsy and Behavior, 2020, 109, 107127.	1.7	13
58	In Vivo Imaging of Neuroinflammatory Targets in Treatment-Resistant Epilepsy. Current Neurology and Neuroscience Reports, 2020, 20, 5.	4.2	15
59	Neuroimaging of memory in frontal lobe epilepsy. Epilepsy and Behavior, 2020, 103, 106857.	1.7	6
60	Acute administration of perampanel, an AMPA receptor antagonist, reduces cognitive impairments after traumatic brain injury in rats. Experimental Neurology, 2020, 327, 113222.	4.1	6
61	Poverty, insurance, and region as predictors of epilepsy treatment among US adults. Epilepsy and Behavior, 2020, 107, 107050.	1.7	29
62	Attitudes and knowledge about cannabis and cannabis-based therapies among US neurologists, nurses, and pharmacists. Epilepsy and Behavior, 2020, 109, 107102.	1.7	35
63	What's in a name?. Epilepsy and Behavior, 2020, 112, 107364.	1.7	16
64	Cannabinoids in Neurologic Conditions. , 2020, , 231-312.		0
65	Memory response and neuroimaging correlates of a novel cognitive rehabilitation program for memory problems in epilepsy: A pilot study. Restorative Neurology and Neuroscience, 2019, 37, 457-468.	0.7	3
66	Drug–drug interactions with cannabidiol (CBD) appear to have no effect on treatment response in an open-label Expanded Access Program. Epilepsy and Behavior, 2019, 98, 201-206.	1.7	34
67	A preliminary study of the effects of cannabidiol (CBD) on brain structure in patients with epilepsy. Epilepsy and Behavior Reports, 2019, 12, 100341.	1.0	7
68	Racial differences in adult-onset MRI-negative temporal lobe epilepsy. Epilepsy and Behavior, 2019, 100, 106501.	1.7	3
69	Clinical and neural responses to cognitive behavioral therapy for functional tremor. Neurology, 2019, 93, e1787-e1798.	1.1	73
70	Clinical and neural responses to cognitive behavioral therapy for functional tremor. Neurology, 2019, 93, e1787-e1798. FMRI response to acute psychological stress differentiates patients with psychogenic non-epileptic seizures from healthy controls – A biochemical and neuroimaging biomarker study. NeuroImage: Clinical, 2019, 24, 101967.	2.7	73
	2019, 93, e1787-e1798. FMRI response to acute psychological stress differentiates patients with psychogenic non-epileptic seizures from healthy controls – A biochemical and neuroimaging biomarker study. NeuroImage:		

#	Article	IF	CITATIONS
73	Cognitive functioning following long-term cannabidiol use in adults with treatment-resistant epilepsy. Epilepsy and Behavior, 2019, 97, 105-110.	1.7	34
74	High health care costs in minority groups of older US Medicare beneficiaries with epilepsy. Epilepsia, 2019, 60, 1462-1471.	5.1	6
75	fMRI study of cannabidiol-induced changes in attention control in treatment-resistant epilepsy. Epilepsy and Behavior, 2019, 96, 114-121.	1.7	30
76	A pilot study of combined endurance and resistance exercise rehabilitation for verbal memory and functional connectivity improvement in epilepsy. Epilepsy and Behavior, 2019, 96, 44-56.	1.7	21
77	Quality of life in adults enrolled in an open-label study of cannabidiol (CBD) for treatment-resistant epilepsy. Epilepsy and Behavior, 2019, 95, 10-17.	1.7	29
78	Higher cannabidiol plasma levels are associated with better seizure response following treatment with a pharmaceutical grade cannabidiol. Epilepsy and Behavior, 2019, 95, 131-136.	1.7	35
79	Neural response to stress and perceived stress differ in patients with left temporal lobe epilepsy. Human Brain Mapping, 2019, 40, 3415-3430.	3.6	15
80	Duration of therapeutic coma and outcome of refractory status epilepticus. Epilepsia, 2019, 60, 921-934.	5.1	39
81	Ictogenesis during sEEG evaluation after acute intracranial hemorrhage. Epilepsy & Behavior Case Reports, 2019, 11, 115-119.	1.5	2
82	Long-term safety and efficacy of cannabidiol in children and adults with treatment resistant Lennox-Gastaut syndrome or Dravet syndrome: Expanded access program results. Epilepsy Research, 2019, 154, 13-20.	1.6	126
83	White Matter Language Pathways and Language Performance in Healthy Adults Across Ages. Frontiers in Neuroscience, 2019, 13, 1185.	2.8	24
84	Seizing the Neuroinflammatory Target: The Quest Continues. Epilepsy Currents, 2019, 19, 379-381.	0.8	5
85	Long-term seizure freedom following intracranial sEEG monitoring: Therapeutic benefit of a diagnostic technique. Epilepsy and Behavior Reports, 2019, 12, 100345.	1.0	7
86	The US Food and Drug Administration's Authorization of the First Cannabis-Derived Pharmaceutical. JAMA Neurology, 2019, 76, 135.	9.0	17
87	Cortical excitability affects mood state in patients with idiopathic generalized epilepsies (IGEs). Epilepsy and Behavior, 2019, 90, 84-89.	1.7	5
88	Drug-drug Interaction Studies with Coadministration of Cannabidiol (CBD) and Clobazam, Valproate, Stiripentol or Midazolam in Healthy Volunteers and Adults with Epilepsy., 2019, 50, .		1
89	How UV Light Touches the Brain and Endocrine System Through Skin, and Why. Endocrinology, 2018, 159, 1992-2007.	2.8	303
90	Risk of pharmacokinetic interactions between antiepileptic and other drugs in older persons and factors associated with risk. Epilepsia, 2018, 59, 715-723.	5.1	17

#	Article	IF	Citations
91	Racial disparities in temporal lobe epilepsy. Epilepsy Research, 2018, 140, 56-60.	1.6	6
92	Facial emotion processing in patients with seizure disorders. Epilepsy and Behavior, 2018, 79, 193-204.	1.7	40
93	Prognostic Value of EEG in Patients after Cardiac Arrest—An Updated Review. Current Neurology and Neuroscience Reports, 2018, 18, 16.	4.2	25
94	An interaction between warfarin and cannabidiol, a case report. Epilepsy & Behavior Case Reports, 2018, 9, 10-11.	1.5	82
95	Impaired emotion processing in functional (psychogenic) tremor: A functional magnetic resonance imaging study. NeuroImage: Clinical, 2018, 17, 179-187.	2.7	67
96	Dysfunction in emotion processing underlies functional (psychogenic) dystonia. Movement Disorders, 2018, 33, 136-145.	3.9	51
97	Cortical excitability and seizure control influence attention performance in patients with idiopathic generalized epilepsies (IGEs). Epilepsy and Behavior, 2018, 89, 135-142.	1.7	13
98	Psychogenic Nonepileptic Seizures (PNES) as a Network Disorder – Evidence from Neuroimaging of Functional (Psychogenic) Neurological Disorders. Epilepsy Currents, 2018, 18, 211-216.	0.8	52
99	Cannabis for the Treatment of Epilepsy: an Update. Current Neurology and Neuroscience Reports, 2018, 18, 73.	4.2	85
100	Longitudinal fMRI study of language recovery after a left hemispheric ischemic stroke. Restorative Neurology and Neuroscience, 2018, 36, 359-385.	0.7	22
101	A feasibility study of combined intermittent theta burst stimulation and modified constraint-induced aphasia therapy in chronic post-stroke aphasia. Restorative Neurology and Neuroscience, 2018, 36, 503-518.	0.7	22
102	Longâ€term safety and treatment effects of cannabidiol in children and adults with treatmentâ€resistant epilepsies: Expanded access program results. Epilepsia, 2018, 59, 1540-1548.	5.1	157
103	Cannabidiol improves frequency and severity of seizures and reduces adverse events in an open-label add-on prospective study. Epilepsy and Behavior, 2018, 87, 131-136.	1.7	110
104	Neuroimaging studies towards understanding the central effects of pharmacological cannabis products on patients with epilepsy. Epilepsy and Behavior, 2017, 70, 349-354.	1.7	14
105	Adherence to antiepileptic drugs among diverse older Americans on Part D Medicare. Epilepsy and Behavior, 2017, 66, 68-73.	1.7	22
106	Practice guideline summary: Use of fMRI in the presurgical evaluation of patients with epilepsy. Neurology, 2017, 88, 395-402.	1.1	188
107	Photosensitivity in generalized epilepsies. Epilepsy and Behavior, 2017, 68, 225-233.	1.7	55
108	Social correlates of health status, quality of life, and mood states in patients treated with cannabidiol for epilepsy. Epilepsy and Behavior, 2017, 70, 364-369.	1.7	15

#	Article	IF	CITATIONS
109	What does the U.S. Medicare administrative claims database tell us about initial antiepileptic drug treatment for older adults with newâ€onset epilepsy?. Epilepsia, 2017, 58, 548-557.	5.1	17
110	Quality Indicator for Epilepsy Treatment 15 (QUIET-15): Intervening after recurrent seizures in the elderly. Epilepsy and Behavior, 2017, 70, 253-258.	1.7	7
111	Damage to white matter bottlenecks contributes to language impairments after left hemispheric stroke. Neurolmage: Clinical, 2017, 14, 552-565.	2.7	79
112	Neuroimaging in Epilepsy. Current Neurology and Neuroscience Reports, 2017, 17, 32.	4.2	37
113	The canonical semantic network supports residual language function in chronic postâ€stroke aphasia. Human Brain Mapping, 2017, 38, 1636-1658.	3.6	45
114	The use of cannabidiol for seizure management in patients with brain tumor-related epilepsy. Neurocase, 2017, 23, 287-291.	0.6	20
115	Age-related language lateralization assessed by fMRI: The effects of sex and handedness. Brain Research, 2017, 1674, 20-35.	2.2	39
116	Linking left hemispheric tissue preservation to fMRI language task activation in chronic stroke patients. Cortex, 2017, 96, 1-18.	2.4	35
117	An examination of changes in spoken productions within constraint-induced aphasia therapy. Aphasiology, 2017, 31, 1250-1265.	2.2	3
118	Interactions between cannabidiol and commonly used antiepileptic drugs. Epilepsia, 2017, 58, 1586-1592.	5.1	267
119	Bioequivalence Between Generic and Branded Lamotrigine in People With Epilepsy. JAMA Neurology, 2017, 74, 919.	9.0	41
120	Cortical excitability and neuropsychological functioning in healthy adults. Neuropsychologia, 2017, 102, 190-196.	1.6	17
121	Retinotopic patterns of functional connectivity between V1 and large-scale brain networks during resting fixation. Neurolmage, 2017, 146, 1071-1083.	4.2	23
122	Continuous Electroencephalography (cEEG) Monitoring and Outcomes of Critically III Patients. Medical Science Monitor, 2017, 23, 649-658.	1.1	12
123	The â€~Thalamic Hubness' of Anterior Temporal Lobectomy Outcome. Epilepsy Currents, 2017, 17, 283-284.	0.8	4
124	Magnetoencephalography and Stereo-EEG Unite!. Epilepsy Currents, 2017, 17, 86-87.	0.8	1
125	Neuroimaging Correlates of Post-Stroke Aphasia Rehabilitation in a Pilot Randomized Trial of Constraint-Induced Aphasia Therapy. Medical Science Monitor, 2017, 23, 3489-3507.	1.1	14
126	Interhemispheric Plasticity following Intermittent Theta Burst Stimulation in Chronic Poststroke Aphasia. Neural Plasticity, 2016, 2016, 1-16.	2.2	35

#	Article	IF	Citations
127	The Calculation of Language Lateralization Indices in Post-stroke Aphasia: A Comparison of a Standard and a Lesion-Adjusted Formula. Frontiers in Human Neuroscience, 2016, 10, 493.	2.0	15
128	Longitudinal stability of interictal spikes in benign epilepsy with centrotemporal spikes. Epilepsia, 2016, 57, 805-811.	5.1	10
129	Arcuate fasciculus asymmetry has a hand in language function but not handedness. Human Brain Mapping, 2016, 37, 3297-3309.	3.6	39
130	Which patients with epilepsy are at risk for psychogenic nonepileptic seizures (PNES)? A multicenter case–control study. Epilepsy and Behavior, 2016, 61, 180-184.	1.7	29
131	Prognostic models for predicting posttraumatic seizures during acute hospitalization, and at 1 and 2 years following traumatic brain injury. Epilepsia, 2016, 57, 1503-1514.	5.1	33
132	Incidence and risk factors of posttraumatic seizures following traumatic brain injury: A Traumatic Brain Injury Model Systems Study. Epilepsia, 2016, 57, 1968-1977.	5.1	96
133	Voxel-based Gaussian na \tilde{A}^- ve Bayes classification of ischemic stroke lesions in individual T1-weighted MRI scans. Journal of Neuroscience Methods, 2016, 257, 97-108.	2.5	130
134	Generic-to-generic lamotrigine switches in people with epilepsy: the randomised controlled EQUIGEN trial. Lancet Neurology, The, 2016, 15, 365-372.	10.2	79
135	Generalized periodic discharges and †triphasic waves': A blinded evaluation of inter-rater agreement and clinical significance. Clinical Neurophysiology, 2016, 127, 1073-1080.	1.5	71
136	White Matter Abnormalities in Patients with Treatment-Resistant Genetic Generalized Epilepsies. Medical Science Monitor, 2016, 22, 1966-1975.	1.1	8
137	Is There Equipoise between Phenytoin and Levetiracetam for Seizure Prevention in Traumatic Brain Injury?. Epilepsy Currents, 2015, 15, 94-97.	0.8	8
138	Cerebral Hemodynamic Changes of Mild Traumatic Brain Injury at the Acute Stage. PLoS ONE, 2015, 10, e0118061.	2.5	95
139	Constraint-Induced Aphasia Therapy for Treatment of Chronic Post-Stroke Aphasia: A Randomized, Blinded, Controlled Pilot Trial. Medical Science Monitor, 2015, 21, 2861-2869.	1.1	36
140	New-onset refractory status epilepticus (NORSE) $\hat{a}\in$ " The potential role for immunotherapy. Epilepsy and Behavior, 2015, 47, 17-23.	1.7	102
141	White matter diffusion abnormalities in patients with psychogenic non-epileptic seizures. Brain Research, 2015, 1620, 169-176.	2.2	51
142	Placebo effect of medication cost in Parkinson disease. Neurology, 2015, 84, 794-802.	1.1	112
143	Uncinate fasciculus connectivity in patients with psychogenic nonepileptic seizures: A preliminary diffusion tensor tractography study. Epilepsy and Behavior, 2015, 45, 68-73.	1.7	62
144	Personalities of patients with nonepileptic psychogenic status. Epilepsy and Behavior, 2015, 52, 143-148.	1.7	8

#	Article	IF	CITATIONS
145	Age related-changes in the neural basis of self-generation in verbal paired associate learning. Neurolmage: Clinical, 2015, 7, 537-546.	2.7	11
146	A Model for Visual Memory Encoding. PLoS ONE, 2014, 9, e107761.	2.5	19
147	Age at stroke determines post-stroke language lateralization. Restorative Neurology and Neuroscience, 2014, 32, 733-742.	0.7	34
148	Physiologic and cortical response to acute psychosocial stress in left temporal lobe epilepsy: Response to a biochemical evaluation. Epilepsy and Behavior, 2014, 41, 312-313.	1.7	2
149	Multicenter Pilot Treatment Trial for Psychogenic Nonepileptic Seizures. JAMA Psychiatry, 2014, 71, 997.	11.0	350
150	Functional MRI of facial emotion processing in left temporal lobe epilepsy. Epilepsy and Behavior, 2014, 32, 92-99.	1.7	29
151	Celebrating 15years of Epilepsy & Behavior and to the next 15years!. Epilepsy and Behavior, 2014, 40, 77.	1.7	0
152	Cannabis, cannabidiol, and epilepsy â€" From receptors to clinical response. Epilepsy and Behavior, 2014, 41, 277-282.	1.7	136
153	Data on the safety of repeated MRI in healthy children. Neurolmage: Clinical, 2014, 4, 526-530.	2.7	14
154	Superior longitudinal fasciculus and language functioning in healthy aging. Brain Research, 2014, 1562, 11-22.	2.2	72
155	EEG/fMRI contributions to our understanding of genetic generalized epilepsies. Epilepsy and Behavior, 2014, 34, 129-135.	1.7	23
156	Contributions of fMRI towards our understanding of the response to psychosocial stress in epilepsy and psychogenic nonepileptic seizures. Epilepsy and Behavior, 2014, 35, 19-25.	1.7	29
157	Physiologic and cortical response to acute psychosocial stress in left temporal lobe epilepsy — A pilot cross-sectional fMRI study. Epilepsy and Behavior, 2014, 36, 115-123.	1.7	44
158	Predictive value of hippocampal internal architecture asymmetry in temporal lobe epilepsy. Epilepsy Research, 2013, 106, 155-163.	1.6	16
159	Evaluating hippocampal internal architecture on MRI: Inter-rater reliability of a proposed scoring system. Epilepsy Research, 2013, 106, 146-154.	1.6	11
160	Recovered vs. not-recovered from post-stroke aphasia: The contributions from the dominant and non-dominant hemispheres. Restorative Neurology and Neuroscience, 2013, 31, 347-360.	0.7	92
161	Reduced default mode network connectivity in treatmentâ€resistant idiopathic generalized epilepsy. Epilepsia, 2013, 54, 461-470.	5.1	73
162	The relationship between the localization of the generalized spike and wave discharge generators and the response to valproate. Epilepsia, 2013, 54, 471-480.	5.1	48

#	Article	IF	CITATIONS
163	Induction of neuroplasticity and recovery in post-stroke aphasia by non-invasive brain stimulation. Frontiers in Human Neuroscience, 2013, 7, 888.	2.0	95
164	Topiramate and its effect on fMRI of language in patients with right or left temporal lobe epilepsy. Epilepsy and Behavior, 2012, 24, 74-80.	1.7	61
165	A 10-year longitudinal fMRI study of narrative comprehension in children and adolescents. Neurolmage, 2012, 63, 1188-1195.	4.2	69
166	Left-handedness and language lateralization in children. Brain Research, 2012, 1433, 85-97.	2.2	106
167	Mapping anterior temporal lobe language areas with fMRI: A multicenter normative study. NeuroImage, 2011, 54, 1465-1475.	4.2	237
168	Poststroke Aphasia Recovery Assessed With Functional Magnetic Resonance Imaging and a Picture Identification Task. Journal of Stroke and Cerebrovascular Diseases, 2011, 20, 336-345.	1.6	52
169	same. Medical Science Monitor, 2011, 17, CR132-CR139.	1.1	115
170	Prospective, Randomized, Single-Blinded Comparative Trial of Intravenous Levetiracetam Versus Phenytoin for Seizure Prophylaxis. Neurocritical Care, 2010, 12, 165-172.	2.4	258
171	The effect of seizures on working memory and executive functioning performance. Epilepsy and Behavior, 2010, 17, 412-419.	1.7	117
172	Seizure control in patients with idiopathic generalized epilepsies: EEG determinants of medication response. Epilepsy and Behavior, 2010, 17, 525-530.	1.7	61
173	Cortical and subcortical contributions to absence seizure onset examined with EEG/fMRI. Epilepsy and Behavior, 2010, 18, 404-413.	1.7	109
174	Seizure control in patients with epilepsy: the physician vs. medication factors. BMC Health Services Research, 2008, 8, 264.	2.2	28
175	Comprehensive presurgical functional MRI language evaluation in adult patients with epilepsy. Epilepsy and Behavior, 2008, 12, 74-83.	1.7	111
176	Constraint-induced aphasia therapy stimulates language recovery in patients with chronic aphasia after ischemic stroke. Medical Science Monitor, 2008, 14, CR243-250.	1.1	41
177	Relationship between semiology of psychogenic nonepileptic seizures and Minnesota Multiphasic Personality Inventory profile. Epilepsy and Behavior, 2007, 11, 105-111.	1.7	53
178	Mood, Personality, and Health-related Quality of Life in Epileptic and Psychogenic Seizure Disorders. Epilepsia, 2007, 48, 973-982.	5.1	77
179	Levetiracetam use in critically ill patients. Neurocritical Care, 2007, 7, 140-147.	2.4	56
180	Cortical Reorganization Following Modified Constraint-Induced Movement Therapy: A Study of 4 Patients With Chronic Stroke. Archives of Physical Medicine and Rehabilitation, 2006, 87, 1052-1058.	0.9	76

#	Article	IF	CITATIONS
181	fMRI study of language lateralization in children and adults. Human Brain Mapping, 2006, 27, 202-212.	3.6	331
182	A longitudinal functional magnetic resonance imaging study of language development in children 5 to 11 years old. Annals of Neurology, 2006, 59, 796-807.	5.3	197
183	Seizure disorders, depression, and health-related quality of life. Epilepsy and Behavior, 2004, 5, 50-57.	1.7	95
184	High-resolution functional MRI at 3T in healthy and epilepsy subjects: hippocampal activation with picture encoding task. Epilepsy and Behavior, 2004, 5, 244-252.	1.7	56
185	Effects of zonisamide on the electroencephalogram of a patient with juvenile myoclonic epilepsy. Epilepsy and Behavior, 2004, 5, 1024-1026.	1.7	14
186	Quality of Life in Psychogenic Nonepilepticâ€fSeizures. Epilepsia, 2003, 44, 236-242.	5.1	131
187	Psychopathology and quality of life: psychogenic non-epileptic seizures versus epilepsy. Medical Science Monitor, 2003, 9, CR113-8.	1.1	38
188	Complex partial seizures in adults. Current Treatment Options in Neurology, 1999, 1, 323-337.	1.8	3
189	Excitotoxic injury induces monocyte chemoattractant protein-1 expression in neonatal rat brain. Molecular Brain Research, 1998, 55, 306-314.	2.3	36
190	Hypoxic-Ischemic Injury Induces Monocyte Chemoattractant Protein-1 Expression in Neonatal Rat Brain. Journal of Cerebral Blood Flow and Metabolism, 1997, 17, 759-770.	4.3	95