

Carlos Cavaleiro

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5237364/carlos-cavaleiro-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149 papers	4,537 citations	38 h-index	61 g-index
161 ext. papers	5,296 ext. citations	3.7 avg, IF	5.28 L-index

#	Paper	IF	Citations
149	The Anti-Inflammatory Response of and Essential Oils.. <i>Plants</i> , 2022 , 11,	4.5	3
148	Comparing the effect of Thymus spp. essential oils on Candida auris. <i>Industrial Crops and Products</i> , 2022 , 178, 114667	5.9	2
147	Chemical Composition and Effect against Skin Alterations of Bioactive Extracts Obtained by the Hydrodistillation of Leaves.. <i>Pharmaceutics</i> , 2022 , 14,	6.4	5
146	Synergistic effects of carvacrol, α -terpinene, β -terpinene, γ -terpinene and linalool against Gardnerella species.. <i>Scientific Reports</i> , 2022 , 12, 4417	4.9	2
145	1,8-cineole Ameliorates Right Ventricle Dysfunction Associated With Pulmonary Arterial Hypertension by Restoring Connexin 43 and Mitochondrial Homeostasis.. <i>Pharmacological Research</i> , 2022 , 106151	10.2	0
144	LEH Essential Oil Inhibits the Inflammatory Response in Macrophages Through Blockade of NF-KB Signaling Cascade.. <i>Frontiers in Pharmacology</i> , 2021 , 12, 695911	5.6	3
143	Chemical Composition and Biological Screening of the Essential Oils of Micromeria macrosiphon and M. arganietorum (Lamiaceae). <i>Chemistry and Biodiversity</i> , 2021 , 18, e2100653	2.5	
142	Chemical characterization and bioactive potential of Thymus α -citriodorus (Pers.) Schreb. preparations for anti-acne applications: Antimicrobial, anti-biofilm, anti-inflammatory and safety profiles.. <i>Journal of Ethnopharmacology</i> , 2021 , 287, 114935	5	1
141	Chemical Composition, Antibacterial Screening and Cytotoxic Activity of Chiliadenus antiatlanticus (Asteraceae) Essential Oil. <i>Chemistry and Biodiversity</i> , 2021 , 18, e2100115	2.5	1
140	Phytochemical Study and Antibacterial Effects of Fraxinus angustifolia Vahl (Algeria): Experimental and Computational Investigations. <i>Waste and Biomass Valorization</i> , 2021 , 12, 3605-3616	3.2	
139	Antifungal activity of essential oil from L. and L. growing wild in Sardinia island (Italy). <i>Natural Product Research</i> , 2021 , 35, 993-999	2.3	15
138	Halophytes as source of bioactive phenolic compounds and their potential applications. <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 1-24	11.5	7
137	Chemical characterization and bioactive potential of Artemisia campestris L. subsp. maritima (DC) Arcang. essential oil and hydrodistillation residual water. <i>Journal of Ethnopharmacology</i> , 2021 , 276, 114146	5.6	1
136	The essential oil from the fruits of Peucedanum oreoselinum (L.) Moench (Apiaceae) as a natural source of P-glycoprotein inhibitors. <i>Journal of Herbal Medicine</i> , 2021 , 29, 100482	2.3	0
135	Nutrient value of Salicornia ramosissima green extraction process for mineral analysis. <i>Journal of Food Composition and Analysis</i> , 2021 , 104, 104135	4.1	2
134	Standardised comparison of limonene-derived monoterpenes identifies structural determinants of anti-inflammatory activity. <i>Scientific Reports</i> , 2020 , 10, 7199	4.9	9
133	Chemical composition of Crithmum maritimum L. essential oil and hydrodistillation residual water by GC-MS and HPLC-DAD-MS/MS, and their biological activities. <i>Industrial Crops and Products</i> , 2020 , 149, 112329	5.9	17

132	Evaluation of the mycotoxins content of spp. : a gourmet plant alternative to salt. <i>Food Additives and Contaminants: Part B Surveillance</i> , 2020 , 13, 162-170	3.3	5
131	Antifungal and anti-inflammatory potential of the endangered aromatic plant <i>Thymus albicans</i> . <i>Scientific Reports</i> , 2020 , 10, 18859	4.9	2
130	Unveiling the Antifungal Potential of Two Iberian Thyme Essential Oils: Effect on Germ Tube and Preformed Biofilms. <i>Frontiers in Pharmacology</i> , 2019 , 10, 446	5.6	21
129	Lavandula Luisieri and Lavandula Viridis Essential Oils as Upcoming Anti-Protozoal Agents: A Key Focus on Leishmaniasis. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 3056	2.6	9
128	Unveiling the bioactive potential of the essential oil of a Portuguese endemism, <i>Santolina impressa</i> . <i>Journal of Ethnopharmacology</i> , 2019 , 244, 112120	5	6
127	Chemical composition, anti-inflammatory activity and cytotoxicity of <i>Thymus zygis</i> L. subsp. <i>sylvestris</i> (Hoffmanns. & Link) Cout. essential oil and its main compounds. <i>Arabian Journal of Chemistry</i> , 2019 , 12, 3236-3243	5.9	20
126	New insights on the anti-inflammatory potential and safety profile of <i>Thymus carnosus</i> and <i>Thymus camphoratus</i> essential oils and their main compounds. <i>Journal of Ethnopharmacology</i> , 2018 , 225, 10-17	5	19
125	Effects of <i>Ocimum gratissimum</i> L. extract on the germination, respiration and growth of <i>Euphorbia heterophylla</i> L. 2018 , 45, 29-44		2
124	Volatile organic compounds of <i>Acacia longifolia</i> and their effects on germination and early growth of species from invaded habitats. <i>Chemistry and Ecology</i> , 2018 , 34, 126-145	2.3	11
123	In vitro activities of glycoalkaloids from the <i>Solanum lycocarpum</i> against <i>Leishmania infantum</i> . <i>Revista Brasileira De Farmacognosia</i> , 2018 , 28, 673-677	2	5
122	On the bioherbicide potential of <i>Ulex europaeus</i> and <i>Cytisus scoparius</i> : Profiles of volatile organic compounds and their phytotoxic effects. <i>PLoS ONE</i> , 2018 , 13, e0205997	3.7	14
121	In vitro susceptibility of <i>Trypanosoma brucei brucei</i> to selected essential oils and their major components. <i>Experimental Parasitology</i> , 2018 , 190, 34-40	2.1	15
120	Intraspecific chemical variability of <i>Pistacia atlantica</i> Desf. subsp. <i>atlantica</i> essential oil from Northwest Algeria. <i>Journal of Essential Oil Research</i> , 2017 , 29, 32-41	2.3	6
119	Oxygenated monoterpenes-rich volatile oils as potential antifungal agents for dermatophytes. <i>Natural Product Research</i> , 2017 , 31, 460-464	2.3	18
118	Assessment of safe bioactive doses of <i>Foeniculum vulgare</i> Mill. essential oil from Portugal. <i>Natural Product Research</i> , 2017 , 31, 2654-2659	2.3	11
117	Chemical characterisation and biological activity of leaf essential oils obtained from <i>Pistacia terebinthus</i> growing wild in Tunisia and Sardinia Island. <i>Natural Product Research</i> , 2017 , 31, 2684-2689	2.3	8
116	Composition and leishmanicidal activity of the essential oil of <i>Vernonia polyanthes</i> Less (Asteraceae). <i>Natural Product Research</i> , 2017 , 31, 2905-2908	2.3	12
115	<i>Thymbra capitata</i> essential oil as potential therapeutic agent against <i>Gardnerella vaginalis</i> biofilm-related infections. <i>Future Microbiology</i> , 2017 , 12, 407-416	2.9	13

114	Sodium Reduction in Bread: A Role for Glasswort (<i>Salicornia ramosissima</i> J. Woods). <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2017 , 16, 1056-1071	16.4	27
113	Antifungal Activity of <i>Thapsia villosa</i> Essential Oil against <i>Candida</i> , <i>Cryptococcus</i> , <i>Malassezia</i> , <i>Aspergillus</i> and Dermatophyte Species. <i>Molecules</i> , 2017 , 22,	4.8	24
112	<i>Ziziphora tenuior</i> L. essential oil from Dana Biosphere Reserve (Southern Jordan); Chemical characterization and assessment of biological activities. <i>Journal of Ethnopharmacology</i> , 2016 , 194, 963-970	5.0	12
111	Chemical composition and biological activities of <i>Artemisia judaica</i> essential oil from southern desert of Jordan. <i>Journal of Ethnopharmacology</i> , 2016 , 191, 161-168	5	38
110	New Claims for Wild Carrot (<i>Daucus carota</i> subsp. <i>carota</i>) Essential Oil. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016 , 2016, 9045196	2.3	15
109	P-glycoprotein Mediated Efflux Modulators of Plant Origin: A Short Review. <i>Natural Product Communications</i> , 2016 , 11, 1934578X1601100	0.9	5
108	The Genus <i>Myrtus</i> L. in Algeria: Composition and Biological Aspects of Essential Oils from <i>M. communis</i> and <i>M. nivellei</i> : A Review. <i>Chemistry and Biodiversity</i> , 2016 , 13, 672-80	2.5	16
107	P-glycoprotein Mediated Efflux Modulators of Plant Origin: A Short Review. <i>Natural Product Communications</i> , 2016 , 11, 699-704	0.9	5
106	Antifungal activity of the essential oil of <i>Angelica major</i> against <i>Candida</i> , <i>Cryptococcus</i> , <i>Aspergillus</i> and dermatophyte species. <i>Journal of Natural Medicines</i> , 2015 , 69, 241-8	3.3	30
105	Chemical composition and antibacterial activity of <i>Lavandula coronopifolia</i> essential oil against antibiotic-resistant bacteria. <i>Natural Product Research</i> , 2015 , 29, 582-5	2.3	28
104	Chemical characterization and bioactivity of phytochemicals from Iberian endemic <i>Santolina semidentata</i> and strategies for ex situ propagation. <i>Industrial Crops and Products</i> , 2015 , 74, 505-513	5.9	12
103	A novel insight on an ancient aromatic plant: The rosemary (<i>Rosmarinus officinalis</i> L.). <i>Trends in Food Science and Technology</i> , 2015 , 45, 355-368	15.3	114
102	Antifungal activity of extracts from <i>Cynomorium coccineum</i> growing wild in Sardinia island (Italy). <i>Natural Product Research</i> , 2015 , 29, 2247-50	2.3	15
101	<i>Artemisia herba-alba</i> essential oil from Buseirah (South Jordan): Chemical characterization and assessment of safe antifungal and anti-inflammatory doses. <i>Journal of Ethnopharmacology</i> , 2015 , 174, 153-60	5	39
100	Bioactivity and safety profile of <i>Daucus carota</i> subsp. <i>maximus</i> essential oil. <i>Industrial Crops and Products</i> , 2015 , 77, 218-224	5.9	10
99	<i>Ridolfia segetum</i> (L.) Moris (Apiaceae) from Portugal: A source of safe antioxidant and anti-inflammatory essential oil. <i>Industrial Crops and Products</i> , 2015 , 65, 56-61	5.9	13
98	<i>Myrtus communis</i> L. as source of a bioactive and safe essential oil. <i>Food and Chemical Toxicology</i> , 2015 , 75, 166-72	4.7	40
97	Identification of volatile compounds, antimicrobial properties and antioxidant activity from leaves, cones and stems of <i>Cupressus sempervirens</i> from Algeria. <i>African Journal of Microbiology Research</i> , 2015 , 9, 83-90	0.5	4

96	Effects of the extract and glycoalkaloids of <i>Solanum lycocarpum</i> St. Hill on <i>Giardia lamblia</i> trophozoites. <i>Pharmacognosy Magazine</i> , 2015 , 11, S161-5	0.8	6
95	Chemical composition and biological activity of <i>Tanacetum audibertii</i> (Req.) DC. (Asteraceae), an endemic species of Sardinia Island, Italy. <i>Industrial Crops and Products</i> , 2015 , 65, 472-476	5.9	14
94	Ethyl nitrite is produced in the human stomach from dietary nitrate and ethanol, releasing nitric oxide at physiological pH: potential impact on gastric motility. <i>Free Radical Biology and Medicine</i> , 2015 , 82, 160-6	7.8	11
93	<i>Daucus carota</i> subsp. <i>gummifer</i> essential oil as a natural source of antifungal and anti-inflammatory drugs. <i>Industrial Crops and Products</i> , 2015 , 65, 361-366	5.9	13
92	Evaluation of the anti-inflammatory, anti-catabolic and pro-anabolic effects of E-caryophyllene, myrcene and limonene in a cell model of osteoarthritis. <i>European Journal of Pharmacology</i> , 2015 , 750, 141-50	5.3	95
91	Differential effects of the essential oils of <i>Lavandula luisieri</i> and <i>Eryngium duriaei</i> subsp. <i>juresianum</i> in cell models of two chronic inflammatory diseases. <i>Pharmaceutical Biology</i> , 2015 , 53, 1220-30	3.8	11
90	Educative actions to promote hydration and rational use of herbal teas in pregnancy and lactation. <i>Nutricion Hospitalaria</i> , 2015 , 32 Suppl 2, 10292	1	
89	Activity of <i>Thymus capitellatus</i> volatile extract, 1,8-cineole and borneol against <i>Leishmania</i> species. <i>Veterinary Parasitology</i> , 2014 , 200, 39-49	2.8	38
88	Chemical composition and antifungal activity of supercritical extract and essential oil of <i>Tanacetum vulgare</i> growing wild in Lithuania. <i>Natural Product Research</i> , 2014 , 28, 1906-9	2.3	14
87	Supercritical CO ₂ extraction of volatile oils from Sardinian <i>Foeniculum vulgare</i> ssp. <i>vulgare</i> (Apiaceae): chemical composition and biological activity. <i>Natural Product Research</i> , 2014 , 28, 1819-25	2.3	16
86	Activity of <i>Thymus caespititius</i> essential oil and β -terpineol against yeasts and filamentous fungi. <i>Industrial Crops and Products</i> , 2014 , 62, 107-112	5.9	12
85	Ambient has become strained. Identification of <i>Acacia dealbata</i> Link volatiles interfering with germination and early growth of native species. <i>Journal of Chemical Ecology</i> , 2014 , 40, 1051-61	2.7	21
84	Anti-inflammatory and chondroprotective activity of (+)- β -pinene: structural and enantiomeric selectivity. <i>Journal of Natural Products</i> , 2014 , 77, 264-9	4.9	109
83	Assessment of <i>Daucus carota</i> L. (Apiaceae) subspecies by chemotaxonomic and DNA content analyses. <i>Biochemical Systematics and Ecology</i> , 2014 , 55, 222-230	1.4	11
82	Dose-dependent inhibition of BACE-1 by the monoterpenoid 2,3,4,4-tetramethyl-5-methylenecyclopent-2-enone in cellular and mouse models of Alzheimer's disease. <i>Journal of Natural Products</i> , 2014 , 77, 1275-9	4.9	12
81	Composition and activity against oral pathogens of the essential oil of <i>Melampodium divaricatum</i> (Rich.) DC. <i>Chemistry and Biodiversity</i> , 2014 , 11, 438-44	2.5	14
80	Assessment of the properties of the essential oil from <i>Ridolfia segetum</i> Moris (Portugal) on cancer cell viability. <i>Planta Medica</i> , 2014 , 80,	3.1	2
79	A necrodane monoterpenoid from <i>Lavandula luisieri</i> essential oil as a cell-permeable inhibitor of BACE-1, the β -secretase in Alzheimer's disease. <i>Flavour and Fragrance Journal</i> , 2013 , 28, 380-388	2.5	14

78	New compounds, chemical composition, antifungal activity and cytotoxicity of the essential oil from <i>Myrtus nivellei</i> Batt. & Trab., an endemic species of Central Sahara. <i>Journal of Ethnopharmacology</i> , 2013 , 149, 613-20	5	23
77	Characterization and distinction of two subspecies of <i>Eryngium duriaei</i> J. Gay ex Boiss., an Iberian endemic Apiaceae, using flow cytometry and essential oils composition. <i>Plant Systematics and Evolution</i> , 2013 , 299, 611-618	1.3	4
76	Chemical composition and antifungal activity of essential oil from <i>Juniperus phoenicea</i> subsp. <i>Phoenicea</i> berries from Jordan. <i>Acta Alimentaria</i> , 2013 , 42, 504-511	1	6
75	Antifungal activity of <i>Ferulago capillaris</i> essential oil against <i>Candida</i> , <i>Cryptococcus</i> , <i>Aspergillus</i> and dermatophyte species. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2013 , 32, 1311-20	5.3	44
74	Association of <i>Thymbra capitata</i> essential oil and chitosan (TCCH hydrogel): a putative therapeutic tool for the treatment of vulvovaginal candidosis. <i>Flavour and Fragrance Journal</i> , 2013 , 28, 354-359	2.5	11
73	Antifungal activity of the essential oil of <i>Thymus villosus</i> subsp. <i>lusitanicus</i> against <i>Candida</i> , <i>Cryptococcus</i> , <i>Aspergillus</i> and dermatophyte species. <i>Industrial Crops and Products</i> , 2013 , 51, 93-99	5.9	29
72	Antifungal, antioxidant and anti-inflammatory activities of <i>Oenanthe crocata</i> L. essential oil. <i>Food and Chemical Toxicology</i> , 2013 , 62, 349-54	4.7	69
71	<i>Otanthus maritimus</i> (L.) Hoffmanns. & Link as a source of a bioactive and fragrant oil. <i>Industrial Crops and Products</i> , 2013 , 43, 484-489	5.9	11
70	Isolation of the volatile fraction from <i>Apium graveolens</i> L. (Apiaceae) by supercritical carbon dioxide extraction and hydrodistillation: chemical composition and antifungal activity. <i>Natural Product Research</i> , 2013 , 27, 1521-7	2.3	22
69	<i>Margotia gummifera</i> essential oil as a source of anti-inflammatory drugs. <i>Industrial Crops and Products</i> , 2013 , 47, 86-91	5.9	7
68	Antifungal and anti-inflammatory potential of <i>Lavandula stoechas</i> and <i>Thymus herba-barona</i> essential oils. <i>Industrial Crops and Products</i> , 2013 , 44, 97-103	5.9	65
67	Essential oil of common sage (<i>Salvia officinalis</i> L.) from Jordan: assessment of safety in mammalian cells and its antifungal and anti-inflammatory potential. <i>BioMed Research International</i> , 2013 , 2013, 5389240	3.40	69
66	Chemical Composition and Trypanocidal Activity of the Essential Oils from <i>Hedychium coronarium</i> J. Koenig (Zingiberaceae). <i>ISRN Infectious Diseases</i> , 2013 , 2013, 1-6		5
65	Composition and biological activity of the essential oil from <i>Thapsia minor</i> , a new source of geranyl acetate. <i>Industrial Crops and Products</i> , 2012 , 35, 166-171	5.9	41
64	Composition, antifungal activity and cytotoxicity of the essential oils of <i>Seseli tortuosum</i> L. and <i>Seseli montanum</i> subsp. <i>peixotoanum</i> (Samp.) M. LaBz from Portugal. <i>Industrial Crops and Products</i> , 2012 , 39, 204-209	5.9	15
63	The anti- <i>Candida</i> activity of <i>Thymbra capitata</i> essential oil: effect upon pre-formed biofilm. <i>Journal of Ethnopharmacology</i> , 2012 , 140, 379-83	5	46
62	<i>Lavandula luisieri</i> essential oil as a source of antifungal drugs. <i>Food Chemistry</i> , 2012 , 135, 1505-10	8.5	55
61	Essential oil of <i>Juniperus communis</i> subsp. <i>alpina</i> (Suter) Blak needles: chemical composition, antifungal activity and cytotoxicity. <i>Phytotherapy Research</i> , 2012 , 26, 1352-7	6.7	26

60	Antifungal activity of phenolic-rich <i>Lavandula multifida</i> L. essential oil. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2012 , 31, 1359-66	5.3	55
59	Correlation of the chemical composition of essential oils from <i>Origanum vulgare</i> subsp. <i>virens</i> with their in vitro activity against pathogenic yeasts and filamentous fungi. <i>Journal of Medical Microbiology</i> , 2012 , 61, 252-260	3.2	43
58	Chemical composition and antifungal activity of essential oils and supercritical CO ₂ extracts of <i>Apium nodiflorum</i> (L.) Lag. <i>Mycopathologia</i> , 2012 , 174, 61-7	2.9	36
57	Monoterpenic aldehydes as potential anti-Leishmania agents: activity of <i>Cymbopogon citratus</i> and citral on <i>L. infantum</i> , <i>L. tropica</i> and <i>L. major</i> . <i>Experimental Parasitology</i> , 2012 , 130, 223-31	2.1	72
56	Antifungal activity and chemical composition of essential oils from <i>Smyrniolum olusatrum</i> L. (Apiaceae) from Italy and Portugal. <i>Natural Product Research</i> , 2012 , 26, 993-1003	2.3	11
55	Anti-inflammatory potential of <i>Lavandula viridis</i> essential oil. <i>Planta Medica</i> , 2012 , 78,	3.1	2
54	Chemical composition and antifungal activity of the essential oils of <i>Lavandula viridis</i> L'Her. <i>Journal of Medical Microbiology</i> , 2011 , 60, 612-618	3.2	88
53	Chemical Composition and Biological Activity of the Volatile Extracts of <i>Achillea millefolium</i> . <i>Natural Product Communications</i> , 2011 , 6, 1934578X1100601	0.9	5
52	Isolation of the Volatile Oil from <i>Satureja thymbra</i> by Supercritical Carbon Dioxide Extraction: Chemical Composition and Biological Activity. <i>Natural Product Communications</i> , 2011 , 6, 1934578X1100601	0.9	3
51	Anti-Giardia activity of <i>Syzygium aromaticum</i> essential oil and eugenol: effects on growth, viability, adherence and ultrastructure. <i>Experimental Parasitology</i> , 2011 , 127, 732-9	2.1	62
50	Composition of a volatile extract of <i>Eryngium duriaei</i> subsp. <i>juresianum</i> (M. LaBz) M. LaBz, signalised by the antifungal activity. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 619-22	3.5	23
49	Isolation of the volatile oil from <i>Satureja thymbra</i> by supercritical carbon dioxide extraction: chemical composition and biological activity. <i>Natural Product Communications</i> , 2011 , 6, 1523-6	0.9	8
48	Chemical composition and biological activity of the volatile extracts of <i>Achillea millefolium</i> . <i>Natural Product Communications</i> , 2011 , 6, 1527-30	0.9	17
47	Effects of Essential Oils on the Growth of <i>Giardia lamblia</i> Trophozoites. <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	5
46	Chemical composition and biological assays of essential oils of <i>Calamintha nepeta</i> (L.) Savi subsp. <i>nepeta</i> (Lamiaceae). <i>Natural Product Research</i> , 2010 , 24, 1734-42	2.3	28
45	Screening of five essential oils for identification of potential inhibitors of IL-1-induced NF- κ B activation and NO production in human chondrocytes: characterization of the inhibitory activity of α -pinene. <i>Planta Medica</i> , 2010 , 76, 303-8	3.1	25
44	Antifungal activity of the essential oil of <i>Thymus x viciosoi</i> against <i>Candida</i> , <i>Cryptococcus</i> , <i>Aspergillus</i> and dermatophyte species. <i>Planta Medica</i> , 2010 , 76, 882-8	3.1	39
43	Essential oils from <i>Distichoselinum tenuifolium</i> : chemical composition, cytotoxicity, antifungal and anti-inflammatory properties. <i>Journal of Ethnopharmacology</i> , 2010 , 130, 593-8	5	38

42	Anti-Giardia activity of phenolic-rich essential oils: effects of <i>Thymbra capitata</i> , <i>Origanum virens</i> , <i>Thymus zygis</i> subsp. <i>sylvestris</i> , and <i>Lippia graveolens</i> on trophozoites growth, viability, adherence, and ultrastructure. <i>Parasitology Research</i> , 2010 , 106, 1205-15	2.4	54
41	Chemical, antifungal and cytotoxic evaluation of the essential oil of <i>Thymus zygis</i> subsp. <i>sylvestris</i> . <i>Industrial Crops and Products</i> , 2010 , 32, 70-75	5.9	46
40	Trichomes, essential oils and in vitro propagation of <i>Lavandula pedunculata</i> (Lamiaceae). <i>Industrial Crops and Products</i> , 2010 , 32, 580-587	5.9	78
39	Activity of essential oils on the growth of <i>Leishmania infantum</i> promastigotes. <i>Flavour and Fragrance Journal</i> , 2010 , 25, 156-160	2.5	28
38	Effects of essential oils on the growth of <i>Giardia lamblia</i> trophozoites. <i>Natural Product Communications</i> , 2010 , 5, 137-41	0.9	13
37	Composition and anti-fungal activity of the essential oil from Cameroonian <i>Vitex rivularis</i> Gke. <i>Natural Product Research</i> , 2009 , 23, 1478-84	2.3	9
36	Chemical characterization and biological activity of essential oils from <i>Daucus carota</i> L. subsp. <i>carota</i> growing wild on the Mediterranean coast and on the Atlantic coast. <i>Phytotherapy Research</i> , 2009 , 80, 57-61	3.2	76
35	Chemical composition and antifungal activity of the essential oils of <i>Lavandula pedunculata</i> (Miller) Cav. <i>Chemistry and Biodiversity</i> , 2009 , 6, 1283-92	2.5	61
34	Antifungal activity of the clove essential oil from <i>Syzygium aromaticum</i> on <i>Candida</i> , <i>Aspergillus</i> and dermatophyte species. <i>Journal of Medical Microbiology</i> , 2009 , 58, 1454-1462	3.2	423
33	The potent vasodilator ethyl nitrite is formed upon reaction of nitrite and ethanol under gastric conditions. <i>Free Radical Biology and Medicine</i> , 2008 , 45, 404-12	7.8	35
32	Essential oil of <i>Daucus carota</i> subsp. <i>halophilus</i> : composition, antifungal activity and cytotoxicity. <i>Journal of Ethnopharmacology</i> , 2008 , 119, 129-34	5	110
31	Trichomes Morphology and Essential Oils Characterization of Field-Growing and In Vitro Propagated Plants of <i>Lavandula pedunculata</i> . <i>Microscopy and Microanalysis</i> , 2008 , 14, 148-149	0.5	7
30	<i>Vitex ferruginea</i> Schumach. Et. Thonn. subsp. <i>amboniensis</i> (Gke) Verdc.: glandular trichomes micromorphology, composition and antifungal activity of the essential oils. <i>Journal of Essential Oil Research</i> , 2008 , 20, 86-90	2.3	9
29	Susceptibility of <i>Helicobacter pylori</i> to essential oil of <i>Dittrichia viscosa</i> subsp. <i>revoluta</i> . <i>Phytotherapy Research</i> , 2008 , 22, 259-63	6.7	22
28	In vitro susceptibility of some species of yeasts and filamentous fungi to essential oils of <i>Salvia officinalis</i> . <i>Industrial Crops and Products</i> , 2007 , 26, 135-141	5.9	61
27	Composition and antifungal activity of the essential oil of <i>Mentha cervina</i> from Portugal. <i>Natural Product Research</i> , 2007 , 21, 867-71	2.3	30
26	Isolation of <i>Crithmum maritimum</i> L. volatile oil by supercritical carbon dioxide extraction and biological assays. <i>Natural Product Research</i> , 2007 , 21, 1145-50	2.3	21
25	Analysis of <i>Juniperus communis</i> subsp. <i>alpina</i> needle, berry, wood and root oils by combination of GC, GC/MS and ¹³ C-NMR. <i>Flavour and Fragrance Journal</i> , 2006 , 21, 99-106	2.5	49

24	Chemical variability of <i>Juniperus oxycedrus</i> ssp. <i>oxycedrus</i> berry and leaf oils from Corsica, analysed by combination of GC, GC/MS and ¹³ C-NMR. <i>Flavour and Fragrance Journal</i> , 2006 , 21, 268-273	2.5	24
23	Antifungal activity of the essential oil of <i>Thymus capitellatus</i> against <i>Candida</i> , <i>Aspergillus</i> and dermatophyte strains. <i>Flavour and Fragrance Journal</i> , 2006 , 21, 749-753	2.5	21
22	Antifungal activity of the essential oil of <i>Thymus pulegioides</i> on <i>Candida</i> , <i>Aspergillus</i> and dermatophyte species. <i>Journal of Medical Microbiology</i> , 2006 , 55, 1367-1373	3.2	202
21	Essential Oil Constituents of <i>Piper vicosanum</i> Yunker from the Brazilian Atlantic Forest. <i>Journal of Essential Oil Research</i> , 2006 , 18, 392-395	2.3	5
20	Chemical Composition and Antimicrobial Activity of the Commercially Available Oil of <i>Luma chequen</i> (Molina) A. Gray. <i>Journal of Essential Oil Research</i> , 2006 , 18, 108-110	2.3	1
19	Antifungal activity of <i>Juniperus</i> essential oils against dermatophyte, <i>Aspergillus</i> and <i>Candida</i> strains. <i>Journal of Applied Microbiology</i> , 2006 , 100, 1333-8	4.7	134
18	Estudo comparativo dos óleos voláteis de algumas espécies de Piperaceae. <i>Revista Brasileira De Farmacognosia</i> , 2005 , 15, 6-12	2	25
17	ANTIMICROBIAL ACTIVITY OF THE ESSENTIAL OILS OF <i>DITTRICHIA VISCOSA</i> SUBSP. <i>VISCOSA</i> ON <i>HELICOBACTER PYLORI</i> . <i>Acta Horticulturae</i> , 2005 , 147-151	0.3	6
16	Molecular cytogenetic characterization of rearrangements involving 12p in leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2005 , 157, 134-9		7
15	Chemical composition and antifungal activity of the essential oil of <i>Thymbra capitata</i> . <i>Planta Medica</i> , 2004 , 70, 572-5	3.1	59
14	Antifungal activity of <i>Thymus</i> oils and their major compounds. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2004 , 18, 73-8	4.6	247
13	Micromorphology of trichomes and composition of essential oil of <i>Teucrium capitatum</i> . <i>Flavour and Fragrance Journal</i> , 2004 , 19, 336-340	2.5	37
12	Analysis by gas chromatography-mass spectrometry of the volatile components of <i>Teucrium lusitanicum</i> and <i>Teucrium algarbiensis</i> . <i>Journal of Chromatography A</i> , 2004 , 1033, 187-90	4.5	62
11	Olive oil flavoured by the essential oils of <i>Mentha piperita</i> and <i>Thymus mastichina</i> L.. <i>Food Quality and Preference</i> , 2004 , 15, 447-452	5.8	58
10	Antimicrobial activity and chemical composition of the essential oil of <i>Lippia graveolens</i> from Guatemala. <i>Planta Medica</i> , 2003 , 69, 80-3	3.1	54
9	Chemical composition and antifungal activity of the essential oil of <i>Origanum virens</i> on <i>Candida</i> species. <i>Planta Medica</i> , 2003 , 69, 871-4	3.1	44
8	Composition and variability of the essential oils of the leaves and berries from <i>Juniperus navicularis</i> . <i>Biochemical Systematics and Ecology</i> , 2003 , 31, 193-201	1.4	19
7	Novel MLH1 mutations and a novel MSH2 polymorphism identified by SSCP and DHPLC in Portuguese HNPCC families. <i>Human Mutation</i> , 2003 , 22, 419-20	4.7	12

6	Composition of the essential oil of <i>Juniperus cedrus</i> Webb & Berth. grown on Madeira. <i>Flavour and Fragrance Journal</i> , 2002 , 17, 111-114	2.5	23
5	Composition of the essential oil and micromorphology of trichomes of <i>Teucrium salviastrum</i> , an endemic species from Portugal. <i>Flavour and Fragrance Journal</i> , 2002 , 17, 287-291	2.5	27
4	Intraspecific chemical variability of the leaf essential oil of <i>Juniperus phoenicea</i> subsp. <i>turbinata</i> from Corsica. <i>Biochemical Systematics and Ecology</i> , 2001 , 29, 179-188	1.4	44
3	Intraspecific chemical variability of the leaf essential oil of <i>Juniperus phoenicea</i> var. <i>turbinata</i> from Portugal. <i>Biochemical Systematics and Ecology</i> , 2001 , 29, 1175-1183	1.4	30
2	Chemical Composition of the Oil of <i>Afrocarpus mannii</i> , an Endemic Species from S. Tomé e Príncipe. <i>Journal of Essential Oil Research</i> , 2001 , 13, 431-433	2.3	3
1	Contribution for the Characterization of Portuguese Fennel Chemotypes. <i>Journal of Essential Oil Research</i> , 1993 , 5, 223-225	2.3	22