

Tanaji T Talele

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5238130/publications.pdf>

Version: 2024-02-01

49
papers

3,086
citations

201385

27
h-index

197535

49
g-index

51
all docs

51
docs citations

51
times ranked

4526
citing authors

#	ARTICLE	IF	CITATIONS
1	The ubiquitin-dependent ATPase p97 removes cytotoxic trapped PARP1 from chromatin. <i>Nature Cell Biology</i> , 2022, 24, 62-73.	4.6	66
2	Recent development in the discovery of PARP inhibitors as anticancer agents: a patent update (2016-2020). <i>Expert Opinion on Therapeutic Patents</i> , 2021, 31, 609-623.	2.4	15
3	Opportunities for Tapping into Three-Dimensional Chemical Space through a Quaternary Carbon. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 13291-13315.	2.9	165
4	Structural basis for allosteric PARP-1 retention on DNA breaks. <i>Science</i> , 2020, 368, .	6.0	191
5	Synthesis of 2,3-dihydrobenzo[b][1,4]dioxine-5-carboxamide and 3-oxo-3,4-dihydrobenzo[b][1,4]oxazine-8-carboxamide derivatives as PARP1 inhibitors. <i>Bioorganic Chemistry</i> , 2020, 102, 104075.	2.0	3
6	Acetylene Group, Friend or Foe in Medicinal Chemistry. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 5625-5663.	2.9	76
7	Chemical Space Exploration around Thieno[3,2- <i>d</i>]pyrimidin-4(3 <i>H</i>)-one Scaffold Led to a Novel Class of Highly Active <i>Clostridium difficile</i> Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 9772-9791.	2.9	19
8	Design and Synthesis of Poly(ADP-ribose) Polymerase Inhibitors: Impact of Adenosine Pocket-Binding Motif Appendage to the 3-Oxo-2,3-dihydrobenzofuran-7-carboxamide on Potency and Selectivity. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 5330-5357.	2.9	26
9	Comprehensive Synthesis of Amino Acid-Derived Thiazole Peptidomimetic Analogues to Understand the Enigmatic Drug/Substrate-Binding Site of P-Glycoprotein. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 834-864.	2.9	25
10	Natural-Products-Inspired Use of the <i>gem</i> -Dimethyl Group in Medicinal Chemistry. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 2166-2210.	2.9	86
11	Thiazole-valine peptidomimetic (TTT-28) antagonizes multidrug resistance in vitro and in vivo by selectively inhibiting the efflux activity of ABCB1. <i>Scientific Reports</i> , 2017, 7, 42106.	1.6	10
12	In Vitro Antibacterial Activity of Rhodanine Derivatives against Pathogenic Clinical Isolates. <i>PLoS ONE</i> , 2016, 11, e0164227.	1.1	16
13	Bafetinib (INNO-406) reverses multidrug resistance by inhibiting the efflux function of ABCB1 and ABCG2 transporters. <i>Scientific Reports</i> , 2016, 6, 25694.	1.6	48
14	The α -Cyclopropyl Fragment is a Versatile Player that Frequently Appears in Preclinical/Clinical Drug Molecules. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 8712-8756.	2.9	622
15	Dual inhibition of <i>Staphylococcus aureus</i> DNA gyrase and topoisomerase IV activity by phenylalanine-derived (<i>Z</i>)-5-arylmethylidene rhodanines. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 6125-6137.	1.4	16
16	Lamellarin O, a Pyrrole Alkaloid from an Australian Marine Sponge, <i>lanthella</i> sp., Reverses BCRP Mediated Drug Resistance in Cancer Cells. <i>Marine Drugs</i> , 2014, 12, 3818-3837.	2.2	63
17	Design, Synthesis, and Biological Evaluation of α -Valine Thiazole-Derived Cyclic and Noncyclic Peptidomimetic Oligomers as Modulators of Human P-Glycoprotein (ABCB1). <i>ChemBioChem</i> , 2014, 15, 157-169.	1.3	17
18	Discovery and Structure-Activity Relationship of Novel 2,3-Dihydrobenzofuran-7-carboxamide and 2,3-Dihydrobenzofuran-3(2 <i>H</i>)-one-7-carboxamide Derivatives as Poly(ADP-ribose)polymerase-1 Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 5579-5601.	2.9	43

#	ARTICLE	IF	CITATIONS
19	CEP-33779 antagonizes ATP-binding cassette subfamily B member 1 mediated multidrug resistance by inhibiting its transport function. <i>Biochemical Pharmacology</i> , 2014, 91, 144-156.	2.0	18
20	Design and Synthesis of Human ABCB1 (P-Glycoprotein) Inhibitors by Peptide Coupling of Diverse Chemical Scaffolds on Carboxyl and Amino Termini of (<i>S</i>)-Valine-Derived Thiazole Amino Acid. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 4058-4072.	2.9	51
21	Telatinib reverses chemotherapeutic multidrug resistance mediated by ABCG2 efflux transporter in vitro and in vivo. <i>Biochemical Pharmacology</i> , 2014, 89, 52-61.	2.0	47
22	Saracatinib (AZD0530) is a potent modulator of ABCB1-mediated multidrug resistance <i>in vitro</i> and <i>in vivo</i> . <i>International Journal of Cancer</i> , 2013, 132, 224-235.	2.3	37
23	The synthesis and SAR study of phenylalanine-derived (<i>Z</i>)-5-arylmethylidene rhodanines as anti-methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) compounds. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 5523-5527.	1.0	30
24	2-Heteroaryl-imino-5-arylidene-4-thiazolidinones as a new class of non-nucleoside inhibitors of HCV NS5B polymerase. <i>European Journal of Medicinal Chemistry</i> , 2013, 69, 931-941.	2.6	39
25	Identification of novel PARP-1 inhibitors by structure-based virtual screening. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 5790-5794.	1.0	22
26	Design and synthesis of <i>l</i> - and <i>d</i> -phenylalanine derived rhodanines with novel C5-arylidenes as inhibitors of HCV NS5B polymerase. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 3262-3271.	1.4	17
27	Nilotinib potentiates anticancer drug sensitivity in murine ABCB1-, ABCG2-, and ABCC10-multidrug resistance xenograft models. <i>Cancer Letters</i> , 2013, 328, 307-317.	3.2	106
28	Multiple Transport-Active Binding Sites Are Available for a Single Substrate on Human P-Glycoprotein (ABCB1). <i>PLoS ONE</i> , 2013, 8, e82463.	1.1	86
29	Neratinib Reverses ATP-Binding Cassette B1-Mediated Chemotherapeutic Drug Resistance <i>In Vitro</i> , <i>In Vivo</i> , and <i>Ex Vivo</i> . <i>Molecular Pharmacology</i> , 2012, 82, 47-58.	1.0	87
30	Discovery of new scaffolds for rational design of HCV NS5B polymerase inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2012, 58, 258-264.	2.6	15
31	Enhancing Chemosensitivity in ABCB1- and ABCG2-Overexpressing Cells and Cancer Stem-like Cells by An Aurora Kinase Inhibitor CCT129202. <i>Molecular Pharmaceutics</i> , 2012, 9, 1971-1982.	2.3	35
32	Synthesis and SAR optimization of quinazolin-4(3H)-ones as poly(ADP-ribose)polymerase-1 inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2012, 50, 264-273.	2.6	40
33	GW583340 and GW2974, human EGFR and HER-2 inhibitors, reverse ABCG2- and ABCB1-mediated drug resistance. <i>Biochemical Pharmacology</i> , 2012, 83, 1613-1622.	2.0	62
34	Design and Synthesis of <i>N</i> -Substituted Indazole-3-Carboxamides as Poly(ADP-ribose)polymerase-1 (PARP-1) Inhibitors. <i>Chemical Biology and Drug Design</i> , 2012, 79, 488-496.	1.5	4
35	CoMSIA Study on Substituted Aryl Alkanoic Acid Analogs as GPR40 Agonists. <i>Chemical Biology and Drug Design</i> , 2011, 77, 361-372.	1.5	1
36	Synthesis and SAR optimization of diketo acid pharmacophore for HCV NS5B polymerase inhibition. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 5138-5145.	2.6	19

#	ARTICLE	IF	CITATIONS
37	Sildenafil Reverses ABCB1- and ABCG2-Mediated Chemotherapeutic Drug Resistance. <i>Cancer Research</i> , 2011, 71, 3029-3041.	0.4	157
38	Structure-based virtual screening, synthesis and SAR of novel inhibitors of hepatitis C virus NS5B polymerase. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 4630-4638.	1.4	68
39	Design, synthesis and determination of antifungal activity of 5(6)-substituted benzotriazoles. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 2214-2222.	2.6	25
40	The synthesis of phenylalanine-derived C5-substituted rhodanines and their activity against selected methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) strains. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 5827-5832.	2.6	48
41	Successful Applications of Computer Aided Drug Discovery: Moving Drugs from Concept to the Clinic. <i>Current Topics in Medicinal Chemistry</i> , 2010, 10, 127-141.	1.0	295
42	Structure-based CoMFA and CoMSIA study of indolinone inhibitors of PDK1. <i>Journal of Computer-Aided Molecular Design</i> , 2009, 23, 25-36.	1.3	7
43	Synthesis and Crystallographic Characterization of 1-((2-(2,4-Difluorophenyl)oxiran-2-yl)methyl)-1H-1,2,4-triazole: A Crucial Intermediate for the Synthesis of Azole Antifungal Drugs. <i>Journal of Chemical Crystallography</i> , 2009, 39, 923-926.	0.5	2
44	Influence of the RNase H domain of retroviral reverse transcriptases on the metal specificity and substrate selection of their polymerase domains. <i>Virology Journal</i> , 2009, 6, 159.	1.4	3
45	Molecular docking/dynamics studies of Aurora A kinase inhibitors. <i>Journal of Molecular Graphics and Modelling</i> , 2008, 26, 1213-1222.	1.3	34
46	CoMFA and HQSAR studies on 6,7-dimethoxy-4-pyrrolidylquinazoline derivatives as phosphodiesterase10A inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 3675-3686.	1.4	17
47	Identification and characterization of coumestans as novel HCV NS5B polymerase inhibitors. <i>Nucleic Acids Research</i> , 2008, 36, 1482-1496.	6.5	96
48	3D QSAR and Molecular Docking Studies of Benzimidazole Derivatives as Hepatitis C Virus NS5B Polymerase Inhibitors. <i>Journal of Chemical Information and Modeling</i> , 2008, 48, 42-55.	2.5	94
49	4-Thiazolidinones: a novel class of hepatitis C virus NS5B polymerase inhibitors. <i>Frontiers in Bioscience - Landmark</i> , 2008, Volume, 3857.	3.0	17