

Luis J Royo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5238438/publications.pdf>

Version: 2024-02-01

74
papers

4,243
citations

159358

30
h-index

110170

64
g-index

75
all docs

75
docs citations

75
times ranked

4188
citing authors

#	ARTICLE	IF	CITATIONS
1	Wolf (<i>Canis lupus</i>) as canine adenovirus type 1 (CAV-1) sentinel for the endangered cantabrian brown bear (<i>Ursus arctos arctos</i>). <i>Transboundary and Emerging Diseases</i> , 2022, 69, 516-523.	1.3	7
2	Canine distemper virus in wildlife in south-western Europe. <i>Transboundary and Emerging Diseases</i> , 2022, 69, .	1.3	16
3	Design and Evaluation of a Competitive Phosphorescent Immunosensor for Aflatoxin M1 Quantification in Milk Samples Using Mn:ZnS Quantum Dots as Antibody Tags. <i>Chemosensors</i> , 2022, 10, 41.	1.8	0
4	Study of the Variability in Fatty Acids and Carotenoid Profiles: Laying the Ground for Tank Milk Authentication. <i>Sustainability</i> , 2021, 13, 4506.	1.6	3
5	Influence of the Type of Silage in the Dairy Cow Ration, with or without Grazing, on the Fatty Acid and Antioxidant Profiles of Milk. <i>Dairy</i> , 2021, 2, 716-728.	0.7	4
6	The extracellular proteins of <i>Lactobacillus acidophilus</i> DSM 20079T display anti-inflammatory effect in both in piglets, healthy human donors and Crohn's Disease patients. <i>Journal of Functional Foods</i> , 2020, 64, 103660.	1.6	6
7	Mortality Causes in Free-Ranging Eurasian Brown Bears (<i>Ursus arctos arctos</i>) in Spain 1998-2018. <i>Animals</i> , 2020, 10, 1538.	1.0	4
8	A portable IoT NIR spectroscopic system to analyze the quality of dairy farm forage. <i>Computers and Electronics in Agriculture</i> , 2020, 175, 105578.	3.7	26
9	The Mode of Grass Supply to Dairy Cows Impacts on Fatty Acid and Antioxidant Profile of Milk. <i>Foods</i> , 2020, 9, 1256.	1.9	19
10	Visual detection of microRNA146a by using RNA-functionalized gold nanoparticles. <i>Mikrochimica Acta</i> , 2020, 187, 192.	2.5	16
11	Cholangiocarcinoma in a Free-Ranging Eurasian Brown Bear (<i>Ursus arctos arctos</i>) from Northern Spain. <i>Journal of Wildlife Diseases</i> , 2020, 56, 251.	0.3	2
12	Cholangiocarcinoma in a Free-Ranging Eurasian Brown Bear () from Northern Spain. <i>Journal of Wildlife Diseases</i> , 2020, 56, 251-254.	0.3	1
13	A one-step TaqMan real-time qRT-PCR assay for the specific detection and quantitation of the Spanish goat encephalitis virus (SGEV). <i>Journal of Virological Methods</i> , 2018, 255, 98-100.	1.0	1
14	Canine adenovirus type 1 (CAV-1) in free-ranging European brown bear (<i>Ursus arctos arctos</i>): A threat for Cantabrian population?. <i>Transboundary and Emerging Diseases</i> , 2018, 65, 2049-2056.	1.3	45
15	Identification of a new Y chromosome haplogroup in Spanish native cattle. <i>Animal Genetics</i> , 2017, 48, 450-454.	0.6	6
16	Lambs are Susceptible to Experimental Challenge with Spanish Goat Encephalitis Virus. <i>Journal of Comparative Pathology</i> , 2017, 156, 400-408.	0.1	8
17	Vaccination against Louping Ill Virus Protects Goats from Experimental Challenge with Spanish Goat Encephalitis Virus. <i>Journal of Comparative Pathology</i> , 2017, 156, 409-418.	0.1	11
18	Contribution of Lidia cattle breed historical castes to the paternal genetic stock of Spain. <i>Animal Genetics</i> , 2015, 46, 312-315.	0.6	8

#	ARTICLE	IF	CITATIONS
19	First Confirmation of Schmallenberg Virus in Cattle in Spain: Tissue Distribution and Pathology. <i>Transboundary and Emerging Diseases</i> , 2015, 62, e62-e65.	1.3	12
20	An accurate high-resolution melting method to genotype bovine β -casein. <i>European Food Research and Technology</i> , 2014, 238, 295-298.	1.6	6
21	Mitochondrial <i>cytb</i> DNA and Y-chromosome diversity in <i>E. asturicus</i> sheep. <i>Animal Genetics</i> , 2013, 44, 184-192.	0.6	20
22	Authentication of male beef by multiplex fast real-time PCR. <i>Food Additives and Contaminants - Part A: Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2013, 30, 218-225.	1.1	13
23	Spatial relationships between Eurasian badgers (<i>Meles meles</i>) and cattle infected with <i>Mycobacterium bovis</i> in Northern Spain. <i>Veterinary Journal</i> , 2013, 197, 739-745.	0.6	25
24	Prion protein gene polymorphism in four West African sheep populations. <i>Tropical Animal Health and Production</i> , 2012, 44, 1469-1472.	0.5	5
25	Louping Ill in Goats, Spain, 2011. <i>Emerging Infectious Diseases</i> , 2012, 18, 976-978.	2.0	37
26	Assessing diversity losses due to selection for coat colour in the endangered bay-Asturc ³ n pony using microsatellites. <i>Livestock Science</i> , 2011, 135, 199-204.	0.6	7
27	Genetic structure of the bovine Y-specific microsatellite <i>UMN0103</i> reflects the genetic history of the species. <i>Animal Genetics</i> , 2011, 42, 566-567.	0.6	4
28	Usefulness of molecular-based methods for estimating effective population size in livestock assessed using data from the endangered black-coated Asturc ³ n pony1. <i>Journal of Animal Science</i> , 2011, 89, 1251-1259.	0.2	13
29	Y-specific microsatellites reveal an African subfamily in taurine (<i>Bos taurus</i>) cattle. <i>Animal Genetics</i> , 2010, 41, 232-241.	0.6	51
30	Multiple paternal origins of domestic cattle revealed by Y-specific interspersed multilocus microsatellites. <i>Heredity</i> , 2010, 105, 511-519.	1.2	50
31	Zebu Cattle Are an Exclusive Legacy of the South Asia Neolithic. <i>Molecular Biology and Evolution</i> , 2010, 27, 1-6.	3.5	217
32	Quantifying diversity losses due to selection for scrapie resistance in three endangered Spanish sheep breeds using microsatellite information. <i>Preventive Veterinary Medicine</i> , 2009, 91, 172-178.	0.7	14
33	Analysis of mitochondrial DNA diversity in Burkina Faso populations confirms the maternal genetic homogeneity of the West African goat. <i>Animal Genetics</i> , 2009, 40, 344-347.	0.6	15
34	Female segregation patterns of the putative Y-chromosome-specific microsatellite markers <i>INRA124</i> and <i>INRA126</i> do not support their use for cattle population studies. <i>Animal Genetics</i> , 2009, 40, 560-564.	0.6	6
35	Microsatellite Analysis Characterizes Burkina Faso as a Genetic Contact Zone Between Sahelian and Djallonk ³ Sheep. <i>Animal Biotechnology</i> , 2009, 20, 47-57.	0.7	36
36	Genetic characterisation of Burkina Faso goats using microsatellite polymorphism. <i>Livestock Science</i> , 2009, 123, 322-328.	0.6	37

#	ARTICLE	IF	CITATIONS
37	Sry-negative XX true hermaphroditism in a roe deer. <i>Animal Reproduction Science</i> , 2009, 112, 190-197.	0.5	9
38	Differences in the expression of the <i>ASIP</i> gene are involved in the recessive black coat colour pattern in sheep: evidence from the rare Xalda sheep breed. <i>Animal Genetics</i> , 2008, 39, 290-293.	0.6	48
39	Genetic relationships between Spanish Assaf (Assaf.E) and Spanish native dairy sheep breeds. <i>Small Ruminant Research</i> , 2008, 80, 39-44.	0.6	31
40	Multivariate characterization of morphological traits in Burkina Faso sheep. <i>Small Ruminant Research</i> , 2008, 80, 62-67.	0.6	64
41	Relationship between genealogical and microsatellite information characterizing losses of genetic variability: Empirical evidence from the rare Xalda sheep breed. <i>Livestock Science</i> , 2008, 115, 80-88.	0.6	38
42	Technical note: A novel method for routine genotyping of horse coat color gene polymorphisms1. <i>Journal of Animal Science</i> , 2008, 86, 1291-1295.	0.2	11
43	Multivariate analyses on morphological traits of goats in Burkina Faso. <i>Archives Animal Breeding</i> , 2008, 51, 588-600.	0.5	28
44	Retinoid receptor-specific agonists regulate bovine in vitro early embryonic development, differentiation and expression of genes related to cell cycle arrest and apoptosis. <i>Theriogenology</i> , 2007, 68, 1118-1127.	0.9	13
45	Genetic variability in the endangered Asturcãn pony assessed using genealogical and molecular information. <i>Livestock Science</i> , 2007, 107, 162-169.	0.6	36
46	Genetic diversity loss due to selection for scrapie resistance in the rare Spanish Xalda sheep breed. <i>Livestock Science</i> , 2007, 111, 204-212.	0.6	16
47	Genetic relationships among calving ease, calving interval, birth weight, and weaning weight in the Asturiana de los Valles beef cattle breed1. <i>Journal of Animal Science</i> , 2007, 85, 69-75.	0.2	39
48	Genetic variability and differentiation in Spanish roe deer (<i>Capreolus capreolus</i>): A phylogeographic reassessment within the European framework. <i>Molecular Phylogenetics and Evolution</i> , 2007, 42, 47-61.	1.2	39
49	Identifying the most suitable endogenous control for determining gene expression in hearts from organ donors. <i>BMC Molecular Biology</i> , 2007, 8, 114.	3.0	49
50	A sexing protocol for wild ruminants based on PCR amplification of amelogenin genes AMELX and AMELY (short communication). <i>Archives Animal Breeding</i> , 2007, 50, 442-446.	0.5	11
51	Sire—contemporary group interactions for birth weight and preweaning growth traits in the Asturiana de los Valles beef cattle breed. <i>Livestock Science</i> , 2006, 99, 61-68.	0.6	14
52	Retinoids during the in vitro transition from bovine morula to blastocyst. <i>Human Reproduction</i> , 2006, 21, 2149-2157.	0.4	20
53	The origin of European cattle: Evidence from modern and ancient DNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 8113-8118.	3.3	271
54	The coding sequence of the ASIP gene is identical in nine wild-type coloured cattle breeds. <i>Journal of Animal Breeding and Genetics</i> , 2005, 122, 357-360.	0.8	43

#	ARTICLE	IF	CITATIONS
55	Genetic analysis of days open in beef cattle. <i>Livestock Science</i> , 2005, 93, 283-289.	1.2	26
56	Testing the usefulness of the molecular coancestry information to assess genetic relationships in livestock using a set of Spanish sheep breeds ¹ . <i>Journal of Animal Science</i> , 2005, 83, 737-744.	0.2	45
57	The Origins of Iberian Horses Assessed via Mitochondrial DNA. <i>Journal of Heredity</i> , 2005, 96, 663-669.	1.0	52
58	MolKin v2.0: A Computer Program for Genetic Analysis of Populations Using Molecular Coancestry Information. <i>Journal of Heredity</i> , 2005, 96, 718-721.	1.0	166
59	Retinoid-dependent mRNA expression and poly-(A) contents in bovine oocytes meiotically arrested and/or matured in vitro. <i>Molecular Reproduction and Development</i> , 2004, 69, 101-108.	1.0	28
60	Genetic relationships and admixture among sheep breeds from Northern Spain assessed using microsatellites ¹ . <i>Journal of Animal Science</i> , 2004, 82, 2246-2252.	0.2	75
61	9-cis-retinoic acid during in vitro maturation improves development of the bovine oocyte and increases midkine but not IGF-I expression in cumulus-granulosa cells. <i>Molecular Reproduction and Development</i> , 2003, 66, 247-255.	1.0	34
62	Genetic analysis of calf survival at different preweaning ages in beef cattle. <i>Livestock Science</i> , 2003, 83, 13-20.	1.2	30
63	Modulating skeletal muscle mass by postnatal, muscle-specific inactivation of the myostatin gene. <i>Genesis</i> , 2003, 35, 227-238.	0.8	152
64	Using pedigree information to monitor genetic variability of endangered populations: the Xalda sheep breed of Asturias as an example. <i>Journal of Animal Breeding and Genetics</i> , 2003, 120, 95-105.	0.8	136
65	Artificial intelligence techniques point out differences in classification performance between light and standard bovine carcasses. <i>Meat Science</i> , 2003, 64, 249-258.	2.7	21
66	Factors affecting actual weaning weight, preweaning average daily gain and relative growth rate in Asturiana de los Valles beef cattle breed. <i>Archives Animal Breeding</i> , 2003, 46, 235-243.	0.5	17
67	Enhancement of developmental capacity of meiotically inhibited bovine oocytes by retinoic acid. <i>Human Reproduction</i> , 2002, 17, 2706-2714.	0.4	53
68	Genetic relationships between calving date, calving interval, age at first calving and type traits in beef cattle. <i>Livestock Science</i> , 2002, 78, 215-222.	1.2	66
69	Testing a continuous variation in preweaning expression of muscular hypertrophy in beef cattle using field data. <i>Archives Animal Breeding</i> , 2002, 45, 139-149.	0.5	3
70	The usefulness of artificial intelligence techniques to assess subjective quality of products in the food industry. <i>Trends in Food Science and Technology</i> , 2001, 12, 370-381.	7.8	58
71	Genetic structure in Atlantic brown trout (<i>Salmo trutta</i> L.) populations in the Iberian peninsula: evidence from mitochondrial and nuclear DNA analysis. <i>Journal of Animal Breeding and Genetics</i> , 2000, 117, 105-120.	0.8	2
72	High-resolution, human–bovine comparative mapping based on a closed YAC contig spanning the bovine mh locus. <i>Mammalian Genome</i> , 1999, 10, 289-293.	1.0	3

#	ARTICLE	IF	CITATIONS
73	Molecular definition of an allelic series of mutations disrupting the myostatin function and causing double-muscling in cattle. <i>Mammalian Genome</i> , 1998, 9, 210-213.	1.0	422
74	A deletion in the bovine myostatin gene causes the double-muscled phenotype in cattle. <i>Nature Genetics</i> , 1997, 17, 71-74.	9.4	1,323