

Mary A Whooley

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5240210/mary-a-whooley-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

148
papers

10,918
citations

54
h-index

103
g-index

161
ext. papers

12,537
ext. citations

7.4
avg, IF

6.28
L-index

#	Paper	IF	Citations
148	Mobile Health Intervention Promoting Physical Activity in Adults Post Cardiac Rehabilitation: Pilot Randomized Controlled Trial. <i>JMIR Formative Research</i> , 2021 , 5, e20468	2.5	5
147	Hepatitis C infection and complication rates after total shoulder arthroplasty in United States veterans. <i>JSES International</i> , 2021 , 5, 699-706	1.2	0
146	Preoperative Medical Testing and Falls in Medicare Beneficiaries Awaiting Cataract Surgery. <i>Ophthalmology</i> , 2021 , 128, 208-215	7.3	3
145	Adenoma Detection Rate (ADR) Irrespective of Indication Is Comparable to Screening ADR: Implications for Quality Monitoring. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 1883-1889.e1	6.9	5
144	Applying Mobile Technology to Sustain Physical Activity After Completion of Cardiac Rehabilitation: Acceptability Study. <i>JMIR Human Factors</i> , 2021 , 8, e25356	2.5	0
143	Leveraging Telehealth to improve access to care: a qualitative evaluation of Veterans' experience with the VA TeleSleep program. <i>BMC Health Services Research</i> , 2021 , 21, 77	2.9	5
142	Feasibility of a Telemedicine Urgent Care Program to Address Patient Complaints on First Contact. <i>Emergency Medicine International</i> , 2020 , 2020, 8875644	1.4	0
141	Left Atrial End-Diastolic Volume Index as a Predictor of Cardiovascular Outcomes: The Heart and Soul Study. <i>Circulation: Cardiovascular Imaging</i> , 2020 , 13, e009746	3.9	9
140	Vital Signs Data and Probability of Hospitalization, Transfer to Another Facility, or Emergency Department Death Among Adults Presenting for Medical Illnesses to the Emergency Department at a Large Urban Hospital in the United States. <i>Journal of Emergency Medicine</i> , 2020 , 58, 570-580	1.5	1
139	Tracking Cardiac Rehabilitation Participation and Completion Among Medicare Beneficiaries to Inform the Efforts of a National Initiative. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020 , 13, e005902	5.8	90
138	Antibiotic-Laden Bone Cement Use and Revision Risk After Primary Total Knee Arthroplasty in U.S. Veterans. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020 , 102, 1939-1947	5.6	5
137	Association of Longitudinal Change in High-Sensitivity Troponin with All-Cause Mortality in Coronary Artery Disease: The Heart and Soul Study. <i>Cardiology</i> , 2020 , 145, 63-70	1.6	
136	Association of Cardiac Rehabilitation With Survival Among US Veterans. <i>JAMA Network Open</i> , 2020 , 3, e201396	10.4	1
135	Prevalence and management of sleep disorders in the Veterans Health Administration. <i>Sleep Medicine Reviews</i> , 2020 , 54, 101358	10.2	6
134	Comorbid depression in medical diseases. <i>Nature Reviews Disease Primers</i> , 2020 , 6, 69	51.1	62
133	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020 , 89, 25-37	9.4	42
132	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020 , 50, 1368-1380	6.9	65

131	Comorbidity Profiles Identified in Older Primary Care Patients Who Attempt Suicide. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 2553-2559	5.6	9
130	Sedentary lifestyle associated with mortality in rural patients with heart failure. <i>European Journal of Cardiovascular Nursing</i> , 2019 , 18, 318-324	3.3	7
129	Smoking does not accelerate leucocyte telomere attrition: a meta-analysis of 18 longitudinal cohorts. <i>Royal Society Open Science</i> , 2019 , 6, 190420	3.3	16
128	Association of Mental Health Conditions With Participation in Cardiac Rehabilitation. <i>Journal of the American Heart Association</i> , 2019 , 8, e011639	6	4
127	Alcohol consumption and leukocyte telomere length. <i>Scientific Reports</i> , 2019 , 9, 1404	4.9	17
126	Association of Cardiac Rehabilitation With Decreased Hospitalization and Mortality Risk After Cardiac Valve Surgery. <i>JAMA Cardiology</i> , 2019 , 4, 1250-1259	16.2	22
125	Association of Receipt of Positron Emission Tomography-Computed Tomography With Non-Small Cell Lung Cancer Mortality in the Veterans Affairs Health Care System. <i>JAMA Network Open</i> , 2019 , 2, e1915828	10.4	2
124	Rapid 5lb weight gain is not associated with readmission in patients with heart failure. <i>ESC Heart Failure</i> , 2019 , 6, 131-137	3.7	4
123	Inflammation as a predictor of disease course in posttraumatic stress disorder and depression: A prospective analysis from the Mind Your Heart Study. <i>Brain, Behavior, and Immunity</i> , 2019 , 75, 220-227	16.6	20
122	Shortening self-report mental health symptom measures through optimal test assembly methods: Development and validation of the Patient Health Questionnaire-Depression-4. <i>Depression and Anxiety</i> , 2019 , 36, 82-92	8.4	12
121	Predictors of Patient Participation and Completion of Home-Based Cardiac Rehabilitation in the Veterans Health Administration for Patients With Coronary Heart Disease. <i>American Journal of Cardiology</i> , 2019 , 123, 19-24	3	14
120	Association of Veterans Health Administration Home-Based Programs With Access to and Participation in Cardiac Rehabilitation. <i>JAMA Internal Medicine</i> , 2018 , 178, 715-717	11.5	24
119	Geographic Variation in Cardiac Rehabilitation Participation in Medicare and Veterans Affairs Populations: Opportunity for Improvement. <i>Circulation</i> , 2018 , 137, 1899-1908	16.7	63
118	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , 2018 , 212, 377-385	5.4	36
117	Posttraumatic stress disorder, depression, and suicidal ideation in veterans: Results from the mind your heart study. <i>Psychiatry Research</i> , 2018 , 265, 224-230	9.9	16
116	Leading causes of cardiovascular hospitalization in 8.45 million US veterans. <i>PLoS ONE</i> , 2018 , 13, e0193996	3.6	18
115	VA FitHeart, a Mobile App for Cardiac Rehabilitation: Usability Study. <i>JMIR Human Factors</i> , 2018 , 5, e3	2.5	37
114	A Framework for Leveraging "Big Data" to Advance Epidemiology and Improve Quality: Design of the VA Colonoscopy Collaborative. <i>EGEMS (Washington, DC)</i> , 2018 , 6, 4	2.2	5

113	Improving mental health through integration with primary care in rural Karnataka: study protocol of a cluster randomized control trial. <i>BMC Family Practice</i> , 2018 , 19, 158	2.6	11
112	Cardiac Rehabilitation Participation and Mortality After Percutaneous Coronary Intervention: Insights From the Veterans Affairs Clinical Assessment, Reporting, and Tracking Program. <i>Journal of the American Heart Association</i> , 2018 , 7, e010010	6	17
111	Ventricular-Vascular Coupling at Rest and after Exercise Is Associated with Heart Failure Hospitalizations in Patients With Coronary Artery Disease. <i>Journal of the American Society of Echocardiography</i> , 2018 , 31, 1212-1220.e3	5.8	4
110	Evaluating Screening Tests for Depression in Post-Stroke Older Adults. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2018 , 31, 129-135	3.8	5
109	Depression Treatment and 1-Year Mortality After Acute Myocardial Infarction: Insights From the TRIUMPH Registry (Translational Research Investigating Underlying Disparities in Acute Myocardial Infarction Patients' Health Status). <i>Circulation</i> , 2017 , 135, 1681-1689	16.7	62
108	Participation in Cardiac Rehabilitation Among Patients With Heart Failure. <i>Journal of Cardiac Failure</i> , 2017 , 23, 427-431	3.3	40
107	Poststroke Depression: A Scientific Statement for Healthcare Professionals From the American Heart Association/American Stroke Association. <i>Stroke</i> , 2017 , 48, e30-e43	6.7	267
106	Associations of tumor necrosis factor alpha receptor type 1 with kidney function decline, cardiovascular events, and mortality risk in persons with coronary artery disease: Data from the Heart and Soul Study. <i>Atherosclerosis</i> , 2017 , 263, 68-73	3.1	6
105	Associations of TNFR1 with kidney function outcomes by age, gender, and baseline kidney function status: Data from the Heart and Soul Study. <i>Data in Brief</i> , 2017 , 14, 366-370	1.2	
104	Symptom Diary Use and Improved Survival for Patients With Heart Failure. <i>Circulation: Heart Failure</i> , 2017 , 10,	7.6	13
103	Causes and Predictors of Death in Patients With Coronary Heart Disease (from the Heart and Soul Study). <i>American Journal of Cardiology</i> , 2017 , 119, 27-34	3	19
102	The Design and Implementation of a Home-Based Cardiac Rehabilitation Program. <i>Federal Practitioner: for the Health Care Professionals of the VA, DoD, and PHS</i> , 2017 , 34, 34-39	0.7	7
101	Comparing Mobile Health Strategies to Improve Medication Adherence for Veterans With Coronary Heart Disease (Mobile4Meds): Protocol for a Mixed-Methods Study. <i>JMIR Research Protocols</i> , 2017 , 6, e134	2	1
100	Depressive Symptoms, Cardiac Disease Severity, and Functional Status in Patients With Coronary Artery Disease (from the Heart and Soul Study). <i>American Journal of Cardiology</i> , 2016 , 118, 1287-1292	3	6
99	Change in Leukocyte Telomere Length Predicts Mortality in Patients with Stable Coronary Heart Disease from the Heart and Soul Study. <i>PLoS ONE</i> , 2016 , 11, e0160748	3.7	31
98	Patient and Facility Variation in Costs of VA Heart Failure Patients. <i>JACC: Heart Failure</i> , 2016 , 4, 551-558	7.9	17
97	Direction of Association Between Depressive Symptoms and Lifestyle Behaviors in Patients with Coronary Heart Disease: the Heart and Soul Study. <i>Annals of Behavioral Medicine</i> , 2016 , 50, 523-32	4.5	47
96	Posttraumatic Stress Disorder Is Associated With Worse Endothelial Function Among Veterans. <i>Journal of the American Heart Association</i> , 2016 , 5, e003010	6	30

95	Mobile Phone Interventions for the Secondary Prevention of Cardiovascular Disease. <i>Progress in Cardiovascular Diseases</i> , 2016 , 58, 639-50	8.5	75
94	Decisive Bearing of Organizational Dynamics on the Application and Success of Hospital-Based Cardiac Rehabilitation. <i>Mayo Clinic Proceedings</i> , 2016 , 91, 975-7	6.4	1
93	Notice of Retraction and Replacement. Schopfer DW, et al. Cardiac Rehabilitation Use Among Veterans With Ischemic Heart Disease. <i>JAMA Intern Med.</i> 2014;174(10):1687-1689. <i>JAMA Internal Medicine</i> , 2016 , 176, 1726-1727	11.5	2
92	Participation in Cardiac Rehabilitation Programs Among Older Patients After Acute Myocardial Infarction. <i>JAMA Internal Medicine</i> , 2015 , 175, 1700-2	11.5	64
91	Traditional Risk Factors Versus Biomarkers for Prediction of Secondary Events in Patients With Stable Coronary Heart Disease: From the Heart and Soul Study. <i>Journal of the American Heart Association</i> , 2015 , 4,	6	35
90	Usefulness of an Echocardiographic Composite Cardiac Calcium Score to Predict Death in Patients With Stable Coronary Artery Disease (from the Heart and Soul Study). <i>American Journal of Cardiology</i> , 2015 , 116, 50-8	3	7
89	Psychosocial factors and medication adherence among patients with coronary heart disease: A text messaging intervention. <i>European Journal of Cardiovascular Nursing</i> , 2015 , 14, 264-73	3.3	33
88	Soluble endothelial cell selective adhesion molecule and cardiovascular outcomes in patients with stable coronary disease: A report from the Heart and Soul Study. <i>Atherosclerosis</i> , 2015 , 243, 546-52	3.1	5
87	Effectiveness of cardiac rehabilitation among older patients after acute myocardial infarction. <i>American Heart Journal</i> , 2015 , 170, 855-64	4.9	54
86	Association of growth differentiation factor 11/8, putative anti-ageing factor, with cardiovascular outcomes and overall mortality in humans: analysis of the Heart and Soul and HUNT3 cohorts. <i>European Heart Journal</i> , 2015 , 36, 3426-34	9.5	75
85	Effect of current and lifetime posttraumatic stress disorder on 24-h urinary catecholamines and cortisol: results from the Mind Your Heart Study. <i>Psychoneuroendocrinology</i> , 2015 , 52, 83-91	5	54
84	Positive Affect and Health Behaviors Across 5 Years in Patients With Coronary Heart Disease: The Heart and Soul Study. <i>Psychosomatic Medicine</i> , 2015 , 77, 1058-66	3.7	56
83	Depressive symptoms, cardiovascular disease severity, and functional status in older adults with coronary heart disease: the heart and soul study. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 8-15	5.6	31
82	Association of CHADS2, CHA2DS2-VASc, and R2CHADS2 scores with left atrial dysfunction in patients with coronary heart disease (from the Heart and Soul study). <i>American Journal of Cardiology</i> , 2014 , 113, 1166-72	3	13
81	Selenium exposure and depressive symptoms: the Coronary Artery Risk Development in Young Adults Trace Element Study. <i>NeuroToxicology</i> , 2014 , 41, 167-74	4.4	19
80	Effect of physical activity level on biomarkers of inflammation and insulin resistance over 5 years in outpatients with coronary heart disease (from the Heart and Soul Study). <i>American Journal of Cardiology</i> , 2014 , 114, 1192-7	3	19
79	Frequency of angina pectoris and secondary events in patients with stable coronary heart disease (from the Heart and Soul Study). <i>American Journal of Cardiology</i> , 2014 , 114, 997-1002	3	10
78	Growth differentiation factor 15 and cardiovascular events in patients with stable ischemic heart disease (The Heart and Soul Study). <i>American Heart Journal</i> , 2014 , 167, 186-192.e1	4.9	39

77	Relation of left atrial dysfunction to ischemic stroke in patients with coronary heart disease (from the heart and soul study). <i>American Journal of Cardiology</i> , 2014 , 113, 1679-84	3	27
76	Peripheral arterial disease, gender, and depression in the Heart and Soul Study. <i>Journal of Vascular Surgery</i> , 2014 , 60, 396-403	3.5	23
75	Vitamin D deficiency and cardiovascular events in patients with coronary heart disease: data from the Heart and Soul Study. <i>American Journal of Epidemiology</i> , 2014 , 179, 1279-87	3.8	59
74	Associations of N-terminal pro-B-type natriuretic peptide with kidney function decline in persons without clinical heart failure in the Heart and Soul Study. <i>American Heart Journal</i> , 2014 , 168, 931-9.e2	4.9	13
73	B-type natriuretic peptides for the prediction of cardiovascular events in patients with stable coronary heart disease: the Heart and Soul Study. <i>Journal of the American Heart Association</i> , 2014 , 3,	6	39
72	Social integration and mortality in patients with coronary heart disease: findings from the Heart and Soul Study. <i>Psychosomatic Medicine</i> , 2014 , 76, 659-68	3.7	13
71	Cardiac rehabilitation use among veterans with ischemic heart disease. <i>JAMA Internal Medicine</i> , 2014 , 174, 1687-9	11.5	13
70	The authors reply. <i>American Journal of Epidemiology</i> , 2014 , 180, 758	3.8	
69	Trends in referral to cardiac rehabilitation after myocardial infarction: data from the National Cardiovascular Data Registry 2007 to 2012. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 2582-2583	15.1	46
68	Gender differences in the prospective associations of self-reported sleep quality with biomarkers of systemic inflammation and coagulation: findings from the Heart and Soul Study. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1228-35	5.2	61
67	Depressive symptoms and white blood cell count in coronary heart disease patients: prospective findings from the Heart and Soul Study. <i>Psychoneuroendocrinology</i> , 2013 , 38, 479-87	5	21
66	Multisystem resiliency moderates the major depression-telomere length association: findings from the Heart and Soul Study. <i>Brain, Behavior, and Immunity</i> , 2013 , 33, 65-73	16.6	45
65	Depression and cardiovascular disease. <i>Progress in Cardiovascular Diseases</i> , 2013 , 55, 511-23	8.5	112
64	24-hour urine phosphorus excretion and mortality and cardiovascular events. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 1202-10	6.9	33
63	Depression and cardiovascular disorders. <i>Annual Review of Clinical Psychology</i> , 2013 , 9, 327-54	20.5	121
62	Fractional excretion of phosphorus modifies the association between fibroblast growth factor-23 and outcomes. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 647-54	12.7	68
61	Hostility, health behaviors, and risk of recurrent events in patients with stable coronary heart disease: findings from the Heart and Soul Study. <i>Journal of the American Heart Association</i> , 2013 , 2, e000052	6	22
60	Peripheral artery disease and risk of cardiovascular events in patients with coronary artery disease: insights from the Heart and Soul Study. <i>Vascular Medicine</i> , 2013 , 18, 176-84	3.3	88

59	Using mobile technology for cardiac rehabilitation: a review and framework for development and evaluation. <i>Journal of the American Heart Association</i> , 2013 , 2, e000568	6	121
58	High-sensitivity cardiac troponin T levels and secondary events in outpatients with coronary heart disease from the Heart and Soul Study. <i>JAMA Internal Medicine</i> , 2013 , 173, 763-9	11.5	76
57	Post-traumatic stress disorder is associated with poor health behaviors: findings from the heart and soul study. <i>Health Psychology</i> , 2012 , 31, 194-201	5	138
56	Adiponectin is associated with increased mortality and heart failure in patients with stable ischemic heart disease: data from the Heart and Soul Study. <i>Atherosclerosis</i> , 2012 , 220, 587-92	3.1	56
55	Associations of pentraxin-3 with cardiovascular events, incident heart failure, and mortality among persons with coronary heart disease: data from the Heart and Soul Study. <i>American Heart Journal</i> , 2012 , 163, 274-9	4.9	62
54	Urine calcium excretion, cardiovascular events, and mortality in outpatients with stable coronary artery disease (from the Heart and Soul study). <i>American Journal of Cardiology</i> , 2012 , 110, 1729-34	3	5
53	Association between depression and peripheral artery disease: insights from the heart and soul study. <i>Journal of the American Heart Association</i> , 2012 , 1, e002667	6	46
52	Six-minute walk test as a prognostic tool in stable coronary heart disease: data from the heart and soul study. <i>Archives of Internal Medicine</i> , 2012 , 172, 1096-102		104
51	Diagnosis and treatment of depression in adults with comorbid medical conditions: a 52-year-old man with depression. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 307, 1848-57	27.4	14
50	Relationship of urine dopamine with phosphorus homeostasis in humans: the heart and soul study. <i>American Journal of Nephrology</i> , 2012 , 35, 483-90	4.6	5
49	Association between kidney function and telomere length: the heart and soul study. <i>American Journal of Nephrology</i> , 2012 , 36, 405-11	4.6	25
48	Association of resistin with heart failure and mortality in patients with stable coronary heart disease: data from the heart and soul study. <i>Journal of Cardiac Failure</i> , 2011 , 17, 24-30	3.3	41
47	Association of low leptin with cardiovascular events and mortality in patients with stable coronary artery disease: the Heart and Soul Study. <i>Atherosclerosis</i> , 2011 , 217, 503-8	3.1	52
46	Depression and leukocyte telomere length in patients with coronary heart disease: data from the Heart and Soul Study. <i>Psychosomatic Medicine</i> , 2011 , 73, 541-7	3.7	91
45	Relation of body mass index to urinary creatinine excretion rate in patients with coronary heart disease. <i>American Journal of Cardiology</i> , 2011 , 108, 179-84	3	8
44	Uromodulin concentrations are not associated with incident CKD among persons with coronary artery disease. <i>BMC Nephrology</i> , 2011 , 12, 2	2.7	13
43	First-degree atrioventricular block is associated with heart failure and death in persons with stable coronary artery disease: data from the Heart and Soul Study. <i>European Heart Journal</i> , 2011 , 32, 1875-80	9.5	68
42	Accuracy and prognostic value of American Heart Association: recommended depression screening in patients with coronary heart disease: data from the Heart and Soul Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2011 , 4, 533-40	5.8	69

41	Physical fitness and telomere length in patients with coronary heart disease: findings from the Heart and Soul Study. <i>PLoS ONE</i> , 2011 , 6, e26983	3.7	51
40	Telomere length trajectory and its determinants in persons with coronary artery disease: longitudinal findings from the heart and soul study. <i>PLoS ONE</i> , 2010 , 5, e8612	3.7	152
39	Blood eicosapentaenoic and docosahexaenoic acids predict all-cause mortality in patients with stable coronary heart disease: the Heart and Soul study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2010 , 3, 406-12	5.8	70
38	Urinary creatinine excretion rate and mortality in persons with coronary artery disease: the Heart and Soul Study. <i>Circulation</i> , 2010 , 121, 1295-303	16.7	76
37	Association of marine omega-3 fatty acid levels with telomeric aging in patients with coronary heart disease. <i>JAMA - Journal of the American Medical Association</i> , 2010 , 303, 250-7	27.4	240
36	Glucocorticoid receptor gene, low-grade inflammation, and heart failure: the Heart and Soul study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 2885-91	5.6	32
35	Differential associations between specific depressive symptoms and cardiovascular prognosis in patients with stable coronary heart disease. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 838-44	15.1	81
34	Depression and platelet activation in outpatients with stable coronary heart disease: findings from the Heart and Soul Study. <i>Psychiatry Research</i> , 2010 , 175, 200-4	9.9	26
33	The associations of fibroblast growth factor 23 and uncarboxylated matrix Gla protein with mortality in coronary artery disease: the Heart and Soul Study. <i>Annals of Internal Medicine</i> , 2010 , 152, 640-8	8	335
32	Association between a serotonin transporter gene variant and hopelessness among men in the Heart and Soul Study. <i>Journal of General Internal Medicine</i> , 2010 , 25, 1030-7	4	22
31	Association between omega-3 fatty acids and depressive symptoms among patients with established coronary artery disease: data from the Heart and Soul Study. <i>Psychotherapy and Psychosomatics</i> , 2009 , 78, 125-7	9.4	18
30	Glucocorticoid receptor gene and depression in patients with coronary heart disease: the Heart and Soul Study-2009 Curt Richter Award Winner. <i>Psychoneuroendocrinology</i> , 2009 , 34, 1574-81	5	26
29	N-terminal pro-B-type natriuretic peptide and inducible ischemia in the Heart and Soul Study. <i>Clinical Cardiology</i> , 2009 , 32, 447-53	3.3	15
28	To screen or not to screen? Depression in patients with cardiovascular disease. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 891-3	15.1	44
27	Prognostic value of leukocyte telomere length in patients with stable coronary artery disease: data from the Heart and Soul Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 1379-84	9.4	148
26	Depressive symptoms, health behaviors, and risk of cardiovascular events in patients with coronary heart disease. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 2379-88	27.4	567
25	Depression screening and patient outcomes in cardiovascular care: a systematic review. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 2161-71	27.4	345
24	Depression and cardiac function in patients with stable coronary heart disease: findings from the Heart and Soul Study. <i>Psychosomatic Medicine</i> , 2008 , 70, 444-9	3.7	36

23	Depression and inflammation in patients with coronary heart disease: findings from the Heart and Soul Study. <i>Biological Psychiatry</i> , 2007 , 62, 314-20	7.9	134
22	Prevalence and prognosis of asymptomatic left ventricular diastolic dysfunction in ambulatory patients with coronary heart disease. <i>American Journal of Cardiology</i> , 2007 , 99, 1643-7	3	69
21	Association between anaemia and N-terminal pro-B-type natriuretic peptide (NT-proBNP): findings from the Heart and Soul Study. <i>European Journal of Heart Failure</i> , 2007 , 9, 886-91	12.3	19
20	Self-reported medication adherence and cardiovascular events in patients with stable coronary heart disease: the heart and soul study. <i>Archives of Internal Medicine</i> , 2007 , 167, 1798-803		248
19	Depression and cardiovascular disease: healing the broken-hearted. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 2874-81	27.4	178
18	Association between human fetuin-A and the metabolic syndrome: data from the Heart and Soul Study. <i>Circulation</i> , 2006 , 113, 1760-7	16.7	267
17	Depression and heart rate variability in patients with stable coronary heart disease: findings from the Heart and Soul Study. <i>Archives of General Psychiatry</i> , 2005 , 62, 661-6		99
16	Screening for depression in patients with coronary heart disease (data from the Heart and Soul Study). <i>American Journal of Cardiology</i> , 2005 , 96, 1076-81	3	169
15	Depression and medication adherence in outpatients with coronary heart disease: findings from the Heart and Soul Study. <i>Archives of Internal Medicine</i> , 2005 , 165, 2508-13		329
14	Depressive symptoms and 24-hour urinary norepinephrine excretion levels in patients with coronary disease: findings from the Heart and Soul Study. <i>American Journal of Psychiatry</i> , 2005 , 162, 2139-45	11.9	83
13	Blood pressure reactivity to psychological stress predicts hypertension in the CARDIA study. <i>Circulation</i> , 2004 , 110, 74-8	16.7	316
12	Relation between depressive symptoms and treadmill exercise capacity in the Heart and Soul Study. <i>American Journal of Cardiology</i> , 2004 , 94, 96-9	3	39
11	Depression and 24-hour urinary cortisol in medical outpatients with coronary heart disease: The Heart and Soul Study. <i>Biological Psychiatry</i> , 2004 , 56, 241-7	7.9	109
10	Depressive symptoms and health-related quality of life: the Heart and Soul Study. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 290, 215-21	27.4	565
9	Central nervous system-active medications and risk for falls in older women. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 1629-37	5.6	350
8	Quality-of-life and depressive symptoms in postmenopausal women after receiving hormone therapy: results from the Heart and Estrogen/Progestin Replacement Study (HERS) trial. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 287, 591-7	27.4	198
7	Religious involvement and cigarette smoking in young adults: the CARDIA study (Coronary Artery Risk Development in Young Adults)study (. <i>Archives of Internal Medicine</i> , 2002 , 162, 1604-10		59
6	Postmenopausal estrogen therapy and depressive symptoms in older women. <i>Journal of General Internal Medicine</i> , 2000 , 15, 535-41	4	52

5	Randomized trial of case-finding for depression in elderly primary care patients. <i>Journal of General Internal Medicine</i> , 2000 , 15, 293-300	4	107
4	Managing depression in medical outpatients. <i>New England Journal of Medicine</i> , 2000 , 343, 1942-50	59.2	293
3	A survival guide for generalist physicians in academic fellowships part 1: getting started. <i>Journal of General Internal Medicine</i> , 1999 , 14, 745-9	4	9
2	Case-finding instruments for depression. Two questions are as good as many. <i>Journal of General Internal Medicine</i> , 1997 , 12, 439-45	4	1284
1	Screening for depression. <i>Journal of General Internal Medicine</i> , 1997 , 12, 789-90	4	1