

Marc Le Bert

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5241342/marc-le-bert-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54
papers

2,833
citations

26
h-index

53
g-index

57
ext. papers

3,199
ext. citations

7.2
avg, IF

4.22
L-index

#	Paper	IF	Citations
54	Aryl hydrocarbon receptor (Ahr)-dependent IL-22 expression by type 3 innate lymphoid cells control of acute joint inflammation. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 4721-4731	5.6	4
53	Chronic Lung Infection Is IL-1R Independent, but Relies on MyD88 Signaling. <i>ImmunoHorizons</i> , 2021 , 5, 273-283	2.7	
52	Deletion of Induces Xanthinuria with Obstructive Nephropathy and Major Metabolic Disorders in Mice.. <i>Kidney360</i> , 2021 , 2, 1793-1806	1.8	0
51	B-Cell Activating Factor Secreted by Neutrophils Is a Critical Player in Lung Inflammation to Cigarette Smoke Exposure. <i>Frontiers in Immunology</i> , 2020 , 11, 1622	8.4	4
50	MEK5/ERK5 signaling mediates IL-4-induced M2 macrophage differentiation through regulation of c-Myc expression. <i>Journal of Leukocyte Biology</i> , 2020 , 108, 1215-1223	6.5	12
49	Protective Role of the Nucleic Acid Sensor STING in Pulmonary Fibrosis. <i>Frontiers in Immunology</i> , 2020 , 11, 588799	8.4	4
48	Blockade of IL-33R/ST2 Signaling Attenuates Ileitis Depending on IL-22 Expression. <i>Frontiers in Immunology</i> , 2019 , 10, 702	8.4	7
47	Self-DNA release and STING-dependent sensing drives inflammation to cigarette smoke in mice. <i>Scientific Reports</i> , 2019 , 9, 14848	4.9	18
46	Muc5b-deficient mice develop early histological lung abnormalities. <i>Biology Open</i> , 2019 , 8,	2.2	7
45	The probiotic strain Escherichia coli Nissle 1917 prevents papain-induced respiratory barrier injury and severe allergic inflammation in mice. <i>Scientific Reports</i> , 2018 , 8, 11245	4.9	10
44	The IL-33 Receptor ST2 Regulates Pulmonary Inflammation and Fibrosis to Bleomycin. <i>Frontiers in Immunology</i> , 2018 , 9, 1476	8.4	16
43	PD-1 Is Involved in the Dysregulation of Type 2 Innate Lymphoid Cells in a Murine Model of Obesity. <i>Cell Reports</i> , 2018 , 25, 2053-2060.e4	10.6	45
42	STING-dependent sensing of self-DNA drives silica-induced lung inflammation. <i>Nature Communications</i> , 2018 , 9, 5226	17.4	90
41	Pannexin-1 channels contribute to seizure generation in human epileptic brain tissue and in a mouse model of epilepsy. <i>Science Translational Medicine</i> , 2018 , 10,	17.5	43
40	Inducible CTCF insulator delays the 3Sregulatory region-mediated activation of germline promoters and alters class switching. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 6092-6097	11.5	15
39	Protein kinase C controls type 2 innate lymphoid cell and T2 responses to house dust mite allergen. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 1650-1666	11.5	17
38	IL-1R1-MyD88 axis elicits papain-induced lung inflammation. <i>European Journal of Immunology</i> , 2016 , 46, 2531-2541	6.1	19

37	Controlled Mycobacterium tuberculosis infection in mice under treatment with anti-IL-17A or IL-17F antibodies, in contrast to TNF neutralization. <i>Scientific Reports</i> , 2016 , 6, 36923	4.9	26
36	Innate myeloid cell TNFR1 mediates first line defence against primary Mycobacterium tuberculosis infection. <i>Scientific Reports</i> , 2016 , 6, 22454	4.9	26
35	The NLRP3 inflammasome is activated by nanoparticles through ATP, ADP and adenosine. <i>Cell Death and Disease</i> , 2015 , 6, e1629	9.8	126
34	Complete cis Exclusion upon Duplication of the EEnhancer at the Immunoglobulin Heavy Chain Locus. <i>Molecular and Cellular Biology</i> , 2015 , 35, 2231-41	4.8	1
33	Role of IL-1 in experimental cystic fibrosis upon P. aeruginosa infection. <i>PLoS ONE</i> , 2014 , 9, e114884	3.7	16
32	Relative contribution of IL-1 and TNF to the host response to Mycobacterium tuberculosis and attenuated M. bovis BCG. <i>Immunity, Inflammation and Disease</i> , 2013 , 1, 47-62	2.4	53
31	Inflammasome: IL-1/IL-17 Response in Lung Inflammation 2013 , 157-164		
30	Inflammasome-IL-1-Th17 response in allergic lung inflammation. <i>Journal of Molecular Cell Biology</i> , 2012 , 4, 3-10	6.3	116
29	ATP release and purinergic signaling: a common pathway for particle-mediated inflammasome activation. <i>Cell Death and Disease</i> , 2012 , 3, e403	9.8	170
28	Neutrophil Inhibitory Factor Selectively Inhibits the Endothelium-Driven Transmigration of Eosinophils In Vitro and Airway Eosinophilia in OVA-Induced Allergic Lung Inflammation. <i>Journal of Allergy</i> , 2012 , 2012, 245909		6
27	IL-1 and IL-23 mediate early IL-17A production in pulmonary inflammation leading to late fibrosis. <i>PLoS ONE</i> , 2011 , 6, e23185	3.7	148
26	Sense transcription through the S region is essential for immunoglobulin class switch recombination. <i>EMBO Journal</i> , 2011 , 30, 1608-20	13	14
25	EuroPhenome: a repository for high-throughput mouse phenotyping data. <i>Nucleic Acids Research</i> , 2010 , 38, D577-85	20.1	66
24	Cigarette smoke-induced pulmonary inflammation is TLR4/MyD88 and IL-1R1/MyD88 signaling dependent. <i>Journal of Immunology</i> , 2008 , 180, 1169-78	5.3	262
23	Tumor necrosis factor is critical to control tuberculosis infection. <i>Microbes and Infection</i> , 2007 , 9, 623-8	9.3	73
22	Histological skin changes in heterozygote carriers of mutations in ABCC6, the gene causing pseudoxanthoma elasticum. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2007 , 21, 368-73	4.6	16
21	Replacement of Iggamma3 germ-line promoter by Iggamma1 inhibits class-switch recombination to IgG3. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 20484-9	11.5	12
20	The 5HS4 insulator element is an efficient tool to analyse the transient expression of an Em mu-GFP vector in a transgenic mouse model. <i>Transgenic Research</i> , 2005 , 14, 361-4	3.3	11

19	Pseudoxanthoma elasticum: a clinical, pathophysiological and genetic update including 11 novel ABCC6 mutations. <i>Journal of Medical Genetics</i> , 2005 , 42, 881-92	5.8	199
18	Toll-like receptor pathways in the immune responses to mycobacteria. <i>Microbes and Infection</i> , 2004 , 6, 946-59	9.3	216
17	Mouse embryonic stem cell sorting for the generation of transgenic mice by sedimentation field-flow fractionation. <i>Analytical Chemistry</i> , 2004 , 76, 1580-5	7.8	35
16	Bidirectional transcriptional activity of the Pgk1 promoter and transmission ratio distortion in Capn3-deficient mice. <i>Genomics</i> , 2004 , 84, 592-5	4.3	5
15	Immunoglobulin class-switch recombination in mice devoid of any S mu tandem repeat. <i>Blood</i> , 2004 , 103, 3828-36	2.2	60
14	Combination of 3'S and 5'S IgH regulatory elements mimics the B-specific endogenous expression pattern of IgH genes from pro-B cells to mature B cells in a transgenic mouse model. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2003 , 1642, 181-90	4.9	11
13	Germ-line transcription occurs on both the functional and the non-functional alleles of immunoglobulin constant heavy chain genes. <i>European Journal of Immunology</i> , 2003 , 33, 2108-13	6.1	27
12	Effect of the Emu IgH enhancer on expression of a GFP reporter gene in transfected B cells and transgenic mice. <i>Immunology Letters</i> , 2003 , 86, 77-83	4.1	4
11	Insulators to improve expression of a 3'S IgH LCR-driven reporter gene in transgenic mouse models. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 307, 466-71	3.4	32
10	B cell development arrest upon insertion of a neo gene between JH and Emu: promoter competition results in transcriptional silencing of germline JH and complete VDJ rearrangements. <i>Journal of Immunology</i> , 2002 , 169, 6875-82	5.3	19
9	Localization of the 3'S IgH locus elements that effect long-distance regulation of class switch recombination. <i>Immunity</i> , 2001 , 15, 187-99	32.3	177
8	Alternatively spliced focal adhesion kinase in rat brain with increased autophosphorylation activity. <i>Journal of Biological Chemistry</i> , 1997 , 272, 28720-5	5.4	42
7	Paranodin, a glycoprotein of neuronal paranodal membranes. <i>Neuron</i> , 1997 , 19, 319-31	13.9	221
6	Regulation of a neuronal form of focal adhesion kinase by anandamide. <i>Science</i> , 1996 , 273, 1719-22	33.3	163
5	Switch in the expression of the K19/K18 keratin genes as a very early evidence of testicular differentiation in the rat. <i>Mechanisms of Development</i> , 1995 , 52, 199-207	1.7	26
4	Immortalization of different precursors of glial cells with a targeted and temperature-sensitive oncogene. <i>Experimental Cell Research</i> , 1994 , 214, 373-80	4.2	3
3	Seizure-related opening of the blood-brain barrier induced by soman: possible correlation with the acute neuropathology observed in poisoned rats. <i>NeuroToxicology</i> , 1990 , 11, 493-508	4.4	87
2	Are close contacts between astrocytes and endothelial cells a prerequisite condition of a blood-brain barrier? The rat subfornical organ as an example*. <i>Biology of the Cell</i> , 1989 , 67, 159-165	3.5	2

- 1 Messenger RNAs of beta-amyloid precursor protein and prion protein are regulated by nerve growth factor in PC12 cells. *International Journal of Developmental Neuroscience*, **1988**, 6, 387-93 2.7 44