

Kazushi Kinbara

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5241636/kazushi-kinbara-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers

6,233
citations

33
h-index

78
g-index

153
ext. papers

6,672
ext. citations

9.4
avg. IF

5.69
L-index

#	Paper	IF	Citations
129	High-water-content mouldable hydrogels by mixing clay and a dendritic molecular binder. <i>Nature</i> , 2010 , 463, 339-43	50.4	1309
128	Toward intelligent molecular machines: directed motions of biological and artificial molecules and assemblies. <i>Chemical Reviews</i> , 2005 , 105, 1377-400	68.1	737
127	Mechanical twisting of a guest by a photoresponsive host. <i>Nature</i> , 2006 , 440, 512-5	50.4	574
126	Light-driven open-close motion of chiral molecular scissors. <i>Journal of the American Chemical Society</i> , 2003 , 125, 5612-3	16.4	297
125	A Cyclic Dimer of Metalloporphyrin Forms a Highly Stable Inclusion Complex with C60. <i>Journal of the American Chemical Society</i> , 1999 , 121, 9477-9478	16.4	281
124	Chaperonin-mediated stabilization and ATP-triggered release of semiconductor nanoparticles. <i>Nature</i> , 2003 , 423, 628-32	50.4	211
123	Crystal Structures of the Salts of Chiral Primary Amines with Achiral Carboxylic Acids: Recognition of the Commonly-Occurring Supramolecular Assemblies of Hydrogen-Bond Networks and Their Role in the Formation of Conglomerates. <i>Journal of the American Chemical Society</i> , 1996 , 118, 3441-3449	16.4	176
122	Biomolecular robotics for chemomechanically driven guest delivery fuelled by intracellular ATP. <i>Nature Chemistry</i> , 2013 , 5, 613-20	17.6	160
121	Cyclic Dimers of Metalloporphyrins as Tunable Hosts for Fullerenes: A Remarkable Effect of Rhodium(III). <i>Angewandte Chemie - International Edition</i> , 2001 , 40, 1857-1861	16.4	159
120	Coumarin-derived transformable fluorescent sensor for Zn ²⁺ . <i>Chemical Communications</i> , 2012 , 48, 4764-68	5.8	135
119	Toward long-distance mechanical communication: studies on a ternary complex interconnected by a bridging rotary module. <i>Journal of the American Chemical Society</i> , 2008 , 130, 6725-7	16.4	109
118	Semibiological molecular machine with an implemented "AND" logic gate for regulation of protein folding. <i>Journal of the American Chemical Society</i> , 2006 , 128, 3764-9	16.4	100
117	A tubular biocontainer: metal ion-induced 1D assembly of a molecularly engineered chaperonin. <i>Journal of the American Chemical Society</i> , 2009 , 131, 7556-7	16.4	75
116	Molecular glues carrying multiple guanidinium ion pendants via an oligoether spacer: stabilization of microtubules against depolymerization. <i>Journal of the American Chemical Society</i> , 2009 , 131, 1626-7	16.4	70
115	A self-locking molecule operative with a photoresponsive key. <i>Journal of the American Chemical Society</i> , 2006 , 128, 11600-5	16.4	61
114	Reversible operation of chiral molecular scissors by redox and UV light. <i>Chemical Communications</i> , 2007 , 1441-3	5.8	59
113	A structured monodisperse PEG for the effective suppression of protein aggregation. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 2430-4	16.4	58

112	Chiral ferrocenes as novel rotary modules for molecular machines. <i>Organic and Biomolecular Chemistry</i> , 2008 , 6, 1871-6	3.9	57
111	Reversible ion transportation switch by a ligand-gated synthetic supramolecular ion channel. <i>Journal of the American Chemical Society</i> , 2014 , 136, 15584-95	16.4	52
110	Design of resolving reagents: p-substituted mandelic acids as resolving reagents for 1-arylalkylamines. <i>Tetrahedron: Asymmetry</i> , 1996 , 7, 1539-1542		50
109	Thermally driven polymorphic transition prompting a naked-eye-detectable bending and straightening motion of single crystals. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 7173-8	16.4	49
108	Chiral discrimination upon crystallisation of the diastereomeric salts of 1-arylethylamines with mandelic acid or p-methoxymandelic acid: interpretation of the resolution efficiencies on the basis of the crystal structures. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1996 , 2615		49
107	Ion permeation by a folded multiblock amphiphilic oligomer achieved by hierarchical construction of self-assembled nanopores. <i>Journal of the American Chemical Society</i> , 2012 , 134, 19788-94	16.4	48
106	A high-performance, tailor-made resolving agent: remarkable enhancement of resolution ability by introducing a naphthyl group into the fundamental skeleton. <i>Perkin Transactions II RSC</i> , 2000 , 1339-1348		48
105	Mechano-Sensitive Synthetic Ion Channels. <i>Journal of the American Chemical Society</i> , 2017 , 139, 18016-18023	16.4	47
104	Catalysis of a peptidic micellar assembly covalently immobilized within mesoporous silica channels: importance of amphiphilic spatial design. <i>Chemistry - A European Journal</i> , 2007 , 13, 1731-6	4.8	46
103	Molecular Design of a Novel Dendrimer Porphyrin for Supramolecular Fullerene/Dendrimer Hybridization. <i>Macromolecules</i> , 2000 , 33, 9182-9184	5.5	46
102	Self-repair of a one-dimensional molecular assembly in mesoporous silica by a nanoscopic template effect. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 4241-5	16.4	42
101	Controlling volume shrinkage in soft lithography through heat-induced cross-linking of patterned nanofibers. <i>Journal of the American Chemical Society</i> , 2011 , 133, 2840-3	16.4	39
100	Photoisomerization of ammonium π -unsaturated carboxylates in the solid state: effect of the hydrogen-bond network on the reactivity. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1996 , 247-253		39
99	Shape-directed assembly of a "macromolecular barb" into nanofibers: stereospecific cyclopolymerization of isopropylidene diallylmalonate. <i>Journal of the American Chemical Society</i> , 2010 , 132, 3292-4	16.4	38
98	Cyclic Dimers of Metalloporphyrins as Tunable Hosts for Fullerenes: A Remarkable Effect of Rhodium(III). <i>Angewandte Chemie</i> , 2001 , 113, 1909-1913	3.6	36
97	Effect of a Substituent on an Aromatic Group in Diastereomeric Resolution. <i>Tetrahedron</i> , 2000 , 56, 6651-6655	3.6	36
96	Adhesion effects of a guanidinium ion appended dendritic "molecular glue" on the ATP-driven sliding motion of actomyosin. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 3030-3	16.4	33
95	Chiral discrimination of 2-arylalkanoic acids by (1S,2R)-1-aminoindan-2-ol through the formation of a consistent columnar supramolecular hydrogen-bond network. <i>Perkin Transactions II RSC</i> , 2000 , 111-119		32

94	Mimicking multipass transmembrane proteins: synthesis, assembly and folding of alternating amphiphilic multiblock molecules in liposomal membranes. <i>Chemical Communications</i> , 2011 , 47, 194-6	5.8	31
93	Design of Resolving Agents Based on Crystal Engineering. <i>Synlett</i> , 2005 , 2005, 0732-0743	2.2	31
92	Oligo(4-aminopiperidine-4-carboxylic acid): an unusual basic oligopeptide with an acid-induced helical conformation. <i>Journal of the American Chemical Society</i> , 2010 , 132, 13176-8	16.4	29
91	Development of photoresponsive supramolecular machines inspired by biological molecular systems. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2012 , 13, 136-147	16.4	28
90	Systematic study of chiral discrimination upon crystallisation. Part 2.1 Chiral discrimination of 2-arylalkanoic acids by (1R,2S)-2-amino-1,2-diphenylethanol. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1998 , 1767-1776		27
89	Rational design of CH/π interaction sites in a basic resolving agent. <i>Journal of Organic Chemistry</i> , 2004 , 69, 7436-41	4.2	27
88	Probability of spontaneously resolvable conglomerates for racemic acid/racemic amine salts predicted on the basis of the results of diastereomeric resolutions. <i>Tetrahedron: Asymmetry</i> , 2001 , 12, 2927-2930		25
87	Metal-ion permeation in congested nanochannels: the exposure effect of Ag ⁺ ions on the phosphorescent properties of a gold(I)-pyrazolate complex that is confined in the nanoscopic channels of mesoporous silica. <i>Chemistry - an Asian Journal</i> , 2012 , 7, 2068-72	4.5	23
86	Chromatography-free synthesis of monodisperse oligo(ethylene glycol) mono-p-toluenesulfonates and quantitative analysis of oligomer purity. <i>Polymer Chemistry</i> , 2016 , 7, 2389-2394	4.9	21
85	Chiral Discrimination during Crystallization. <i>Topics in Stereochemistry</i> , 2003 , 207-265		21
84	Chemical Modification of Amide-Based Catenanes and Rotaxanes II. Synthesis of tertiary Amine [2]Catenanes and [2] Rotaxanes via N-Methylation Followed by Borane Reduction of secondary Amide [2]Catenanes and [2]Rotaxanes and Mobility of Their Components. <i>Bulletin of the Chemical Society of Japan</i> , 2001 , 74, 149-155	5.1	21
83	Single-cell E. coli response to an instantaneously applied chemotactic signal. <i>Biophysical Journal</i> , 2014 , 107, 730-739	2.9	20
82	A synthetic ion channel with anisotropic ligand response. <i>Nature Communications</i> , 2020 , 11, 2924	17.4	19
81	Crystallographic and chiroptical studies on tetraarylferrocenes for use as chiral rotary modules for molecular machines. <i>Chemistry - A European Journal</i> , 2007 , 13, 1724-30	4.8	19
80	Optical Resolution of 1-(3-Methoxyphenyl)ethylamine with Enantiomerically Pure Mandelic Acid, and the Crystal Structure of Less-Soluble Diastereomeric Salt. <i>Bulletin of the Chemical Society of Japan</i> , 1993 , 66, 3414-3418	5.1	19
79	Protein stabilization by an amphiphilic short monodisperse oligo(ethylene glycol). <i>Chemical Communications</i> , 2015 , 51, 8457-60	5.8	17
78	Micrometer-size vesicle formation triggered by UV light. <i>Langmuir</i> , 2014 , 30, 7289-95	4	17
77	Application of photoactive yellow protein as a photoresponsive module for controlling hemolytic activity of staphylococcal hemolysin. <i>Chemical Communications</i> , 2012 , 48, 4737-9	5.8	17

76	Hermaphroditic chirality of a D ₂ -symmetric saddle-shaped porphyrin in multicomponent spontaneous optical resolution: inclusion cocrystals with double-helical porphyrin arrays. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 3786-90	16.4	17
75	Newly characterized interaction stabilizes DNA structure: oligoethylene glycols stabilize G-quadruplexes CH- π interactions. <i>Nucleic Acids Research</i> , 2017 , 45, 7021-7030	20.1	16
74	Novel Copolyamides Containing [60]Fullerene in the Main Chain. <i>Chemistry Letters</i> , 1997 , 26, 1037-1038	1.7	15
73	(2-Naphthyl)glycolic acid: a tailored resolving agent for p-substituted 1-arylethylamines. <i>Tetrahedron: Asymmetry</i> , 1998 , 9, 2219-2222		14
72	Toward autonomously operating molecular machines driven by transition-metal catalyst. <i>Molecular BioSystems</i> , 2008 , 4, 512-4		14
71	Synthesis and structure of macrocyclic bis(hydroxynaphthoic amide)s connected by an achiral or chiral diamine. <i>Journal of Organic Chemistry</i> , 2003 , 68, 5812-8	4.2	14
70	Synthesis, absolute configuration, and application of enantiopure trans-1-aminobenz[f]indan-2-ol. <i>Chirality</i> , 2005 , 17, 108-12	2.1	14
69	Synthesis and transformation of a novel methano[60]fullerene having a formyl group. <i>Tetrahedron Letters</i> , 2001 , 42, 5069-5071	2	14
68	Characterization of a novel type of carbonic anhydrase that acts without metal cofactors. <i>BMC Biology</i> , 2021 , 19, 105	7.3	13
67	Multigram chromatography-free synthesis of octa(ethylene glycol) p-toluenesulfonate. <i>Organic Chemistry Frontiers</i> , 2016 , 3, 1524-1534	5.2	12
66	A Structured Monodisperse PEG for the Effective Suppression of Protein Aggregation. <i>Angewandte Chemie</i> , 2013 , 125, 2490-2494	3.6	12
65	Bioinspired multi-block molecules. <i>Chemical Communications</i> , 2016 , 52, 2667-78	5.8	11
64	Thermodriven micrometer-scale aqueous-phase separation of amphiphilic oligoethylene glycol analogues. <i>Chemistry - an Asian Journal</i> , 2014 , 9, 2778-88	4.5	11
63	Template sol-gel synthesis of mesostructured silica composites using metal complexes bearing amphiphilic side chains: immobilization of a polymeric Pt complex formed by a metallophilic interaction. <i>Faraday Discussions</i> , 2009 , 143, 335-43; discussion 359-72	3.6	11
62	Self-Repair of a One-Dimensional Molecular Assembly in Mesoporous Silica by a Nanoscopic Template Effect. <i>Angewandte Chemie</i> , 2010 , 122, 4337-4341	3.6	11
61	Chiral discrimination of 2-arylalkanoic acids by (1S,2S)-1-aminoindan-2-ol and (1S,2S)-2-aminoindan-1-ol: Correlation of the relative configuration of the amino and hydroxy groups with the pattern of a supramolecular hydrogen-bond network in the less-soluble diastereomeric salt. <i>Chirality</i> , 2003 , 15, 564-570	2.1	11
60	Synthesis of methano[60]fullerene derivatives: the fluoride ion-mediated reaction of [60]fullerene with silylated nucleophiles. <i>Tetrahedron Letters</i> , 2001 , 42, 5065-5067	2	11
59	Enantiopuretrans- andcis-3-Aminoindan-1-ols: Preparation and Application as Novel Basic Resolving Agents. <i>Chemistry Letters</i> , 2002 , 31, 266-267	1.7	11

58	Monodisperse engineered PEGs for bio-related applications. <i>Polymer Journal</i> , 2018 , 50, 689-697	2.7	9
57	Thermal-aggregation suppression of proteins by a structured PEG analogue: Importance of denaturation temperature for effective aggregation suppression. <i>Biochemical Engineering Journal</i> , 2014 , 86, 41-48	4.2	9
56	Thermoresponsive Self-assembly and Conformational Changes of Amphiphilic Monodisperse Short Poly(ethylene glycol)s in Water. <i>Chemistry Letters</i> , 2014 , 43, 1055-1057	1.7	9
55	Thermally Driven Polymorphic Transition Prompting a Naked-Eye-Detectable Bending and Straightening Motion of Single Crystals. <i>Angewandte Chemie</i> , 2014 , 126, 7301-7306	3.6	9
54	Synthetic Ion Channel Formed by Multiblock Amphiphile with Anisotropic Dual-Stimuli-Responsiveness. <i>Journal of the American Chemical Society</i> , 2021 , 143, 1348-1355	16.4	9
53	Chemistry. From electron pump to proton channel. <i>Science</i> , 2006 , 313, 51-2	33.3	8
52	A novel reaction of [60]fullerene. A formal [2+2] cycloaddition with aryloxy- and alkoxyketenes. <i>Tetrahedron Letters</i> , 1999 , 40, 899-902	2	8
51	G-Quadruplexes with Tetra(ethylene glycol)-Modified Deoxythymidines are Resistant to Nucleases and Inhibit HIV-1 Reverse Transcriptase. <i>ChemBioChem</i> , 2016 , 17, 1399-402	3.8	8
50	Synthesis and properties of polyamides with [60]fullerene in the main chain. <i>Journal of Polymer Science Part A</i> , 1998 , 36, 3139-3146	2.5	7
49	Photoreactive molecular complex of 2,5-distyrylpyrazine and ethyl 4-[2-(2-pyrazinyl)ethenyl]cinnamate. Formation of perfectly ordered polymer composite by crystalline-state photopolymerization. <i>Journal of the American Chemical Society</i> , 1993 , 115, 3820-3821	16.4	7
48	Supramolecular Transmembrane Ion Channels Formed by Multiblock Amphiphiles. <i>Accounts of Chemical Research</i> , 2021 , 54, 3700-3709	24.3	7
47	Contrasting Topological Effect of PEG-Containing Amphiphiles to Natural Lipids on Stability of Vesicles. <i>Langmuir</i> , 2016 , 32, 4546-53	4	6
46	Imidazolium-based Multiblock Amphiphile as Transmembrane Anion Transporter. <i>Chemistry - an Asian Journal</i> , 2021 , 16, 147-157	4.5	6
45	Thermally-induced lateral assembly of a PEG-containing amphiphile triggering vesicle budding. <i>Chemical Communications</i> , 2017 , 53, 11662-11665	5.8	5
44	Aromatic Fluorination of Multiblock Amphiphile Enhances Its Incorporation into Lipid Bilayer Membranes. <i>ChemistryOpen</i> , 2020 , 9, 301-303	2.3	5
43	Thermal and optical properties of multiblock macrocycles with hysteretic polymorphic transition. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 969-974	7.8	5
42	Light-triggered vesicle formation: important factors for generation of vesicles and possible applications. <i>Pure and Applied Chemistry</i> , 2014 , 86, 1259-1267	2.1	5
41	Adhesion Effects of a Guanidinium Ion Appended Dendritic Molecular Glue on the ATP-Driven Sliding Motion of Actomyosin. <i>Angewandte Chemie</i> , 2010 , 122, 3094-3097	3.6	5

40	TETHER-LINKED [60]FULLERENE-DONOR DYADS. <i>Fullerenes, Nanotubes, and Carbon Nanostructures</i> , 2001 , 9, 467-475		5
39	Synthesis and Structure of [2]Catenated tertiary Octamide and Octamine. <i>Chemistry Letters</i> , 1999 , 28, 915-916	1.7	5
38	Photochemical EZ-Isomerization of β Unsaturated Amides and Thioamides in the Solid State. <i>Bulletin of the Chemical Society of Japan</i> , 1996 , 69, 779-784	5.1	5
37	EZ-Isomerization of β Unsaturated Acid Derivatives in the Solid State. <i>Molecular Crystals and Liquid Crystals</i> , 1996 , 276, 141-151		5
36	Multifarious Polymorphism of a Multiblock Amphiphilic Macrocycle Bearing Thermally Responsive Polyether Segment. <i>ACS Omega</i> , 2018 , 3, 414-418	3.9	4
35	Enzymatically cleavable traceless biotin tags for protein PEGylation and purification. <i>Chemical Communications</i> , 2018 , 54, 1913-1916	5.8	4
34	Synthesis and Thermal Responses of Polygonal Poly(ethylene glycol) Analogues. <i>Chemistry - an Asian Journal</i> , 2016 , 11, 1028-35	4.5	4
33	Image analysis of alpha/beta-tubulin rings in two-dimensional crystalline arrays of periodic mesoporous nanostructures. <i>Journal of Biochemistry</i> , 2010 , 147, 555-63	3.1	4
32	Formation of a Topochemically Photoreactive Mixed Crystal by Grinding and Its Mechanistic Interpretation. <i>Bulletin of the Chemical Society of Japan</i> , 1993 , 66, 1204-1210	5.1	4
31	Cyclic Dimers of Metalloporphyrins as Tunable Hosts for Fullerenes: A Remarkable Effect of Rhodium(III) 2001 , 40, 1857		4
30	New Modified Deoxythymine with Dibranched Tetraethylene Glycol Stabilizes G-Quadruplex Structures. <i>Molecules</i> , 2020 , 25,	4.8	3
29	Hermaphroditic Chirality of a D ₂ -Symmetric Saddle-Shaped Porphyrin in Multicomponent Spontaneous Optical Resolution: Inclusion Cocrystals with Double-Helical Porphyrin Arrays. <i>Angewandte Chemie</i> , 2006 , 118, 3870-3874	3.6	3
28	Regio- and Stereoselective Synthesis of <i>trans</i> -4-[60]Fullerenobisacetic Acid Derivative by a Tether-Directed Biscyclopropanation: A Diacid Component Applicable for the Synthesis of Regio- and Stereo-regular [60]Fullerene Pearl-Necklace Polyamides. <i>Chemistry Letters</i> , 2002 , 31, 728-729	1.7	3
27	Molecular-level chiral discrimination and induction. <i>Journal of Chemical Sciences</i> , 1996 , 108, 555-573	1.8	3
26	Thermo-driven self-assembly of a PEG-containing amphiphile in a bilayer membrane.. <i>RSC Advances</i> , 2020 , 10, 25758-25762	3.7	3
25	Applications to water transport systems: general discussion. <i>Faraday Discussions</i> , 2018 , 209, 389-414	3.6	3
24	Development of Stimuli-Responsive Multi-Block Amphiphiles. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2015 , 28, 579-582	0.7	2
23	Formation of Ketones from Alkyl Nitrites in the Solid State. <i>Chemistry Letters</i> , 1996 , 25, 217-218	1.7	2

22	Optical Resolution and Absolute Configuration of anti-Head-to-Head Umbelliferone Dimer. <i>Bulletin of the Chemical Society of Japan</i> , 1993 , 66, 900-905	5.1	2
21	Localization of transmembrane multiblock amphiphilic molecules in phase-separated vesicles. <i>Faraday Discussions</i> , 2018 , 209, 315-328	3.6	1
20	Grafting synthetic transmembrane units to the engineered low-toxicity hemolysin to restore its hemolytic activity. <i>Molecular BioSystems</i> , 2014 , 10, 3199-206		1
19	Thermally resistive phosphorescent molecular assembly in the channels of mesoporous silica nanocomposites 2012 ,		1
18	Heating effect of a one-dimensional molecular assembly on self-repairing capability in the nanoscopic channels of mesoporous silica 2010 ,		1
17	Template Sol-Gel Synthesis of Phosphorescent Mesoporous Silica Film Nanocomposites Using an Amphiphilic Gold (I) Pyrazolate Complex. <i>Advanced Materials Research</i> , 2011 , 364, 55-59	0.5	1
16	Amplification of Light-induced Molecular-Shape Change by Supramolecular Machines. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2012 , 25, 655-658	0.7	1
15	Design of Resolving Agents Based on Crystal Engineering. <i>ChemInform</i> , 2005 , 36, no		1
14	Transesterification on polyols by intra- and intermolecular nucleophilic substitutions. <i>PLoS ONE</i> , 2014 , 9, e91912	3.7	1
13	Role of Hydrogen-Bond Network in the Formation of a Conglomerate.. <i>Nihon Kessho Gakkaishi</i> , 1996 , 38, 414-420	0	1
12	Heat-Triggered Crystallization of Liquid Crystalline Macrocycles Allowing for Conductance Switching through Hysteretic Thermal Phase Transitions. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 141-148 ^{4.5}		1
11	Calcium-induced reversible assembly of phosphorylated amphiphile within lipid bilayer membranes. <i>Chemical Communications</i> , 2021 , 57, 4106-4109	5.8	1
10	Development of an Engineered Photoactive Yellow Protein as a Cross-Linking Junction for Construction of Photoresponsive Protein-Polymer Conjugates. <i>ChemPhotoChem</i> , 2019 , 3, 356-360	3.3	0
9	Session 2SDA-Nonequilibrium energetics of biological molecular machines. <i>Biophysical Reviews</i> , 2020 , 12, 273-274	3.7	0
8	Development of Supramolecular Machines Allowing for Mechanical Communication between Molecules. <i>Yuki Gosei Kagaku Kyokaiishi/Journal of Synthetic Organic Chemistry</i> , 2009 , 67, 1044-1052	0.2	0
7	Reversible formation of multiple stimuli-responsive polymeric materials through processing control of trifunctional amphiphilic molecules. <i>Chemical Communications</i> , 2020 , 56, 7881-7884	5.8	
6	Development of Self-Assembling Alternating Amphiphilic Compounds. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2014 , 27, 557-560	0.7	
5	Rücktitelbild: A Structured Monodisperse PEG for the Effective Suppression of Protein Aggregation (Angew. Chem. 9/2013). <i>Angewandte Chemie</i> , 2013 , 125, 2674-2674	3.6	

- 4 Development of Bioinspired Molecular Machines and their Functions. *Hyomen Kagaku*, **2010**, 31, 283-289
- 3 Properties of Imidazolium-containing Multiblock Amphiphile in Lipid Bilayer Membranes. *Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]*, **2021**, 34, 161-165 0.7
- 2 Dynamic Functional Materials Utilizing Chaperonins. *Kobunshi*, **2005**, 54, 82-82
- 1 Development and Functionalization of Structural Mimics of Multipass Transmembrane Proteins. *Yuki Gosei Kagaku Kyokaiishi/Journal of Synthetic Organic Chemistry*, **2013**, 71, 1045-1050 0.2