

Ewa Rajpert-De Meyts

List of Articles by Year in descending order

Source: [//exaly.com/author-pdf/5242023/publications.pdf](https://exaly.com/author-pdf/5242023/publications.pdf)

Version: 2025-02-01

216

peer-reviewed
articles

14,191

peer-reviewed
citations

18736

62

peer-reviewed
h-index

24725

116

g-index

276

documents

17732

doc citations

14894

71

h-index

21251

citing authors

#	ARTICLE	IF	CITATIONS
1	Sequencing Identifies Novel Genetic Variants Associated with High-risk Testicular Cancer. <i>European Urology</i> , 2024, 85, 346-347.	2.1	0
2	Xâ€chromosome loss rescues Sertoli cell maturation and spermatogenesis in Klinefelter syndrome. <i>Cell Death and Disease</i> , 2024, 15, .	8.5	6
3	Changes in local mineral homeostasis facilitate the formation of benign and malignant testicular microcalcifications. <i>ELife</i> , 2024, 13, .	0.7	2
4	Somatic cancers: Hijacking germ cell immortality tools. <i>BioEssays</i> , 2023, 45, .	2.1	0
5	Global patterns in testicular cancer incidence and mortality in 2020. <i>International Journal of Cancer</i> , 2022, 151, 692-698.	4.3	133
6	Optimized detection of germ cell neoplasia inÂsitu in contralateral biopsy reduces the risk of second testis cancer. <i>BJU International</i> , 2022, 130, 646-654.	3.2	13
7	Marking the first decade of Andrologyâ€Conception and early development of the journal. <i>Andrology</i> , 2022, 10, 139-143.	3.1	2
8	ANDRONET: A new European network to boost research coordination, education and public awareness in andrology. <i>Andrology</i> , 2022, 10, 144-146.	3.1	0
9	Diverse monogenic subforms of human spermatogenic failure. <i>Nature Communications</i> , 2022, 13, .	13.7	70
10	FSHBandFSHRgene variants exert mild modulatory effect on reproductive hormone levels and testis size but not on semen quality: A study of 2020 men from the general Danish population. <i>Andrology</i> , 2021, 9, 618-631.	3.1	9
11	Identification of 22 susceptibility loci associated with testicular germ cell tumors. <i>Nature Communications</i> , 2021, 12, .	13.7	64
12	Variant PNLDC1, Defective piRNA Processing, and Azoospermia. <i>New England Journal of Medicine</i> , 2021, 385, 707-719.	34.6	99
13	Accelerated loss of oogonia and impaired folliculogenesis in females with Turner syndrome start during early fetal development. <i>Human Reproduction</i> , 2021, 36, 2992-3002.	1.0	26
14	Testicular cancer incidence predictions in Europe 2010â€2035: A rising burden despite population ageing. <i>International Journal of Cancer</i> , 2020, 147, 820-828.	4.3	97
15	Age-related changes in human Leydig cell status. <i>Human Reproduction</i> , 2020, 35, 2663-2676.	1.0	60
16	WNT signalling in the normal human adult testis and in male germ cell neoplasms. <i>Human Reproduction</i> , 2020, 35, 1991-2003.	1.0	31
17	Erratum. WNT signalling in the normal human adult testis and in male germ cell neoplasms. <i>Human Reproduction</i> , 2020, 35, 2639-2639.	1.0	1
18	Luteinizing Hormone Receptor Is Expressed in Testicular Germ Cell Tumors: Possible Implications for Tumor Growth and Prognosis. <i>Cancers</i> , 2020, 12, 1358.	3.8	7

#	ARTICLE	IF	CITATIONS
19	Integration and reanalysis of transcriptomics and methylomics data derived from blood and testis tissue of men with 47,XXY Klinefelter syndrome indicates the primary involvement of Sertoli cells in the testicular pathogenesis. <i>American Journal of Medical Genetics, Part C: Seminars in Medical Genetics</i> , 2020, 184, 239-255.	3.5	19
20	Application of miRNAs in the diagnosis and monitoring of testicular germ cell tumours. <i>Nature Reviews Urology</i> , 2020, 17, 201-213.	10.1	96
21	Evaluation of Circulating miRNA Biomarkers of Testicular Germ Cell Tumors during Therapy and Follow-up—A Copenhagen Experience. <i>Cancers</i> , 2020, 12, 759.	3.8	26
22	Influence of Nodal signalling on pluripotency factor expression, tumour cell proliferation and cisplatin-sensitivity in testicular germ cell tumours. <i>BMC Cancer</i> , 2020, 20, .	2.9	5
23	Evaluating genetic causes of azoospermia: What can we learn from a complex cellular structure and single-cell transcriptomics of the human testis?. <i>Human Genetics</i> , 2020, 140, 183-201.	3.0	33
24	Smad factors in testicular germ cell tumours and their regulation by the BMP4 signalling pathway™. <i>Andrology</i> , 2020, 8, 1456-1470.	3.1	5
25	High-Throughput Sequencing-Based Investigation of Viruses in Human Cancers by Multi-enrichment Approach. <i>Journal of Infectious Diseases</i> , 2019, 220, 1312-1324.	3.8	15
26	Characterisation and localisation of the endocannabinoid system components in the adult human testis. <i>Scientific Reports</i> , 2019, 9, .	3.4	71
27	Central Precocious Puberty in two Boys with Prader-Willi Syndrome on Growth Hormone Treatment. <i>AACE Clinical Case Reports</i> , 2019, 5, e352-e356.	0.8	9
28	Dysregulation of FGFR signalling by a selective inhibitor reduces germ cell survival in human fetal gonads of both sexes and alters the somatic niche in fetal testes. <i>Human Reproduction</i> , 2019, 34, 2228-2243.	1.0	21
29	Mutations involving the SRY-related gene SOX8 are associated with a spectrum of human reproductive anomalies. <i>Human Molecular Genetics</i> , 2018, 27, 1228-1240.	2.9	81
30	Transcriptome profiling of fetal Klinefelter testis tissue reveals a possible involvement of long non-coding RNAs in gonocyte maturation. <i>Human Molecular Genetics</i> , 2018, 27, 430-439.	2.9	52
31	Is the FSHR 2039A>G variant associated with susceptibility to testicular germ cell cancer?. <i>Andrology</i> , 2018, 6, 176-183.	3.1	7
32	Nodal Signaling Regulates Germ Cell Development and Establishment of Seminiferous Cords in the Human Fetal Testis. <i>Cell Reports</i> , 2018, 25, 1924-1937.e4.	6.3	41
33	Decrease in semen quality and Leydig cell function in infertile men: a longitudinal study. <i>Human Reproduction</i> , 2018, 33, 1963-1974.	1.0	29
34	Expression of the O-Glycosylation Enzyme GalNAc-T3 in the Equatorial Segment Correlates with the Quality of Spermatozoa. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2949.	4.4	10
35	Transcriptome analysis of the adult human Klinefelter testis and cellularity-matched controls reveals disturbed differentiation of Sertoli- and Leydig cells. <i>Cell Death and Disease</i> , 2018, 9, .	8.5	45
36	Quantification of the Leydig cell compartment in testicular biopsies and association with biochemical Leydig cell dysfunction in testicular cancer survivors. <i>Andrology</i> , 2018, 6, 748-755.	3.1	9

#	ARTICLE	IF	CITATIONS
37	Involvement of the DNA mismatch repair system in cisplatin sensitivity of testicular germ cell tumours. <i>Cellular Oncology (Dordrecht)</i> , 2017, 40, 341-355.	4.0	32
38	Meta-analysis of five genome-wide association studies identifies multiple new loci associated with testicular germ cell tumor. <i>Nature Genetics</i> , 2017, 49, 1141-1147.	25.2	119
39	Klinefelter syndrome comorbidities linked to increased X chromosome gene dosage and altered protein interactome activity. <i>Human Molecular Genetics</i> , 2017, 26, 1219-1229.	2.9	96
40	Comparison of global gene expression profiles of microdissected human foetal Leydig cells with their normal and hyperplastic adult equivalents. <i>Molecular Human Reproduction</i> , 2017, 23, 339-354.	2.9	14
41	Possible involvement of the glucocorticoid receptor (NR3C1) and selected NR3C1 gene variants in regulation of human testicular function. <i>Andrology</i> , 2017, 5, 1105-1114.	3.1	39
42	Factor V Leiden is associated with increased sperm count. <i>Human Reproduction</i> , 2017, 32, 2332-2339.	1.0	2
43	Short stature homeobox-containing gene duplications in 3.7% of girls with tall stature and normal karyotypes. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 1651-1657.	1.6	13
44	Polymorphisms in JMJD1C are associated with pubertal onset in boys and reproductive function in men. <i>Scientific Reports</i> , 2017, 7, .	3.4	1
45	Clinical, genetic, biochemical, and testicular biopsy findings among 1,213 men evaluated for infertility. <i>Fertility and Sterility</i> , 2017, 107, 74-82.e7.	2.9	136
46	Germ Cell Neoplasia in Situ and Preserved Fertility Despite Suppressed Gonadotropins in a Patient With Testotoxicosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 4411-4416.	4.1	11
47	Leydig cell clustering and Reinke crystal distribution in relation to hormonal function in adult patients with testicular dysgenesis syndrome (TDS) including cryptorchidism. <i>Hormones</i> , 2017, 15, 518-526.	1.8	17
48	Experimentally induced testicular dysgenesis syndrome originates in the masculinization programming window. <i>JCI Insight</i> , 2017, 2, .	5.4	110
49	Whole-genome sequencing of spermatocytic tumors provides insights into the mutational processes operating in the male germline. <i>PLoS ONE</i> , 2017, 12, e0178169.	2.3	46
50	Germ cell neoplasia in situ (GCNIS): evolution of the current nomenclature for testicular pre-invasive germ cell malignancy. <i>Histopathology</i> , 2016, 69, 7-10.	3.6	138
51	Cellular correlates of selfish spermatogonial selection. <i>Andrology</i> , 2016, 4, 550-553.	3.1	11
52	Differences in global DNA methylation of testicular seminoma are not associated with changes in histone modifications, clinical prognosis, BRAF mutations or gene expression. <i>Cancer Genetics</i> , 2016, 209, 506-514.	0.6	10
53	Testicular germ cell tumours. <i>Lancet, The</i> , 2016, 387, 1762-1774.	62.4	319
54	Male Reproductive Disorders and Fertility Trends: Influences of Environment and Genetic Susceptibility. <i>Physiological Reviews</i> , 2016, 96, 55-97.	25.5	883

#	ARTICLE	IF	CITATIONS
55	A survey of etiologic hypotheses among testicular cancer researchers. <i>Andrology</i> , 2015, 3, 19-26.	3.1	7
56	Polygenic susceptibility to testicular cancer: implications for personalised health care. <i>British Journal of Cancer</i> , 2015, 113, 1512-1518.	5.5	11
57	Screening for carcinoma in situ in the contralateral testicle in patients with testicular cancer: a population-based study. <i>Annals of Oncology</i> , 2015, 26, 737-742.	10.0	34
58	Pathogenesis of germ cell neoplasia in testicular dysgenesis and disorders of sex development. <i>Seminars in Cell and Developmental Biology</i> , 2015, 45, 124-137.	5.4	59
59	Ex vivoculture of human fetal gonads: manipulation of meiosis signalling by retinoic acid treatment disrupts testis development. <i>Human Reproduction</i> , 2015, 30, 2351-2363.	1.0	66
60	Biglycan is a novel binding partner of fibroblast growth factor receptor 3c (FGFR3c) in the human testis. <i>Molecular and Cellular Endocrinology</i> , 2015, 399, 235-243.	3.4	14
61	Expression pattern of clinically relevant markers in paediatric germ cell- and sex-cord stromal tumours is similar to adult testicular tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 465, 567-577.	2.9	17
62	Associations of Filaggrin Gene Loss-of-Function Variants with Urinary Phthalate Metabolites and Testicular Function in Young Danish Men. <i>Environmental Health Perspectives</i> , 2014, 122, 345-350.	8.3	26
63	Regulation of meiotic entry and gonadal sex differentiation in the human: normal and disrupted signaling. <i>Biomolecular Concepts</i> , 2014, 5, 331-341.	2.6	30
64	Validation of endogenous normalizing genes for expression analyses in adult human testis and germ cell neoplasms. <i>Molecular Human Reproduction</i> , 2014, 20, 709-718.	2.9	26
65	Recent Advances in Understanding the Etiology and Pathogenesis of Pediatric Germ Cell Tumors. <i>Journal of Pediatric Hematology/Oncology</i> , 2014, 36, 263-270.	0.7	46
66	Hanging drop cultures of human testis and testis cancer samples: a model used to investigate activin treatment effects in a preserved niche. <i>British Journal of Cancer</i> , 2014, 110, 2604-2614.	5.5	86
67	Patterns of DNA damage response in intracranial germ cell tumors versus glioblastomas reflect cell of origin rather than brain environment: Implications for the anti-tumor barrier concept and treatment. <i>Molecular Oncology</i> , 2014, 8, 1667-1678.	4.1	13
68	Expression patterns of DLK1 and INSL3 identify stages of Leydig cell differentiation during normal development and in testicular pathologies, including testicular cancer and Klinefelter syndrome. <i>Human Reproduction</i> , 2014, 29, 1637-1650.	1.0	82
69	Possible fetal determinants of male infertility. <i>Nature Reviews Endocrinology</i> , 2014, 10, 553-562.	32.0	148
70	Pubertal Onset in Girls is Strongly Influenced by Genetic Variation Affecting FSH Action. <i>Scientific Reports</i> , 2014, 4, .	3.4	32
71	Characterization of the testicular, epididymal and endocrine phenotypes in the Leuven Vdr-deficient mouse model: Targeting estrogen signalling. <i>Molecular and Cellular Endocrinology</i> , 2013, 377, 93-102.	3.4	43
72	Phenotypic characterisation of immune cell infiltrates in testicular germ cell neoplasia. <i>Journal of Reproductive Immunology</i> , 2013, 100, 135-145.	1.2	46

#	ARTICLE	IF	CITATIONS
73	FSHB-211 and FSHR 2039 are associated with serum levels of follicle-stimulating hormone and antimüllerian hormone in healthy girls: a longitudinal cohort study. <i>Fertility and Sterility</i> , 2013, 100, 1089-1095.	2.9	17
74	Sperm Concentration, Testicular Volume and Age Predict Risk of Carcinoma In Situ in Contralateral Testis of Men with Testicular Germ Cell Cancer. <i>Journal of Urology</i> , 2013, 190, 2074-2080.	4.2	36
75	Influence of vitamin D on cisplatin sensitivity in testicular germ cell cancer-derived cell lines and in a Ntera2 xenograft model. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2013, 136, 238-246.	2.3	29
76	Dysregulation of the mitosis-meiosis switch in testicular carcinoma in situ. <i>Journal of Pathology</i> , 2013, 229, 588-598.	4.9	55
77	Molecular Characteristics of Malignant Ovarian Germ Cell Tumors and Comparison With Testicular Counterparts: Implications for Pathogenesis. <i>Endocrine Reviews</i> , 2013, 34, 339-376.	24.7	97
78	Androgen Receptor CAG Repeat Length Is Associated With Body Fat and Serum SHBG in Boys: A Prospective Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E605-E609.	4.1	20
79	Identification of a Novel Androgen Receptor Mutation in a Family With Multiple Components Compatible With the Testicular Dysgenesis Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 2223-2229.	4.1	27
80	Association between polymorphisms in the aryl hydrocarbon receptor repressor gene and disseminated testicular germ cell cancer. <i>Frontiers in Endocrinology</i> , 2013, 4, .	3.9	10
81	Anti-Müllerian Hormone and Its Clinical Use in Pediatrics with Special Emphasis on Disorders of Sex Development. <i>International Journal of Endocrinology</i> , 2013, 2013, 1-10.	3.5	61
82	UGT2B17 Genotype and the Pharmacokinetic Serum Profile of Testosterone during Substitution Therapy with Testosterone Undecanoate. A Retrospective Experience from 207 Men with Hypogonadism. <i>Frontiers in Endocrinology</i> , 2013, 4, .	3.9	10
83	Genome-Wide Assessment of the Association of Rare and Common Copy Number Variations to Testicular Germ Cell Cancer. <i>Frontiers in Endocrinology</i> , 2013, 4, .	3.9	14
84	Contributions of intrinsic mutation rate and selfish selection to levels of de novo HRAS mutations in the paternal germline. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 20152-20157.	7.5	86
85	Evidence that active demethylation mechanisms maintain the genome of carcinoma in situ cells hypomethylated in the adult testis. <i>British Journal of Cancer</i> , 2013, 110, 668-678.	5.5	48
86	Analysis of meiosis regulators in human gonads: a sexually dimorphic spatio-temporal expression pattern suggests involvement of DMRT1 in meiotic entry. <i>Molecular Human Reproduction</i> , 2012, 18, 523-534.	2.9	101
87	A genome-wide association study of men with symptoms of testicular dysgenesis syndrome and its network biology interpretation. <i>Journal of Medical Genetics</i> , 2012, 49, 58-65.	3.8	101
88	Detection of increased gene copy number in DNA from dried blood spot samples allows efficient screening for Klinefelter syndrome. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012, 101, .	1.6	16
89	45,X/46,XY Mosaicism: Phenotypic Characteristics, Growth, and Reproductive Function—A Retrospective Longitudinal Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E1540-E1549.	4.1	168
90	Heterogeneity of chromatin modifications in testicular spermatocytic seminoma point toward an epigenetically unstable phenotype. <i>Cancer Genetics</i> , 2012, 205, 425-431.	0.6	18

#	ARTICLE	IF	CITATIONS
91	Vitamin D Metabolism and Effects on Pluripotency Genes and Cell Differentiation in Testicular Germ Cell Tumors In Vitro and In Vivo. <i>Neoplasia</i> , 2012, 14, 952-1018.	7.0	50
92	Selfish Spermatogonial Selection: Evidence from an Immunohistochemical Screen in Testes of Elderly Men. <i>PLoS ONE</i> , 2012, 7, e42382.	2.3	37
93	AZF _a protein DDX3Y is differentially expressed in human male germ cells during development and in testicular tumours: new evidence for phenotypic plasticity of germ cells. <i>Human Reproduction</i> , 2012, 27, 1547-1555.	1.0	48
94	A novel double staining strategy for improved detection of testicular carcinoma in situ cells in human semen samples. <i>Andrologia</i> , 2012, 44, 78-85.	2.0	12
95	Testis: Spermatocytic seminoma. <i>Atlas of Genetics and Cytogenetics in Oncology and Haematology</i> , 2011, . .	0.2	0
96	European Academy of Andrology revives the International Journal of Andrology Award and Lecture. <i>Journal of Developmental and Physical Disabilities</i> , 2011, 34, 1-1.	3.2	2
97	Deletions of the Y chromosome are associated with sex chromosome aneuploidy but not with Klinefelter syndrome. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011, 100, 900-902.	1.6	17
98	Heterochromatin marks HP1 ^β , HP1 ^α and H3K9me ₃ , and DNA damage response activation in human testis development and germ cell tumours. <i>Journal of Developmental and Physical Disabilities</i> , 2011, 34, .	3.2	18
99	Testicular germ cell tumours in dogs are predominantly of spermatocytic seminoma type and are frequently associated with somatic cell tumours. <i>Journal of Developmental and Physical Disabilities</i> , 2011, 34, .	3.2	33
100	Heterozygous deletion at the RLN1 locus in a family with testicular germ cell cancer identified by integrating copy number variation data with phenome and interactome information. <i>Journal of Developmental and Physical Disabilities</i> , 2011, 34, .	3.2	8
101	Screening of subfertile men for testicular carcinoma in situ by an automated image analysis-based cytological test of the ejaculate. <i>Journal of Developmental and Physical Disabilities</i> , 2011, 34, .	3.2	26
102	OCT2, SSX and SAGE1 reveal the phenotypic heterogeneity of spermatocytic seminoma reflecting distinct subpopulations of spermatogonia. <i>Journal of Pathology</i> , 2011, 224, 473-483.	4.9	88
103	Increased number of sex chromosomes affects height in a nonlinear fashion: A study of 305 patients with sex chromosome aneuploidy. <i>American Journal of Medical Genetics, Part A</i> , 2010, 152A, 1206-1212.	1.6	189
104	Lipoprotein lipase and endothelial lipase in human testis and in germ cell neoplasms. <i>Journal of Developmental and Physical Disabilities</i> , 2010, 33, .	3.2	30
105	Testicular dysgenesis syndrome comprises some but not all cases of hypospadias and impaired spermatogenesis. <i>Journal of Developmental and Physical Disabilities</i> , 2010, 33, 298-303.	3.2	85
106	Carcinoma in situ testis displays permissive chromatin modifications similar to immature foetal germ cells. <i>British Journal of Cancer</i> , 2010, 103, 1269-1276.	5.5	83
107	Vitamin D receptor and vitamin D metabolizing enzymes are expressed in the human male reproductive tract. <i>Human Reproduction</i> , 2010, 25, 1303-1311.	1.0	334
108	Optimizing Staining Protocols for Laser Microdissection of Specific Cell Types from the Testis Including Carcinoma In Situ. <i>PLoS ONE</i> , 2009, 4, e5536.	2.3	20

#	ARTICLE	IF	CITATIONS
109	A Common Deletion in the Uridine Diphosphate Glucuronyltransferase (UGT)2B17 Gene Is a Strong Determinant of Androgen Excretion in Healthy Pubertal Boys. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 1005-1011.	4.1	31
110	Activating mutations in FGFR3 and HRAS reveal a shared genetic origin for congenital disorders and testicular tumors. <i>Nature Genetics</i> , 2009, 41, 1247-1252.	25.2	203
111	Testicular Dysgenesis Syndrome and Leydig Cell Function. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2008, 102, 155-161.	2.8	68
112	Adverse trends in male reproductive health: we may have reached a crucial "tipping point". <i>Journal of Developmental and Physical Disabilities</i> , 2008, 31, 74-80.	3.2	153
113	Testicular dysgenesis syndrome and the origin of carcinoma in situ testis. <i>Journal of Developmental and Physical Disabilities</i> , 2008, 31, 275-287.	3.2	70
114	Origin of pluripotent germ cell tumours: The role of microenvironment during embryonic development. <i>Molecular and Cellular Endocrinology</i> , 2008, 288, 111-118.	3.4	92
115	The Early Human Germ Cell Lineage Does Not Express SOX2 During In Vivo Development or upon In Vitro Culture ¹ . <i>Biology of Reproduction</i> , 2008, 78, 852-858.	2.5	120
116	Presumed pluripotency markers UTF-1 and REX-1 are expressed in human adult testes and germ cell neoplasms. <i>Human Reproduction</i> , 2008, 23, 775-782.	1.0	88
117	Phenotypic variation within European carriers of the Y-chromosomal gr/gr deletion is independent of Y-chromosomal background. <i>Journal of Medical Genetics</i> , 2008, 46, 21-31.	3.8	67
118	Association of the polymorphism of the CAG repeat in the mitochondrial DNA polymerase gamma gene (POLG) with testicular germ-cell cancer. <i>Annals of Oncology</i> , 2008, 19, 1910-1914.	10.0	28
119	Sons conceived by assisted reproduction techniques inherit deletions in the azoospermia factor (AZF) region of the Y chromosome and the DAZ gene copy number. <i>Human Reproduction</i> , 2008, 23, 1669-1678.	1.0	115
120	Preserved fertility in a non-mosaic Klinefelter patient with a mutation in the fibroblast growth factor receptor 3 gene: Case Report. <i>Human Reproduction</i> , 2007, 22, 1907-1911.	1.0	31
121	Activin receptor subunits in normal and dysfunctional adult human testis. <i>Human Reproduction</i> , 2007, 23, 412-420.	1.0	33
122	Towards a non-invasive method for early detection of testicular neoplasia in semen samples by identification of fetal germ cell-specific markers. <i>Human Reproduction</i> , 2007, 22, 167-173.	1.0	52
123	Immunoexpression of Androgen Receptor and Nine Markers of Maturation in the Testes of Adolescent Boys with Klinefelter Syndrome: Evidence for Degeneration of Germ Cells at the Onset of Meiosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 714-719.	4.1	95
124	Testis-specific protein Y-encoded gene is expressed in early and late stages of gonadoblastoma and testicular carcinoma in situ. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2007, 25, 141-146.	1.8	69
125	A simple screening method for detection of Klinefelter syndrome and other X-chromosome aneuploidies based on copy number of the androgen receptor gene. <i>Molecular Human Reproduction</i> , 2007, 13, 745-750.	2.9	37
126	Title is missing!. <i>Molecular Cancer</i> , 2007, 6, 12.	29.2	133

#	ARTICLE	IF	CITATIONS
127	Gene polymorphisms and male infertility â€” a meta-analysis and literature review. <i>Reproductive BioMedicine Online</i> , 2007, 15, 643-658.	2.7	214
128	Environment, testicular dysgenesis and carcinoma in situ testis. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2007, 21, 462-478.	5.1	74
129	DNA damage response mediators MDC1 and 53BP1: constitutive activation and aberrant loss in breast and lung cancer, but not in testicular germ cell tumours. <i>Oncogene</i> , 2007, 26, 7414-7422.	6.5	109
130	Translational repression of E2F1 mRNA in carcinoma in situ and normal testis correlates with expression of the miR-17-92 cluster. <i>Cell Death and Differentiation</i> , 2007, 14, 879-882.	13.3	98
131	Improved gene expression signature of testicular carcinoma in situ. <i>Journal of Developmental and Physical Disabilities</i> , 2007, 30, 292-303.	3.2	50
132	DNA damage response in human testes and testicular germ cell tumours: biology and implications for therapy. <i>Journal of Developmental and Physical Disabilities</i> , 2007, 30, 282-291.	3.2	45
133	Analysis of gene expression in normal and neoplastic human testis: new roles of RNA. <i>Journal of Developmental and Physical Disabilities</i> , 2007, 30, 316-327.	3.2	25
134	Testicular cancer trends as â€”whistle blowersâ€” of testicular developmental problems in populations. <i>Journal of Developmental and Physical Disabilities</i> , 2007, 30, 198-205.	3.2	93
135	The transforming growth factorâ€”2 superfamily in early spermatogenesis: potential relevance to testicular dysgenesis. <i>Journal of Developmental and Physical Disabilities</i> , 2007, 30, 377-384.	3.2	39
136	Current approaches for detection of carcinoma in situ testis. <i>Journal of Developmental and Physical Disabilities</i> , 2007, 30, 398-405.	3.2	36
137	Testicular carcinoma in situ in subfertile Danish men. <i>Journal of Developmental and Physical Disabilities</i> , 2007, 30, 406-412.	3.2	38
138	Proceedings of the 6th Copenhagen Workshop on Carcinoma in situ Testis and Germ Cell Cancer, 26-28 October 2006. <i>Journal of Developmental and Physical Disabilities</i> , 2007, 30, 191-191.	3.2	0
139	Recent advances and future directions in research on testicular germ cell cancer. <i>Journal of Developmental and Physical Disabilities</i> , 2007, 30, 192-197.	3.2	13
140	Nordic consensus on treatment of undescended testes. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007, 96, 638-643.	1.6	333
141	Cryptorchidism: classification, prevalence and long-term consequences. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007, 96, 611-616.	1.6	227
142	Development and descent of the testis in relation to cryptorchidism. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007, 96, 622-627.	1.6	95
143	From Gonocytes to Testicular Cancer. <i>Annals of the New York Academy of Sciences</i> , 2007, 1120, 168-180.	4.0	99
144	Histological evaluation of the human testisâ€”approaches to optimizing the clinical value of the assessment: Mini Review. <i>Human Reproduction</i> , 2007, 22, 2-16.	1.0	393

#	ARTICLE	IF	CITATIONS
145	Changes in the profile of simple mucin-type O-glycans and polypeptide GalNAc-transferases in human testis and testicular neoplasms are associated with germ cell maturation and tumour differentiation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2007, 451, 805-814.	2.9	34
146	Natural history of seminiferous tubule degeneration in Klinefelter syndrome. <i>Human Reproduction Update</i> , 2006, 12, 39-48.	15.2	269
147	Testicular development in the complete androgen insensitivity syndrome. <i>Journal of Pathology</i> , 2006, 208, 518-527.	4.9	200
148	New evidence for the origin of intracranial germ cell tumours from primordial germ cells: expression of pluripotency and cell differentiation markers. <i>Journal of Pathology</i> , 2006, 209, 25-33.	4.9	91
149	CDH1 (E-cadherin) in testicular germ cell neoplasia: suppressed translation of mRNA in pre-invasive carcinoma in situ but increased protein levels in advanced tumours. <i>Apmis</i> , 2006, 114, 549-558.	2.5	16
150	Is human fecundity declining?. <i>Journal of Developmental and Physical Disabilities</i> , 2006, 29, 2-11.	3.2	281
151	From embryonic stem cells to testicular germ cell cancer - should we be concerned?. <i>Journal of Developmental and Physical Disabilities</i> , 2006, 29, 211-218.	3.2	39
152	Identity of M2A (D2-40) antigen and gp36 (Aggrus, T1A-2, podoplanin) in human developing testis, testicular carcinoma in situ and germ-cell tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2006, 449, 200-206.	2.9	93
153	Developmental model for the pathogenesis of testicular carcinoma in situ: genetic and environmental aspects. <i>Human Reproduction Update</i> , 2006, 12, 303-323.	15.2	429
154	Stem cell pluripotency factor NANOG is expressed in human fetal gonocytes, testicular carcinoma in situ and germ cell tumours. <i>Histopathology</i> , 2005, 47, 48-56.	3.6	208
155	Genome-wide gene expression profiling of testicular carcinoma in situ progression into overt tumours. <i>British Journal of Cancer</i> , 2005, 92, 1934-1941.	5.5	88
156	A rare diagnosis: testicular dysgenesis with carcinoma in situ detected in a patient with ultrasonic microlithiasis. <i>Asian Journal of Andrology</i> , 2005, 7, 445-447.	1.9	17
157	Testicular dysgenesis syndrome and the development and occurrence of male reproductive disorders. <i>Toxicology and Applied Pharmacology</i> , 2005, 207, 501-505.	3.2	102
158	Genomic and gene expression signature of the pre-invasive testicular carcinoma in situ. <i>Cell and Tissue Research</i> , 2005, 322, 159-165.	2.7	43
159	A subfertile patient diagnosed with testicular carcinoma in situ by immunocytological staining for AP-2 β in semen samples: Case report. <i>Human Reproduction</i> , 2005, 20, 579-582.	1.0	19
160	Cytogenetic and molecular analysis of a family with three brothers afflicted with germ-cell cancer. <i>Clinical Genetics</i> , 2004, 65, 32-39.	2.1	7
161	Human Endocrine Gland-Derived Vascular Endothelial Growth Factor: Expression Early in Development and in Leydig Cell Tumors Suggests Roles in Normal and Pathological Testis Angiogenesis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 4078-4088.	4.1	68
162	Impaired Leydig Cell Function in Infertile Men: A Study of 357 Idiopathic Infertile Men and 318 Proven Fertile Controls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 3161-3167.	4.1	227

#	ARTICLE	IF	CITATIONS
163	The AZFa gene DBY (DDX3Y) is widely transcribed but the protein is limited to the male germ cells by translation control. <i>Human Molecular Genetics</i> , 2004, 13, 2333-2341.	2.9	167
164	Developmental expression of POU5F1 (OCT-3/4) in normal and dysgenetic human gonads. <i>Human Reproduction</i> , 2004, 19, 1338-1344.	1.0	197
165	Cytogenetic investigation of testicular carcinoma in situ and early seminoma by high-resolution comparative genomic hybridization analysis of subpopulations flow sorted according to DNA content. <i>Cancer Genetics and Cytogenetics</i> , 2004, 149, 89-97.	1.2	16
166	Frequent polymorphism of the mitochondrial DNA polymerase gamma gene (POLG) in patients with normal spermiograms and unexplained subfertility. <i>Human Reproduction</i> , 2004, 19, 65-70.	1.0	86
167	High-resolution comparative genomic hybridization detects extra chromosome arm 12p material in most cases of carcinoma in situ adjacent to overt germ cell tumors, but not before the invasive tumor development. <i>Genes Chromosomes and Cancer</i> , 2003, 38, 117-125.	3.0	104
168	Association between testicular dysgenesis syndrome (TDS) and testicular neoplasia: Evidence from 20 adult patients with signs of maldevelopment of the testis. <i>Apmis</i> , 2003, 111, 1-11.	2.5	146
169	Deregulation of the G1/S-phase control in human testicular germ cell tumours. <i>Apmis</i> , 2003, 111, 252-266.	2.5	57
170	The emerging phenotype of the testicular carcinoma in situ germ cell. <i>Apmis</i> , 2003, 111, 267-279.	2.5	31
171	The immunohistochemical expression pattern of Chk2, p53, p19INK4d, MAGE-A4 and other selected antigens provides new evidence for the premeiotic origin of spermatocytic seminoma. <i>Histopathology</i> , 2003, 42, 217-226.	3.6	102
172	Leydig cell micronodules are a common finding in testicular biopsies from men with impaired spermatogenesis and are associated with decreased testosterone/LH ratio. <i>Journal of Pathology</i> , 2003, 199, 378-386.	4.9	105
173	Deregulation of the RB pathway in human testicular germ cell tumours. <i>Journal of Pathology</i> , 2003, 200, 149-156.	4.9	52
174	Histological evidence of testicular dysgenesis in contralateral biopsies from 218 patients with testicular germ cell cancer. <i>Journal of Pathology</i> , 2003, 200, 370-374.	4.9	193
175	Increased Risk of Carcinoma In Situ In Patients With Testicular Germ Cell Cancer With Ultrasonic Microlithiasis In the Contralateral Testicle. <i>Journal of Urology</i> , 2003, 170, 1163-1167.	4.2	97
176	No AZF deletion in 160 patients with testicular germ cell neoplasia. <i>Molecular Human Reproduction</i> , 2003, 9, 517-521.	2.9	19
177	Nuclear transit of human zipcode-binding protein IMP1. <i>Biochemical Journal</i> , 2003, 376, 383-391.	3.8	53
178	Inhibin B: A Marker for the Functional State of the Seminiferous Epithelium in Patients with Azoospermia Factor c Microdeletions. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 5618-5624.	4.1	46
179	Quantitative assessment of foetal exposure to trenbolone acetate, zeranol and melengestrol acetate, following maternal dosing in rabbits. <i>Xenobiotica</i> , 2002, 32, 641-651.	1.1	17
180	CAG repeat length in androgen-receptor gene and reproductive variables in fertile and infertile men. <i>Lancet</i> , The, 2002, 359, 44-46.	62.4	90

#	ARTICLE	IF	CITATIONS
181	Germ cell cancer and testicular dysgenesis syndrome. <i>Andrologie</i> , 2002, 12, 262-268.	0.0	0
182	The Cancer-Testis Gene, NY-ESO-1, Is Expressed in Normal Fetal and Adult Testes and in Spermatocytic Seminomas and Testicular Carcinoma In Situ. <i>Laboratory Investigation</i> , 2002, 82, 775-780.	3.2	83
183	RE: THE PREVALENCE OF TESTICULAR MICROLITHIASIS IN AN ASYMPTOMATIC POPULATION OF MEN 18 TO 35 YEARS OLD. <i>Journal of Urology</i> , 2002, , 1108.	4.2	0
184	Identification and Characterization of a Novel Human Testis-Specific Kinase Substrate Gene Which Is Downregulated in Testicular Tumors. <i>Biochemical and Biophysical Research Communications</i> , 2001, 285, 400-408.	2.1	14
185	Identification of a Y chromosome haplogroup associated with reduced sperm counts. <i>Human Molecular Genetics</i> , 2001, 10, 1873-1877.	2.9	82
186	Testicular dysgenesis syndrome: an increasingly common developmental disorder with environmental aspects: Opinion. <i>Human Reproduction</i> , 2001, 16, 972-978.	1.0	2,130
187	The relationship between Y chromosome DNA haplotypes and Y chromosome deletions leading to male infertility. <i>Human Genetics</i> , 2001, 108, 55-58.	3.0	36
188	MAGE-A4, a germ cell specific marker, is expressed differentially in testicular tumors. <i>Cancer</i> , 2001, 92, 2778-2785.	4.0	117
189	Expression of the normal epithelial cell-specific 1 (NES1; KLK10) candidate tumour suppressor gene in normal and malignant testicular tissue. <i>British Journal of Cancer</i> , 2001, 85, 220-224.	5.5	71
190	hH-Rev107, a class II tumor suppressor gene, is expressed by post-meiotic testicular germ cells and CIS cells but not by human testicular germ cell tumors. <i>Oncogene</i> , 2001, 20, 5155-5163.	6.5	29
191	Double-Blind Y Chromosome Microdeletion Analysis in Men with Known Sperm Parameters and Reproductive Hormone Profiles: Microdeletions Are Specific for Spermatogenic Failure1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 2638-2642.	4.1	85
192	Are Male Reproductive Disorders a Common Entity?. <i>Annals of the New York Academy of Sciences</i> , 2001, 948, 90-99.	4.0	75
193	Origin of Germ Cell Cancer. , 2000, 10, 335-340.		1
194	Cell cycle regulators in testicular cancer: Loss of p18INK4C marks progression from carcinoma in situ to invasive germ cell tumours. <i>International Journal of Cancer</i> , 2000, 85, 370-375.	4.3	68
195	A Dose-Finding Study of in utero and Lactational Exposure to Diethylstilboestrol and Flutamide in 129/Sv Mice. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2000, 87, 255-257.	0.1	2
196	Lack of p19INK4d in human testicular germ-cell tumours contrasts with high expression during normal spermatogenesis. <i>Oncogene</i> , 2000, 19, 4146-4150.	6.5	55
197	Carcinoma in situ in the Testis. <i>Scandinavian Journal of Urology and Nephrology</i> , 2000, 34, 166-186.	1.1	161
198	Should We Watch What We Eat and Drink? Report on the International Workshop on Hormones and Endocrine Disrupters in Food and Water: Possible Impact on Human Health, Copenhagen, Denmark, 27-30 May 2000. <i>Trends in Endocrinology and Metabolism</i> , 2000, 11, 291-293.	8.5	7

#	ARTICLE	IF	CITATIONS
199	Expression of Anti-Müllerian Hormone during Normal and Pathological Gonadal Development: Association with Differentiation of Sertoli and Granulosa Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 3836-3844.	4.1	323
200	D-type cyclins in adult human testis and testicular cancer: relation to cell type, proliferation, differentiation, and malignancy. , 1999, 187, 573-581.		68
201	Expression of Anti-Müllerian Hormone during Normal and Pathological Gonadal Development: Association with Differentiation of Sertoli and Granulosa Cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 3836-3844.	4.1	257
202	Germ cell cancer and disorders of spermatogenesis: An environmental connection?. <i>Apmis</i> , 1998, 106, 3-12.	2.5	232
203	Developmental arrest of germ cells in the pathogenesis of germ cell neoplasia. <i>Apmis</i> , 1998, 106, 198-206.	2.5	157
204	Male reproductive health and environmental xenoestrogens.. <i>Environmental Health Perspectives</i> , 1996, 104, 741-803.	8.3	1,128
205	Male Reproductive Health and Environmental Xenoestrogens. <i>Environmental Health Perspectives</i> , 1996, 104, 741.	8.3	379
206	IMMUNOREACTIVE NEURON-SPECIFIC ENOLASE (NSE) IS EXPRESSED IN TESTICULAR CARCINOMA-IN-SITU. , 1996, 178, 161-165.		18
207	PROLONGED EXPRESSION OF THE c-kit RECEPTOR IN GERM CELLS OF INTERSEX FETAL TESTES. <i>Journal of Pathology</i> , 1996, 178, 166-169.	4.9	52
208	Heterogeneity of expression of immunohistochemical tumour markers in testicular carcinoma in situ: pathogenetic relevance. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 1996, 428, .	2.9	65
209	Expression of the glycolipid globotriaosylceramide (Gb3) in testicular carcinoma in situ. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 1995, 426, .	2.9	19
210	Human papillomavirus and Epstein-Barr virus in the etiology of testicular germ cell tumours. <i>Apmis</i> , 1994, 102, 38-42.	2.5	24
211	Expression of the c-kit protein product in carcinoma-in-situ and invasive testicular germ cell tumours. <i>Journal of Developmental and Physical Disabilities</i> , 1994, 17, 85-92.	3.2	174
212	Transfection with β -glutamyl transpeptidase enhances recovery from glutathione depletion using extracellular glutathione. <i>Toxicology and Applied Pharmacology</i> , 1992, 114, 56-62.	3.2	59
213	Identification of a human gamma-glutamyl cleaving enzyme related to, but distinct from, gamma-glutamyl transpeptidase.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 6303-6307.	7.5	77
214	Cloning and nucleotide sequence of human gamma-glutamyl transpeptidase.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 8840-8844.	7.5	84
215	Title is missing!. , 0, .		1
216	Title is missing!. , 0, .		1